



BOSCH

100 Years of
Bosch in India



CORDLESS MEANS BOSCH

Catalogue 2022

INDEX

1	SCREWDRIVER	4	10	CIRCULAR SAW	39
	Bosch GO 2 KIT	5		GKS 18V-57 SOLO	40
2	DRILL DRIVER	6	11	BATTERIES/CHARGERS	41
	GSR 120-LI KIT	7		GBA 12V 2.0 Ah	42
	GSR 120-Li (SINGLE BATTERY)	8		GBA 18V 2.0 Ah	43
	GSR 12V-30 SOLO	9		GBA 18V 4.0 Ah	44
	GSR 180-LI	10		GBA 18V 4.0 Ah ProCore	45
	GSR 18V-50 SOLO	11		GBA 18V 8.0 Ah ProCore	46
	GSR 18V-50 KIT	12		GAL 18V-40	47
3	IMPACT DRILL	13	10	CIRCULAR SAW	48
	GSB 120-LI KIT	14		CIRCULAR SAW	49
	GSB 180-LI	15	12	ACCESSORIES	50
4	IMPACT DRIVER	16		DRILL BITS FOR CORDLESS ROTARY HAMMER	51-53
	GDR 120-LI	17		DRILL BITS FOR CORDLESS IMPACT DRILLING MACHINE	54
	GDR 12 V-EC	18		ACCESSORIES FOR CORDLESS ANGLE GRINDER	56-56
	GDR 180-LI	19		WIRE CUP BRUSHES FOR CORDLESS ANGLE GRINDERS	57-58
5	IMPACT WRENCH	20		SCREW DRIVING BITS	59-62
	GDS 250-LI	21		WOOD DRILL BITS FOR DRILLING MACHINES	63
	GDS 18V-200	22	13	METAL DRILL BITS	64
	GDS 18V-400	23		HSS Drill Bits – RANGE OVERVIEW	65
	GDS 18V-1050 H	24		HSS PointTeQ	66
	GDX 18V-200 C	25		METAL DRILL BITS PointTeQ HSS DIN 338	66-68
6	ROTARY HAMMER	26		METAL DRILL BITS HSS-G	68-69
	GBH 180-Li (Brushless)	27		METAL DRILL COBALT RANGE	69
	GBH 18V-34 SOLO	28		METAL DRILL BIT SET	70
7	SMALL ANGLE GRINDER	29	14	HOLESAWING	71
	GWS 18V-10 (100mm)	30		TCT HOLE SAW	72-73
	GWS 18V-10 (125mm) SOLO	31		HSS BI-METAL HOLESAWS	74
	GWS 180-LI (100mm)	32		STANDARD BI-METAL	75
	GWS 180-LI (100mm) SOLO	33		SPECIAL FOR SHEET METAL HOLESAWS	76
8	BLOWER	34		HOLE CUTTERS, HOESAW SETS	76-77
	GBL 18V-120 SOLO	35	15	SABRE SAW BLADES	78
9	RECIPROCATING SAW	36		SABRE SAW BLADES	79
	GSA 18VLI-C SOLO	37		METAL, WOOD AND METAL, WOOD	80-82
	GSA 18V-32 SOLO	38		SPECIAL MATERIAL	83

CORDLESS TOOLS



Cordless tools with Bosch lithium-ion technology offer strong power and light weight. They serve you with unlimited freedom of movement and high performance in every voltage class. Thanks to the Professional 12V System you can mix and match any 12V battery and charger with any 12V tool.



Bosch continues to set new standards in performance on the jobsite by delivering corded power in a cordless solution. These next-generation 18V cordless tools are equipped with BITURBO Brushless™ technology and powered by Bosch's best battery technology in ProCORE18V™. The new high-power system is engineered to tackle the toughest, grittiest applications on the job.

A man with a beard, wearing a grey t-shirt and dark blue overalls, is kneeling on a speckled floor in a workshop. He is using a blue and black Bosch cordless screwdriver to work on the front panel of a white washing machine. The machine's door is open, revealing the drum. In the background, there are other washing machines and various tools and parts on shelves. A blue toolbox is open on the floor in front of him, containing various tools and a few screws are scattered nearby.

SCREWDRIVER

NEW

BOSCH GO KIT PROFESSIONAL

Minimum effort, maximum efficiency



- ▶ **Easy to control**
Tool stops immediately after deactivation via electronic brake
- ▶ **Dual-activation mode**
Simply push tool or press button to begin
- ▶ **Precise or Power**
Mechanical clutch with 5 torque settings and maximum performance mode

Ergonomic

Easy to grip when working in multiple positions

Shift between manual and power mode

Strong Spindle Lock

Mechanical Clutch

Precise with 5 torque setting and maximum performance mode

POS Security

Able to secure with a steel cable to the POS for a hands on display

Dual Activation: Push / Press

Freedom to choose the activation method by simply push or press the button to begin

Electronic Brake

Easy to control as the tool stops immediately after deactivation



[Click here to watch video](#)



Scope of supply:

Carrying case, Micro USB cable, 33-piece screwdriver bit set

Accessories:

Screw Driver Bits (Page No:59-62)

Bosch GO Professional	Unit	Specifications
Voltage	V	3.6
Battery	Ah	1.5
Torque (Hard / Soft joint)	Nm	5 / 2.5
Max Screw Diameter	mm	5
Speed	rpm	360
Electronic brake	-	Yes
Smart Stop	-	Yes
Tool holder	-	¼" Inter HEX

A construction worker wearing a yellow hard hat, safety glasses, and an orange safety vest is using a blue cordless drill driver to work on a metal railing on a high-rise building. The worker is standing on a concrete ledge with a metal railing. In the background, a dense urban skyline with various skyscrapers is visible under a clear blue sky. A thick steel cable runs vertically in the background.

DRILL DRIVER

NEW

GSR 120-LI KIT PROFESSIONAL

Bosch Quality, High Power, Affordable Price!



- ▶ **Affordability**
Power and durability within reach for screwdriving and drilling
- ▶ **High productivity**
2-speed gearbox enables high productivity and excellent torque
- ▶ **Durability**
Electronic Cell Protection (ECP) for longer battery life and more durability

- **Faster and easier bit change**
- **More robust securing of bits**

Single sleeve chuck

Illuminates dark workspaces for easy working

LED light

Protects cells from under-volting, excessive current draw, and deep discharge to prolong lifetime of batteries

Electronic Cell Protection (ECP)



- **Optimized for drilling and screwdriving**
- **High working progress and torque**

Two speed gearbox



173 mm for working in tight spaces

Compact head length

Optimized for functionality giving the tool easy handling

Soft grip



Click here to watch video



Scope of supply:

2 x 12V 2 Ah Li-ion Batteries, 1 Charger, Carry Case, Accessory set, 6 metal drill bit, 4 wood drill bit, 10 screw driver bit and 1 screw driver bit holder

Accessories:

Metal Drill Bit (Page: 64-70), Wood Drill Bit (Page: 82-83), Screw Driver Bit (Page: 59-62), Holesaws (Page: 71-77)

GSR 120-LI Professional	Unit	Specifications
Voltage	V	12
Battery capacity	Ah	2.0
No- load speed	rpm	0-400 / 0-500
Torque (hard/soft)	Nm	30 / 14
Max Screw Diameter	mm	8
Drilling in wood/metal	mm	20 / 10
Weight (with battery)	kg	0.97



GSR 120-LI (SINGLE BATTERY) PROFESSIONAL

Bosch Quality, High Power, Affordable Price!

- ▶ **Affordability**
Power and durability within reach for screwdriving and drilling
- ▶ **High productivity**
2-speed gearbox enables high productivity and excellent torque
- ▶ **Durability**
Electronic Cell Protection (ECP) for longer battery life and more durability

- **Faster and easier bit change**
- **More robust securing of bits**

Single sleeve chuck

Illuminates dark workspaces for easy working

LED light

Protects cells from under-volting, excessive current draw, and deep discharge to prolong lifetime of batteries

Electronic Cell Protection (ECP)



- **Optimized for drilling and screwdriving**
- **High working progress and torque**

Two speed gearbox



173 mm for working in tight spaces

Compact head length

Optimized for functionality giving the tool easy handling

Soft grip



Click here to watch video



Scope of supply:

1 x 12V 2 Ah battery, 1 Charger

GSR 120-LI Professional	Unit	Specifications
Voltage	V	12
Battery capacity	Ah	2.0
No- load speed	rpm	0-400 / 0-500
Torque (hard/soft)	Nm	30 / 14
Max Screw Diameter	mm	8
Drilling in wood/metal	mm	20 / 10
Weight (with battery)	kg	0.97

Accessories:

Metal Drill Bit (Page: 64-70), Wood Drill Bit (Page: 82-83), Screw Driver Bit (Page: 59-62), Holesaws (Page: 71-77)



GSR 12V-30 SOLO PROFESSIONAL

Impressive features, remarkable savings

- ▶ **Performance**
High torque and rapid drilling speed for quick and powerful results
- ▶ **Durable**
Designed with robust housing and brushless EC motor
- ▶ **Compact**
Compact design easy to use in tight spaces

Illuminate dark workspaces for easy working

LED light

Optimized for adjustable speed and excellent torque

Two speed gearbox

Maintenance free and longer lifetime

Detachable dust filter for a longer lifetime of motor



Protects cells from undervolting, excessive current draw, and deep discharge to prolong lifetime of batteries

Electronic Cell Protection (ECP)



158 mm for working in tight spaces

Compact head length



Click here to watch video



Scope of supply:

Carrying Case, *Battery and charger not included

Accessories:

Metal Drill Bit (Page: 64-70), Wood Drill Bit (Page: 82-83), Screw Driver Bit (Page: 59-62), Holesaws (Page: 71-77)

GSR 12V-30 Professional	Unit	Specifications
Rated voltage	V	12
Battery capacity	Ah	2.0-6.0
No- load speed	1/min	0-420 / 1600
Max. torque (soft/hard joint)	Nm	17 / 30
Max. drilling Ø in wood/steel	mm	20 / 10



GSR 180-LI PROFESSIONAL

More Power. More Robust.
Step up and step out with increased power

- ▶ **Affordability**
Bosch quality at affordable price
- ▶ **Easy maintenance**
Motor has changeable carbon brushes
- ▶ **Durability**
Designed with robust housing and Battery Cell Protection

Expand the range of applications the user can do

13mm keyless chuck

Increase serviceability and lifetime

Changeable carbon brushes

Increase handling and comfort

Ergonomic grip

All batteries of the same voltage can be used

Flexible power system

Illuminate dark working spaces

LED light



Click here to watch video



Scope of supply:

2 x 2 Ah Li-ion batteries, 1 charger, Carry case

GSR 180-LI Professional

	Unit	Specifications
Voltage	V	18
No-load Speed (1st / 2nd)	rpm	0-450 / 1700
Torque (Hard / Soft)	Nm	54 / 21
Max Drilling (Wood / Steel)	mm	35 / 10
Max Screw Diameter	mm	10
Chuck Size	mm	13
Battery Capacity	Ah	2.0

Accessories:

Metal Drill Bit (Page: 64-70), Wood Drill Bit (Page: 82-83), Screw Driver Bit (Page: 59-62), Holesaws (Page: 71-77)



GSR 18V-50 SOLO PROFESSIONAL

Tough brushless motor for heavy-duty jobs

- ▶ **Metal chuck**
Robust metal chuck and compact ergonomic design ideal for heavy-duty jobs
- ▶ **Brushless motor**
Intelligent brushless motor for efficiency and long lifetime
- ▶ **Flexible Power System**
Flexible Power System works with Bosch batteries and chargers of the same voltage

Robustness on heavy-duty jobs

With metal chuck

Working in compact spaces

Head length of 183 mm

Efficiency, endurance, and compactness

Intelligent brushless motor

Durable

With Electronic Cell Protection

Flexible Power System

With Bosch batteries and chargers of the same voltage



[Click here to watch video](#)



Scope of supply:

Carry case, *Battery and charger not included

GSR 18V-50 Professional

	Unit	Specifications
Rated voltage	V	18
Battery capacity	Ah	2.0-12.0
Chuck type	-	Metal
No-load speed	rpm	0-460 / 0-1800
Max.torque (hard/soft joint)	Nm	50 / 28
Max.drilling Ø in wood/steel	mm	35 / 13
Max.screw Ø	mm	10

Accessories:

Metal Drill Bit (Page: 64-70, Wood Drill Bit (Page: 82-83), Screw Driver Bit (Page:59-62) Holesaws (Page: 71-77)



GSR 18V-50 KIT PROFESSIONAL

Tough brushless motor for heavy-duty jobs

- ▶ **Metal chuck**
Robust metal chuck and compact ergonomic design ideal for heavy-duty jobs
- ▶ **Brushless motor**
Intelligent brushless motor for efficiency and long lifetime
- ▶ **Flexible Power System**
Flexible Power System works with Bosch batteries and chargers of the same voltage

Robustness on heavy-duty jobs

With metal chuck

Working in compact spaces

Head length of 183 mm

Efficiency, endurance, and compactness

Intelligent brushless motor

Durable

With Electronic Cell Protection

Flexible Power System

With Bosch batteries and chargers of the same voltage



[Click here to watch video](#)



Scope of supply:

Carry case, 1 charger, 2 x 2.0 Ah Li-ion batteries

GSR 18V-50 Professional

	Unit	Specifications
Rated voltage	V	18
Battery capacity	Ah	2.0-12.0
Chuck type	-	Metal
No-load speed	rpm	0-460 / 0-1800
Max.torque (hard/soft joint)	Nm	50 / 28
Max.drilling Ø in wood/steel	mm	35 / 13
Max.screw Ø	mm	10

Accessories:

Metal Drill Bit (Page: 64-70), Wood Drill Bit (Page: 82-83), Screw Driver Bit (Page: 59-62), Holesaws (Page: 71-77)



IMPACT DRILL

NEW

GSB 120-LI KIT PROFESSIONAL

Highly flexible, highly economical



- ▶ **Affordability**
Power and durability within reach for screwdriving and drilling
- ▶ **High productivity**
2-speed gearbox enables high productivity and excellent torque
- ▶ **Durability**
Electronic Cell Protection (ECP) for longer battery life and more durability

- **Faster and easier bit change**
- **More robust securing of bits**

Single sleeve chuck

Impact drilling mode for drilling in masonry

Impact mode

Illuminates dark workspaces for easy working

LED light

Protects cells from under volting, excessive current draw, and deep discharge to prolong lifetime of batteries

Electronic Cell Protection (ECP)



- **Optimized for drilling and screwdriving**
- **High working progress and torque**

Two speed gearbox

182 mm for working in tight spaces

Compact head length

Optimized for functionality giving the tool easy handling
Soft grip



Click here to watch video



Scope of supply:

Carry case, 1 Charger, 2 x 2 Ah Li-Ion battery

GSB 120-LI Professional

	Unit	Specifications
Voltage	V	12
Battery capacity	Ah	2.0
No- load speed	rpm	0-400 / 0-1500
Torque (hard/soft)	Nm	30 / 14
Drilling in wood/metal/masonry	mm	20 / 10 / 8
Weight (with battery)	kg	1.06

Accessories:

Masonry Drill Bit (Page: 54) Metal Drill Bit (Page: 64-70), Wood Drill Bit (Page: 58) Screw Driver Bit (Page:59-62), Holesaws (Page: 71-77)



GSB 180-LI PROFESSIONAL

More Power. More Robust.
Step up and step out with increased power

- ▶ **Affordability**
Bosch quality at affordable price
- ▶ **Durability**
Designed with robust housing and Battery Cell Protection
- ▶ **Easy maintenance**
Motor has changeable carbon brushes

13mm Keyless Chuck

Expands the range of applications the user can do

Changeable Carbon Brushes

Increased serviceability and lifetime of tool

Ergonomic Grip

Increased handling and comfort

LED Light - User Feedback

Illuminates dark working spaces and provides feedback (flashing light) when ECP is triggered

Flexible Power System

All batteries of the same voltage work with all tools in the range



Click here to watch video



Scope of supply:

2 x 2 Ah Li-ion batteries, 1 charger, Carry case

GSB 180-LI Professional

	Unit	Specifications
Voltage	V	18
No-load Speed (1st / 2nd)	rpm	0-450 / 1700
Impact Rate	min	0-27000
Torque (Hard / soft	Nm	54 / 21
Max Drilling (Wood / Steel / Masonry)	mm	35 / 10 / 10
Max Screw Diameter	mm	10
Battery Capacity	Ah	2.0

Accessories:

Masonry Drill Bit (Page: 54) Metal Drill Bit (Page: 64-70), Wood Drill Bit (Page: 58) Screw Driver Bit (Page: 59-62), Holesaws (Page: 71-77)

A construction worker in a tan shirt, dark pants, and a yellow safety harness is using a blue and black Bosch impact driver to secure a metal plate. The worker is standing in a construction site with concrete pillars and pipes visible in the background. The impact driver is being used to drive a screw into a metal plate that is part of a larger structure.

IMPACT DRIVER



GDR 120-LI PROFESSIONAL

High on efficiency! Low on price!
Powered to bolt!

- ▶ Bosch quality at affordable price
- ▶ Always the right power for variety of applications with 2-level power control
- ▶ Easy handling and compact design with insert battery

Robust design and easy to repair

4 screws to connect tool head and housing

Higher visibility of working area

Due to LED light under bit holder

Compact design

Due to shift from 10.8V slide in pack to insert pack platform



Always the right power for variety of applications

2-level power control

Cover most of standard size applications

Sufficient torque
(GDR 100Nm; GDS 105Nm)

Flexible power system

All Bosch 10.8 / 12V Li-Ion battery (1.5Ah-4.0Ah)



[Click here to watch video](#)



Scope of supply:

2 x 2.0 Ah batteries, 1 charger, 1 carry case

Accessories:

Nut Socket with Adaptor (Page:61-62), Pick and click set- Both 44 pc and 20 pc

GDR 120-LI Professional	Unit	Specifications
Voltage	V	12
Battery capacity	Ah	2.0
No load speed	rpm	0-1300 / 2600
Impact rate	bpm	0-2800 / 3300
Max.torque	Nm	100
Bolting capacity	-	M8
Weight	kg	1.05



GDR 12 V-EC PROFESSIONAL

More lifetime and higher precision while being as compact as ever

- ▶ Bosch quality at an affordable price
- ▶ Always the right power for a variety of applications with 2-level power control
- ▶ Easy handling and ergonomic design

Cover most of standard size applications

High torque (GDR:110Nm, GDS: 115Nm) with pocket size body

Higher visibility of working area

Due to 3 LED lights around bit holder

Convenient for charging control

Battery indicator

Easy handling and good for jobs at narrow space

Short head length 139mm

High efficiency, 2X lifetime and less maintenance effort

EC motor

Flexible power system

All BOSCH 12V Lion battery (2.0Ah ~ 4.0Ah)



[Click here to watch video](#)



Scope of supply:

Carry case, 2 x 2Ah batteries, 1 charger

Accessories:

Nut Socket with Adaptor (Page:61-62), Pick and click set- Both 44 pc and 20 pc

GDR 12 V-EC Professional	Unit	Specifications
Battery voltage	V	12
No-load speed (1st/2nd)	rpm	1200 / 2600
Torque (Hard)	Nm	110
Max. screw diameter	bpm	0-3100



GDR 180-LI PROFESSIONAL

Robust cordless impact driver,
gets the job done faster

- ▶ **Work faster**
High torque, high impact rate and fast rotation speed
- ▶ **Long lifetime**
Durable design with robust gearbox, open frame motor and battery cell protection
- ▶ **Easy to service**
Gear box and carbon brushes can be replaced easily

Illuminates dark work spaces

LED light



Easy serviceable

Easy to replace gear box and carbon brushes

Convenient

New ergonomic handle

Belt clip

And screw driver bit included



[Click here to watch video](#)



Scope of supply:

2 x 2.0 Ah battery, Quick charger

GDR 180-LI Professional	Unit	Specifications
No-load speed	rpm	0-2800
Impact rate	ipm	0-3600
Max. torque	Nm	160
Bit holder/shank	-	1/4" Hex
Weight (incl. 2 Ah battery)	kg	1.4

Accessories:

Nut Socket with Adaptor (Page:61-62), Pick and click set- Both 44 pc and 20 pc

IMPACT WRENCH





GDS 250-LI PROFESSIONAL

It's in your hands. Bosch Professional.

- ▶ **ABR**
ABR, makes disassembling the scaffold so easy!
- ▶ **Interchangeable carbon brush**
Long motor lifetime with interchangeable carbon brush
- ▶ **Anti-rock gearbox design**, for longer lifetime

Dedicate gear box design

Durable and easy repair

Open frame motor

Easy brush change and motor maintenance

ABR software control

For highest working efficiency

Ergonomic handle

Ergonomic handle but also can pass 2 meter drop test

LED light

Enlight working area

Battery with Cool pack

For 2x longer battery lifetime



[Click here to watch video](#)



Scope of supply:

2 x 4.0 Ah battery, Quick charger

Accessories:

1/2 inch Nut Socket (Page:60-62)

GDS 250-LI Professional	Unit	Specifications
Power	V	18
Max Torque	Nm	250
No load speed	min ⁻¹	0-2400
Impact rate	bpm	0-3300
Tool holder	-	1/2" Square (Pin hole + retention ring)
Screw size	-	M10 - M18



GDS 18V-200 PROFESSIONAL

Brushless power packed in a compact design perfect for work in tight space

- ▶ 1/2" anvil with friction ring and pinhole
- ▶ High fastening torque and extremely short head length for powerful use even in hard-to-reach areas
- ▶ Brushless motor to ensure higher power, higher runtimes, and a longer lifetime tool

High power

200 Nm torque ensuring the most common sizes are covered

Brushless Motor

Longer lifetime & maintenance free

Short head length

GDS: 134mm, ensuring easy handling in higher torque operation & easy reach to narrow space



High speed for fast working process

0 – 3,400 rpm for faster screw driving



[Click here to watch video](#)



Scope of supply:

2 x 4.0 Ah battery, Quick charger

Accessories:

1/2 inch Nut Socket (Page:60-62)

GDS 18V-200 Professional	Unit	Specifications
Voltage	V	18
Max. torque	Nm	200
No load speed	rpm	0-3400
Impact rate	ipm	0-4200
Head length	mm	134
Width of Gearbox	mm	60.3
Tool holder	-	1/2" Square
Weight (w/o battery)	kg	1.1



GDS 18V-400 PROFESSIONAL

Bosch's Powerful 400Nm Wrench, where Power & Durability Comes Together

- ▶ **Powerful**
Max torque of 400Nm to tighten and untighten up to M20 bolts and 30mm nuts
- ▶ **Robustness**
Improved lifetime for critical internal components
- ▶ **Simple**
ABR makes disassembling easier by ensuring the tool is automatically stopped when nuts are loosened

Robustness

Aluminum cover for jobs in the most harsh environment

High Torque

Comes with 400 Nm loosening nuts

Increased Robustness

Improved lifetime of critical component such as the trigger switch

Auto Bolt Release

Automatically stop the nuts/bolts when it is completely loosen



Brushless motor

Maintenance-free and longer lifetime



Enhanced Cooling System

Increased heat dissipation on the PCBA



5.0Ah Battery with CoolPack

More application per single battery charge
Make sure no disturbance of work with CoolPack technology



Click here to watch video



Scope of supply:

Carry case, 1 Charger, 2 x 5.0 Ah Li-ion batteries

Accessories:

1/2 inch Nut Socket(Page:60-62)

GDS 18V-400 Professional

	Unit	Specifications
Rated voltage	V	18
Battery capacity	Ah	2.0-12.0
Chuck type	-	Metal
Tool holder	-	1/2" Square
No-load speed	rpm	0-460 / 0-1800
Max.torque (hard/soft joint)	Nm	50 / 28
Max.drilling Ø in wood/steel	mm	35 / 13
Max.screw Ø	mm	10



GDS 18V-1050 H PROFESSIONAL

Full Power, No Cord: High Torque Impact Wrench with BITURBO Brushless Power

- ▶ New high performance brushless motor maximizes the full potential of the ProCORE 18V batteries
- ▶ Extreme power you can feel for tough tightening/breakaway applications
- ▶ Three speed settings provide excellent control over speed/torque for high versatility

Anvil Types

3/4" friction ring plus through hole

Heavy Duty Performance

Up to 1050 Nm tightening torque and 1700 Nm breakaway torque

Controlled Power

- Three speed settings provide excellent control over output speed/torque for high versatility
- Tool condition status indicator
- LED light

BITURBO Brushless motor

- High performance brushless motor
- Fully maximized for ProCORE 18V batteries

BITURBO

Strong yet Compact

- 221 mm length to reach tight places
- Only 2.9 kg in weight (w/o battery)

Joist/Ladder Clip

Option to place the tool on bars/scaffolding or ladders



[Click here to watch video](#)



Scope of supply:

1 Quick charger, 2 x 5.0 Ah batteries, L-BOXX 136

Accessories:

3/4 inch Nut Socket(Page:61)

GDS 18V-1050 H Professional	Unit	Specifications
Voltage	V	18
Max tightening torque	Nm	1050
Max breakaway torque	Nm	1700
No-load speed	rpm	0-800 / 1200 / 1750
Tool holder	-	3/4" Square
Impact rate	bpm	0-1600 / 2400 / 2600
Torque	Nm	0-350 / 750 / 1050
Weight w/o battery	kg	2.9



GDX 18V-200 C PROFESSIONAL

High power in compact size

- ▶ **Powerful and compact**
Powerful use even in hard to reach areas thanks to best head length to torque ratio
- ▶ **Flexible**
2-in-1 bit holder with 1/4" internal hex and 1/2" square drive guarantees flexibility for the widest range of applications
- ▶ **Intelligent**
Bluetooth connectivity option for active tool feedback, service information and additional control

High power

200 Nm torque

GDX - 2 in 1 bit holder

Bit holder for hexagon bits and 1/2" nuts

Short head length

147 mm

High speed for fast working process

0 - 3,400 rpm

Speed/torque settings (1-2-3)



Longer lifetime

EC Brushless Motor

High impact rate

0 - 4,200 ipm



Connectivity

Connectivity module for tool personalization, soft start and service

Keypad

Speed selection on foil keypad

LED light

Light on/off incl. afterglow



[Click here to watch video](#)




Scope of supply:

Carry case, 1 Charger, 2 x 4.0 Ah Li-ion batteries

Accessories:

3/4 inch Nut Socket(Page:61)

GDX 18V-200 C Professional	Unit	Specifications
Max. torque	Nm	200
No load speed	rpm	1-1100 / 2300 / 3400
Impact rate	ipm	0-2300 / 3400 / 4200
Head length	mm	147
Tool holder	-	3/4" Square
Weight (w/o battery)	kg	1,17
Bit holder/shank	-	1/4" Hex; 1/2" Square



ROTARY HAMMER

NEW



GBH 180-LI (BRUSHLESS) PROFESSIONAL

Cordless hammer as powerful as corded
“now made affordable”

- ▶ **Affordable upgrade**
More value for users with brushless motor
- ▶ **Improved efficiency**
20% longer running time than predecessor per battery
- ▶ **Light & compact**
10% lighter vs predecessor

Powerful impact system

2J, 3 mode hammer for versatile usage

Improved performance

Increased runtime per battery



BRUSHLESS
MOTOR



BRUSHLESS
MOTOR

Reduced maintenance

No sparks and less heat generation



[Click here to watch video](#)



Scope of supply:

1 charger, 2 x 4 Ah Li-ion batteries

Accessories:

SDS - Plus concrete Drill bits (Page: 51-53)

GBH 180-LI Professional	Unit	Specifications
Impact force	J	2.0
Drilling capacity (on concrete)	mm	20
No- load speed	rpm	0-1800
Impact rate	bhp	0-5100
Weight (bare tool)	kg	2.3
Brushless motor	-	Yes

NEW

GBH 18V-34 SOLO PROFESSIONAL

The market's most powerful cordless SDS-Plus hammer



- ▶ **Paramount performance with 6J**
50% more powerful than any other SDS-plus hammer in its range for demanding jobs in concrete
- ▶ **Perfect tool control**
Soft-start for precise chiseling and 3 different working modes (Auto, Favourite, Soft) to ensure the right setting for any job
- ▶ **Smartest SDS-Plus hammer**
Real-time tool status via the user interface, individual adjustments by Bluetooth via Bosch Toolbox app

Operating mode switch (oms)

Hammer drilling left and right + chiseling + Vario-Lock + drilling with specific quick change chuck

Paramount performance with 6J

50% stronger than any other tool of its kind due to BITURBO brushless technology with ProCORE18V battery

BITURBO
BRUSHLESS

Perfect tool control

Soft-start for precise chiseling tasks and 3 different working modes (Auto, Favourite, Soft) provide the right setting for every job

Lock-on button

Thanks to OMS lock-on button does not work in hammer drilling mode for enhanced safety

Smartest hammer (user interface & connectivity)

- Real-time tool status (Temperature, Battery, etc.)
- For tool mode selection and individual mode settings via app by Bluetooth connectivity

Professional 18V System

Efficient w/ all 18V batteries for light and medium applications - ProCORE18V optimized for heavy duty applications



[Click here to watch video](#)



Scope of supply:

*Battery & charger not included

Accessories:

SDS - Plus concrete Drill bits(Page: 51-53)

GBH 18V-34 Professional	Unit	Specifications
Impact force	J	2.0
Drilling capacity (on concrete)	mm	20
No- load speed	rpm	0-1800
Impact rate	bhp	0-5100
Weight (bare tool)	kg	2.3
Brushless motor	-	Yes

A man with grey hair, wearing safety glasses and a grey long-sleeved shirt, is focused on his work. He is wearing white work gloves with black text and logos. He is using a blue and red Bosch small angle grinder to grind a metal beam. Bright orange sparks are flying from the point of contact. The background shows a workshop environment with various tools and equipment.

SMALL ANGLE GRINDER

NEW

GWS 18V-10 (100 MM) PROFESSIONAL

Heavy duty cordless small angle grinder



- ▶ **All-around user protection**
with Drop Control, Fast Brake and KickBack Control
- ▶ **Next level of power & runtime**
66% more power and 30% longer runtime than GWS 18V-LI thanks to the new brushless motor and ProCORE18V batteries
- ▶ **Convenience for daily work**
with quick clamping nut (available for M14 version only) and keyless guard

Next level of power and runtime

- Up to 66% more power and up to 30% more runtime compared with GWS 18V-LI
- Equivalent to a 1000W corded grinder



Convenience for daily work

- Keyless quick nut for easy wheel change (only available on M14 version)
- Keyless protective cover for more convenient operation
- New user-friendly switch button design

All-around user protection incl. fast brake

Drop Control, Fast brake, Kickback control, Restart protection, soft start, new user friendly switch button



18V Flexible Power System

- Compatible with all 18V batteries
- Unleash full power with new ProCORE18V batteries

Pro **CORE**18V

Highest robustness

Detachable dust filter for a longer lifetime of motor

Improved hand control

- -30mm slimmer grip size compared with GWS 18V-LI
- Convenience feedback from heavy load applications



Scope of supply:

2 x 5.0 Ah Battery, 1 Charger, Handle, Keyless protection guard, Clamping unit

Accessories:

100 mm abrasive Grinding Wheel, 100 mm abrasive Cutting Wheel
100 mm Resin Sander Disc, 100 mm Backing pad (Page: 55-56)

GWS 18V-10 Professional	Unit	Specifications
Voltage	V	18
Disc-Ø	mm	100 mm (M10)
No- load speed	rpm	9000
Weight w/o battery	kg	2.0
Tool dimensions	mm	358 x 110 x 150
Grip circumference	mm	155

NEW

GWS 18V-10 (125 MM) SOLO PROFESSIONAL

Heavy duty cordless small angle grinder



- ▶ **All-around user protection**
with Drop Control, Fast Brake and KickBack Control
- ▶ **Next level of power & runtime**
66% more power and 30% longer runtime than GWS 18V-LI thanks to the new brushless motor and ProCORE18V batteries
- ▶ **Convenience for daily work**
with quick clamping nut (available for M14 version only) and keyless guard

Next level of power and runtime

- Up to 66% more power and up to 30% more runtime compared with GWS 18V-LI
- Equivalent to a 1000W corded grinder



Convenience for daily work

- Keyless quick nut for easy wheel change (only available on M14 version)
- Keyless protective cover for more convenient operation
- New user-friendly switch button design

All-around user protection incl. fast brake

Drop Control, Fast brake, Kickback control, Restart protection, soft start, new user friendly switch button



18V Flexible Power System

- Compatible with all 18V batteries
 - Unleash full power with new ProCORE18V batteries
- Pro **CORE**18V

Highest robustness

Detachable dust filter for a longer lifetime of motor

Improved hand control

- -30mm slimmer grip size compared with GWS 18V-LI
- Convenience feedback from heavy load applications



[Click here to watch video](#)



Scope of supply:

Cardboard box, *Battery and charger not included

GWS 18V-10 Professional

	Unit	Specifications
Voltage	V	18
Disc-Ø	mm	125 mm (M14)
No- load speed	rpm	9,000
Weight w/o battery	kg	2.0
Tool dimensions	mm	358 x 110 x 150
Grip circumference	mm	155

Accessories:

125 mm abrasive Grinding Wheel(Page-59), 125 mm abrasive Cutting Wheel(Page-59)
125 mm Resin Sander Disc, 125 mm Backing pad(Page: 55-56)



GWS 180-LI (100 MM) PROFESSIONAL

NO cord, NO brush, NO limits!
Corded performance in a cordless tool!

- ▶ High performance Brushless motor delivers 700W corded equivalent power
- ▶ Increased productivity thanks to improved efficiency and runtime
- ▶ Balanced design and slim handle, specifically optimized for versatile cutting

Perform as corded

- High performance Brushless motor delivers 700W equivalent power
- Increased productivity thanks to improved efficiency and runtime



Compact & robust head design

- Metal flange for longer lifetime
- Compact gear housing easy for narrow areas operation

Highest user convenience & protection

- Keyless guard
- No wrench needed for guard assembling
- Fit for cutting application for quick guard adjustment
- Restart protection, overload protection, soft start function

18V Flexible Power System

- Compatible with all 18V batteries
- Increased runtime with ProCore battery

Dust protection for robustness

Detachable dust filter for a longer lifetime of motor



Comfortable handling and easy control

- Soft grip for anti-slipping
- Balanced design and slim handle, specifically optimized for versatile cutting



Click here to watch video



Scope of supply:

Standard auxiliary handle, Keyless Protection guard, Clamping nut, Back flange, Tom hole spanner, 4.0 Ah Battery x 2, GAL 18V-40 charger x 1

Accessories:

100 mm abrasive Grinding Wheel, 100 mm abrasive Cutting Wheel, 100 mm Resin Sander Disc, 100 mm Backing pad (Page: 55-56)

GWS 180-LI Professional	Unit	Specifications
Voltage	V	18
Spindle Size	-	M10
No- load speed	rpm	11000
Disc Diameter	mm	100
Weight w/o battery	kg	1.4(M10) / 1.6(M14)
Weight w/o 4.0Ah battery	W	M14



GWS 180-LI (100 MM) SOLO PROFESSIONAL

NO cord, NO brush, NO limits!
Corded performance in a cordless tool!

- ▶ High performance Brushless motor delivers 700W corded equivalent power
- ▶ Increased productivity thanks to improved efficiency and runtime
- ▶ Balanced design and slim handle, specifically optimized for versatile cutting

Perform as corded

- High performance Brushless motor delivers 700W equivalent power
- Increased productivity thanks to improved efficiency and runtime



Compact & robust head design

- Metal flange for longer lifetime
- Compact gear housing easy for narrow areas operation

Highest user convenience & protection

- Keyless guard
- No wrench needed for guard assembling
- Fit for cutting application for quick guard adjustment
- Restart protection, overload protection, soft start function

18V Flexible Power System

- Compatible with all 18V batteries
- Increased runtime with ProCore battery

Dust protection for robustness

Detachable dust filter for a longer lifetime of motor



Comfortable handling and easy control

- Soft grip for anti-slipping
- Balanced design and slim handle, specifically optimized for versatile cutting



Click here to watch video



Scope of supply:

*Battery and charger not included

Accessories:

100 mm abrasive Grinding Wheel, 100 mm abrasive Cutting Wheel
 100 mm Resin Sander Disc, 100 mm Backing pad (Page: 55-56)

GWS 180-LI Professional	Unit	Specifications
Voltage	V	18
Spindle Size	-	M10
No- load speed	rpm	11000
Disc Diameter	mm	100
Weight w/o battery	kg	1.4(M10) / 1.6(M14)
Weight w/o 4.0Ah battery	W	M14

BLOWER



GBL 18V-120 SOLO PROFESSIONAL

Clean your jobsite within seconds!



- ▶ **Very Powerful**
With an air speed of 270 km/h (75 m/s) your jobsite will be clean in just a matter of seconds
- ▶ **Very versatile with 4 accessories**
Perfect for cleaning your jobsite and cleaning out drilling
- ▶ **Compact & Handy**
Compact size & easy to control

Perform as corded

4x accessories

1. Standard Nozzle
2. Extension Tube
3. Drill Hole Nozzle
4. Dust Collector



Two mode Switch

- 2 mode switch – 0 / I / II
- Continuous airflow in just one handling

Convenient ergonomics

Ergonomic handle with soft grip

Very Powerful

Powerful motor that delivers an airspeed of 270 km/h (75 m/s)

Flexible Power System

Compatible with all batteries in the 18V Voltage Class



[Click here to watch video](#)



Scope of supply:

4 x Accessories (Nozzle, Extension tube, Deep hole Nozzle, Dust Collection Tube) *Battery and charger not included

Accessories:

GBL 18V-120 Professional	Unit	Specifications
Voltage	V	18
No-load speed	rpm	17000
Air speed	km/h (m/s)	250 (75)
Air volume	m ³ /min (m ³ /h)	2.0 (120)
Runtime	min/Ah	9(Speed I), 5(Speed II)
Weight w/o battery	kg	1.1



RECIPROCATING SAW

GSA 18V-LI C SOLO PROFESSIONAL

Compactness with superior control



- ▶ **Perfect Control**
Internal counter-balance and anti-vibration system provides stability and controllability
- ▶ **Compact and handy design**
Compact, one-handed design makes working in tight or overhead spaces much easier
- ▶ **Fast cutting progress and long runtime**
Fastest one-handed sabre saw gets through more than 100 cuts in one charge

Comfortable and ergonomic

Optimized, balanced weight and compact design for easy operation and use even in tight or overhead spaces

One handed blade changes

SDS system makes blade changes virtually fool-proof

Always the right blade for the job

Wide range of blade accessories

Work surface clearly illuminated

Bright LED makes cutline more visible

Fast cutting progress

High performance and long runtimes thanks to a powerful DC motor and optimized stroke speed and length

Superior handling and control

Multigrid handle offers maximum stability in any cutting position

Safe and controlled operation

Variable speed trigger ensures maximum controllability right from cut initiation



[Click here to watch video](#)



Scope of supply:

*Battery and charger not included, Cardboard box
Inlay for L-BOXX 136, 1 x reciprocating saw blade S 922 AF
1 x reciprocating saw blade S 922 EF
1 x reciprocating saw blade S 922 HF

Accessories:

Sabre saw blades (Page:78)

GSA 18V-LI C Professional	Unit	Specifications
Battery Voltage	V	18
Battery Capacity	Ah	1.5-6.0
Stroke Rate	spm	3050
Stroke Length	mm	21
LED Light	-	Yes
Weight w/o battery	kg	2.5

GSA 18V-32 SOLO PROFESSIONAL

Corded cutting performance with cordless!



- ▶ **High Performance**
First 18V cordless sabre saw with corded cutting performance
- ▶ **Great Ergonomics**
Innovative design allows working in various positions and over a long period of time
- ▶ **Lowest vibration values in class**

3 position orbital action

For fast cutting progress (0-1-2)

Tool free saw blade change

Robust toolless lever (SDS) for easy & secure change even with gloves

Perfect control

Integrated counterbalance for lowest vibration in class

Brushless motor

For 100% longer lifetime and up to 30% longer runtime at no maintenance

Rafter hook

Above the ground On-site storage

Speed control


1-6 speed preselection

Multi-grip handle

Ultimate stability and control

Flexible power system

All batteries of the same voltage work with all tools in the range



[Click here to watch video](#)



Scope of supply:

*Battery and charger not included
Cardboard box, 1 x reciprocating saw blade S 1110 VF

Accessories:

Sabre saw blades(Page:78)

GSA 18V-32 Professional	Unit	Specifications
Voltage	V	18
No-load stroke rate	min ⁻¹	0-2500
Orbital Action	-	0-1-2
Stroke length	mm	32
Dimensions (LxWxH, w/5.0 Ah battery)	mm	482 x 101 x 218
Weight (w/o battery w/5.0 Ah battery)	kg	3.5 4.1

A construction worker with a beard, wearing a yellow hard hat and safety glasses, is using a blue and grey circular saw to cut a wooden beam. The worker is wearing a tan polo shirt. The background shows the wooden framework of a building under construction, with rafters and joists visible. A blue banner with white text is overlaid on the image.

CIRCULAR SAW



GKS 18V-57 SOLO PROFESSIONAL

Powerful companion for fast and accurate cuts

- ▶ **Performance**
Fast cutting progress and long runtime thanks to powerful DC motor
- ▶ **Flexibility & Precision**
Guiderail compatibility enables fast and precise working results
- ▶ **Robustness**
Designed for applications at jobsites, even on roof tops and scaffolding

3 position orbital action

Fast cutting progress and long runtime thanks to powerful DC motor, optimized cutting speed and torque for key applications

Dust extraction interface

More convenience for cleaner, safer and healthier work

Electrical brake function

For a fast saw blade stoppage

SP-Saw blade on rights side With a max. cutting depth of 57mm!

165 mm saw blade offers 57mm cutting depth

Comfortable guidance

Auxiliary handle with Softgrip, incl. Allen wrench for saw blade storage

LED

Perfect view on saw blade

SP - Guiderail compatibility (For G version only)

Compatible to the complete first class Bosch FSN guiderail system, also for Festool and Mafell



[Click here to watch video](#)



Scope of supply:

1 x circular saw blade, Optiline Wood,
*Battery charger not included

Accessories:

165 dia blade (to be launched soon)

GKS 18V-57 Professional	Unit	Specifications
Power source	V	18
RPM	min ⁻¹	3400
Saw blade diameter	mm	165
Bore size	mm	20
Footplate dimension	mm	252 x 194
Guiderail compatibility	-	Yes

BATTERY / CHARGERS





GBA 12V 2.0 Ah PROFESSIONAL

The compact 12-volt batteries with 2.0 Ah

- ▶ Min. 50% more run time compared to existing 1.5 Ah battery by using high-quality Li-Ion cells
- ▶ This battery is the smallest 2.0 Ah power tool battery in the market with a weight of just 175g
- ▶ Flexible Power System: 100% compatible with all Bosch Blue Li-Ion tools and chargers within the same voltage class

Best Run Time

- Min. 50% more run time* compared to 1.5Ah
- High quality Li-Ion cells

Most Compact

- Smallest battery pack with 2.0Ah in the market



Smallest Weight

Only 175g

100% compatible

- to all Bosch Blue Li-Ion tools and chargers with in same voltage class



[Click here to watch video](#)



GBA 12V 2.0 Ah Professional Unit Specifications

Battery Voltage	Unit	Specifications
Battery Voltage	V	12
Battery capacity	Ah	2.0
Dimension	mm	51 x 48 x 85
Weight	g	175

• For Warranty on batteries and Chargers (6 months from date of purchase subject to manufacturing defect only)

NEW

GBA 18V 2.0 Ah PROFESSIONAL

The lightweight 18-volt compact battery with 2.0 Ah and COOLPACK technology



- ▶ **COOLPACK technology** for up to 100% longer lifetime compared to battery without COOLPACK
- ▶ **Lightweight** for even more comfortable work, especially in overhead applications
- ▶ **Extremely robust:** fully functional even after a 3-m drop onto concrete

Superb runtime

- Up to 50% more run time compared to 2.0Ah*
- High quality Li-Ion cells

Fuel gauge

- LED Indicator for battery stage of charge

Robust housing

- Survives 3 meter drop

100% compatible

- to all Bosch Blue Li-Ion tools and chargers within same voltage class



Most compact

- Smallest battery pack of its class in the market

Longer lifetime

- Up to 100% longer lifetime
- Bosch COOLPACK for active temperature management

Lightest weight

- Lightest battery pack of its class



[Click here to watch video](#)



GBA 18V 2.0 Ah Professional	Unit	Specifications
Battery Voltage	V	18
Battery capacity	Ah	2.0
Dimension	mm	113 x 75 x 40
Weight	g	300

• For Warranty on batteries and Chargers (6 months from date of purchase subject to manufacturing defect only)



GBA 18V 4.0 Ah PROFESSIONAL

Performance of a double layer battery,
significantly compacter and lighter

- ▶ **Best power density**
Latest cell technology offering same power as a double-layer 4.0 Ah battery at significantly smaller size and lower weight
- ▶ **Stay cool, live longer**
135% longer lifetime compared to an ordinary battery due to improved COOLPACK 2.0 technology preventing the battery from overheating
- ▶ **Flexible power system**
100% compatible with all new and existing Bosch Professional 18V power tools and chargers

Superb runtime

- Up to 65% more run time compared to 4.0Ah*
- High quality Li-Ion cells

Fuel gauge

- LED Indicator for battery stage of charge

Robust housing

- Survives 3 meter drop

100% compatible

- to all Bosch Blue Li-Ion tools and chargers with in same voltage class



Most compact

- Smallest battery pack of its class in the market

Longer lifetime

- Up to 100% longer lifetime
- Bosch COOLPACK for active temperature management

Lightest weight

- Lightest battery pack of its class in the market



[Click here to watch video](#)



GBA 18V-4.0 Ah Professional	Unit	Specifications
Battery Voltage	V	18
Battery capacity	Ah	4.0
Dimension	mm	115 x 82 x 71
Weight	g	800

• For Warranty on batteries and Chargers (6 months from date of purchase subject to manufacturing defect only)

NEW



GBA 18V 4.0 Ah PROCORE PROFESSIONAL

Performance of a double layer battery, significantly compacter and lighter

- ▶ **Best power density**
Latest cell technology offering the same power as a double-layer 4.0 Ah battery at a significantly smaller size and lower weight
- ▶ **Stay cool, live longer**
135% longer lifetime compared to an ordinary battery due to improved COOLPACK 2.0 technology preventing the battery from overheating
- ▶ **Flexible power system**
100% compatible with all new and existing Bosch Professional 18V power tools and chargers

Most compact & lightweight

- -15% in weight, -115 in volume (cm³) vs Bosch GBA 18V 4.0 Ah double-layer battery*
- Comfort in handling with tools
- Reduce fatigue

High performance

- As powerful (>810 W) as a standard Bosch GBA 18V 4.0 Ah double-layer battery
- Longer continuous working-time thanks to COOLPACK 2.0



Flexible power system

- 100% compatible with all Bosch professional 18V tools and chargers

COOLPACK 2.0: Superior heat management

- Cooling element: HDPE material & TPE sheet
- No air gaps between cells and cluster housing for better heat dissipation

135% longer lifetime

- COOLPACK 2.0 technology prevents batteries from overheating and damages

SCM: Single Cell Monitoring

- Maximum power at maximum safety and quality out of the cells



Battery status

- Upgraded high resolution 5 LED indicator for battery status



[Click here to watch video](#)



ProCORE 18V 4.0 Ah	Unit	Specifications
Weight	kg	0.515
Size (L x W x H)	mm	117 x 77 x 47

• For Warranty on batteries and Chargers (6 months from date of purchase subject to manufacturing defect only)

NEW



GBA 18V 8.0 Ah PROCORE PROFESSIONAL

High performance battery to get up to 1620W corded power on cordless tools

- ▶ **High performance**
Provide up to 1620 Watt corded power* - thanks to latest cell technology combined with Bosch's intelligent battery management
- ▶ **Stay cool, live longer**
135% longer lifetime compared to an ordinary battery due to improved COOLPACK 2.0 technology preventing the battery from overheating
- ▶ **Flexible power system**
100% compatible with all new and existing Bosch Professional 18V power tools and chargers

High performance

- 87% more power*
- As powerful as corded tools (1,620 W)***
- Most compact (Volume [cm³]) in comparable runtime in the market
- Longer continuous working-time thanks to COOLPACK 2.0



Flexible power system

- 100% compatible with all Bosch professional 18V tools and chargers



COOLPACK 2.0: Superior heat management

- Cooling element: HDPE material & TPE sheet
- No air gaps between cells and cluster housing for better heat dissipation

135% longer lifetime

- COOLPACK 2.0 technology prevents batteries from overheating and damages

SCM: Single Cell Monitoring

- Maximum power at maximum safety and quality out of the cells



Battery status

- Upgraded high resolution 5 LED indicator for battery status



[Click here to watch video](#)



ProCORE 18V 8.0 Ah

Weight

Unit

kg

Specifications

0.955

Size (L x W x H)

mm

117 x 77 x 69

• For Warranty on batteries and Chargers (6 months from date of purchase subject to manufacturing defect only)



GAL 18V-40 PROFESSIONAL

The compact 18V charger

- ▶ **Optimized charging speed**
Optimized charging speed for compact 18V batteries, an 18V 2.0 Ah battery in is ready for use within 40 minutes
- ▶ **Compact**
Due to its modern design it is very compact
- ▶ **Flexible power system**
100% compatible with all Bosch Professional 18V batteries

New standard charger

For 18 Volt

New fresh charger design

Fits the new charger family

Error indicator

For temperature and battery failures

Wall mount option

Screw holes in the back

Flexible power system

Will charge all Bosch 18 Volt
Li-Ion batteries



Charging indicator

- Blinking while charging, steady when fully charged
- Charging level indication (fast blinking 0 – 80%, slower blinking 80 – 100%)



[Click here to watch video](#)



GAL 18V-40 Professional	Unit	Specifications
Battery charging voltage	V	14.4-18
Charging current	A	4
Weight, approx	g	550

STARTER KITS



STARTER KITS

GAL 12V-40 + 2x GBA 12V 2.0Ah Professional



Technical Specifications

HSN code	85044030
Part no.	1600 A02 2V3
Battery 1 capacity	2 A
Battery voltage	12 V
Battery 1 weight	0.185 kg
Cell type	Li-Ion
Battery charging voltage	12 V
Charge current	4 A
Charg. time at bat. cap. 2.0 Ah (80%/100%) approx.	24/35 min
Charger weight	0.45 kg

Suitable for charging of

- 12.0 V

Bosch tubular batteries

STARTER KITS

GAL 18V-40 + 2x GBA 18V 2.0Ah Professional



Technical Specifications

HSN code	85044030
Part no.	1 600 A02 2V4
Battery 1 capacity	2 Ah
Battery voltage	18 V
Battery 1 weight	0.35 kg
Cell type	Li-Ion
Battery charging voltage	14.4 – 18 V
Charge current	4 A
Charg. time at bat. cap. 2.0 Ah (80%/100%) approx.	24/35 min
Charger weight	0.55 kg

Suitable for charging of

- 18.0 V

STARTER KITS

GAL 18V-40 + 2x GBA 18V 4.0Ah Professional



Technical Specifications


HSN code	85044030
Part no.	1 600 A02 2V2
Battery 1 capacity	4 Ah
Battery voltage	18 V
Battery 1 weight	0.6 kg
Cell type	Li-Ion
Battery charging voltage	14.4-18 V
Charge current	4 A
Charg. time at bat. cap. 4.0 Ah (80%/100%) approx.	48/65 min
Charger weight	0.55 kg

Suitable for charging of

- 18.0 V

BOSCH ACCESSORIES

Best your cordless tools can get



SDS Plus Drill Bits for Cordless Rotary Hammer

8% more affordable

NEW!




x 11 =



SDS PLUS-1 - DRILL BIT SETS

Pack Quantity 11 pcs

NEW!




Part Number	Description	Pack Quantity	List Price ₹
2608579911	6 x 50 x 110	11	735.00
2608579912	8 x 50 x 110	11	818.52
2608579708	6 x 100 x 160	11	785.11
2608579709	8 x 100 x 160	11	876.43
2608579710	10 x 100 x 160	11	936.56
2608579711	12 x 100 x 160	11	962.18

SDS PLUS-1 - DRILL BIT SETS

NEW!



Part Number	Description	Pack Quantity	List Price ₹
2608579118	6x100x160, 8x100x160, 10x100x160	3	240.55
2608579119	5x50x110, 6x50x110, 6x100x160, 8x100x160, 10x100x160	5	378.63
2608579120	6x100x160, 6x100x160, 8x100x160, 10x100x160, 12x100x160	5	400.91
2608579121	5x50x110, 6.5x50x110, 8x50x110, 10x100x160, 12x100x160	5	409.82

SDS PLUS-1 HAMMER DRILL BIT*				
Part Number	Diameter mm	Working Length mm	Pack Quantity	List Price ₹
2608680257	4	50	1	88.33
2608680258	5	50	1	74.16
2608680259	5	100	1	98.70
2608680260	5.5	50	1	100.28
2608680261	5.5	100	1	98.34
2608680262	6	50	1	72.44
2608680263	6	100	1	78.60
2608680264	6	150	1	120.55
2608680265	6.5	50	1	92.38
2608680266	6.5	100	1	100.21
2608680267	7	50	1	98.73
2608680268	7	100	1	103.34
2608680269	8	50	1	80.85
2608680270	8	100	1	87.64
2608680271	8	150	1	131.45
2608680272	8	200	1	167.02
2608680273	10	100	1	93.63
2608680274	10	150	1	120.12
2608680275	10	200	1	165.20
2608680276	10	400	1	265.39
2608680277	12	100	1	96.14
2608680278	12	150	1	136.61
2608680279	12	200	1	185.68
2608680280	12	400	1	325.31
2608680281	14	100	1	157.64
2608680282	14	150	1	222.64
2608680283	14	200	1	250.99
2608680284	14	400	1	352.03
2608680285	16	150	1	229.64
2608680286	16	250	1	276.15
2608680287	16	400	1	477.11
2608680288	18	200	1	306.73
2608680289	18	400	1	512.94


2608680290	20	200	1	492.21
2608680291	20	400	1	666.13
2608680292	22	200	1	536.38
2608680293	22	400	1	797.22
2608680294	25	200	1	602.60
2608680295	25	400	1	860.72


NEW!

SDS PLUS-1 -
DRILL BIT SETS

Part Number	Description	Pack Quantity	List Price ₹
2608579118	6x100x160, 8x100x160, 10x100x160	3	240.55
2608579119	5x50x110, 6x50x110, 6x100x160, 8x100x160, 10x100x160	5	378.63
2608579120	6x100x160, 6x100x160, 8x100x160, 10x100x160, 12x100x160	5	400.91
2608579121	5x50x110, 6.5x50x110, 8x50x110, 10x100x160, 12x100x160	5	409.82

SDS PLUS 1 Pack quantity 11 pcs			
Part Number	Description	Pack Quantity	List Price ₹
2608579911	6 x 50 x 110	11	735.00
2608579912	8 x 50 x 110	11	818.52
2608579708	6 x 100 x 160	11	785.11
2608579709	8 x 100 x 160	11	876.43
2608579710	10 x 100 x 160	11	936.56
2608579711	12 x 100 x 160	11	962.18

SDS PLUS-5X HAMMER DRILL BIT 4 Cutter, 4 Flute 				
Part Number	Diameter mm	Working Length mm	Pack Quantity	List Price ₹
2608833771	5	50	1	625.35
2608833772	5	100	1	189.88
2608833773	5	150	1	214.68
2608833774	5.5	50	1	186.41
2608833775	5.5	100	1	203.82
2608833776	5.5	150	1	222.93
2608833777	6	50	1	162.83
2608833778	6	100	1	186.63
2608833779	6	150	1	232.71
2608833780	6	200	1	258.99
2608833781	6.5	50	1	186.03
2608833782	6.5	100	1	202.07
2608833783	6.5	150	1	256.36
2608833784	6.5	200	1	288.83
2608833785	7	50	1	175.92
2608833786	7	100	1	232.30
2608833787	7	150	1	264.97
2608833788	8	50	1	190.63
2608833789	8	100	1	213.47
2608833790	8	150	1	256.85
2608833791	8	200	1	306.36
2608833792	8	250	1	318.16
2608833793	8	300	1	369.99
2608833794	8	400	1	608.62
2608833795	9	100	1	236.55
2608833796	9	150	1	244.40
2608833797	10	50	1	193.73
2608833798	10	100	1	238.49
2608833799	10	150	1	271.46
2608833800	10	200	1	316.46
2608833801	10	250	1	384.83
2608833802	10	300	1	613.54
2608833803	10	400	1	621.46
2608833804	11	100	1	273.84
2608833805	11	150	1	296.01
2608833806	11	200	1	310.82

SDS PLUS-5X HAMMER DRILL BIT 4 Cutter, 4 Flute 				
Part Number	Diameter mm	Working Length mm	Pack Quantity	List Price ₹
2608833807	12	100	1	315.51
2608833808	12	150	1	352.84
2608833809	12	200	1	394.70
2608833810	12	250	1	413.29
2608833811	12	300	1	589.76
2608833812	12	400	1	680.59
2608833813	13	100	1	352.12
2608833814	13	150	1	359.34
2608833815	13	200	1	404.61
2608833816	14	100	1	414.31
2608833817	14	150	1	431.21
2608833818	14	200	1	493.39
2608833819	14	250	1	517.99
2608833820	14	300	1	641.09
2608833821	14	400	1	739.77
2608833822	15	100	1	362.68
2608833823	15	200	1	448.22
2608833824	15	400	1	662.77
2608833825	16	150	1	530.30
2608833826	16	200	1	547.45
2608833827	16	250	1	665.99
2608833828	16	300	1	770.31
2608833829	16	400	1	887.73
2608836631	18.0	150	1	752.25
2608836632	18.0	250	1	839.59
2608836633	18.0	400	1	1041.58
2608836639	20.0	150	1	781.73
2608836640	20.0	250	1	969.52
2608836641	20.0	400	1	1171.50
2608836644	22.0	200	1	969.52
2608836645	22.0	400	1	1302.52
2608836647	24.0	200	1	1041.58
2608836648	24.0	400	1	1360.38
2608836651	26.0	200	1	1171.50
2608836652	26.0	400	1	1663.90


Drill Bits for Cordless Impact Drilling Machine

MASONRY DRILL BIT - CYL-1
 Pack Quantity 10 pcs



Part Number	Diameter mm	Working Length mm	Total Length mm	Pack Quantity	List Price ₹
2608590200	3	30	60	10	163.00
2608590202	4	40	75	10	209.98
2608590205	5	50	85	10	237.28
2608590208	6	60	100	10	274.57
2608590210	6.5	60	100	10	306.09
2608590212	8	80	120	5	195.93
2608590214	10	80	120	5	266.17

MASONRY DRILL BIT SETS CYL-1 - For Masonry Brick applications only



Part Number	Diameter mm	Pack Quantity	List Price ₹
2608590090	4mm, 5mm, 6mm, 8mm, 10mm	5	188.30

MASONRY DRILL BIT - CYL-2



Part Number	Diameter mm	Working Length mm	Pack Quantity	List Price ₹
2608578114	3	30	1	28.13
2608578115	4	40	1	31.23
2608578116	5	50	1	36.18
2608578117	5.5	50	1	39.11
2608578118	6	60	1	41.54
2608578119	6.5	60	1	42.90
2608578120	8	80	1	60.98
2608578159	9	80	1	72.88
2608578121	10	80	1	84.44
2608578122	12	90	1	112.57
2608578123	14	90	1	148.77

2608578160	16	90	1	178.26
2608578124	6,8,10	–	set	174.91
2608578155	4,5,6,8,10	–	set	231.20
2608578156	3,4,5,6,7,8,9,10	–	set	374.48

MASONRY DRILL BIT - CYL-2
 Pack Quantity 10 pcs



Part Number	Diameter mm	Working Length mm	Pack Quantity	List Price ₹
2608579311	3	30	10	252.80
2608579312	5	50	10	325.19
2608579314	6	60	10	373.07

MASONRY / IMPACT DRILL BIT CYL-2 SETS - For Masonry Brick + Light Concrete applications




Part Number	Diameter mm	Pack Quantity	List Price ₹
2608578124	6mm, 8mm, 10mm	3	174.91
2608578155	4mm, 5mm, 6mm, 8mm, 10mm	5	231.20
2608578156	3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm	8	374.48

MASONRY DRILL BIT - For drilling in Masonry, Tiles, Thin Metal & Light Concrete





Part Number	Diameter mm	Working Length mm	Pack Quantity	List Price ₹
2608680698	5	50	1	117.95
2608680792	6	60	1	122.59
2608680793	6.5	60	1	103.23
2608680795	8	80	1	137.45
2608680796	10	80	1	144.85


Accessories for Cordless Angle Grinder


CUTTING DISCS Best for Metal				
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹
2608620674	100	1.2	50	52.82
2608620676	125	3	50	62.18
2608620677	180	3	50	89.27


CUTTING DISCS Standard for Metal				
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹
2608579786	105	1.2	25	17.47
2608619786	105	1.2	25	17.47
2608619700	105	1.2	25	17.47
2608602745	100	2	25	30.44
2608601322	355	2.8	25	163.79
2608602751	355	3	20	164.72


CUTTING DISCS Standard for Metal				
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹
2608619377	355	2.8	20	159.03
2608619382	355	3	20	159.40


NEW ECO 125 MM CUTTING DISC RANGE Standard for Metal			
Part Number	Description	Pack Quantity	List Price ₹
2608603165	125 x 1.6 x 22.23 mm	25	36.45
2608603166	125 x 2.5 x 22.23 mm	25	40.49

NEW ECO 125 MM CUTTING DISC RANGE Standard for INOX			
Part Number	Description	Pack Quantity	List Price ₹
2608603171	125 x 1 x 22.23 mm	25	34.42
2608603172	125 x 1.6 x 22.23 mm	25	35.73

EXPERT FOR HEAVY METAL IN CUTTING AND GRINDING				
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹
2608619394	355	3	25	172.29


CUTTING DISCS Standard for Inox				
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹
2608603413	105	1	25	39.70


CUTTING DISCS Expert for Inox				
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹
2608603462	125	1	50	72.37
2608607414	105	1	25	68.89
2608600549	125	1	25	138.64
2608600094	125	2	25	143.05
2608603498	180	1.6	25	161.98
2608600095	180	2	25	164.38
2608600322	180	3	25	124.70
2608600096	230	3	25	237.11


CUTTING DISCS Standard for Metal				
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹
2608600663	100	1.2	25	53.12
2608600664	100	2.5	25	52.19
2608600665	125	3	25	67.35
2608600666	180	3	25	88.32
2608600667	230	3	25	150.04
2608600394	125	2.5	25	69.56
2608600321	180	3	25	88.10
2608600936	355	3	25	255.12


NEW!


4 INCH GRINDING DISC Expert for Metal Grinding						
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹		
2608619379	100	4.5	25	34.08		
2608603686	100	6	25	35.64		


GRINDING DISCS Standard for Metal						
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹		
2608602748	100	4	20	28.98		
2608603227	125	6.8	20	74.67		
2608603224	100	4	25	33.34		


GRINDING DISCS Expert for Inox						
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹		
2608620690	100	2	10	63.83		


GRINDING DISCS Expert for Metal						
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹		
2608602379	180	6.6	25	95.70		


EXPERT FOR V - GRINDING DISCS						
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹		
2608602374	180	5	25	91.44		
2608602375	180	7	25	95.27		

GRINDING DISCS - METAL						
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹		
2608602372	100	6	25	43.84		
2608602373	180	6.6	25	93.75		

BENCH GRINDING WHEEL					
Part Number	Description	Bore mm	Pack Quantity	List Price ₹	
1609201649	150 mm 24 Grit Coarse	20	1	446.57	
1609201650	150 mm 60 Grit Fine	20	1	446.57	
2608600111	200 mm 36 Grit Medium	32	1	707.16	
2608600112	200 mm 60 Grit Fine	32	1	707.16	

GRINDING DISCS - INOX						
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹		
2608600539	115	6	25	139.78		
2608600540	180	6	25	243.68		
2608600541	230	6	25	327.21		

7 INCH CAST IRON GRINDING WHEEL						
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹		
2608619702	180	6.6	25	109.18		

GRINDING DISCS Best for Metal						
Part Number	Diameter mm	Thickness mm	Pack Quantity	List Price ₹		
2608601323	100	6	25	52.46		
2608601324	125	6	25	86.20		
2608601325	180	6.7	25	111.95		
2608601326	230	6	25	185.65		
2608603299	100	6	25	49.69		
2608603300	125	6	25	87.60		
2608603301	180	6.7	25	109.69		
2608603302	230	6	10	194.74		

Wire cup brushes for Cordless Angle Grinders

WIRE BRUSHES



Part Number	Bore Size	Tool to be Used	Pack Quantity	List Price ₹
2608622062	M10	4 inch grinder	1	708.12
2608622063	M10	4 inch grinder	1	1284.58
1608614002	M14	5/7 inch grinder	1	1653.89
1608614011	M14	5/7 inch grinder	1	1129.21
1608614020	M14	5/7 inch grinder	1	379.33
1608622029	M14	5/7 inch grinder	1	787.51
2608622011	M14	5/7 inch grinder	1	1169.30
2608622057	M14	5/7 inch grinder	1	1074.69
2608622060	M14	5/7 inch grinder	1	1784.83
2608622061	M14	5/7 inch grinder	1	465.35
1609200269	6mm shank	Rotary drill	1	326.67
2608622007	6mm shank	Rotary drill	1	256.15
2608622009	6mm shank	Rotary drill	1	391.32

TAPERED BRUSHES For Angle Grinders Knotted Wire



Part Number	Diameter mm	Wire Thickness mm	Pack Quantity	List Price ₹
2608622011	100	0.5	1	1169.30

WIRE CUP BRUSH Crimped Wire, Brass-coated with Thread



Part Number	Diameter mm	Wire Thickness mm	Pack Quantity	List Price ₹
2608622062	75	0.3	1	708.12

WIRE CUP BRUSH Knotted Wire M10



Part Number	Diameter mm	Wire Thickness mm	Pack Quantity	List Price ₹
2608622063	75	0.5	1	1284.58

BRUSHING Pencil Brush



Part Number	Diameter mm	Wire Thickness mm	Pack Quantity	List Price ₹
1609200269	25	0.3	1	326.67

BRUSHING Wire Wheel



Part Number	Diameter mm	Wire Thickness mm	Pack Quantity	List Price ₹
2608622007	75	0.3	1	256.15

GRINDING DISCS Wire Wheel, Brass-coated



Part Number	Diameter mm	Wire Thickness mm	Pack Quantity	List Price ₹
2608622009	75	0.2	1	391.32

WIRE CUP BRUSH Knotted Wire



Part Number	Diameter mm	Wire Thickness mm	Pack Quantity	List Price ₹
1608622029	75	0.5	1	787.51
1608614002	100	0.8	1	1653.89

WIRE CUP BRUSH CRIMPED WIRE



Part Number	Diameter mm	Wire Thickness mm	Pack Quantity	List Price ₹
1608614011	100	0.5	1	1129.21

WIRE CUP BRUSH
Crimped Wire, Inox



Part Number	Diameter mm	Wire Thickness mm	Pack Quantity	List Price ₹
2608622061	65	0.3	1	465.35

WIRE CUP BRUSH
Crimped Wire, Brass-coated



Part Number	Diameter mm	Wire Thickness mm	Pack Quantity	List Price ₹
1608614020	70	0.3	1	379.33

WIRE CUP BRUSH
For Angle Grinders Knotted Wire, Stainless



Part Number	Diameter mm	Wire Thickness mm	Pack Quantity	List Price ₹
2608622060	75	0.5	1	1784.83

TAPERED BRUSHES
For Angle Grinders Crimped Wire




Part Number	Diameter mm	Wire Thickness mm	Pack Quantity	List Price ₹
2608622057	100	0.3	1	1074.69




SCREW DRIVING BITS






Screw Driving Bits

DOUBLE ENDED BITS				
				
Part Number	Screw Type	Working Length mm	Pack Quantity	List Price ₹
2608521038	PH2	45	10	424.48
2608521039	PH2	65	10	433.24
2608521040	PH2	110	10	706.69
2608521041	PH2	45	10	378.49
2608521042	PH2*	65	10	370.70
2608521043	PH2	110	10	925.57

DOUBLE ENDED BITS				
COMING SOON				
Part Number	Screw Type	Working Length mm	Colour	Pack Quantity
2608522371	PH2	65mm	Grey	100
2608522372	PH2	65mm	Gold	100


STANDARD FOR UNIVERSAL DOUBLE ENDED SCREWDRIVER BITS PH2 / SL6			
			
Part Number	Length mm	Pack Quantity	List Price ₹
2608522265	65	10	384.66
2608522266	110	10	517.02


Screwdriver Bits suitable for Impact drills


IMPACT DOUBLE ENDED SCREWDRIVING BITS			
NEW!			
Part Number	Description	Pack Quantity	List Price ₹
2608522405	 Expert for Impact 6.35 x 65 mm, Black Oxide, PH2 double-ended	10	812.96
2608522406	 Expert for Impact 6.35 x 110 mm, Black Oxide, PH2 double-ended	10	1317.43
2608522407	 Expert for Impact 6.35 x 150 mm, PH2 double-ended Black Oxide,	5	1099.16


2608522408	 Expert for impact 6.35 x 65 mm Black Oxide PH2 Bits	2	181.53
2608522409	 Expert for impact 6.35 x 110 mm Black Oxide PH2 Bits	2	295.11
2608522410	 Expert for impact 6.35 x 150 mm Black Oxide PH2 Bits	2	449.91


Accessories for Impact wrenches


SOCKETS FOR IMPACT WRENCHES					
					
Part Number	Length of Socket	A/F Size	Square Drive inches	Pack Quantity	List Price ₹
1608552000	30	7	3/8"	1	176.10
1608552001	30	8	3/8"	1	176.10
1608552003	30	10	3/8"	1	177.59
1608552005	30	12	3/8"	1	180.61
1608552006	30	13	3/8"	1	180.61
1608552008	30	15	3/8"	1	183.63
1608552009	30	16	3/8"	1	185.12
1608552010	30	17	3/8"	1	200.18
2608522301	30	19	3/8"	1	213.72
1608552012	38	10	1/2"	1	213.72
1608552013	38	11	1/2"	1	215.23
1608552015	38	13	1/2"	1	216.73
1608552019	38	17	1/2"	1	224.25
1608552021	38	19	1/2"	1	236.30
2608522307	38	21	1/2"	1	275.44
1608555024	38	22	1/2"	1	282.97
1608555053	38	24	1/2"	1	298.01
1608555059	38	27	1/2"	1	365.75
1608555065	38	30	1/2"	1	451.54
2608522302	77	10	1/2"	1	325.10

SOCKETS FOR IMPACT WRENCHES					
Part Number	Length of Socket	A/F Size	Square Drive inches	Pack Quantity	List Price ₹
2608522303	77	11	1/2"	1	326.62
2608522304	77	13	1/2"	1	328.12
2608522305	77	17	1/2"	1	331.13
2608522306	77	19	1/2"	1	356.70
2608522308	77	21	1/2"	1	376.28
2608522309	77	22	1/2"	1	428.96
2608522310	77	24	1/2"	1	462.08
2608522311	77	27	1/2"	1	547.86
1608556005	50	19	3/4"	1	587.00
1608556011	50	22	3/4"	1	597.52
1608556015	51	24	3/4"	1	599.04
1608556021	52	27	3/4"	1	662.27
1608556027	54	30	3/4"	1	702.89
1608556029	56	32	3/4"	1	745.04
1608557050	54	32	1"	1	1949.51
1608557054	54	36	1"	1	2010.44
1608557060	54	46	1"	1	2650.13
1608551002	40	6	1/4"	1	127.20
1608551003	25	7	1/4"	1	127.20
1608551004	25	8	1/4"	1	126.14
1608551005	25	9	1/4"	1	127.20
1608551006	25	10	1/4"	1	129.32
1608551007	25	11	1/4"	1	133.56
1608551008	25	12	1/4"	1	135.68
1608551009	25	13	1/2"	1	138.86
2608622300	25	14	1/4"	1	147.34

TOOL HOLDER			
Part Number	Description	Pack Quantity	List Price ₹
2608598037	SDS-plus adapter on 1/2" external square	1	1038.22
2608598039	Connector for shank	1	1211.28

SCREWDRIVER BITS EXTRA HARD					
Part Number	Diameter mm	Working Length mm	Pack Quantity	List Price ₹	
2607001513	T27	49	25	1382.23	
2607001514	PH2	25	100	4183.33	
2607001526	PH1	49	3	466.12	
2607001528	PH2	49	3	462.87	
2607001531	PH3	49	3	418.32	
2607001535	PH2	89	3	689.00	
2607001540	PH2	152	1	525.88	
2607001642	T30	49	1	160.83	
2607001658	T30	89	1	286.33	
2607001668	T20	152	1	489.83	

NUTSETTERS						
Part Number	Length of Socket	Width Across mm	Diameter (D1) mm	Pack Quantity	List Price ₹	
2608550037	65	8	12.6	1	568.14	
2608550039	65	10	14.5	1	472.75	
2608550080	50	8	15	1	268.60	

UNIVERSAL HOLDER WITH 1/4" EXTERNAL HEXAGON SHANK					
Part Number	Drive End inches	Diameter (D1) mm	Key Width (KW) mm	Pack Quantity	List Price ₹
2607000157	1/4"	75	11	1	572.03



LOCKING CLIP				
--------------	--	---	--	--

Part Number	Internal Square Drive DIN 3121 (A) inches	Key Width (KW) mm	Pack Quantity	List Price ₹
2607000216	1/2"	15-30	1	2262.19

NUTSETTER & SOCKET SETS				
-------------------------	--	---	--	--

Part Number	Shank inch	Diameter mm	Length mm	Pack Qty	List Price ₹
2608551101	25	10 / 11 / 13 / 17 / 19 / 21 / 22 / 24 / 27	77	9	4301.71



Wood drill bits for cordless drilling machines

WOOD BIT SETS & ACCESSORIES



Part Number	Description	Pack Quantity	List Price ₹
2607019440	5 Pc Wood Drill Bit Set	1	332.08
2608587520	Extension 1/4" Hex Quick Change 152mm	1	743.24
2608587521	Extension 1/4" Hex Quick Change 305mm	1	913.84
2608596977	Forstner Bit 35mm, 90mm, 10mm	1	999.12
2609255308	Wood Drill Set 6,8,10 (3)	1	171.48

WOOD SPADE BITS SELF CUT RANGE



Part Number	Diameter mm	Total Length mm	Pack Quantity	List Price ₹
2608595481	6	152	1	196.95
2608595484	12	152	1	243.69
2608595485	13	152	1	249.79
2608595486	14	152	1	261.86
2608595487	16	152	1	286.26
2608595489	18	152	1	285.11
2608595490	19	152	1	304.60
2608595491	20	152	1	316.79
2608595494	25	152	1	359.46
2608595498	32	152	1	416.40

WOOD SPADE BITS CLEAN CUT RANGE



Part Number	Diameter mm	Total Length mm	Pack Quantity	List Price ₹
2608587496	6	155	1	82.25
2608587497	8	155	1	83.34
2608587498	10	155	1	93.20
2608587499	12	155	1	94.29
2608587500	13	155	1	98.69
2608587501	14	155	1	99.79
2608587502	16	160	1	106.36
2608587504	18	160	1	107.46
2608587505	19	160	1	117.33
2608587506	20	160	1	123.92
2608587507	22	160	1	134.87
2608587508	24	160	1	142.55
2608587509	25	160	1	149.14
2608587511	28	165	1	166.66
2608587512	30	165	1	175.44
2608587513	32	165	1	188.62
2608587514	35	165	1	239.05
2608587516	38	165	1	227.58

WOOD DRILL BITS



Part Number	Diameter mm	Total Length mm	Pack Quantity	List Price ₹
2608596301	4	70	1	49.88
2608596302	5	85	1	61.84
2608596303	6	90	1	71.08
2608596305	8	117	1	116.97
2608596307	10	120	1	120.95






METAL DRILL BITS



HSS DRILL BITS – RANGE OVERVIEW

Metal drill bits for cordless drilling machines

	SS PointTeQ	HSS Ground	HSS Cobalt
			
Lifetime	● ○	● ●	● ● ●
Speed	● ● ●	● ● ●	● ● ●
Precision	● ●	● ● ●	● ● ●
Features	Fast Drilling in Metal	Highest-Precision Holes	Long Lifetime when Drilling Stainless Steel


	Plastic	Non Alloy Steel	Non-Ferrous Metals	Cast Steel	Aluminium and Alloy Steel	Cast Iron	Stainless Steel
HSS PointTeQ 	●	●	●	●	○	○	–
HSS Ground 	●	●	●	●	●	○	–
HSS Cobalt 	○	○	●	●	●	●	●

● Recommended ○ Acceptable – Not Recommended



HSS PointTeQ

Fast Drilling in Metal



- ▶ HSS PointTeQ enables fast drilling in metal due to PointTeQ tip design
- ▶ Self-centering tip prevents wandering, making quick and easy drilling starts possible
- ▶ Increased drilling rate generates less heat and wear
- ▶ PointTeQ tip design remains sharp and ensures continuous durability
- ▶ Manufactured to DIN 338

METAL DRILL BITS HSS PointTeQ DIN 338



Part Number	Diameter (D) mm	Working Length (L1) mm	Diameter (D) Inch	Pack Quantity	List Price ₹
2608577178	1	12	-	10	116.29
2608577179	1.1	14	-	10	96.88
2608577180	1.2	80	-	10	96.88
2608577181	1.3	16	-	10	96.88
2608577182	1.4	18	-	10	96.88
2608577183	1.5	18	-	10	116.29
2608577184	1.6	20	-	10	104.69
2608577185	1.7	20	-	10	104.69
2608577186	1.8	22	-	10	125.96
2608577187	1.9	22	-	10	104.69
2608577188	2	24	-	10	125.96
2608577189	2.1	24	-	10	112.48
2608577190	2.2	27	-	10	112.48
2608577191	2.3	27	-	10	112.48
2608577192	2.4	30	-	10	112.48
2608577193	2.5	30	-	10	134.77
2608577194	2.6	30	-	10	116.93
2608577195	2.7	33	-	10	116.93
2608577196	2.8	33	-	10	140.07
2608577197	2.9	33	-	10	116.93
2608577198	3	33	-	10	140.07
2608577199	3.1	36	-	10	140.32
2608577200	3.2	36	-	10	170.00
2608577201	3.3	36	-	10	170.00
2608577202	3.4	39	-	10	140.32
2608577203	3.5	39	-	10	170.00
2608577204	3.6	39	-	10	197.32
2608577205	3.7	39	-	10	197.32
2608577206	3.8	43	-	10	197.32
2608577207	3.9	43	-	10	164.82
2608577208	4	43	-	10	233.43

METAL DRILL BITS HSS PointTeQ DIN 338



Part Number	Diameter (D) mm	Working Length (L1) mm	Diameter (D) Inch	Pack Quantity	List Price ₹
2608577215	4.7	47	-	10	270.62
2608577216	4.8	52	-	10	322.41
2608577217	4.9	52	-	10	322.41
2608577218	5	52	-	10	322.41
2608577219	5.1	52	-	10	430.76
2608577220	5.2	52	-	10	359.70
2608577221	5.3	52	-	10	359.70
2608577222	5.4	57	-	10	359.70
2608577223	5.5	57	-	10	430.76
2608577224	5.6	57	-	10	389.77
2608577225	5.7	57	-	10	389.77
2608577226	5.8	57	-	10	389.77
2608577227	5.9	57	-	10	389.77
2608577228	6	57	-	10	465.99
2608577229	6.1	63	-	10	419.84
2608577230	6.2	63	-	10	502.12
2608577231	6.3	63	-	10	419.84
2608577232	6.4	63	-	10	419.84
2608577233	6.5	63	-	10	502.12
2608577234	6.6	63	-	10	494.46
2608577235	6.7	63	-	10	494.46
2608577236	6.8	69	-	10	591.97
2608577237	6.9	69	-	10	494.46
2608577238	7	69	-	10	591.97
2608577239	7.1	69	-	10	554.59
2608577240	7.2	69	-	10	554.59
2608577241	7.3	69	-	10	663.32
2608577242	7.4	69	-	10	554.59
2608577243	7.5	69	-	10	663.32
2608577244	7.6	75	-	10	649.25
2608577245	7.7	75	-	10	649.25

2608577209	4.1	43	-	10	268.68
2608577210	4.2	43	-	10	268.68
2608577211	4.3	47	-	10	224.95
2608577212	4.4	47	-	10	224.95
2608577213	4.5	47	-	10	268.68
2608577214	4.6	47	-	10	270.62

2608577246	7.8	75	-	10	649.25
2608577247	7.9	75	-	10	649.25
2608577248	8	75	-	10	719.41
2608577249	8.1	75	-	10	749.47
2608577250	8.2	75	-	10	749.47
2608577251	8.3	75	-	10	749.47

METAL DRILL BITS HSS-G



Part Number	Diameter mm	Pack Quantity	List Price ₹
2608585488	4.6	10	397.73
2608585489	4.7	10	403.08
2608595334	4.8	10	480.73
2608585490	4.9	10	492.98
2608595062	5	10	496.35
2608585491	5.1	10	529.26
2608595063	5.2	10	536.14
2608585492	5.3	10	529.17
2608585493	5.4	10	550.08
2608595064	5.5	10	555.98
2608585494	5.6	10	572.02
2608585495	5.7	10	580.59
2608595065	5.8	10	592.65
2608585496	5.9	10	599.75
2608595066	6	10	605.54
2608585497	6.1	10	586.05
2608595067	6.2	10	642.90
2608585498	6.3	10	662.36
2608595335	6.4	10	658.77
2608595068	6.5	10	751.81
2608585499	6.6	10	822.63
2608595336	6.7	10	817.41
2608595069	6.8	10	887.22

METAL DRILL BITS HSS-G



Part Number	Diameter mm	Pack Quantity	List Price ₹
2608585509	8.2	5	651.70
2608585510	8.3	5	711.16
2608585511	8.4	5	1544.94
2608595073	8.5	5	692.87
2608585512	8.6	5	708.59
2608585513	8.7	5	732.00
2608595074	8.8	5	747.07
2608585514	8.9	5	753.01
2608595075	9	5	738.49
2608585515	9.1	5	2015.76
2608585516	9.2	5	959.00
2608585517	9.3	5	903.09
2608585518	9.4	5	1960.25
2608595076	9.5	5	993.58
2608585519	9.6	5	981.93
2608585520	9.7	5	2187.31
2608595338	9.8	5	937.27
2608585521	9.9	5	2183.74
2608595077	10	5	983.03
2608585522	10.1	5	988.08
2608585523	10.2	5	957.15
2608585524	10.3	5	1082.21
2608585525	10.4	5	1116.88

2608585500	6.9	10	887.22
2608595070	7	10	932.96
2608585501	7.1	10	912.70
2608595337	7.2	10	2182.56
2608585502	7.3	10	950.24
2608585503	7.4	10	966.72
2608595071	7.5	10	961.65
2608585504	7.6	10	1101.15
2608585505	7.7	10	2450.32
2608585506	7.8	10	2450.32
2608585507	7.9	10	1688.13
2608595072	8	5	581.62
2608585508	8.1	5	637.91

2608595078	10.5	5	1069.33
2608585526	10.6	5	2351.72
2608585527	10.7	5	1111.86
2608585528	10.8	5	2519.69
2608585529	10.9	5	2450.32
2608595079	11	5	1127.52
2608585530	11.1	5	1219.18
2608585531	11.2	5	1221.80
2608585532	11.3	5	2695.35
2608585533	11.4	5	2695.35
2608595080	11.5	5	1285.01
2608585534	11.6	5	1380.46
2608585535	11.7	5	1386.22

METAL DRILL BITS* - COBALT RANGE			
Part Number	Diameter mm	Pack Quantity	List Price ₹
2608585872	1	10	209.20
2608585875	2.5	10	282.07
2608585878	3.3	10	508.66
2608585879	3.5	10	512.63
2608588092	3.8	10	641.76
2608585880	4	10	649.12
2608585883	4.5	10	831.82
2608585885	5	10	1033.18
2608585889	6	10	1512.48
2608585892	7	10	2305.96
2608585894	8	5	1531.90
2608585895	8.5	5	1753.56
2608585898	10	5	2661.01
2608585901	11	5	3151.03
2608585903	12	5	3934.36
2608585904	12.5	5	4513.38
2608585905	13	5	4652.03

*For full range price upon request

METAL DRILL BITS HSS-G			
Part Number	Diameter mm	Pack Quantity	List Price ₹
2608585536	11.8	5	1391.96
2608585537	11.9	5	1437.30
2608595081	12	5	1436.20
2608585538	12.1	5	1457.79
2608585539	12.2	5	1475.19
2608585540	12.3	5	1435.67
2608585541	12.4	5	1478.69
2608595082	12.5	5	1483.10
2608585542	12.6	5	1520.11
2608585543	12.7	5	1883.66
2608585544	12.8	5	1886.63
2608585545	12.9	5	1945.98
2608595083	13	5	1961.30
2608585593	14	4	3318.20
2608585595	16	4	4569.00

*Shank equal to drill bit diameter

10-PIECE METAL DRILL BIT SET HSS-G



Part Number	Diameter mm	Pack Quantity	List Price ₹
2607019115	1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0	1	1153.32

10-HSS-R METAL DRILL BITS SET



Part Number	Diameter mm	Pack Quantity	List Price ₹
2609255030	1.2 / 2.0 / 3.0 / 4.0 / 5.0 / 6.0 / 7.0 / 8.0 / 9.0 / 10.0	1	465.83

13-PIECE METAL DRILL BIT SET HSS-TIN



Part Number	Diameter mm	Pack Quantity	List Price ₹
2607019436	1.5, 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 4.8, 5.0, 5.5, 6.0, 6.5"	13	482.87

19-PIECE HSS-TIN METAL DRILL BIT SET




Part Number	Diameter mm	Pack Quantity	List Price ₹
2607017152	Ø 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10	19	868.41

25-PIECE METAL DRILL BIT SET HSS-TIN



Part Number	Diameter mm	Pack Quantity	List Price ₹
2607018727	1; 1.5; 2; 2.5; 3; 3.5; 4; 4.5; 5; 5.5; 6; 6.5; 7; 7.5; 8; 8.5; 9; 9.5; 10; 10.5; 11; 11.5; 12; 12.5; 13	25	2802.64





HOLESAWING

Application examples by diameter and user

Diameter in mm	19	22	25	30	35	40	44	48	51	54	57	60	64	65	68	70	76	78	83	86	92	102	105	121	127	152	159	User	
Application																													
Sanitary and heating pipes	●		●	●	●																							Plumber and heating fitter	
Sanitary, drain and water pipes with insulation						●	●	●																					
Fitted lights		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●			●	Electrician	
Cable feedthrough box				●	●							●									●								
Switch boxes												●																	
Plug sockets (hollow wall boxes)													●	●															
Junction boxes																●	●												
Distributor boxes																			●	●									
Air conditioning pipes																						●	●		●	●		Heating and ventilation fitter	

Illustration is a general overview. It may vary from country to country.

TCT Holesaw Endurance for Heavy Metal

Endures the toughest jobs by providing endless, fast and precise cuts into heavy metal.


Tungsten Carbide Technology

Increased hardness due to highest quality carbide grit with extra fine pre-alloyed powders for an extremely long lifetime. No teeth breakage due to the excellent brazing process.



Optimized teeth design

Extremely sharp, thin cutting edges and ideal gullet design guarantee very fast cutting speed and efficient chip removal.




Stepped pilot drill bit

Prevents tip impact in order to protect the supreme quality carbide tipped teeth.




Ejection spring


Guarantees automatic disc ejection for efficient continuous cutting.

TCT HOLESAWS			
Part Number	Diameter mm	Pack Quantity	List Price ₹
2608594003	14	1	1016.23
2608594004	15	1	1016.23
2608594005	16	1	1059.62
2608594006	17	1	1016.23
2608594007	18	1	1016.23
2608594008	19	1	1010.12
2608594009	20	1	1016.23
2608594010	21	1	1181.49
2608594011	22	1	1205.46
2608594012	23	1	1181.49
2608594013	24	1	1181.49
2608594014	25	1	1211.37
2608594015	26	1	1241.24
2608594016	27	1	1241.24
2608594017	28	1	1241.24
2608594018	29	1	1301.89
2608594019	30	1	1241.24
2608594020	31	1	1424.89
2608594021	32	1	1471.00
2608594022	33	1	1424.89
2608594023	34	1	1424.89
2608594024	35	1	1453.81
2608594025	36	1	1527.12
2608594026	37	1	1527.12
2608594027	38	1	1502.52
2608594028	39	1	1527.12
2608594029	40	1	1558.14
2608594030	41	1	1604.82
2608594031	42	1	1604.82
2608594032	43	1	1604.82
2608594033	44	1	1637.40
2608594034	45	1	1604.82
2608594035	46	1	1840.28


2608594036	47	1	1840.28
2608594037	48	1	1840.28
2608594038	49	1	1840.28
2608594039	50	1	1840.28

TCT HOLESAWS			
Part Number	Diameter mm	Pack Quantity	List Price ₹
2608594040	51	1	2114.45
2608594041	52	1	2072.37
2608594042	53	1	2072.37
2608594043	54	1	2072.37
2608594044	55	1	2072.37
2608594045	60	1	2327.58
2608594046	61	1	2374.14
2608594047	62	1	2374.14
2608594048	65	1	2422.33
2608594049	70	1	2566.01
2608594050	75	1	2737.69
2608594051	80	1	2893.57
2608594052	85	1	3078.43
2608594053	90	1	3252.20
2608594054	95	1	3252.20
2608594055	100	1	3608.85
2608594056	110	1	3988.36
2608594057	120	1	4339.89
2608594058	Center drill bit	1	322.00
2608594059	Spring	1	44.11
2608594060	Screw	1	44.30



HSS BI-METAL HOLESAWS FOR STANDARD ADAPTERS			
Part Number	Diameter mm	Pack Quantity	List Price ₹
2608580396	14	1	230.51
2608580397	16	1	192.46
2608580398	17	1	208.93
2608580399	19	1	201.47
2608580401	21	1	199.53
2608580402	22	1	221.86
2608580404	25	1	243.77
2608580405	27	1	250.83
2608580406	29	1	286.21
2608580407	30	1	336.37
2608580408	32	1	304.44
2608580410	35	1	331.40
2608580411	37	1	344.43
2608580412	38	1	351.17
2608580413	40	1	350.87
2608580414	41	1	362.31
2608580416	44	1	398.27
2608580418	48	1	447.40
2608580419	51	1	484.55
2608580420	52	1	485.34
2608580421	54	1	494.47
2608580423	57	1	528.64
2608580425	60	1	549.10
2608580426	64	1	559.27
2608580427	65	1	572.19
2608580428	67	1	613.92
2608580430	70	1	629.19

2608580431	73	1	693.98
2608580432	76	1	745.58
2608580433	79	1	782.74
2608580434	83	1	817.19





HSS BI-METAL HOLESAWS FOR STANDARD ADAPTERS			
Part Number	Diameter mm	Pack Quantity	List Price ₹
2608580435	86	1	851.85
2608580436	89	1	806.81
2608580437	92	1	1012.20
2608580438	95	1	932.17
2608580439	98	1	899.93
2608580440	102	1	934.22
2608580444	114	1	1116.41
2608580445	121	1	1378.54
2608580446	127	1	1260.95
2608580448	152	1	1546.41

*For other sizes contact sales office




ACCESSORIES FOR STANDARD BI-METAL HOLESAWS



Part Number	Description	Pack Quantity	List Price ₹
2608596119 	HSS-G pilot drill bit for hexagon socket adapter, width across flats 11 mm	1	248.55
2609390588 	Hex adapter with 1/2"-20UNF thread and HSS-G pilot drill bit (2 608 596 295) Width across flats 9.52 mm, From diameter 14 mm / 9/16" to diameter 30 mm / 1 3/16"	1	372.01
2609390034 	Hexagon adapter with 5/8"-18UNF thread and HSS-G pilot drill bit (2 608 596 119) Width across flats 11 mm. From 32 mm / 1 1/4" to diameter 210 mm / 8 9/32"	1	846.84
2609390036 	SDS-plus adapter with 5/8" 18UNF thread and HSS-G pilot drill bit (2 608 596 295) From 32mm / 1 1/4" to 210mm / 8 9/32" Holesaw	1	1416.45

SPECIAL FOR SHEET METAL The faster holesaw in metal



SPECIAL FOR SHEET METAL HOLESAWS



Part Number	Diameter mm	Working Length mm	Pack Quantity	List Price ₹
2608584778	16	20	1	567.96
*2608584779	17	20	1	—
2608584780	19	20	1	474.23
*2608584781	20	20	1	—
*2608584782	21	20	1	—
2608584783	22	20	1	488.12
2608584784	25	20	1	504.92
*2608584785	27	20	1	—
2608584786	29	20	1	560.74
2608584787	30	20	1	611.77
2608584788	32	20	1	574.93
*2608584789	33	20	1	—
2608584790	35	20	1	625.53
2608584791	38	20	1	662.44
2608584792	40	20	1	764.09
2608584793	41	20	1	694.54
2608584794	44	20	1	720.88
2608584795	48	20	1	679.65
2608584796	51	20	1	791.69
2608584797	54	20	1	948.80

*Made to order.

SPECIAL FOR SHEET METAL HOLESAWS



Part Number	Diameter mm	Working Length mm	Pack Quantity	List Price ₹
2608584798	57	20	1	913.31
2608584800	64	20	1	939.67
2608584801	65	20	1	961.96
*2608584802	67	20	1	—

*2608584803	68	20	1	—
2608584804	70	20	1	1140.56
*2608584805	73	20	1	—
2608584806	76	20	1	1103.61
*2608584807	79	20	1	—
*2608584808	83	20	1	—
*2608584809	86	20	1	—
*2608584810	89	20	1	—
2608584811	102	20	1	1641.29
*2608584854	127	20	1	—
*2608584855	152	20	1	—

*Made to order.

NEW!

ACCESSORIES FOR SHEET METAL HOLESAWS



Part Number	Description	Pack Quantity	List Price ₹
2608594256	Power Change Plus adapter, 8.7mm Hex shank, with HSS-Co pilot drill bit, for holesaw diameter of 16-152 mm	1	1336.36
2608594257	HSS-Co pilot drill bit Ø 7.15x65 mm, for new power change plus adapter	1	400.91

ACCESSORIES FOR SHEET METAL HOLESAWS



Part Number	Description	Pack Quantity	List Price ₹
2608584750	HSS-Co pilot drill bit with 1/4" hex shank, 1350 point angle and split point, 1 - 65 mm.	1	649.35

HSS BI-METAL HOLESAWS FOR STANDARD ADAPTERS

LONG LIFE!



Part Number	Diameter mm	Pack Quantity	List Price ₹
2608584101	19	1	370.37
2608584102	20	1	473.95
2608584104	22	1	381.29
2608584105	25	1	421.40
2608584107	29	1	443.84
2608584114	44	1	495.90
2608584115	46	1	500.83
2608584119	57	1	605.57


*Available till stocks last

HOLE CUTTERS



Part Number	Description	Pack Quantity	List Price ₹
2607019449	7 piece set	1	389.96
2607019450	11 piece set	1	747.65



HOLESAW SETS			
Part Number	Description	Pack Quantity	List Price ₹
2608580803	- Plumber set, 9pc, 6HS, 2 hex socket adapter, 1 hex nutsetter - BiM - Standard HS Ecoline Set 19/22/29/38/44/57	1	2784.09
2608580804	- Electrician set, 9pc, 6HS, 2 hex socket adapter, 1 hex nutsetter - BiM - Standard HS Ecoline Set 20/25/32/38/51/64	1	3118.18
2608580862	- Universal set, 9pc, 6HS, 2 hex socket adapter, 1 hex nutsetter - BiM - Standard HS Ecoline Set 24/27/32/35/40/52	1	2784.09
2608580868	- Electrician set, 9pc, 6HS, 2 hex socket adapter, 1 hex nutsetter - BiM - Standard HS Ecoline Set 20/25/35/40/51/68	1	3452.27
2608580866	- Universal set, 12pc, 9HS, 1 hex socket adapter, 1 305mm extension, 1 hex nutsetter - BiM - Standard HS Ecoline Set 35/54/70/76/83/95/102/114/127	1	8352.27



RECIPROCATING SAW / SABRE SAW BLADES



ENDURANCE FOR VEHICLE RESCUE

Blade Cut in Windscreens and Glass

Bosch Carbide Technology

CARBIDE
BLADE



SABRE SAW BLADES Endurance for Vehicle Rescue



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
-------------	-------------	-----------------	----------	--------------

2608653130	S 957 CHM - Carbide Technology, constant tooth pitch. Cutting of vehicles thanks to individually welded teeth	150	1	1682.71
------------	--	-----	---	---------

2608653132	S 1157 CHM - Carbide Technology, constant tooth pitch. Cutting of vehicles thanks to individually welded teeth	225	1	2358.68
------------	---	-----	---	---------



METAL

SABRE SAW BLADES Basic for Metal				
Part Number	Description	Total Length mm	Pack Qty	List Price ₹

2608651780	S 918 AF - BIM, wavy set, milled thin sheet metals (1-3 mm), fine, closed pipes/ profiles (diameter <100 mm) + profiles, (diameter <30 mm)	150	5	518.16
2608651781	S 918 BF - BIM, side set, milled medium-thick sheet metals (2-8 mm), closed pipes/ profiles (diameter <100 mm)	150	5	470.80

SABRE SAW BLADES Heavy for Metal				
Part Number	Description	Total Length mm	Pack Qty	List Price ₹

2608654820	S 920 CF - BIM, patented 2x2 tooth geometry thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<100 mm), ideal for pipe cutting device, for rescue/ demolition work, powerful, coarse cut	150	5	1371.60
2608656255	S 1120 CF - BIM, patented 2x2 tooth geometry thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<100 mm), ideal for pipe cutting device, for rescue/ demolition work, powerful, coarse cut	225	5	2036.01
2608657409	S 1225 VF - BIM, vario-pitched teeth medium-thick to thick sheet metals (2-10 mm), thin-walled and thick-walled pipes and profiles (<250 mm), ideal for demolition work in metal, effortless, fine cut	300	5	2813.22
2608657407	S 925 VF - BIM, vario-pitched teeth Medium-thick to thick sheet metals (2-10 mm), thin-walled and thick-walled pipes and profiles (<100 mm). Ideal for demolition work in metal. Effortless, fine cut.	150	5	1600.29
2608657408	S 1125 VF - BIM, vario-pitched teeth. Medium-thick to thick sheet metals (2-10 mm), thin-walled and thick-walled pipes and profiles (<175 mm). Ideal for demolition work in metal. Effortless, fine cut.	225	5	2102.54

2608656265	S 1025 VF Heavy for Metal Reciprocating Saw Blade delivers effortless and smooth cuts in metal	200	5	1714.60
------------	---	-----	---	---------

SABRE SAW BLADES Progressor for Metal				
Part Number	Description	Total Length mm	Pack Qty	List Price ₹

2608654402	S 123 XF - BIM blade is engineered for cutting regular-strength steel pipes and profiles. It features a special tooth design for cutting steel materials with a variety of wall thicknesses from 1 mm to 8 mm.	150	5	1342.88
------------	---	-----	---	---------

SABRE SAW BLADES Flexible for Metal				
Part Number	Description	Total Length mm	Pack Qty	List Price ₹

2608656013	S 922 AF - BIM, wavy set, milled thin sheet metals (0.7-3 mm), fine pipes/ profiles (diameter <100 mm), effortless, fine cut	150	5	1126.90
2608656018	S 1122 AF - BIM, wavy set, milled thin sheet metals (0.7-3 mm), fine pipes/ profiles (diameter <175 mm), effortless, fine cut, flexible flush cut	225	5	1098.11
2608656015	S 922 EF - BIM, side set, milled thin sheet metals (1.5-4 mm), pipes/profiles (diameter <100 mm)	150	5	1148.55
2608656020	S 1122 EF - BIM, side set, milled thin sheet metals (1.5-4 mm), pipes/profiles (diameter <175 mm), flexible flush cut	225	5	1460.44
2608656011	S 522 BF - BIM, side set, milled thick sheet metals (3-8 mm), quick cut	100	5	1042.00
2608656014	S 922 BF - BIM, side set, milled thick sheet metals (3-8 mm), solid pipes/ profiles (diameter <100 mm), quick cut	150	5	1034.71
2608656019	S 1122 BF - BIM, side set, milled Thick sheet metals (3-8 mm), solid pipes/ profiles (diameter <175 mm), flexible flush cut, quick cut	225	5	1319.66

2608656010	S 522 AF Flexible for Metal Reciprocating Saw Blade is designed for use with compact saws	100	5	954.08
2608656037	S 922 BF Flexible for Metal Reciprocating Saw Blade is optimised for fast cuts in metal	150	2	413.55
2608656041	S 1122 BF Flexible for Metal Reciprocating Saw Blade is optimised for flush cutting in metal	225	2	478.22

SABRE SAW BLADES Endurance for Heavy Metal



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608657524	S 1127 BEF - BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry with Full Contact Design Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<175 mm). Fine, precise cuts at accurate angles	225	5	1375.34
2608657526	S 1136 CHF - BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<175 mm). Fast, precise cuts at accurate angles	225	5	1619.22
2608657528	S 1130 CF - BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry Thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<175 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut	225	5	1619.22

SABRE SAW BLADES Endurance for Heavy Metal

CARBIDE BLADE



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608653180	S 955 CHM - Carbide Technology, constant tooth pitchcutting of high strength steels thanks to individually welded teeth	150	1	1682.71
2608653182	S 1155 CHM - Carbide Technology, constant tooth pitch cutting of high strength steels thanks to individually welded teeth	225	1	2358.68

SABRE SAW BLADES Endurance for Stainless steel

CARBIDE BLADE



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608653096	S 522 EHM - Carbide Technology (bar), teeth ground Especially optimised for use in compact saws. Inox sheets (2-4 mm), inox profiles (diameter <50 mm), glass fibre reinforced plastic/epoxy (<50 mm)	115	1	2187.58
2608653097	S 922 EHM - Carbide Technology (bar), teeth ground Inox sheets (2-4 mm), inox profiles (diameter <100 mm), glass fibre reinforced plastic/epoxy (<100 mm)	150	1	2594.94

SABRE SAW BLADES Endurance for Vehicle Rescue

CARBIDE BLADE



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608653130	S 957 CHM - Carbide Technology, constant tooth pitch. Cutting of vehicles thanks to individually welded teeth	150	1	1682.71
2608653132	S 1157 CHM - Carbide Technology, constant tooth pitch. Cutting of vehicles thanks to individually welded teeth	225	1	2358.68

WOOD AND METAL

SABRE SAW BLADES Progressor for Wood and Metal



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608654406	S 3456 XF - BIM, side set, milled wood with nails/metal, chipboard (<150 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<150 mm)	200	5	2002.34

SABRE SAW BLADES Heavy for Wood and Metal



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608656258	S 611 DF - BIM, side set, milled wood with nails/ metal, chipboard (<100 mm), plastic profiles (<100 mm), glass fibre reinforced plastic/ epoxy (<50 mm), window frames: wood + metal, especially for plunge cuts	150	5	847.11
2608654763	S 1411 DF - BIM, side set, milled wood with nails/ metal, chipboard (<250 mm), glass fibre reinforced plastic/epoxy (<60 mm)	300	5	1666.99

SABRE SAW BLADES Flexible for Wood & Metal



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608657560	S 1122 HF - BIM, side set, milled for pallet repair, wood with nails/metal (<175 mm), sheet metals, pipes, aluminium profiles (3-12 mm), flexible flush out	225	25	9230.76
2608656039	S 922 HF Flexible for Wood and Metal Reciprocating Saw Blade makes cuts in wood and metal	150	2	434.97

SABRE SAW BLADES Progressor for Wood and Metal

**CARBIDE
BLADE**



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608653099	S 956 XHM - Carbide Technology, side set, ground Wood with (hardened) nails/ metal (5-100 mm), wood with steel elements (5-100 mm), cast steel pipes (diameter < 3"), glass fibre reinforced plastic/epoxy (< 100 mm)	150	1	1682.71
2608653100	S 1156 XHM - Carbide Technology, side set, ground Wood with (hardened) nails/ metal (5-175 mm), wood with steel elements (5-175 mm), cast steel pipes (diameter < 6"), glass fibre reinforced plastic/epoxy (< 175 mm)	225	1	2358.68

WOOD

SABRE SAW BLADES Basic for Wood



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608650616	S 617 K Basic for Wood Reciprocating Saw Blade delivers curved and plunge cuts in wood	150	2	352.34
2608650617	S 1111 K Basic for Wood Reciprocating Saw Blade makes cuts in wood	225	2	344.40

SABRE SAW BLADES Top for Wood



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608650673	S 644 D - HCS, side set, ground construction wood (<100 mm), wooden wall (<100 mm), boards: chipboard, MDF (6-60 mm), plywood, plastic (<100 mm), especially for plunge cuts	150	5	577.07
2608650676	S 1531 L - HCS, side set, ground coarse wood, free of nails (<190 mm), pruning green wood (diameter <190 mm), firewood (diameter <190 mm)	240	5	929.75

SABRE SAW BLADES Top for Wood



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608650681	S 1542 K Top for Wood Reciprocating Saw Blade delivers powerful and fast cuts in wood	240	2	450.83

SABRE SAW BLADES Progressor for Wood



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608654404	S 2345 X - HCS, side set, ground construction wood (<150 mm), boards: chipboard, MDF (6-60 mm), plywood, plastic (<150 mm), wooden wall (<150 mm), effortless, fine cut	200	5	1852.77

SPECIAL MATERIAL

SABRE SAW BLADES Special for Ice



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608652900	S 1211 K - Stainless steel (Inox), side set, milled frozen materials (<250 mm)	300	5	918.69

SABRE SAW BLADES Endurance for Aerated Concrete

NEW!



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608650972	S 1241 HM - TC, side set, ground porous concrete, red brick, fibre cement (<250 mm), glass fibre reinforced plastic/epoxy (<150 mm), for abrasive materials	300	2	2654.12
2608650975	S 2041 HM - TC, side set, ground porous concrete, red brick, fibre cement (<350 mm), glass fibre reinforced plastic/epoxy (<150 mm), for abrasive materials	400	2	3392.84

SABRE SAW BLADES Endurance for Brick



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608650354	S 1543 HM - TC-tipped, for small bricks up to a material thickness of 150 mm	240	1	3764.01
2608650355	S 1243 HM - TC-tipped, for medium-sized bricks up to a material thickness of 215 mm	305	1	4391.92
2608650356	S 2243 HM - TC-tipped, for large bricks up to a material thickness of 365 mm	455	1	7594.94

SABRE SAW BLADES Special for Cast & Brick



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608650969	S 1130 RIFF - TC-coated, Grit 30 cast-steel pipes (diameter = 175 mm), red brick (<175 mm), glass fibre reinforced plastic/epoxy (<175 mm)	225	2	1341.74

SABRE SAW BLADES Special for Plaster



Part Number	Description	Total Length mm	Pack Qty	List Price ₹
2608656274	S 628 DF Special for Plaster Reciprocating Saw Blade delivers clean curved cuts in special materials	150	2	445.99

SABRE SAW BLADES Blade Pair for Foam Rubber Cutters



Part Number	Total Length mm	Pack Quantity	List Price ₹
2607018010	130	2	1168.24
2607018011	220	2	1281.70
2607018012	300	2	1823.88

100 Years of
Bosch in India



Follow us on:



Bosch Limited, Power Tools Division
PA-AT Complex, Hosur Road, Adugodi
Bangalore - 560030



Customer Contact Center
1800 425 8665

Email: bpt@in.bosch.com
www.bosch-pt.co.in