



a tool for every hand...



a tool for every hand...

Power & Efficiency
in Your Hands.

Serving You Beyond Sales



MILES IMPEX

Regd. Office :
B - XXX - 6754, Focal Point,
Ludhiana - 141 010. (India)
Tel. : (+91) 161-2679000
Fax : (+91) 161-2674903, 2672158
E-mail : info@kgocglobal.com
Website : www.milesKGOC.com



KANGARO INDUSTRIES (REGD.)
KANGARO INDUSTRIES LIMITED
KANIN (INDIA)
KGOC GLOBAL LLP

All trademarks are the property of Kangaro Industries (Regd.)

* The colours shown in catalogue are indicative & may vary from actual and the specifications of our products are subject to change without prior notice because of our continuous efforts to improve the quality.

MANUAL TOOLS

Page 7

GUN TACKERS	07 - 12
HAMMER TACKERS	12 - 12
STAPLE REMOVER	13 - 14
TAPE TOOL	15 - 16



PNEUMATIC TOOLS

Page 17


FINE WIRE STAPLERS	23 - 24
MEDIUM CROWN STAPLERS	25 - 25
WIDE CROWN STAPLERS	26 - 26
BRAD / PIN NAILERS	27 - 27
COIL NAILERS	28 - 28



FASTENERS

Page 29

FINE WIRE STAPLES
MEDIUM CROWN STAPLES
WIDE CROWN STAPLES
BRAD / PIN NAILS
COIL NAILS
C-RINGS



STITCH WIRE

Page 33

FLAT STITCH WIRE
ROUND WIRE



CONSUMER APPLICATIONS

Page 35





Right from staplers to staple removers, fasteners & stitch wire, each one of our product crafted & engineered to help boost your productivity. Our years of expertise on usage, design and ergonomics has helped us to develop innovative & efficient products & solutions that help you accomplish various tasks efficiently. For over fifty years now, we have been the preferred name for professionals and DIY's. No wonder, when it comes to efficiency, one name that comes to mind is Miles.



About KGOC

For more than five decades, we have been helping world to organise businesses and assisting people to bring out their creative best with innovative and high precision products that help to 'Join, Fix or Cut' through our brands - Kangaro, Miles and Munix. We are one of the largest manufacturer & supplier of high quality Staplers, Staples, Staple Removers, Paper Punches, Gun Tackers, Tape Tool, Pneumatic Tools, Industrial Fasteners, Stitching Wire & Scissors. Our new identity symbolise this unification that signifies flexibility and limitless possibilities to create a new future.

About Miles

Miles - a KGOC Brand whose portfolio largely comprises of professional range of Staplers/Tackers, Pneumatic Tools, Tape Tool, Staples, Industrial Fasteners, Stitch Wires & Staple Remover comes to you with exacting standards in quality, design and ergonomics. It has always been our endeavour to bring to the market not only great but also innovative and cutting-edge products that add to efficiency and productivity of users. For the same credit goes to our development centre which helps us stay ahead of the curve by developing solutions that are ground-breaking, both in terms of utility, as well as design.

Infrastructure

Our manufacturing facility houses a comprehensive sheet metal components manufacturing shop, a machine shop having a range of special purpose machines, fully automatic electroplating plant, fully automatic powder coating plant, plastic injection moulding shop besides all other required facilities in-house. We have fully automatic wire drawing lines to manufacture desired quality of wire used to manufacture staples on completely automatic multiple wire staple manufacturing lines. All Units are vertically integrated, wherein all manufacturing operations are performed in-house, right from manufacturing of smallest part, spring, rivet etc. to complex multi-part components. This helps to maintain required and desired quality consistently.



Quality

"Quality Culture" runs into every segment of Factory's working supported by a team of more than 3000 highly qualified professionals, engineers, technocrats and dedicated workers, whose devotion and dedication have become milestones of MILES success. "Company believes that quality is the life line of every business and is committed to satisfy its customers by manufacturing and supplying its products to their entire satisfaction first time and every time with continual up gradation in the effectiveness of the quality management system."



Development Centre & Tool Room

Facility has a well equipped Development Centre and an ultra modern Tool Room having all latest facilities CAD/CAM using the latest software, CNC wire cuts, CNC EDM machines, CNC Milling Machines besides other latest machinery and equipment required to develop quality Tools, Jigs and Fixtures which enable the setup to manufacture the required international quality of its end products.

Market Presence

Miles has become synonymous with efficiency, quality and innovation. In most markets, it is the one name every professional trusts. So, it should come as no surprise, when we say we are the largest manufacturer and exporter of Staplers/Tackers, Tape Tool, Staples, Industrial Staples & Staple Remover. Over the years, we have been able to create a strong presence in INDIA and countries across South Asia, Far East, Middle East, Europe, Africa and The Americas.

Environmental Policy

Environmental awareness and sustainability are not mere words at KGOC. Utmost care is taken to maintain greenery on the land on which our factories are built. Our pledge to the environment is very much woven into our DNA, our philosophy and our way of life here. Each one of us believes the same to protect environment and create a sustainable future. It is in this spirit, that we have made huge investments to spread awareness and commit to renewable sources of energy, like solar energy & zero-waste policy on water. Almost, all water used in the plant is recycled.











A wide range of tackers. Ergonomic designs.

When it comes to tackers, we offer a wide range for all your needs. Not only they are stylish, elegant, ergonomically designed but also are extremely tough, powerful & sturdy. Designed to handle wide spectrum of tasks to simplify life.



Technical Specification															
	TP-10			TS-623		TS-13H		TS-2380A		TS-2313A		HT-5800		HT-5850	
Staple Type	23 Series	24 Series	T Series	23 Series	T Series	23 Series	T Series		23 Series	No. 80	23 Series	Brads	Pins	No. 4	No. 4
Leg Length Range (mm)	6~10	6	8~10	6~10	8~10	6~13	8~13		6~13	6~12	6~13	10~14	14	6~10	6~14

Applications															
Chair / Sofa Repair		•			•		•			•		•			
Tyre Retreading		•			•										
Labeling														•	•
Hoarding's / Flex Board / Canvas		•			•		•			•		•			
Carpeting														•	•
Photo Framing		•			•		•			•		•			

Light weight high impact ABS plastic body with quality steel components. Compact design with no loose parts. Easy drop in loading with reload indicator. Handle lock for easy storage.

TP 10

- Used for:
- Cupboards
 - Fabrics
 - Iron boards
 - Decorative work
 - Upholstery etc.

Tools Specifications

Staple Use : 24/6, 23 Series, T-8, T-10

Leg Length : 6 ~ 10mm



All metal robust construction. Compact design with no loose parts. Easy drop in loading with reload indicator. Handle lock for easy storage. Ergonomic handle with soft rubber grip for extra working comfort.

TS 623

- Used for:
- Textile
 - Canvas
 - Leather
 - Iron Boards
 - Upholstery etc.

Tools Specifications

Staple Use : 23 Series, T-8, T-10

Leg Length : 6 ~ 10mm



All metal robust construction. Sleek design with no loose parts. Easy drop in loading with reload indicator. Handle lock for easy storage. Elegant soft rubber grip for extra working comfort.

TS 13H

- Used for:
- Textile
 - Upholstery
 - Wall decorating
 - Beading
 - Canvas etc.

Tools Specifications

Staple Use : 23 Series, T-8, T-10, T-13

Leg Length : 6 ~ 13mm



All metal robust construction. Sleek design with no loose parts. With force adjustment. Easy drop-in loading with reload indicator. Handle lock for easy storage. Elegant soft rubber grip for extra working comfort.

TS 2380A

- Used for:
- Upholstery
 - Cupboards
 - Iron boards
 - Canvas
 - Frame etc.

Tools Specifications

Staple Use : 23 Series, No. 80

Leg Length : 6 ~ 13mm



All metal robust construction. Sleek design with no loose parts. With force adjustment. Handle lock for easy storage. Easy drop in loading with reload indicator. Elegant soft rubber grip for extra working comfort.

TS 2313A 3in1

- Used for:
- Beading
 - Frame
 - Iron boards
 - Canvas
 - Upholstery
 - Leather etc.

Tools Specifications

Staple Use : 23 Series, 18 Gauge (Brads & Pins)

Leg Length : 6 ~ 13mm (23 Series)

10 ~ 14mm (Brads)

14mm (Pins)



All metal robust construction. Compact design with no loose parts. Single handed grip for easy operations and to reach odd corners. Easy drop-in loading with reload indicator. Elegant soft rubber grip for extra working comfort.

HT 5800 HAMMER TACKER

- Used for:
- Fixing Fitted carpets
 - Insulation
 - Hang Labels
 - Posters
 - Roofing etc.

Tools Specifications

Staple Use : No. 4

Leg Length : 6 ~ 10mm



All metal robust construction. Compact design with no loose parts. Single handed grip for easy operations and to reach odd corners. Easy drop in loading with reload indicator. Elegant soft rubber grip for extra working comfort.

HT 5850 HAMMER TACKER

- Used for:
- Fixing Fitted carpets
 - Insulation
 - Hang Labels
 - Posters
 - Roofing etc.

Tools Specifications

Staple Use : No. 4

Leg Length : 6 ~ 14mm



STAPLE REMOVER



If you thought stapling is easy,
removing the staple is easier.

No more worrying about removing staple pins. With our staple removers, this is as easy as push & remove. Very thoughtfully engineered, this staple remover comes with an ergonomically designed plastic handle that protects knuckles.



Robust metal construction with ergonomically designed plastic handle to ensure the safety of knuckles of user's hand during operation. Easily lifts heavy duty staples. In built clamping avoids staples kick back.

ISR 34





When you want to quickly deliver a secure tie, Tape Tool is your answer !

If you are looking at an easy way to secure plants, vines or branches, then look no further. Miles Tape Tool is the easiest way to deliver a secure tie quickly. Get a uniform look, all neat & tidy. Insist on Miles refill tapes & staples for best results.



Metal construction. No loose parts with adjustable opening. Cost effective with high efficiency. Ergonomic handle with soft rubber grip.

TT 01



No. 74



TR 01

Used for:

- Fixing & binding vine plants
- Gardening



No. 74
(Staples)



TR 01 (Tape)
(30m Roll)








Convenience efficiency & speed, Redefined.

When it comes to being productive and achieving timely goals, opt for Miles pneumatic tools. Extremely tough, powerful & precise catering to your different professional needs.





Technical Specification	Fine Wire Staplers						Medium Crown Staplers					Wide Crown Staplers			Brad / Pin Nailers				Coil Nailers			
Models	MS 80-16N	MS 80-16 Pro	MS 80-16L	MS 10J-13	MS 10F-13	MS 71-16	MS 90-25N	MSB 90-40N Combi		MS 100-50N		MS 16WC-50	MCS 35-18 Pro	MCS-35-22 Pro	MB 18-32	MB 18-50	MB 16-64	MP 622	MCN 57	MCN 70	MCN 90 Pro	MCN 100
Staple Type	No. 80	No. 80	No. 80	No. 10J	No. 10F	No. 7c	No. 90	Brad Nails	No. 90	No. 100		No. 16WC	No. 35	No. 35	Brad Nails	Brad Nails	Brad Nails	Pin Nails	Coil Nails	Coil Nails	Coil Nails	Coil Nails
Leg Length Range (mm)	6~16	6~16	6~16	6~13	6~13	6~16	12~25	20~50	20~40	19~50		16~50	15~18	18~22	10~32	20~50	19~64	12~22	25~57	45~70	50~90	65~100
Operating Air Pressure (Psi)	60~100	60~100	60~100	60~100	60~100	60~100	60~100	60~100	60~100	70~120		70~120	70~100	70~100	60~100	60~100	70~120	60~100	70~100	70~100	70~120	70~120

																						
Category	Fine Wire Staplers						Medium Crown Staplers					Wide Crown Staplers			Brad / Pin Nailers				Coil Nailers			
Models	MS 80-16N	MS 80-16 Pro	MS 80-16L	MS 10J-13	MS 10F-13	MS 71-16	MS 90-25N	MSB 90-40N COMBI	MS 100-50N			MS 16WC-50	MCS 35-18 Pro	MCS 35-22 Pro	MB 18-32	MB 18-50	MB 16-64	MP-622	MCN 57	MCN 70	MCN 90 Pro	MCN 100
Staple Type	No. 80	No. 80	No. 80	No. 10J	No. 10F	No. 7c	No. 90	Brad Nails	No. 90	No. 100		No. 16WC	No. 35	No. 35	Brad Nails	Brad Nails	Brad Nails	Pin Nails	Coil Nails	Coil Nails	Coil Nails	Coil Nails
Office Chair	•	•	•	•		•																
Sofa	•	•				•			•										•	•	•	•
Cabinet																	•					
Two Wheeler Seat	•	•																				
Car Door Trimming					•																	
Cable Drum																			•	•	•	•
Pallet / Crate / Packaging									•										•	•	•	•
Cycle Seat	•	•		•																		
Shoe Making															•	•						
Carom Board				•											•	•						
Paint Brush							•	•	•						•	•						
Photo Frame	•	•		•		•	•	•	•						•	•						
Corrugated Carton													•	•								
Flush Door	•	•										•										
Tyre Retreading	•	•		•																		
Labeling	•	•		•																		
Hoarding / Flex Board / Canvas	•	•		•																		
Veener																		•				
Beading															•	•		•				
Cane Chair							•	•	•						•	•						
Kite Spindle							•	•	•						•	•						
Bird Cage							•	•	•						•	•						
Boat Making									•			•							•	•	•	•

Fine Wire

Compact & light weight tool. Ergonomic handle with rubber grip for extra working comfort. Multidirectional exhaust cover.

MS 80-16N

Used for:

- Frame
- Upholstery
- Furniture
- Door Trims
- Seat Making
- Beading
- Iron Boards
- Canvas etc.

Tools Specifications

Staple Use : No. 80
Leg Length : 6 ~ 16mm
Working Pressure : 4 ~ 7 Bar



Long lasting tool with sturdy components. 3-way staples viewing slot

MS 10J-13

Used for:

- Furniture
- Frame
- Upholstery
- Beading
- Iron Boards
- Canvas etc.

Tools Specifications

Staple Use : No. 10J
Leg Length : 6 ~ 13mm
Working Pressure : 4 ~ 7 Bar



Light weight professional tool. Reversible driver blade. Rubber grip for extra working comfort. Ergonomic design with integrated silencer. Versatile tool for industry & the craftsman. Metal cap reduces vibrations & fatigue.

MS 80-16 Pro

Used for:

- Frame
- Upholstery
- Furniture
- Door Trims
- Seat Making
- Beading
- Iron Boards
- Canvas etc.

Tools Specifications

Staple Use : No. 80
Leg Length : 6 ~ 16mm
Working Pressure : 4 ~ 7 Bar



Long lasting tool with sturdy components. 3-way staples viewing slot

MS 10F-13

Used for:

- Upholstery
- Furniture
- Door Trims
- Seat Making
- Beading etc.

Tools Specifications

Staple Use : No. 10F
Leg Length : 6 ~ 13mm
Working Pressure : 4 ~ 7 Bar



Compact & light weight tool. Ergonomic handle with rubber grip for extra working comfort. Multidirectional exhaust cover. Long nose for better reach.

MS 80-16L

Used for:

- Frame
- Upholstery
- Furniture
- Door Trims
- Seat Making
- Beading
- Iron Boards
- Canvas etc.

Tools Specifications

Staple Use : No. 80
Leg Length : 6 ~ 16mm
Working Pressure : 4 ~ 7 Bar



Compact & light weight tool. Ergonomic handle with rubber grip for extra working comfort. Multidirectional exhaust cover.

MS 71-16

Used for:

- Frame Assembly
- Drawer Guide
- Panels and Profile Boards
- Shoe Making
- Wooden Cases
- Brushes
- Frame
- Moulding
- Decorative etc.

Tools Specifications

Staple Use : No. 71
Leg Length : 6 ~ 16mm
Working Pressure : 4 ~ 7 Bar



Medium Crown

Rubber comfort grip ensures a non slip handling, reduce vibration & fatigue. Light weight & easy loading. Touch strike security system. Multidirectional exhaust cover. Pro gasket with metal inside. Special hardened one piece set.

MS 90-25 N

Used for:

- Frame Assembly
- Drawer Guide
- Panels and Profile boards
- Shoe Making
- Wooden Cases
- Brushes
- Frame
- Moulding
- Decorative

Tools Specifications

Staple Use : No. 90
Leg Length : 12 ~ 25mm
Working Pressure : 4 ~ 7 Bar



Compact & light weight tool. Hard coat anodized aluminum loader. Multidirectional exhaust cover. Staple viewing slot. Contact trip device.

MSB 90-40 N Combi

Used for:

- Frame Assembly
- Drawer Guide
- Panels and Profile Boards
- Shoe Making
- Wooden Cases
- Brushes
- Frame
- Moulding
- Decorative etc.

Tools Specifications

Staple Use : No. 90
Leg Length : 16 ~ 40mm
Brad Use : F series (18 Gauge)
Leg Length : 20 ~ 50mm
Working Pressure : 4 ~ 7 Bar



Sturdy tool with very powerful driving force. Magnesium casted body for light weight. Adjustable single fire & bump fire. Multidirectional exhaust cover. Adjustable depth control dial.

MS 100-50N

Used for:

- Sheating
- Subflooring
- Roof Decking
- Pallets
- Crate
- Box Assembly
- Vinyl Siding
- Frame Assembly etc.

Tools Specifications

Staple Use : No. 100
Leg Length : 19 ~ 50mm
Working Pressure : 5 ~ 8 Bar



Wide Crown

Solid design & good balance. Ergonomic rubber grip. Touch-strike security system. Front exhaust. Tool-less jam clearing mechanism.

MS 16WC-50

Used for:

- Corrugated Boxes to Wood
- Furniture Packaging
- Frame Assembly
- To Fix Angle Boards to Wooden Pallets
- Fixing Roofing Felt etc.

Tools Specifications

Staple Use : No. 16WC
Leg Length : 16 ~ 50mm
Working Pressure : 5 ~ 8 Bar



Easy loading system. Integrated silencer. Optional hook for suspension. Adjustable clinching as per applications.

MCS 35-18 Pro

Used for:

- To Close Corrugated Boxes
- Cartons etc.

Tools Specifications

Staple Use : No. 35
Leg Length : 15 ~ 18mm
Working Pressure : 5 ~ 7 Bar



Easy loading system. Integrated silencer. Optional hook for suspension. Adjustable clinching as per applications.

MCS 35-22 Pro

Used for:

- To Close Corrugated Boxes
- Cartons etc.

Tools Specifications

Staple Use : No. 35
Leg Length : 18 ~ 22mm
Working Pressure : 5 ~ 7 Bar



Brad / Pin Nailers

Compact & light weight tool. Tool-less jam clearing mechanism. Multidirectional exhaust cover. Ergonomic handle with rubber grip for extra working comfort. Adjustable depth control dial. Safety contact tip.

MB 18-32

Used for:	Tools Specifications						
<ul style="list-style-type: none">• Cabinet• Windows and Doors• Construction• Wooden Cases• Kite Spindles• Paint Brushes• Modular Kitchen• Frame Assembly• Drawer Guide etc.	<table><tr><td>Brad Use</td><td>: F series (18 Gauge)</td></tr><tr><td>Leg Length</td><td>: 10 ~ 32mm</td></tr><tr><td>Working Pressure</td><td>: 4 ~ 7 Bar</td></tr></table>	Brad Use	: F series (18 Gauge)	Leg Length	: 10 ~ 32mm	Working Pressure	: 4 ~ 7 Bar
Brad Use	: F series (18 Gauge)						
Leg Length	: 10 ~ 32mm						
Working Pressure	: 4 ~ 7 Bar						



Compact & light weight tool. Tool-less jam clearing mechanism. Multidirectional exhaust cover. Ergonomic handle with rubber grip for extra working comfort. Adjustable depth control dial. Safety contact tip.

MB 18-50

Used for:	Tools Specifications						
<ul style="list-style-type: none">• Cabinet• Windows and Doors• Construction• Wooden Cases• Kite Spindles• Paint Brushes• Modular Kitchen• Frame Assembly• Drawer Guide etc.	<table><tr><td>Brad Use</td><td>: F series (18 Gauge)</td></tr><tr><td>Leg Length</td><td>: 20 ~ 50mm</td></tr><tr><td>Working Pressure</td><td>: 4 ~ 7 Bar</td></tr></table>	Brad Use	: F series (18 Gauge)	Leg Length	: 20 ~ 50mm	Working Pressure	: 4 ~ 7 Bar
Brad Use	: F series (18 Gauge)						
Leg Length	: 20 ~ 50mm						
Working Pressure	: 4 ~ 7 Bar						



Solid design and good balance. Tool-less jam clearing mechanism. Multidirectional exhaust cover. Adjustable depth control dial. Touch strike security system.

MB 16-64

Used for:	Tools Specifications						
<ul style="list-style-type: none">• Cabinet• Windows and Doors• Construction• Wooden Cases• Modular Kitchen• Frame Assembly• Drawer Guide etc.	<table><tr><td>Brad Use</td><td>: T series (16 Gauge)</td></tr><tr><td>Leg Length</td><td>: 19 ~ 64mm</td></tr><tr><td>Working Pressure</td><td>: 5 ~ 8 Bar</td></tr></table>	Brad Use	: T series (16 Gauge)	Leg Length	: 19 ~ 64mm	Working Pressure	: 5 ~ 8 Bar
Brad Use	: T series (16 Gauge)						
Leg Length	: 19 ~ 64mm						
Working Pressure	: 5 ~ 8 Bar						



Compact & light weight tool. Ergonomic handle with rubber grip for extra working comfort. Multidirectional exhaust cover. Side loading anodized magazine.

MP 622

Used for:	Tools Specifications						
<ul style="list-style-type: none">• Invisible Fixing• Fine Beads• Decorative Moulding etc.	<table><tr><td>Pin Use</td><td>: 23 Gauge</td></tr><tr><td>Leg Length</td><td>: 12 ~ 22mm</td></tr><tr><td>Working Pressure</td><td>: 4 ~ 7 Bar</td></tr></table>	Pin Use	: 23 Gauge	Leg Length	: 12 ~ 22mm	Working Pressure	: 4 ~ 7 Bar
Pin Use	: 23 Gauge						
Leg Length	: 12 ~ 22mm						
Working Pressure	: 4 ~ 7 Bar						



Coil Nailers

Rubber comfort grip ensures a non slip handling & reduces vibration and fatigue. Body in high strength aluminum ally for a good balance & ease of handling. High impact engineered plastic magazine with adjustable bottom steel plate. Multidirectional exhaust cover. Touch strike security system. Metal guard to protect tool body.

MCN 57

Used for:	Tools Specifications										
<ul style="list-style-type: none">• Decking• Siding• Cable Reels• Pallets• Furniture• Fencing• Boxes• Crates• Crating• Sheathing etc.	<table><tr><td>Coil Use</td><td>: 15° wire weld</td></tr><tr><td>Shank Dia</td><td>: 2.1 ~ 2.3mm</td></tr><tr><td>Nail Head</td><td>: 5.0 ~ 5.7mm</td></tr><tr><td>Nail Length</td><td>: 25 ~ 57mm</td></tr><tr><td>Working Pressure</td><td>: 5 ~ 7 Bar</td></tr></table>	Coil Use	: 15° wire weld	Shank Dia	: 2.1 ~ 2.3mm	Nail Head	: 5.0 ~ 5.7mm	Nail Length	: 25 ~ 57mm	Working Pressure	: 5 ~ 7 Bar
Coil Use	: 15° wire weld										
Shank Dia	: 2.1 ~ 2.3mm										
Nail Head	: 5.0 ~ 5.7mm										
Nail Length	: 25 ~ 57mm										
Working Pressure	: 5 ~ 7 Bar										



Rubber comfort grip ensures a non slip handling & reduces vibration and fatigue. Body in high strength aluminum ally for a good balance & ease of handling. High impact engineered plastic magazine with adjustable bottom steel plate. Touch strike security system. Metal guard to protect tool body.

MCN 70

Used for:	Tools Specifications										
<ul style="list-style-type: none">• Decking• Siding• Cable Reels• Pallets• Furniture• Fencing• Boxes• Crates• Crating• Sheathing etc.	<table><tr><td>Coil Use</td><td>: 15° wire weld</td></tr><tr><td>Shank Dia</td><td>: 2.3 ~ 2.9mm</td></tr><tr><td>Nail Head</td><td>: 5.0 ~ 7.0mm</td></tr><tr><td>Nail Length</td><td>: 45 ~ 70mm</td></tr><tr><td>Working Pressure</td><td>: 5 ~ 7 Bar</td></tr></table>	Coil Use	: 15° wire weld	Shank Dia	: 2.3 ~ 2.9mm	Nail Head	: 5.0 ~ 7.0mm	Nail Length	: 45 ~ 70mm	Working Pressure	: 5 ~ 7 Bar
Coil Use	: 15° wire weld										
Shank Dia	: 2.3 ~ 2.9mm										
Nail Head	: 5.0 ~ 7.0mm										
Nail Length	: 45 ~ 70mm										
Working Pressure	: 5 ~ 7 Bar										



New design casting for extra power. Magnesium casting for light weight. Tilt magazine for easy loading. Multidirectional exhaust cover. Touch strike security system. Metal guard to protect tool body.

MCN 90 Pro

Used for:	Tools Specifications										
<ul style="list-style-type: none">• Decking• Siding• Cable Reels• Pallets• Furniture• Fencing• Boxes• Crates• Crating• Sheathing etc.	<table><tr><td>Coil Use</td><td>: 15° wire weld</td></tr><tr><td>Shank Dia</td><td>: 2.5 ~ 3.33mm</td></tr><tr><td>Nail Head</td><td>: 6.0 ~ 7.0mm</td></tr><tr><td>Nail Length</td><td>: 50 ~ 90mm</td></tr><tr><td>Working Pressure</td><td>: 5 ~ 8 Bar</td></tr></table>	Coil Use	: 15° wire weld	Shank Dia	: 2.5 ~ 3.33mm	Nail Head	: 6.0 ~ 7.0mm	Nail Length	: 50 ~ 90mm	Working Pressure	: 5 ~ 8 Bar
Coil Use	: 15° wire weld										
Shank Dia	: 2.5 ~ 3.33mm										
Nail Head	: 6.0 ~ 7.0mm										
Nail Length	: 50 ~ 90mm										
Working Pressure	: 5 ~ 8 Bar										



Very powerful tool, able to countersink nails into hard wood. Rubber comfort grip ensures a non slip handling & reduces vibrations & fatigue. Body in high strength aluminum alloy for a good balance & ease of handling. High impact engineered plastic magazine with adjustable bottom steel plate. Downwards directional exhaust. Built-in silencer to reduce exhaust noise level. Touch strike security system. Metal guard to protect tool body.


MCN 100

Used for:	Tools Specifications										
<ul style="list-style-type: none">• Decking• Siding• Cable Reels• Pallets• Furniture• Fencing• Boxes• Crates• Crating• Sheathing etc.	<table><tr><td>Coil Use</td><td>: 15° wire weld</td></tr><tr><td>Shank Dia</td><td>: 2.5 ~ 3.33mm</td></tr><tr><td>Nail Head</td><td>: 6.5 ~ 7.5mm</td></tr><tr><td>Nail Length</td><td>: 65 ~ 100mm</td></tr><tr><td>Working Pressure</td><td>: 5 ~ 8 Bar</td></tr></table>	Coil Use	: 15° wire weld	Shank Dia	: 2.5 ~ 3.33mm	Nail Head	: 6.5 ~ 7.5mm	Nail Length	: 65 ~ 100mm	Working Pressure	: 5 ~ 8 Bar
Coil Use	: 15° wire weld										
Shank Dia	: 2.5 ~ 3.33mm										
Nail Head	: 6.5 ~ 7.5mm										
Nail Length	: 65 ~ 100mm										
Working Pressure	: 5 ~ 8 Bar										




Fasteners for all your needs.

We offer the widest range of fasteners. All meets the exact international standards & specifications. No matter which stapler or tacker you use, we have the staples for you.




Fine Wire Staples	Outer Crown	Inner Crown	Wire Dimension	Leg Length
No. 80	12.80mm	11.50mm	0.60 x 0.90mm	3~16mm
No. 10F	11.30mm	10.10mm	0.52 x 0.70mm	2.5~4mm
No. 10J	11.20mm	10.00mm	0.60 x 1.20mm	4.75~12mm
23 Series	13.00mm	11.60mm	0.60 x 0.75mm	6~24mm
24 Series	12.80mm	11.90mm	0.35 x 0.70mm	6~8mm
T Series	12.75mm	11.60mm	0.51 x 0.70mm	8~13mm
No. 4	10.50mm	09.40mm	0.57 x 1.20mm	6~14mm
No. 7C	09.00mm	07.70mm	0.60 x 0.75mm	8~12mm
Medium Crown Staples	Outer Crown	Inner Crown	Wire Dimension	Leg Length
No. 90	05.60mm	03.40mm	0.95 x 1.20mm	9~40mm
No. 100	10.80mm	07.80mm	1.40 x 1.60mm	25~50mm
Wide Crown Staples	Outer Crown	Inner Crown	Wire Dimension	Leg Length
No. 16WC	25.00mm	22.00mm	1.40 x 1.60mm	16~38mm
No. 35	35.00mm	33.00mm	0.90 x 2.30mm	15~22mm
No. 24	24.00mm	22.00mm	0.90 x 1.85mm	15~18mm
Brads Nails	Gauge	Head Dia	Wire Dimension	Leg Length
T Series	16	2.80mm	1.40 x 1.60mm	25~64mm
F Series	18	2.00mm	1.00 x 1.25mm	8~50mm
Pin Nails	Shank Dia			Leg Length
P6	0.64mm			10~30mm
Coil Nails	Shank Dia	Alignment	Head Dia	Leg Length
Wire Weld	2.1~3mm	15°~16°	5~7mm	25~100mm
C Rings	Outer Crown			Leg Length
Copper Coating	24.00mm			1.80mm 12.5mm


24 Series




23 Series




T Series




No. 4




No. 7C




No. 80




No. 10 F




No. 10 J




No. 90




No. 100




No. 16WC



No. 35



No. 24




T Series
16 Gauge Brads



F Series
18 Gauge Brads



P6 Series
23 Gauge Nails



15° Coil Nails

Available sizes	
Shank Dia	Shank Length
2.1	25, 30, 32, 38 & 45mm
2.3	45, 50 & 56mm
2.5	50, 56, 60, 65 & 70mm
2.8	70, 75, 80 & 90mm
2.9	75mm
3.0	100mm
2.1 (Screw)	32 & 45mm
2.3 (Screw)	50mm



C / Hog Ring
(Copper)





Fasteners for your packing solutions.

Our stitching wires are tailored to meet the exact requirement of the customers not only in terms of cost and availability but with the assurance of consistent quality.

Miles Stitch Wire - Features

- High corrosion resistance due to superior galvanized coating.
- Uniform mechanical properties across length ensuring optimal performance of stitching head.
- Avoids premature wear out of machine and reduces energy and maintenance cost.
- Wire is evenly wound on coil / spool to provide continuous operation while production.
- Coil / Spools are packed in card board boxes for greater storage protection.

Miles Stitch Wire - Range

Flat Stitch Wire

It is primarily used in corrugation industries for box stapling.

Grades of Flat Stitch Wire

Commercial Grade

This stitching wire is the most affordable and most commonly used in the corrugation industry. It is made out of mild steel wire and has electro galvanized coating of Zinc.



Rust Resistant Grade

This wire is also made out of mild steel and has electro galvanized coating of Zinc and it is better than commercial grade of stitch wire.



Stainless Steel Grade

This wire is made out of pure stainless steel wire and is 100% rust proof. It is economical as compared to brass and copper wires.



Sizes Available : 12/25, 13/25, 14/25, 17/25, 12/22, 15/22

Weight of Coil : 2.50 Kg., 25 Kg., 40 Kg. approx.

Packaging : Corrugated Box - Laminated from inner side

Round Wire

It is primarily used in general printing and book binding industry for leaflets, brochures, catalogues & note books etc.

Sizes Available (Gauge) : 20, 21, 22, 23, 24, 25, 25.5 & 26

Weight of Coil : 1.30 Kg., 2 Kg. & 15 Kg. of plastic spool.

Packaging : Corrugated Box - Laminated from inner side





Bike Seat Making

Tool	Staples
MS 80-16N	No. 80
MS 80-16 Pro	No. 80
MS 80-16L	No. 80
MS 10J-13	No. 10J



Cycle Seat Making

Tool	Staples
MS 80-16N	No. 80
MS 80-16 Pro	No. 80
MS 80-16L	No. 80
MS 10J-13	No. 10J



Fabric to wood / Plastic assembly

Tool	Staples
MS 80-16N	No. 80
MS 80-16 Pro	No. 80
MS 80-16L	No. 80
MS 10J-13	No. 10J
MS 10F-13	No. 10F
MS 7116	No. 7C



Beading

Tool	Staples
MS 80-16N	No. 80
MS 80-16 Pro	No. 80
MS 80-16L	No. 80
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails



Tire Retreading

Tool	Staples
TS 623	No. 23
MS 80-16N	No. 80



Car Door Trim

Tool	Staples
MS 10F-13	No. 10F



Chair / Sofa making

Tool	Staples
MS 80-16N	No. 80
MS 80-16L	No. 80
MS 80-16L Pro	No. 80
MS 10J-13	No. 10J
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails



Cabinet

Tool	Staples
MB 18-32	18G Brad Nails
MP 622	Head Less Nails



Modular Kitchens

Tool	Staples
MS 90-25N	No. 90
MS 100-50N	No. 100
MB 16-64	16G Brad Nails
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails
MS 80-16N	No. 80
MS 80-16 Pro	No. 80
MS 80-16L	No. 80
MS 10J-13	No. 10J
MS 71-16	No. 7C



Flush Door

Tool	Staples
MS 16WC-50	No. 16WC



Tool	Staples
MS 100-50N	No. 100
MCN 57 / 70	Coil Nails
MCN 90 Pro / 100	Coil Nails



Tool	Staples / Nails
MS 100-50N	No. 100
MCN 57 / 70	Coil Nails
MCN 90 Pro / 100	Coil Nails



Tool	Staples
MS 80-16N	No. 80
MS 80-16 Pro	No. 80
MS 80-16L	No. 80
MS 10J-13	No. 10J



Tool	Staples
MCS 35-18 Pro	No. 35
MCS 35-22 Pro	No. 35



Tool	Staples
MS 100-50N	No. 100
MCN 57 / 70	Coil Nails
MCN 90 Pro / 100	



Tool	Staples
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails



Tool	Staples
MS 100-50N	No. 100
MB 16-64	16G Brad Nails
MCN 57 / 70	Coil Nails
MCN 90 Pro / 100	Coil Nails



Tool	Staples
MS 80-16N	No. 80
MS 80-16 Pro	No. 80
MS 80-16L	No. 80
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails



Tool	Staples
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails



Tool	Staples
MB 18-32	18G Brad Nails
MB 18-50	18G Brad Nails