YATO®

2020







YATO originated in Europe as a brand for top-grade tools developed by TOYA Corporation. In order to better promote the business of TOYA ,in 2008, the Company launched direct production and trading operations on the Chinese market through a jointly controlled company YATO TOOLS (SHANGHAI) Co., Ltd.

Under the leadership of the headquarters, YATO TOOLS (SHANGHAI) Co., Ltd. has been operating in an efficient and increasingly consummate manner. Not only can it satisfy the needs of many retail customers, but also it can accommodate the massive demand of the online customers. With the admirable experiences in the fields of tools and services and high commitment and dedication to customers, the company makes every effort to win the unanimous recognition from customers both at home and abroad. What makes YATO really proud is the fact that more and more people are using the products of YATO brand to accomplish their professional tasks.

YATO TOOLS (SHANGHAI) Co., Ltd. unceasingly makes every effort to achieve its goals and continuously improves the quality of products. By enlarging the varieties of products, YATO has provided customized solutions to each and every single customer in line with their operational fields so that it can help customers to find products best suiting their needs.

Be our distinguished guests and let YATO witness your success!

YATO TOOLS - Best Cost-Performance Tools from Europe



SEC 华标认证

QUALITY MANAGEMENT SYSTEM CERTIFICATION

Certificate No. : 34918Q0100R0M Unified social credit code : 913100006778186997

We hereby certify that the Organization :

YATO TOOLS（SHANGHAI）CO.,LTD

Is in conformity with Quality Management System Standard :
GB/T 19001—2016 idt ISO 9001: 2015

The Certificate is valid to the following product(s)/service : SALES OF POWER TOOLS, HAND TOOS, PNEUMATIC TOOLS, KITCHEN UTENSILS AND APPLIANCES

Registration address/audit address : BUILDING 8,9 PLANT, NO.1300 EAST KANGQIAO ROAD, CHINA

Audit address : LANE 8, NO.1300 EAST KANGQIAO ROAD, KANGQIAO INDUTRY PARK, PUDONG NEW AREA, SHANGHAI, P.R.CHINA

Date of issue : 22 Aug.2018

Date of expiry : 21 Aug.2021

This certificate will not remain valid only if the certified organization accepts at least one surveillance audit annually within the validity period of the certificate and used with the surveillance audit report and within the administrative licensing

The effectiveness of the Certificate is subject to QR code on the left.

You can search the CNCA website:www.cnca.gov.cn

China Standards Excellent Certification (Beijing)Co.,Ltd. Website:www.hbrzchina.com

CERTIFICATION 华标认证

STANDARDS EXCELLENT CERTIFICATION (BEIJING) COMPANY LTD 华标认证（北京）有限公司 0105163186

CHINA STANDARDS EXCELLENT CERTIFICATION (BEIJING) COMPANY LTD.(CSEC)

Beijing,Chaoyang district,Beisihuandonglu 106,Building 5,hospital 425(100029)

YATO GIFTS SHOW

For more gifts please check
www.yato.com

1.ZP-0010 Exhibition Rack with lamp
ZP-0014 Exhibition Rack with light

2.Stand for sockets

3.YATO BACKPACK

4.ZP-AR00230 YATO BAG

5.ZP-0042 T-shirt
size:S,M,L,XL,XXL,XXXL

6.ZP-0057-B
Measuring Tape 3M

7.ZP-0067 Namecard Holder

8.ZP-0100 Folding umbrella


9.ZP-0064 Cap

10.ZP-0081
Multifunction knife

11.ZP-0082
USB Storage 8G

12.ZP-0062
CUP

























YATO

www.yato-sh.com




1 SPANNERS 1-19



2 SOCKETS, ACCESSORIES & SETS 20-35



3 SOCKETS SETS & TOOL SETS 36-53




4 IMPACT SOCKETS, ACCESSORIES & SETS 54-58



5 TORQUE WRENCHES & TORQUE MULTIPLIERS 59-64




6 SCREWDRIVERS & SCREWDRIVER BITS 65-81



7 HEX & TORX KEY & SETS 82-91




8 VDE TOOLS 92-102




9 PLIERS 103-113



10 ELECTRICIAN TOOLS 114-125



11 HAMMERS, CHISELS, PUNCHES & AXES 126-131





12 CLAMPS & VICES 132-133



13 TAP AND DIE 134-143




14 CUTTING TOOLS 144-150



15 GRINDING TOOLS 151-158




16 FILE TOOLS 159-162




17 HYDRAULIC TOOLS 163-166



18 FASTENING TOOLS 167-172



19 MEASURING TOOLS 173-177




20 PNEUMATIC TOOLS 178-187




21 TOOL BOX & CABINETS 188-218



22 SPECIAL AUTOMOTIVETOOLS & EQUIPMENT 219-254



23 ACCESSORI 255-257



24 HEALTH & SAFETY ARTICLES 258-273



25 GARDEN TOOLS 274-280




26 POWER & GASOLINE TOOLS 281-310



27 NON-SPARKING TOOLS 311-321



28 VOREL/STHOR/FLO 322-332






Combination spanner

AS-DRIVE



COLOR BOX





- application: workshop
- head offset: 15°
- surface finish: chromed, satin / mirror

YATO	⌀ (mm)	L (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-00760	34	425	13	16	5	20
YT-00761	36	460	14	17.5	5	15
YT-00762	38	460	14	17.5	5	15
YT-00763	41	500	15	19	5	10
YT-00764	46	540	16.5	21	5	10
YT-00765	48	570	16.5	22	5	10
YT-00766	50	598	18	23.5	2	8
YT-00767	55	620	19	25	2	6
YT-00768	60	660	21	27	2	6
YT-00769	65	680	23	29	2	4


Combination spanner

CrV DIN 3113 AS-DRIVE




COLOR BOX





- application: workshop
- head offset: 15°
- surface finish: chromed, satin / mirror



YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-03349	5.5	110	14.8	10.5	3.7	4.9	10	300/600
YT-0335	6	110	14.8	10.5	3.7	4.9	10	300/600
YT-0336	7	120	16.1	11.3	4.0	5.3	10	300/600
YT-0337	8	130	18.5	12.9	4.2	5.0	10	180/360
YT-0338	9	140	20.5	14.6	4.2	5.0	10	180/360
YT-0339	10	150	22.2	16.2	4.9	6.4	10	180/360
YT-0340	11	160	25.5	17.3	4.9	7.0	10	180/360
YT-0341	12	170	26.7	18.7	5.3	7.6	10	120/240
YT-0342	13	180	28.0	19.6	5.5	8.2	10	120/240
YT-0343	14	190	30.3	21.4	5.9	7.7	10	50/100
YT-0344	15	200	32.8	22.8	6.2	8.5	10	50/100
YT-0345	16	210	33.9	23.7	6.1	9.1	10	50/100
YT-0346	17	220	35.9	24.7	6.5	9.1	10	50/100
YT-0347	18	230	37.8	26.9	6.9	10.0	10	50/100
YT-0348	19	235	38.9	27.7	7.0	10.1	10	50/100
YT-0349	20	250	41.4	29.2	7.3	11.0	10	40/80
YT-0350	21	260	43.4	31.0	7.1	10.9	10	40/80
YT-0351	22	270	45.9	32.2	8.1	11.2	5	20/40
YT-0352	23	280	47.8	34.3	7.8	11.1	5	20/40
YT-0353	24	290	49.9	34.8	9.2	11.2	5	20/40
YT-0354	25	300	51.2	36.6	9.2	12.4	5	20/40
YT-0355	26	310	53.2	37.4	9.2	12.9	5	20/40
YT-0356	27	320	55.9	39.3	9.3	12.7	5	15/30
YT-0357	28	330	56.5	40.9	9.9	13.5	5	15/30
YT-0358	29	340	60.0	42.4	10.0	13.6	5	15/30
YT-0359	30	350	60.9	43.8	10.0	14.7	5	10/20
YT-0360	32	370	64.5	46.6	11.3	14.9	5	10/20

Combination spanner set

6 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER



8,10,12,13,14,15 mm

YATO		
YT-03605	490	6

Combination spanner set

7 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER



8,10,12,13,14,17,19 mm

YATO		
YT-03608	560	6

Combination spanner set

9 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER



8,10,11,12,13,14,15,17,19 mm

YATO		
YT-03612	900	6

Combination spanner set

6 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER



8,10,12,13,14,17 mm

YATO		
YT-03606	580	6

Combination spanner set

7 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER



10,12,13,14,15,17,19 mm

YATO		
YT-03609	580	6

Combination spanner set

10 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER



6,8,10,11,12,13,14,15,16,17 mm

YATO		
YT-03613	850	6

Combination spanner set

7 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER



8,10,12,14,17,19,22 mm

YATO		
YT-03610	890	6

Combination spanner set

8 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER



8,10,12,13,14,15,17,19 mm

YATO		
YT-03611	830	6

Combination spanner set

10 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER



10,11,12,13,14,15,16,17,18,19 mm

YATO		
YT-03615	1130	6

Combination spanner set

10 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER



8,10,12,13,14,15,16,17,18,19 mm

YATO		
YT-03614	1120	6

Combination spanner set

14 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER



8,9,10,11,12,13,14,15,16,17,18,19,22,24 mm

YATO		
YT-03618	1720	6

Combination spanner set

17 PCS | DIN 3113 | CrV | AS-DRIVE | POUCH & COLOR BOX





8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27, 30, 32 mm

YATO		
YT-0363	3850	3

Combination spanner set

11 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER



8,9,10,11,12,13,14,15,17,19,22 mm

YATO		
YT-03616	1180	6

Combination spanner set

12 PCS | DIN 3113 | CrV | AS-DRIVE | POUCH & COLOR BOX





8, 9, 10, 11, 12, 13,14,15,17, 19, 22, 24 mm

YATO		
YT-0362	2500	6

Combination spanner set

23 PCS | DIN 3113 | CrV | AS-DRIVE | POUCH & COLOR BOX





6,7,8,9,10,11,12,13,14,15,16,17,18,19,21,22,23,24,25, 27,29,30,32 mm

YATO		
YT-03651	4800	6

Combination spanner set

13 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER



8,9,10,11,12,13,14,15,16,17,18,19,22 mm

YATO		
YT-03617	1470	6

Combination spanner set

12 PCS | DIN 3113 | CrV | AS-DRIVE | POUCH & COLOR BOX





8, 9, 10, 11, 12, 13,14,15,16,17, 18,19 mm

YATO		
YT-03621	1500	6

Combination spanner set

25 PCS | DIN 3113 | CrV | AS-DRIVE | POUCH & COLOR BOX





6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24, 25,26,27,28,30,32 mm

YATO		
YT-0365	5900	3

Combination spanner set

26 PCS | DIN 3113 | CrV | AS-DRIVE

POUCH & COLOR BOX



6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25, 26,27,28,29,30,32 mm

YATO		
YT-03652	5800	6

Combination spanner set

6 PCS | DIN 3113 | CrV | AS-DRIVE | S.A.E.



PLASTIC HANGER



5/16",3/8",7/16",1/2",9/16",5/8"

YATO		
YT-48860	510	6

Combination spanner set

9 PCS | DIN 3113 | CrV | AS-DRIVE | S.A.E.



PLASTIC HANGER





1/4",5/16",3/8",7/16",1/2",9/16",5/8",11/16",3/4"

YATO		
YT-48861	850	6

Combination spanner

CrV | DIN 3113 | AS-DRIVE | S.A.E.





- application: workshop
- head offset: 15°
- surface finish: chromed, satin / mirror

COLOR BOX



YATO		L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-4870	1/4"	110	13.9	10.7	4.0	4.9	10	300/600
YT-4871	5/16"	130	17.6	12.8	4.6	5.7	10	180/360
YT-4872	3/8"	150	21.5	15.5	4.8	6.1	10	180/360
YT-4873	7/16"	160	23.8	17.0	5.1	6.7	10	180/360
YT-4874	1/2"	180	27.6	19.9	5.6	8.0	10	120/240
YT-4875	9/16"	190	29.6	21.6	6.1	8.1	10	120/240
YT-4876	5/8"	210	33.6	23.9	6.3	9.2	10	50/100
YT-4877	11/16"	230	37.8	26.3	6.7	10.8	10	50/100
YT-4878	3/4"	240	40.1	27.9	7.2	10.6	10	50/100
YT-4879	13/16"	260	43.2	31.1	7.6	10.8	10	40/80
YT-4880	7/8"	270	46.5	32.9	8.4	11.6	5	20/40
YT-4881	15/16"	290	50.2	34.9	8.7	12.0	5	20/40
YT-4882	1"	300	51.9	36.2	8.8	12.7	5	20/40
YT-4883	1-1/16"	320	56.0	38.9	9.3	13.6	5	15/30
YT-4884	1-1/8"	340	59.7	42.2	9.8	14.2	5	15/30
YT-4885	1-1/4"	370	65.5	46.2	10.9	15.6	5	10/20

Combination spanner set

11 PCS | CrV | DIN 3113 | AS-DRIVE | S.A.E.



POUCH & COLOR BOX



1/4",5/16",3/8",7/16",1/2",9/16",5/8",11/16",3/4",13/16",7/8"

YATO		
YT-48851	1500	10

14 PCS | DIN 3113 | CrV | AS-DRIVE | S.A.E.





3/8",7/16",1/2",9/16",5/8",11/16",3/4",13/16",7/8", 15/16",1",1-1/16",1-1/8",1-1/4"

YATO		
YT-48862	3350	6

Combination spanner set

16 PCS | CrV | DIN 3113 | AS-DRIVE | S.A.E.






YATO		L(mm)		
YT-48852	1/4"	110	3600	3
	5/16"	130		
	3/8"	150		
	7/16"	160		
	1/2"	180		
	9/16"	190		
	5/8"	210		
	11/16"	230		
	3/4"	235		
	13/16"	200		
	7/8"	270		
	15/16"	290		
	1"	300		
	1-1/16"	320		
	1-1/8"	340		
	1-1/4"	370		

X Handle combination wrench

AS-DRIVE

NEW




YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	
YT-01851	10	160	20.2	15	6	7	100/200
YT-01852	12	200	25	20	7	8.2	40/120
YT-01853	13	205	25.5	19.8	6.5	8	40/120
YT-01854	14	210	28.3	21.1	7.2	9	40/120
YT-01855	15	215	31	25.1	7.1	9.1	40/120
YT-01856	17	230	33.9	26.9	8	9.2	40/80
YT-01857	18	235	34.1	27	7.9	9.2	40/80
YT-01858	19	260	37.9	28.5	8.5	10	40/80
YT-01859	21	275	40.5	32.1	8.1	10.5	20/80
YT-01860	22	340	44.2	35.1	9.9	12	20/80
YT-01861	24	327	48.9	35	9.3	11.5	20/40
YT-01862	27	358	54.1	40.8	11	12.2	20/40
YT-01863	30	397	55.8	43.5	13	14.1	10/20
YT-01864	32	435	63	48	14.1	15.5	10/20

Ratchet combination wrench

RATCHET WRENCH | 72T | CrV | AS-DRIVE





- application: service
- 72 teeth ratchet
- minimum operation angle: 5°
- surface finish: chromed, mirror





YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-01906	6	126	14	13	4	6	10	50/100
YT-01907	7	139	16	16	5	6.5	10	50/100
YT-01908	8	140	17	18	5.5	7	10	50/100
YT-01909	9	151	20	21	6	7.5	10	50/100
YT-0191	10	160	22.1	22.2	6.0	7.8	10	50/100
YT-0192	11	165	24.7	24.2	6.6	8.5	10	50/100
YT-0193	12	170	26.4	25.5	6.7	8.9	10	50/100
YT-0194	13	180	27.5	26.7	6.6	9.2	10	50/100
YT-0195	14	190	30.8	29.0	7.4	9.4	10	50/100
YT-0196	15	200	32.9	30.8	7.7	10.1	10	50/100
YT-0197	16	210	34.3	31.5	7.8	10.3	10	50/100
YT-0198	17	225	36.8	33.6	8.4	10.6	10	50/100
YT-0199	18	235	39.2	35.6	9.1	10.8	10	50/100
YT-0200	19	245	40.1	37.3	9.5	11.3	10	50/100
YT-0189	21	290	45.2	43.0	9.9	13.3	6	30/60
YT-0201	22	290	45.6	44.2	10.5	13.4	6	24/48
YT-0202	24	335	52.8	50.0	11.3	14.5	6	48
YT-0203	25	335	52.0	47.4	10.2	14.3	6	48
YT-0204	27	355	55.6	52.7	10.9	15.7	6	30
YT-0205	30	400	62.5	57.7	12.2	17.1	6	24
YT-0206	32	420	65.0	61.7	13.2	17.9	6	24

X Handle combination wrench set

14 PCS | 10-32 mm

NEW



10,12,13,14,15,17,18,19,21,22,24,27,30,32 mm

YATO		
YT-01865	3980	4

Ratchet combination wrench set

5 PCS | CrV | 72T | RATCHET WRENCH | AS-DRIVE



PLASTIC HANGER



8,10,12,13,14 mm

YATO		
YT-02063	480	6

Ratchet combination wrench set

5 PCS | CrV | 72T | RATCHET WRENCH | AS-DRIVE



PLASTIC HANGER



10,12,13,14,15 mm

YATO		
YT-02064	580	6

Ratchet combination wrench set

6 PCS | CrV | 72T | AS-DRIVE



PLASTIC HANGER



8,10,12,13,14,17 mm

YATO		
YT-02065	690	6

Ratchet combination wrench set

8 PCS | CrV | 72T | AS-DRIVE



PLASTIC HANGER



8,10,12,13,14,15,17,19 mm

YATO		
YT-02068	1050	6

Ratchet combination wrench set

12 PCS | CrV | 72T | AS-DRIVE



PLASTIC HANGER



8,9,10,11,12,13,14,15,16,17,18,19 mm

YATO		
YT-02069	1530	6

Ratchet combination wrench set

7 PCS | CrV | 72T | AS-DRIVE



PLASTIC HANGER



8,10,12,13,14,15,18 mm

YATO		
YT-02066	830	6

Ratchet combination wrench set

7 PCS | CrV | 72T | AS-DRIVE



PLASTIC HANGER



10,11,12,13,14,15,17 mm

YATO		
YT-02067	1010	6

Ratchet combination wrench set

7 PCS | CrV | 72T | AS-DRIVE



PLASTIC HANGER




10, 12, 13, 14, 15, 17, 19 mm

YATO	
YT-0208	10/20

Stubby combination spanner

CrV





- application: workshop
- head offset: 15°
- surface finish: chromed



COLOR BOX

YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-4901	8	91	19.2	13.9	5.0	6.3	10	120/240
YT-4902	9	97	21.7	16.4	5.4	6.4	10	120/240
YT-4903	10	97	21.9	16.6	5.2	6.4	10	120/240
YT-4904	11	100	23.2	18.3	5.9	7.2	10	120/240
YT-4905	12	108	27.4	20.2	6.4	7.6	10	120/240
YT-4906	13	109	27.9	20.7	6.7	7.7	10	120/240
YT-4907	14	115	29.3	22.1	6.1	8.3	10	60/120
YT-4908	15	120	31.2	24.0	6.8	9.6	10	60/120
YT-4909	16	121	32.0	24.3	6.8	9.6	10	60/120
YT-4910	17	128	36.6	27.1	7.4	9.9	10	60/120
YT-4911	18	127	36.2	26.8	7.4	9.9	10	60/120
YT-4912	19	135	39.2	29.5	8.8	10.8	10	60/120

Combination spanner set

7 PCS | DIN 3113 | CrV | AS-DRIVE



PLASTIC HANGER




10,11,12,13,14,17,19 mm

YATO		
YT-49125	570	6

Non slip ratchet combination wrench






- application: industry
- 72 teeth ratchet
- minimum operation angle: 5˚
- NON-SLIP system
- allows to unscrew 70% damaged hex screws
- surface finish: chromed, satin



YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing	
YT-0256	11	163	22.8	22.1	6.0	8.5	10	10/100
YT-0257	12	171	25.1	23.3	6.5	8.5	10	10/100
YT-0258	13	180	26.6	25.2	6.7	8.5	10	10/100
YT-0259	14	188	29.7	26.5	7.3	8.5	10	10/100
YT-0260	15	201	31.6	28.4	7.4	8.5	10	10/100
YT-0261	16	214	33.4	29.0	7.6	10.0	10	10/100
YT-0263	18	239	38.6	31.9	8.3	11.5	10	10/100
YT-0264	19	250	39.0	33.6	8.7	11.5	10	10/100

Ratchet combination wrench




- application: service
- minimum operation angle: 5˚
- surface finish: chromed, satin





YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing	
YT-1651	8	140	17.5	19.0	6.0	7.2	10	50/100
YT-1652	9	150	19.8	20.7	6.4	7.5	10	50/100
YT-1653	10	160	22.1	23.1	6.4	7.9	10	50/100
YT-1654	11	165	23.9	25.0	6.6	8.4	10	50/100
YT-1655	12	170	27.1	26.0	6.5	8.9	10	50/100
YT-1656	13	180	27.9	27.6	7.1	9.1	10	50/100
YT-1657	14	190	31.6	28.3	7.3	9.5	10	50/100
YT-1658	15	200	32.8	31.4	8.1	9.8	10	50/100
YT-1659	16	210	33.9	32.9	8.4	10.3	10	50/100
YT-1660	17	225	38.0	34.5	8.7	10.5	10	50/100
YT-1661	18	235	39.8	36.9	9.3	10.7	10	50/100
YT-1662	19	245	41.8	38.3	9.5	11.3	10	50/100
YT-1663	20	245	41.9	38.1	9.7	11.4	6	30/60
YT-1664	21	290	44.9	43.0	9.8	13.6	6	30/60
YT-1665	22	290	44.8	43.8	10.0	13.6	6	30/60
YT-1666	23	290	44.9	43.3	10.3	13.7	6	24/48
YT-1667	24	330	52.0	49.4	10.2	14.5	6	24/48
YT-1668	25	330	53.0	49.6	10.6	14.7	6	24/48
YT-1669	26	360	56.3	53.6	12.1	15.7	6	30
YT-1670	27	360	55.6	52.9	12.2	16.1	6	30
YT-1671	28	360	56.1	53.6	12.6	16.0	6	24
YT-1672	30	400	62.1	58.0	11.9	17.2	6	24
YT-1673	32	420	64.1	62.0	12.9	17.7	6	24

Rapid ratchet combination wrench









- application: industry
- 72 teeth ratchet
- minimum operation angle: 5˚
- spline profile serves for 5 types of nuts
- allows to unscrew 70% damaged hex screws
- surface finish: chromed, mirror

COLOR BOX





YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing	
YT-0157	10	158	18.70	21.00	5.08	8.20	10	10/100
YT-0158	11	165	20.32	21.55	5.70	8.20	10	10/100
YT-0159	12	173	22.47	23.24	6.00	8.20	10	10/100
YT-0161	14	190	26.60	25.90	6.70	8.20	10	10/100
YT-0162	15	202	27.80	27.55	7.30	8.20	10	10/100
YT-0163	16	215	30.20	28.55	7.55	9.92	10	10/100
YT-0165	19	252	35.45	34.00	8.65	11.50	10	10/100

Ratchet combination wrench set

6 PCS | CrV | 72T | AS-DRIVE



PLASTIC HANGER



8,10,12,13,14,16 mm

YATO		
YT-16733	660	6

Ratchet combination wrench set

8 PCS | CrV | 72T | AS-DRIVE



PLASTIC HANGER



8,10,12,13,14,15,17,18 mm

YATO		
YT-16736	1050	6

Ratchet combination wrench set

12 PCS | CrV | 72T | AS-DRIVE



PLASTIC HANGER



8,9,10,11,12,13,14,15,16,17,18,19 mm

YATO		
YT-16737	1630	6

Ratchet combination wrench set

7 PCS | CrV | 72T | AS-DRIVE



PLASTIC HANGER



10,12,13,14,15,17,19 mm

YATO		
YT-16734	1020	6

Ratchet combination wrench set

8 PCS | CrV | 72T | AS-DRIVE





10,11,12,13,14,15,17,19mm

YATO	size(mm)
YT-3908	265x160x60

Ratchet combination wrench set

8 PCS | CrV | 72T | AS-DRIVE





10,11,12,13,14,15,17,19 mm

YATO	size(mm)
YT-3909	265x160x60

Ratchet combination wrench set

8 PCS | CrV | 72T | AS-DRIVE



PLASTIC HANGER



8,10,12,13,14,15,17,19 mm


YATO		
YT-16735	1060	6

X Handle combination ratchet wrench

RATCHET WRENCH | 72T | CrV 6140

NEW






YATO	O (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	
YT-01870	8	153	20.1	21.4	6.3	8.1	25/200
YT-01871	9	159	20.1	21.1	5.2	8.1	25/200
YT-01872	10	161	24.9	23.3	5.9	9.1	25/200
YT-01873	11	171	25.1	24.2	6.4	9.0	25/200
YT-01874	12	176	27.0	27.2	6.5	9.6	25/150
YT-01875	13	181	29.0	28.5	6.8	9.5	25/150
YT-01876	14	191	31.1	30.6	7.0	9.3	25/100
YT-01877	15	202	34.3	30.9	7.5	9.5	25/100
YT-01878	16	227	38.5	35.5	7.9	10.6	20/80
YT-01879	17	228	38.2	34.6	7.5	10.1	20/80
YT-01880	18	240	40.5	36.0	8.9	10.9	20/60
YT-01881	19	235	40.0	36.0	8.9	10.9	20/60

Flexible ratchet combination wrench

72T | CrV 6140





PLASTIC HANGER








- application: industry
- 72 teeth ratchet
- minimum operation angle: 5°
- articulated joint for ring head
- surface finish: chromed, mirror

YATO	(mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-0275	14	157	29.8	26.5	7.3	8.4	10	10/100
YT-0276	15	167	31.6	27.7	7.4	8.4	10	10/100
YT-0277	16	177	33.7	29.1	7.6	10.0	10	10/100
YT-0278	17	187	37.0	30.5	8.0	10.0	10	10/100
YT-0279	18	201	39.0	31.7	8.4	11.5	10	10/100
YT-0280	19	213	39.7	34.2	8.5	11.5	10	10/100

Flexible ratchet combination wrench

72T | CrV | SPLINE







PLASTIC HANGER

PCS packing:

COLOR BOX



- application: service
- minimum operation angle: 5°
- surface finish: chromed, satin

YATO	(mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-1674	8	140	18.0	19.6	6.3	7.3	10	50/100
YT-1675	9	145	19.7	21.1	4.7	7.6	10	50/100
YT-1676	10	160	22.8	23.2	6.3	7.8	10	50/100
YT-1677	11	160	24.0	24.7	5.4	8.5	10	50/100
YT-1678	12	170	26.4	26.7	6.8	8.8	10	50/100
YT-1679	13	180	28.4	27.3	7.2	9.1	10	50/100
YT-1680	14	185	29.5	28.7	6.8	9.4	10	50/100
YT-1681	15	195	32.9	30.8	7.2	9.8	10	50/100
YT-1682	16	210	34.4	33.3	7.6	10.3	10	50/100
YT-1683	17	230	36.7	35.7	8.3	10.5	10	50/100
YT-1684	18	235	39.0	35.9	8.0	10.8	10	50/100
YT-1685	19	245	40.8	37.6	9.5	11.2	10	50/100
YT-1686	20	245	40.9	38.2	8.8	11.1	6	30/60
YT-1687	21	290	45.0	42.8	9.8	13.6	6	30/60
YT-1688	22	290	45.2	42.7	9.8	13.5	6	30/60
YT-1689	23	290	45.3	42.8	9.6	13.6	6	30/60
YT-1690	24	330	51.3	48.7	10.4	14.5	6	24/48
YT-1691	25	330	51.4	48.4	10.6	14.5	6	24/48
YT-1692	26	360	56.6	53.6	11.6	15.7	6	30
YT-1694	28	360	56.4	53.5	11.0	15.8	6	24
YT-1695	30	410	61.6	58.7	12.4	17.2	6	24
YT-1696	32	430	64.7	63.3	12.8	17.8	6	24

Ratchet combination wrench set

12 PCS | CrV | 72T | AS-DRIVE





PLASTIC HANGER



8,9,10,11,12,13,14,15,16,17,18,19 mm

YATO		
YT-16968	1830	6

Ratchet combination wrench set

6 PCS | CrV | 72T | AS-DRIVE





PLASTIC HANGER



8,10,12,13,14,17 mm

YATO		
YT-16965	780	6

Ratchet combination wrench set

7 PCS | CrV | 72T | AS-DRIVE





PLASTIC HANGER



10,12,13,14,15,17,19 mm

YATO		
YT-16966	1180	6

Ratchet combination wrench set

8 PCS | CrV | 72T | AS-DRIVE





PLASTIC HANGER




8,10,12,13,14,15,17,19 mm

YATO		
YT-16967	1240	6

Double ratchet spanner

72T | CrV 6140



- mininum operation angle:5°
- 72 teeth ratchet
- surface finish: chromed, mirror



YATO	⌀ (mm)	L (mm)	D1 (mm)	D2 (mm)	S1 (mm)	S2 (mm)	PCS packing.	
YT-5030	8x9	125	18.4	20.2	7.2	7.5	5	100/200
YT-50305	8x10	130	18.3	21.5	7.2	7.8	5	100/200
YT-5031	10x11	150	21.9	23.9	8.0	8.5	5	100/200
YT-5032	12x13	170	25.4	26.5	8.9	9.0	5	100/200
YT-5033	14x15	190	27.7	29.6	9.5	9.8	5	50/100
YT-5034	16x18	210	31.2	34.8	10.0	10.8	5	50/100
YT-5035	17x19	235	32.5	35.7	10.5	11.8	5	50/100

Double ratchet spanner set

6 PCS | 72T | CrV 6140



PLASTIC HANGER



8x9,10x11,12x13,14x15,16x18,17x19 mm

YATO		
YT-50356	890	6

Double ratchet spanner set

5 PCS | 72T | CrV 6140



PLASTIC HANGER




8x9, 10x11, 12x13, 14x15, 17x19 mm


YATO	PCS packing	
YT-5038	1	10/30

Half-moon spanner

CrV 6140 | AS-DRIVE







- application: industry
- excellent for work in tight spaces
- used for dismantling of collector tubes, alternators and starters
- surface finish: chromed, satin

SLIDING CARD



YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	
YT-0170	10x12	145	16.8	19.2	6.8	6.8	10/60
YT-0171	11x13	170	18.5	21.2	8.4	8.6	10/60
YT-0172	14x15	195	22.8	25.8	9.2	9.9	10/60
YT-0173	16x17	220	26.2	28.6	9.9	10.5	10/60
YT-0175	19x22	260	28.7	32.9	10.4	10.9	10/60

Double ratchet spanner set

5 PCS | 72T | CrV 6140



PLASTIC HANGER



8x10,12x13,14x15,16x18,17x19 mm

YATO		
YT-50355	840	6

Torx ring spanner set

4 PCS | TORX | CrV 6150






SLIDING CARD

YATO	⌀ (mm)	L (mm)		
YT-0530	E6xE8	112	425	10/60
	E10xE12	140		
	E14xE18	180		
	E20xE24	224		

Insert adapter for gear wrench






- can fit 1/4'',3/8'',1/2'' sockets
- quick release
- the head can 180 rotate

YATO	size	fit for spanner (mm)	
YT-07531	1/4" (6.3mm)	10	1/300
YT-07532	3/8" (9.5mm)	13	1/300
YT-07533	1/2" (12.7mm)	19	1/300

Double open end spanner

DIN 3110 CrV



- surface finish: chromed, satin / mirror


COLOR BOX

YATO	⬡ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing	
YT-4800	5.5x7	120	14.3	16.6	4.0	4.0	10	300/600
YT-0367	6x7	120	15.1	16.8	3.5	3.6	10	360/720
YT-03671	7x9	140	18.7	20.8	3.7	3.6	10	180/360
YT-0368	8x9	140	18.7	20.8	3.7	3.6	10	180/360
YT-4801	8x10	140	18.1	20.6	4.5	4.5	10	150/300
YT-4802	9x11	155	22.2	24.8	4.8	4.8	10	150/300
YT-0369	10x11	155	22.4	25.5	4.6	4.6	10	150/300
YT-4803	10x12	155	22.7	25.4	4.9	5.0	10	150/300
YT-0332	10x13	170	22.5	29.3	4.6	5.3	10	150/300
YT-4804	11x13	170	25.3	28.2	5.2	5.2	10	80/160
YT-0370	12x13	170	27.1	29.3	4.9	5.3	10	80/160
YT-4805	12x14	170	26.7	29.4	5.3	5.0	10	80/160
YT-4806	13x15	185	31.2	33.4	6.0	5.9	10	80/160
YT-4807	13x16	185	31.0	33.3	6.0	5.8	10	80/160
YT-0333	13x17	180	29.3	37.5	5.3	6.3	10	50/100
YT-0371	14x15	180	31.0	33.0	5.3	5.4	10	80/160
YT-4808	14x17	190	28.9	37.0	5.7	5.7	10	50/100
YT-0372	16x17	200	34.9	37.5	6.5	6.3	10	50/100
YT-4809	16x18	200	34.6	37.4	6.2	6.1	10	50/100
YT-0334	17x19	220	37.5	38.7	6.3	6.3	10	50/100
YT-0373	18x19	220	38.7	41.0	6.6	6.3	10	50/100
YT-4810	19x21	235	42.4	47.1	6.7	6.6	10	30/60
YT-4811	19x22	235	42.5	47.2	6.6	6.6	10	30/60
YT-0374	20x22	230	42.1	46.8	7.1	6.8	10	30/60
YT-0375	21x23	245	44.4	48.6	7.3	6.9	10	30/60
YT-4812	22x24	250	46.7	51.3	7.6	8.0	10	20/40
YT-4813	23x26	260	51.9	56.6	8.4	8.3	5	20/40
YT-0376	24x27	260	51.6	56.9	8.1	8.1	5	20/40
YT-0377	25x28	270	52.3	57.9	8.4	8.3	5	20/40
YT-4814	27x30	280	56.9	63.2	8.6	9.0	5	15/30
YT-0378	30x32	295	61.4	65.1	8.0	8.6	5	15/30
YT-4815	30x34	285	64.2	68.9	11.4	11.0	5	15/30
YT-4816	32x34	285	63.7	68.6	11.3	11.0	5	10
YT-4817	34x36	280	63.8	68.6	11.3	11.1	5	10

Double open end spanner set

6 PCS DIN 3110 CrV





6x7, 8x10, 11x13, 12x14, 17x19, 21x23 mm

YATO		
YT-48180	670	6

Double open end spanner set

10 PCS DIN 3110 CrV





6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27 mm

YATO		
YT-0380	1600	6

Double open end spanner set

8 PCS DIN 3110 CrV





5.5x7, 8x10, 10x12, 12x14, 14x17, 17x19, 19x22, 22x24 mm

YATO		
YT-48181	1040	6

Double open end spanner set

10 PCS DIN 3110 CrV






5.5x7, 8x10, 9x11, 10x12, 12x14, 14x17, 17x19, 19x22,24x27,30x32 mm

YATO		
YT-48182	1730	6

Double open end spanner set

12 PCS DIN 3110 CrV






6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19,20x22, 21x23, 24x27, 25x28, 30x32 mm

YATO		
YT-0381	2500	8

Double open end spanner






- application: service
- head offset: 15˚
- surface finish: chromed, satin



COLOR BOX

YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-01320	36x41	321	82	70	12.2	12.2	5	20
YT-01321	41x46	371	92	82	13.2	13.2	5	15
YT-01322	46x50	403	102	92	13.8	13.8	5	15
YT-01323	50x55	443	102	102	15.2	15.2	5	10

Double open end spanner

DIN 3110 | CrV 6140





- head offset: 5˚
- maximum torque exceeding DIN and ANSI standards by 60%
- surface finish: chromed, satin



COLOR BOX

YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-0109	8x9	146	19.4	21.4	4.3	4.3	10	360
YT-0111	10x11	162	23.5	25.7	5.0	5.0	10	360
YT-0112	10x13	175	27.7	30.2	5.3	5.3	10	120
YT-0113	12x13	175	27.7	30.2	5.3	5.3	10	120
YT-0115	14x15	191	31.7	33.7	5.8	5.8	10	120
YT-0117	13x17	195	31.7	38.7	6.2	6.2	10	120
YT-0118	16x17	212	36.2	38.2	6.3	6.3	10	100
YT-0120	18x19	224	40.2	42.2	6.8	6.8	10	100
YT-0122	19x22	237	44.2	48.2	7.5	7.5	10	60
YT-0123	20x22	237	44.2	48.2	7.5	7.5	10	60
YT-0125	21x23	247	46.2	50.2	7.8	7.8	10	60

Double open end spanner

DIN 3110 | CrV | S.A.E.





- surface finish: chromed, satin / mirror


COLOR BOX

YATO	⌀	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-4830	1/4" x 5/16"	120	14.8	17.2	3.9	3.9	10	150/300
YT-4831	3/8" x 7/16"	155	22.0	25.1	4.8	4.8	10	150/300
YT-4832	1/2" x 9/16"	185	31.2	33.4	5.8	5.8	10	80/160
YT-4833	5/8" x 11/16"	200	34.6	37.2	6.0	6.1	10	50/100
YT-4834	11/16" x 3/4"	220	38.7	41.2	7.0	7.0	10	50/100
YT-4835	13/16" x 7/8"	235	42.7	47.0	7.0	7.0	10	20/40
YT-4836	15/16" x 1"	260	51.5	56.5	8.3	8.4	5	10
YT-4837	1-1/8" x 1-1/4"	295	62.6	66.2	8.6	8.7	5	10

Double open end spanner set

13 PCS | DIN 3110 | CrV





6x7, 8x10, 10x12, 11x13, 12x14, 14x17, 17x19, 19x21,21x23,22x24,23x26,24x27,30x32 mm

YATO		
YT-48183	2640	6

Double open end spanner

8 PCS | DIN 3110 | CrV | S.A.E.





YATO	⌀	L(mm)		
YT-48371	1/4" x 5/16"	120	1800	1
	3/8" x 7/16"	155		
	1/2" x 9/16"	185		
	5/8" x 11/16"	200		
	11/16" x 3/4"	220		
	13/16" x 7/8"	235		
	15/16" x 1"	260		
	1-1/8" x 1-1/4"	295		

Bi-hexagonal ring spanner

8 PCS | DIN 838 | CrV | AS-DRIVE






8x10, 11x13, 12x14, 17x19, 21x23, 22x24 mm

YATO		
YT-48184	1250	6

Bi-hexagonal ring spanner

DIN 838 | CrV | AS-DRIVE



COLOR BOX






- application: industry
- surface finish: chromed, satin / mirror

YATO	⬡ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-4840	5.5x7	165	11.1	12.4	5.4	4.9	10	300/600
YT-0383	6x7	165	11.0	12.7	5.4	5.5	10	200/400
YT-0384	8x9	185	13.9	15.5	6.8	7.2	10	100/200
YT-4841	8x10	180	13.6	15.3	6.1	6.4	10	150/300
YT-4842	9x11	200	16.4	17.8	7.7	7.4	10	150/300
YT-0385	10x11	200	16.3	17.6	6.8	7.2	10	100/200
YT-4843	10x12	195	16.6	18.1	7.0	7.7	10	150/300
YT-4844	11x13	215	19.3	20.8	8.4	8.6	10	80/160
YT-0386	12x13	220	19.6	21.5	7.2	7.7	10	60/120
YT-4845	12x14	215	19.4	21.3	7.6	8.1	10	80/160
YT-4846	13x15	230	22.0	23.6	8.5	9.4	10	80/160
YT-4847	13x16	225	21.9	23.8	8.9	8.8	10	80/160
YT-0387	14x15	230	23.6	21.9	8.9	9.1	10	50/100
YT-4848	14x17	240	21.4	25.4	8.5	9.3	10	50/100
YT-0388	16x17	255	24.6	26.4	8.6	9.3	10	30/60
YT-4849	16x18	250	25.2	27.1	8.9	9.4	10	50/100
YT-4850	17x19	265	26.9	28.2	10.0	10.5	5	30/60
YT-0389	18x19	270	27.5	28.8	10.5	10.2	5	25/50
YT-4851	19x21	285	30.1	33.0	11.6	12.7	5	30/60
YT-0390	20x22	290	30.9	33.4	10.5	11.4	5	20/40
YT-0391	21x23	310	31.9	34.4	11.8	12.4	5	20/40
YT-4852	22x24	315	33.6	36.2	12.7	13.0	5	20/40
YT-4853	23x26	320	36.0	40.2	14.1	14.1	5	20/40
YT-0392	24x27	330	36.2	40.6	11.5	13.2	5	20/40
YT-0393	25x28	355	37.8	42.1	13.6	14.8	3	15/30
YT-4854	27x30	350	40.4	43.5	14.7	14.6	5	15/30
YT-0394	30x32	390	44.0	47.1	13.8	14.9	3	15/30

Bi-hexagonal ring spanner set

DIN 838 | CrV | AS-DRIVE | S.A.E.



COLOR BOX



- application: industry
- surface finish: chromed, satin / mirror

YATO	⬡	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-4860	3/8" x 7/16"	200	16.2	17.5	6.8	6.4	10	150/300
YT-4861	1/2" x 9/16"	235	21.8	23.3	8.4	8.3	10	80/160
YT-4862	11/16" x 3/4"	265	27.0	28.3	10.1	10.0	5	50/100
YT-4863	13/16" x 7/8"	280	30.5	33.3	11.1	11.9	10	20/40
YT-4864	7/8" x 15/16"	305	33.2	35.9	11.8	13.3	5	10
YT-4865	15/16" x 1"	325	35.8	40.0	13.6	13.7	5	10

Bi-hexagonal ring spanner set

8 PCS | DIN 838 | CrV | AS-DRIVE





5.5x7,8x10, 9x11, 12x14, 14x17, 17x19, 19x21,24x27 mm

YATO		
YT-48185	1430	6

Bi-hexagonal ring spanner set

10 PCS | DIN 838 | CrV | AS-DRIVE



5.5x7,8x10, 9x11, 10x12,12x14, 14x17, 17x19,19x21,24x27,30x32 mm



YATO		
YT-48186	2190	6

Bi-hexagonal ring spanner set

11 PCS | DIN 838 | CrV | AS-DRIVE



8x10,10x12,11x13,12x14,14x17, 17x19, 19x21,21x23,22x24,23x26,24x27 mm



YATO		
YT-48187	2700	6

Bi-hexagonal ring spanner set

11 PCS | DIN 838 | CrV | AS-DRIVE





6x7,8x9,10x11,12x13,14x15,16x17,18x19, 20x22,21x23,24x27,30x32 mm

YATO		
YT-48188	2700	6

Bi-hexagonal ring spanner set

12 PCS | DIN 838 | CrV | AS-DRIVE





6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32 mm

YATO		
YT-0398	3600	4

Bi-hexagonal ring spanner set

8 PCS | DIN 838 | CrV | AS-DRIVE





6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

YATO		
YT-0396	1500	6

Bi-hexagonal ring spanner set

6 PCS | DIN 838 | CrV | AS-DRIVE | S.A.E.





YATO	⬡	L(mm)		
YT-48651	3/8" x 7/16"	200	1750	1
	1/2" x 9/16"	235		
	11/16" x 3/4"	265		
	13/16" x 7/8"	280		
	7/8" x 15/16"	305		
	15/16" x 1"	325		

Bi-hexagonal ring spanner set

8 PCS | DIN 838 | CrV 6140 | AS-DRIVE





6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

YATO		
YT-0248	1600	6

Single end wrench




YATO	size(mm)	L(mm)	
YT-49131	17	170	400
YT-49132	19	170	150
YT-49133	21	213	150
YT-49134	22	213	100
YT-49135	24	213	100
YT-49136	27	213	50
YT-49137	30	235	50
YT-49138	32	265	50
YT-49139	34	265	40
YT-49140	36	300	40
YT-49141	38	300	40
YT-49142	41	332	20
YT-49143	46	360	20
YT-49144	50	385	20
YT-49145	55	385	20
YT-49146	60	440	10
YT-49147	65	440	10
YT-49148	70	465	5
YT-49149	75	465	5

Bi-hexagonal ring spanner

AS-DRIVE | CARBON STEEL





COLOR BOX



- surface finish: chromed, satin

YATO	⬡ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-02329	34x36	408	46	52	17.5	17.5	5	20
YT-02330	32x36	408	52	46	17.5	17.5	5	20
YT-02331	36x41	448	58	52	18	18	5	20
YT-02332	41x46	483	65	58	18.5	18.5	5	15
YT-02333	46x50	495	71	65	19	19	5	10
YT-02334	50x55	538	78	71	19.5	19.5	5	10

Adjust c-hook/pin spanner




YATO	size(mm)	L(mm)	
YT-49470	22-50	165	50
YT-49471	32-75	217	50
YT-49472	50-120	288	25

Bi-hexagonal ring spanner set

DIN 838 | CrV 6140 | AS-DRIVE





COLOR BOX



- application: industry
- 72 teeth ratchet
- minimum operation angle: 5°
- articulated joint for ring head
- surface finish: chromed, mirror






YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-0207	6x7	168	10.4	11.9	5.7	6.2	10	320
YT-0209	8x9	183	13.3	14.8	6.7	7.2	10	160
YT-0213	12x13	217	19.2	20.6	8.7	9.2	10	100
YT-0215	14x15	239	22.1	23.4	9.6	10.1	5	50
YT-0217	16x17	260	25.0	26.4	10.6	10.9	5	60
YT-0219	18x19	292	27.9	29.4	11.2	11.5	5	60
YT-0222	20x22	318	30.8	33.7	11.8	12.5	5	30
YT-0223	21x23	326	32.3	35.2	12.1	12.8	5	30
YT-0227	24x27	329	36.6	40.7	13.1	14.0	5	30
YT-0228	25x28	347	38.1	42.5	14.0	14.3	2	16
YT-0232	30x32	362	45.2	49.2	15.0	15.7	2	16

Torx type double head flexible wrench

± 220° | CrV | TORX | NEW








YATO	⌀ (mm)	L (mm)	D (mm)	
YT-05311	T15x20	202	12.4	25/100
YT-05312	T25x27	216	13.9	25/100
YT-05313	T30x40	229	17.8	25/100
YT-05314	T45x50	243	19.7	10/50
YT-05315	T55x60	255	21.8	10/50

Torx type double head flexible wrench set

± 220° | CrV | 5 PCS | TORX | NEW






YATO	⌀ (mm)	L (mm)	
YT-05320	T15x20	202	5/20
	T25x27	216	
	T30x40	229	
	T45x50	243	
	T55x60	255	

Open end swivel head socket wrench

CrV 6140



- swivel head:180°
- surface:chromed,satin

YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	PCS packing:	
YT-4950	8	168	19.5	12.9	6.0	10	240
YT-4951	10	178	20.7	14.6	6.4	10	240
YT-4952	11	188	25.4	15.9	6.9	10	200
YT-4953	12	191	25.3	17.9	6.7	10	160
YT-4954	13	205	28.8	18.8	6.8	10	120
YT-4955	14	222	31.8	19.8	6.8	10	80
YT-4956	17	232	37.0	23.9	7.8	10	80
YT-4957	19	248	42.1	25.8	7.5	10	60

Open end swivel head socket wrench set

6 PCS | CrV 6140




- swivel head:180°
- surface:chromed,satin

YATO	⌀ (mm)	L (mm)	PCS packing:	
YT-4960	8	170	1	20
	10	180		
	12	195		
	13	210		
	17	235		
	19	255		

Double flexible socket wrench

CrV 6140



- swivel head:180˚
- surface:chromed,satin

YATO	⌀ (mm)	L (mm)	D1 (mm)	D2 (mm)	PCS packing:	
YT-4961	8x9	183	12.9	13.7	10	200
YT-4962	10x11	202	14.6	15.8	10	160
YT-4963	12x13	218	17.6	18.8	10	120
YT-4964	14x15	239	19.8	21.7	10	80
YT-4965	16x17	257	23.8	23.9	10	40
YT-4966	18x19	274	25.8	25.8	10	40

Double flexible socket wrench set

6 PCS | CrV 6140




- swivel head:180˚
- surface:chromed,satin

YATO	⌀ (mm)	L (mm)	PCS packing:	
YT-4967	8x9	180	1	12
	10x11	200		
	12x13	220		
	14x15	242		
	16x17	254		
	18x19	275		

Flare nut wrench

CrV 6140





COLOR BOX


- offset: 15˚
- surface finish: chromed, mirror

YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	B1 (mm)	D1 (mm)	S1 (mm)	S2 (mm)	PCS packing:	
YT-0135	8x10	140	18.7	21.8	6.2	7.2	7.7	8.4	10	200/400
YT-0136	11x12	160	21.2	24.0	8.1	9.2	8.5	9.5	10	100/200
YT-0137	13x14	175	26.3	27.3	9.6	10.7	9.6	10.5	10	100/200
YT-0138	15x17	190	31.2	31.2	11.8	13.0	11.5	10.9	10	50/100
YT-01385	17x19	175	29	31.2	14.5	15	12.8	12.8	10	50/100
YT-0139	19x21	230	36.3	42.1	14.7	16.7	12.4	12.8	10	50/100
YT-0140	22x24	250	42.7	44.2	17.1	18.6	13.2	13.9	10	50/100

Flexible flare nut wrench

CrV 6140 | AS-DRIVE





- application: industry
- articulated joint at 12 point head
- ring for nuts in sockets
- for use on hydraulic lines
- for use on fuel lines
- for use on brake system lines
- ergonomic handle
- surface finish: chromed, satin

YATO	⌀ (mm)	L (mm)	D (mm)	D1 (mm)	S1 (mm)	S2 (mm)	
YT-0180	8	128	6.0	18.0	7.0	7.0	24/288
YT-0181	9	128	6.5	18.0	7.0	7.0	24/288
YT-0182	10	128	7.0	18.0	7.0	7.0	24/288
YT-0183	11	146	8.5	22.0	9.0	9.0	24/216
YT-0184	12	148	9.0	22.0	9.0	9.0	24/216
YT-0186	14	175	11.0	26.0	11.0	11.0	12/120
YT-0187	15	175	12.0	26.0	11.0	11.0	12/120
YT-0188	17	190	14.0	32.0	13.0	13.0	12/96


Ring impact wrench

CrV AS-DRIVE

POLYBAG WITH LABEL








- application: industry
- 12 point profile
- AS-Drive system
- cold forged
- surface finish: black oxidised

YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	
YT-1601	24	160	41	31	15.0	10.0	5/25
YT-1602	27	185	47	33	15.0	12.0	5/25
YT-1603	30	190	51	35	16.5	14.0	5/25
YT-1604	32	195	54	37	16.5	15.0	5/25
YT-1605	36	210	60	39	20.0	17.0	5/10
YT-1606	38	210	60	39	20.0	17.0	5/10
YT-1607	41	225	66	42	20.0	18.0	5/10
YT-1608	46	240	74	44	22.0	19.0	5/10
YT-1609	50	250	80	45	23.0	20.0	5/10
YT-1610	55	270	86	55	25.0	22.0	5/10
YT-1611	58	270	86	55	25.0	22.0	5
YT-1612	60	270	92	60	25.0	23.0	5
YT-1613	65	290	100	65	30.0	24.0	5
YT-1614	70	310	108	70	32.0	25.0	5





- application: industry
- 12 point profile
- AS-Drive system
- cold forged
- surface finish: black oxidised

YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	
YT-3500	75	326	113	62	33.0	18.0	1/10
YT-3501	80	350	124	65	34.0	19.0	1/8
YT-3502	85	355	130	68	36.0	20.0	1/7
YT-3503	90	390	142	72	39.0	23.0	1/5
YT-3504	95	390	142	72	39.0	23.0	1/4
YT-3505	100	420	155	78	43.0	25.0	1/5
YT-3506	105	420	155	78	43.0	25.0	1/5
YT-3507	110	450	168	85	45.0	28.0	1/4
YT-3508	115	450	168	85	45.0	28.0	1/4
YT-3509	120	480	182	90	50.0	30.0	1/3
YT-3510	125	480	182	90	50.0	30.0	1/3
YT-3511	130	520	200	95	57.0	31.0	1/2
YT-3512	135	520	200	95	57.0	31.0	1/2
YT-3513	140	520	220	95	57.0	31.0	1/2
YT-3514	145	565	220	104	58.0	32.0	1/2
YT-3515	150	565	220	104	58.0	32.0	1/2
YT-3516	155	565	220	104	58.0	32.0	1/2
YT-3517	160	585	240	113	58.0	33.0	1


Ring impact wrench

CrV

POLYBAG WITH LABEL








- application: industry
- head offset: 15˚
- cold forged
- surface finish: black oxidised

YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	
YT-16148	22	163	45	20	7	14	5/50
YT-16149	24	176	51	24	9	14	5/50
YT-1615	27	180	55	33	15	12	5/25
YT-1616	30	187	63	35	17	14	5/25
YT-1617	32	195	67	37	18	15	5/25
YT-1617S	34	208	70	35	18	11	5/10
YT-1618	36	210	77	39	18	17	5/10
YT-16181	38	208	72	35	18	11	5/20
YT-1619	41	225	89	42	20	18	5/10
YT-1620	46	255	98	44	20	19	5/10
YT-1621	50	280	107	45	22	20	5/10
YT-1622	55	310	118	55	25	22	5






- application: industry
- head offset: 15˚
- cold forged
- surface finish: black oxidised

YATO	⌀ (mm)	L (mm)	B (mm)	D (mm)	S1 (mm)	S2 (mm)	
YT-3518	60	315	128	52.0	23.5	15	1/5
YT-3519	65	335	141	59.0	27.5	16	1/8
YT-3520	70	370	156	61.5	28.5	17	1/6
YT-3521	75	375	162	65.0	29.0	18	1/7
YT-3522	80	400	174	72.0	32.0	19	1/5
YT-3523	85	400	174	72.0	32.0	19	1/5
YT-3524	90	445	194	80.0	36.0	20	1/4
YT-3525	95	445	194	80.0	36.0	20	1/4
YT-3526	100	485	228	86.0	43.0	23	1/3
YT-3527	105	485	228	86.0	43.0	23	1/3
YT-3528	110	513	238	95.0	45.0	25	1/2
YT-3529	115	513	238	95.0	45.0	25	1/2
YT-3530	120	530	253	98.0	51.0	27	1/2
YT-3531	125	530	253	98.0	51.0	27	1/2
YT-3532	130	560	268	105.0	53.0	29	1/2
YT-3533	135	560	268	105.0	53.0	29	1/2
YT-3534	140	630	290	120.0	56.0	32	1
YT-3535	145	630	290	120.0	56.0	32	1
YT-3536	150	630	290	120.0	56.0	32	1

L-type socket wrench

CrV 6140




- cold forged body
- L-type wrench with a hole, designed to adapt to additional requirement

YATO	⬡ (mm)	L (mm)	B (mm)	H1 (mm)	H2 (mm)	A (mm)	D (mm)	Ø (mm)	
YT-1626	6	102	25.0	10.0	11.0	16.0	10.0	7	12/60
YT-1627	7	106	27.0	10.2	10.1	21.0	10.7	7	12/60
YT-1628	8	117	29.5	12.3	11.9	18.5	12.2	9	12/60
YT-1629	9	121	31.7	13.4	12.8	19.1	13.2	10	12/60
YT-1630	10	131	35.1	16.4	16.9	23.3	15.0	10	12/60
YT-1631	11	138	36.0	16.5	16.8	24.7	16.3	11	12/60
YT-1632	12	147	42.5	17.9	18.2	17.9	18.0	12	12/60
YT-1633	13	154	44.2	18.5	19.1	30.1	19.3	12	12/60
YT-1634	14	162	47.0	19.3	20.3	30.2	20.8	13	12/60
YT-1635	15	173	48.9	20.6	21.6	31.6	22.3	13	12/60
YT-1636	16	182	55.0	23.2	23.1	37.3	23.6	14	12/60
YT-1637	17	188	57.0	25.1	25.5	37.9	25.1	14	12/36
YT-1638	18	192	57.1	25.1	24.6	40.1	26.0	14	12/36
YT-1639	19	207	62.3	26.9	27.4	41.6	28.2	16	12/36
YT-1640	20	215	62.4	27.0	28.3	42.4	29.2	16	6/24
YT-1641	21	221	65.0	30.5	30.6	54.0	30.2	16	6/24
YT-1642	22	232	67.5	30.8	30.6	49.1	31.7	16	6/24
YT-1643	23	242	77.1	31.4	31.2	51.6	33.0	17	6/18
YT-1644	24	253	78.2	32.3	31.7	53.5	33.6	17	6/18
YT-1645	25	265	81.4	34.3	35.6	55.6	35.4	19	6/18
YT-1646	26	268	77.5	35.3	30.2	57.4	36.8	19	6/12
YT-1647	27	288	85.3	36.9	36.4	54.7	37.6	20	6/12
YT-1648	28	295	87.6	37.8	37.8	60.6	39.2	20	6/12
YT-1649	30	310	95.0	38.4	38.6	65.3	42.0	22	6/12
YT-1650	32	339	99.2	40.4	40.5	66.8	43.8	22	6

Double socket ratchet handle

AS-DRIVE | CARBON STEEL



- cold forged
- surface finish:black phosphated

YATO	size (mm)	L (mm)	PCS packing:	
YT-4930	10x12	235	6	10/30
YT-4931	11x13	230	6	10/30
YT-4932	12x14	235	6	10/30
YT-4933	14x17	270	6	8/24
YT-4934	17x19	310	4	20/40
YT-4935	17x21	305	4	20/40
YT-4936	19x21	310	4	20/40
YT-4937S	19x22	305	4	20/60
YT-4938	19x24	360	4	20/60
YT-4938S	21x23	360	4	2/20
YT-4939	21x26	370	2	2/30
YT-4940	22x24	370	2	2/30
YT-4941	24x27	360	2	2/20
YT-4942	24x30	400	2	2/20
YT-4943	27x32	400	2	2/20
YT-4944	30x32	440	2	2/20
YT-4945S	32x36	445	2	2/20
YT-4946	36x41	447	2	2/20

Flexible flare nut wrench set

7 PCS | CrV 6140 | AS-DRIVE





8, 10, 11, 12, 13, 14, 17 mm

YATO		
YT-0190	425	5/20

Ring impact wrench

CrV | AS-DRIVE | S.A.E.




YATO	size	L(mm)	
YT-15982	1-7/16"	205	25
YT-15983	1-1/2"	205	10
YT-15984	1-5/8"	230	10
YT-15985	2"	255	10

Flare nut wrench set

4 PCS | CrV 6140



8x10, 11x12, 13x14, 15x17mm



YATO		
YT-0143	325	25/50

Tire lever

380 mm | CrMo





YATO	size (mm)	
YT-0811	380	10/50

Wrecking bar


CrV



YATO	size (mm)	PCS packing:	
YT-0807	300x18.5	5	20
YT-0808	400x27	5	20
YT-0809	500x28.5	5	20
YT-0810	600x29	5	20

T-type deep socket wrench with rotary handle

CrV 6140 AS-DRIVE




- ergonomic handle
- movable handle with position locking system
- long bar designed for the deeply, narrow working space

YATO	H(mm)	L1(mm)	L2(mm)	Ø (mm)	
YT-1552	8	310	200	10	10/40
YT-1553	9	310	200	10	10/40
YT-1554	10	310	200	10	10/40
YT-1555	11	310	200	10	10/40
YT-1556	12	310	200	10	10/40
YT-1557	13	310	200	10	10/40
YT-1558	14	310	200	10	10/40
YT-1559	15	310	200	10	10/40

T-type adapter with rotary handle

1/4" 3/8" 1/2" CrV 6140




- ergonomic handle
- movable handle with position locking system
- long bar designed for the deeply, narrow working space

YATO	H	L1(mm)	L2(mm)	Ø (mm)	
YT-1565	1/4"	310	200	8	10/40
YT-1566	3/8"	310	200	10	10/40
YT-1567	1/2"	310	200	10	10/40

Y-type deep socket wrench


CrV 6140 AS-DRIVE



YATO	H(mm)	L (mm)	Ø (mm)	
YT-1583	8-9-10	140	10	10/40
YT-1584	8-10-12	140	10	10/40
YT-1585	9-11-13	140	10	10/40
YT-1586	12-14-17	140	10	10/40

T-type deep socket wrench

CrV 6140 AS-DRIVE



- long bar designed for the deeply, narrow working space

YATO	H(mm)	L1(mm)	L2(mm)	Ø (mm)	
YT-1571	8	300	200	10	10/40
YT-1572	9	300	200	10	10/40
YT-1573	10	300	200	10	10/40
YT-1574	11	300	200	10	10/40
YT-1575	12	300	200	10	10/40
YT-1576	13	300	200	10	10/40
YT-1577	14	300	200	10	10/40
YT-1578	15	310	200	10	10/40
YT-1580	17	310	200	10	10/40
YT-1582	19	310	200	10	10/40

Adjustable wrench

DIN 3117 CARBON STEEL



- dipped handle
- with laserscale
- flexible adjust the open mouth

YATO	L	opening capacity(mm)	
YT-21650	6" (150mm)	19	6/36
YT-21651	8" (200mm)	24	6/36
YT-21652	10" (250mm)	30	6/36
YT-21653	12" (300mm)	36	6/24
YT-21654	15" (375mm)	45	2/16

Adjustable wrench

DIN 3117 DROP FORGED KUTE CARBON STEEL



- with laser scale
- flexible adjust the open mouth

YATO	L	opening capacity(mm)	
YT-2071	6" (150mm)	19	6/60
YT-2072	8" (200mm)	25	6/60
YT-2073	10" (250mm)	30	6/36
YT-2074	12" (300mm)	36	6/24
YT-2075	15" (375mm)	46	6/12

Adjustable wrench

DIN 3117 CrV



- with laser scale
- flexible adjust the open mouth

YATO	L	PCS packing	
YT-21649	4" (100mm)	15	6/120
YT-2165	6" (150mm)	20	6/120
YT-2166	8" (200mm)	27	6/60
YT-2167	10" (250mm)	30	6/36
YT-2168	12" (300mm)	34	6/24

Adjustable wrench

DIN 3117 CARBON STEEL



- with laser scale
- flexible adjust the open mouth

YATO	L	opening capacity(mm)	
YT-2176	15" (380mm)	43	4/16
YT-2177	18" (460mm)	55	2/12
YT-2178	24" (605mm)	63	6
YT-2179	30" (780mm)	85	4

Adjustable wrench

DIN 3117 CrV



- TPR handle
- with laser scale
- flexible adjust the open mouth

YATO	L	opening capacity(mm)	
YT-2170	6" (150mm)	24	6/72
YT-2171	8" (200mm)	30	6/36
YT-2172	10" (250mm)	34	6/48
YT-2173	12" (300mm)	41	6/36

Adjustable wrench

DIN 3117 CrV DROP FORGED KUTE



- with laser scale
- flexible adjust the open mouth

YATO	L	opening capacity(mm)	
YT-21655	6" (150mm)	34	6/72
YT-21656	8" (200mm)	38	6/36
YT-21657	10" (250mm)	50	6/36
YT-21658	12" (300mm)	60	6/24



Hexagonal deep socket

1/4" | DIN 3121 | CrV 50BV30 | AS-DRIVE

INCREASED CONTACT AREA



COLOR BOX




- drive locks
- surface finish: chromed, satin / mirror

YATO	A (mm)	D1 (mm)	D2 (mm)	L (mm)	
YT-1413	4.0	7.0	12.0	50	24/240/480
YT-1414	4.5	7.5	12.0	50	24/240/480
YT-1415	5.0	8.0	12.0	50	24/240/480
YT-1416	5.5	8.5	12.0	50	24/240/480
YT-1417	6.0	9.0	12.0	50	24/240/480
YT-1418	7.0	10.0	12.0	50	24/240/480
YT-1419	8.0	12.0	12.0	50	24/240/480
YT-1420	9.0	13.0	12.0	50	24/240/480
YT-1421	10.0	14.0	13.0	50	24/240/480
YT-1422	11.0	16.0	14.0	50	24/120/240
YT-1423	12.0	17.0	15.0	50	24/120/240
YT-1424	13.0	18.0	16.0	50	24/120/240
YT-14241	14.0	18.0	19.0	50	24/120/240

Hexagonal socket

1/4" | DIN 3121 | CrV 50BV30 | AS-DRIVE

INCREASED CONTACT AREA



COLOR BOX


- drive locks
- surface finish: chromed, satin / mirror

YATO	A (mm)	D1 (mm)	D2 (mm)	L (mm)	PCS packing:	
YT-14010	3.5	6.6	10.2	25	24	240/480
YT-1401	4.0	7.0	12.0	25	24	240/480
YT-1402	4.5	7.5	12.0	25	24	240/480
YT-1403	5.0	8.0	12.0	25	24	240/480
YT-1404	5.5	8.5	12.0	25	24	240/480
YT-1405	6.0	9.0	12.0	25	24	240/480
YT-1406	7.0	10.0	12.0	25	24	240/480
YT-1407	8.0	12.0	11.0	25	24	240/480
YT-1408	9.0	13.0	12.0	25	24	240/480
YT-1409	10.0	15.0	12.0	25	24	240/480
YT-1410	11.0	16.0	14.0	25	24	240/480
YT-1411	12.0	17.0	15.0	25	24	240/480
YT-1412	13.0	18.0	16.0	25	24	240/480
YT-14122	14.0	17.0	19.0	25	24	240/480

Hexagonal socket

1/4" | DIN 3121 | S.A.E. | CrV 50BV30 | AS-DRIVE

INCREASED CONTACT AREA



COLOR BOX




- drive locks
- surface finish: chromed, mirror

YATO	A	D1 (mm)	D2 (mm)	L (mm)	PCS packing:	
YT-5040	5/32"	7.0	12.0	25	20	200/1296
YT-5041	3/16"	8.0	12.0	25	20	200/1296
YT-5042	7/32"	9.0	12.0	25	20	200/1152
YT-5043	1/4"	10.0	12.0	25	20	240/480
YT-5044	9/32"	11.0	12.0	25	20	200/1200
YT-5045	5/16"	12.0	11.1	25	20	200/1320
YT-5046	11/32"	13.0	11.5	25	20	200/1300
YT-5047	3/8"	14.7	12.3	25	20	200/1280
YT-5048	7/16"	16.0	13.9	25	10	200/1140
YT-5049	1/2"	18.0	15.7	25	10	200/950

Hexagonal deep socket

1/4" | DIN 3121 | S.A.E. | CrV 50BV30 | AS-DRIVE

INCREASED CONTACT AREA



COLOR BOX




- drive locks
- surface finish: chromed, mirror

YATO	A	D1 (mm)	D2 (mm)	L (mm)	
YT-5050	3/16"	8.0	12.0	50	200/600
YT-5051	7/32"	9.0	12.0	50	200/605
YT-5052	1/4"	10.0	12.0	50	200/605
YT-5053	9/32"	11.0	12.0	50	200/600
YT-5054	5/16"	12.0	11.1	50	200/600
YT-5055	11/32"	13.0	11.5	50	200/765
YT-5056	3/8"	14.6	12.3	50	200/570
YT-5057	7/16"	16.0	13.9	50	100/570
YT-5058	1/2"	18.0	15.7	50	100/475

Extension bar

1/4" | DIN 3121 | CrV 50BV30




COLOR BOX



YATO		D1 (mm)	D2 (mm)	L (mm)	
YT-1429	1/4"	12.4	8.3	50.8	30/150/300
YT-1430	1/4"	12.4	8.3	76.0	30/150/300
YT-1431	1/4"	12.4	8.3	101.6	20/100/200
YT-1432	1/4"	12.4	8.3	152.4	20/100/200

Extension bar with wobble

1/4" | DIN 3121 | CrV 50BV30



COLOR BOX




- max wobble angle: 15°

YATO		D1 (mm)	D2 (mm)	L (mm)	
YT-1433	1/4"	12.4	8.3	50.8	30/150/300
YT-1434	1/4"	12.4	8.3	76.0	30/150/300
YT-1435	1/4"	12.4	8.3	101.6	20/100/200
YT-1436	1/4"	12.4	8.3	152.4	20/100/200

Adapter

1/4" | DIN 3121 | CrV 50BV30




COLOR BOX



YATO	A	B	D (mm)	L (mm)	
YT-1438	1/4"(F)	3/8"(M)	12	25	10/250/500

Universal joint

1/4" | DIN 3121 | CrV 50BV30



COLOR BOX



YATO		D (mm)	L (mm)	PCS packing:	
YT-1437	1/4"	14	35	20	120/240

Torx socket

1/4" | DIN 3121 | CrV 50BV30




COLOR BOX



YATO		size	L(mm)	
YT-05211	1/4"	E4	25	24/240/480
YT-05212	1/4"	E5	25	24/240/480
YT-05213	1/4"	E6	25	24/240/480
YT-05214	1/4"	E7	25	24/240/480
YT-05215	1/4"	E8	25	24/240/480

Bit adapter

1/4" | CrV 50BV30




COLOR BOX



YATO		A	D (mm)	L (mm)	
YT-1297	1/4"	1/4"	11.8	24	250/1000

Sliding T-bar

1/4" | DIN 3121 | CrV 50BV30




COLOR BOX



YATO		D1 (mm)	D2 (mm)	L (mm)	
YT-1426	1/4"	13.3	6.3	152.4	10/100/200

Flexible handle

1/4" | DIN 3121 | CrV 50BV30



COLOR BOX



YATO	O	D (mm)	L (mm)	
YT-1425	1/4"	13	140	10/100/200

Quick release ratchet handle

1/4" | DIN 3122 | QUICK RELEASE | CrV 6140



- minimum operation angle 5°
- quick release
- surface finish: chromed, mirror



YATO	O	size	L (mm)	PCS packing:	
YT-07291	1/4"	72T	155	12	24/96

Quick release ratchet handle

1/4" | DIN 3122 | 72T | QUICK RELEASE | CrV 6140



- minimum operation angle 5°
- quick release
- surface finish: chromed, mirror



YATO	O	L (mm)	PCS packing:	
YT-0313	1/4"	125	12	24/96

Spinner handle

1/4" | CrV 50BV30



COLOR BOX



YATO	O	L (mm)	PCS packing:	
YT-1427	1/4"	150	12	48

Quick release ratchet handle

1/4" | DIN 3122 | 72T | QUICK RELEASE | CrV 6140



- minimum operation angle 5°
- quick release
- surface finish: chromed, mirror



YATO	O	L (mm)	PCS packing:	
YT-0307	1/4"	146	12	24/96

Quick release ratchet handle

1/4" | DIN 3122 | 72T | QUICK RELEASE | CrV 6140




- minimum operation angle 5°
- quick release
- surface finish: chromed, mirror



YATO	O	L (mm)	PCS packing:	
YT-0319	1/4"	145	12	48/96

Flexible extension cord

1/4" | CrV 50BV30



COLOR BOX



YATO	O	D (mm)	L (mm)	
YT-1400	1/4"	11.6	150	250/500

Quick release ratchet handle

1/4" | DIN 3122 | 72T | QUICK RELEASE | CrV 6135



- minimum operation angle 5°
- quick release
- surface finish: chromed, mirror



YATO	O	L (mm)	PCS packing:	
YT-0290	1/4"	144	12	48/96



Torx socket

GB Torx socket

3/8" | DIN 3121 | CrV 50BV30

NEW



COLOR BOX



YATO	○	size	L(mm)	
YT-05229	3/8"	E8	28	10/240/480
YT-05230	3/8"	E10	28	10/240/480
YT-05234	3/8"	E11	28	10/240/480
YT-05231	3/8"	E12	28	10/240/480
YT-05232	3/8"	E14	28	10/240/480
YT-05233	3/8"	E16	28	10/240/480
YT-05235	3/8"	E18	28	10/240/480
YT-05236	3/8"	E20	28	10/240/480

Fexible bit drive ratchet handle

10 mm | DIN 3122 | 72T | CrV 6140





- minimum operation angle 5˚
- quick release
- extension bar increase the torque



YATO	○	L (mm)	PCS packing:	
YT-0330	10 mm	163	12	48

Telescopic quick release ratchet handle

1/4" | 72T | QUICK RELEASE | CrV 6135





- minimum operation angle 5˚
- quick release
- extension bar increase the torque



YATO	○	L (mm)	PCS packing:	
YT-0297	1/4"	150-200	12	48


Hexagonal socket

3/8" | DIN 3121 | CrV 50BV30 | AS-DRIVE

INCREASED CONTACT AREA







COLOR BOX



- drive locks
- surface finish: chromed, satin / mirror

YATO	○ A (mm)	D1 (mm)	D2 (mm)	L (mm)	
YT-3801	6	10	17	28	24/240/480
YT-3802	7	11	17	28	24/240/480
YT-3803	8	12	17	28	24/240/480
YT-3804	9	13	17	28	24/240/480
YT-3805	10	14	17	28	24/240/480
YT-3806	11	16	17	28	24/240/480
YT-3807	12	18	17	28	24/240/480
YT-3808	13	19	18	28	24/240/480
YT-3809	14	20	19	28	24/240/480
YT-3810	15	21	19	28	12/240/480
YT-3811	16	22	21	28	12/240/480
YT-3812	17	24	22	30	12/120/240
YT-3813	18	25	23	30	12/120/240
YT-3814	19	26	24	30	12/120/240
YT-3815	20	27	25	30	60/240
YT-3816	21	28	26	30	60/120
YT-3817	22	30	28	30	60/120
YT-3818	23	31	29	30	10/50/150
YT-3819	24	32	30	30	60/120

Ratchet handle and bit drive

DIN 3122 | 72T | CrV 6140





- minimum operation angle 5˚
- quick release
- dual-purpose head design



YATO	○	L (mm)	PCS packing:	
YT-0331	1/4"	136	12	48


Hexagonal socket

3/8" | DIN 3121 | S.A.E. | CrV 50BV30 | AS-DRIVE

COLOR BOX







- drive locks
- surface finish: chromed, mirror

YATO	○ A (mm)	D1 (mm)	D2 (mm)	L (mm)	
YT-5059	1/4"	17.0	10.0	28	684
YT-5060	5/16"	17.0	11.7	28	684
YT-5061	3/8"	17.0	14.2	28	684
YT-5062	7/16"	17.0	16.3	28	684
YT-5063	1/2"	17.0	18.0	28	760
YT-5064	9/16"	18.0	20.0	28	570
YT-5065	5/8"	19.0	22.0	28	475
YT-5066	11/16"	19.0	24.0	30	304
YT-5067	3/4"	21.0	26.0	30	285
YT-5068	13/16"	23.0	28.0	30	228
YT-5069	7/8"	24.0	30.0	32	190


Hexagonal deep socket

3/8" | DIN 3121 | CrV 50BV30 | AS-DRIVE

INCREASED CONTACT AREA







COLOR BOX




- drive locks
- surface finish: chromed, satin / mirror

YATO	○ A (mm)	D1 (mm)	D2 (mm)	L (mm)	
YT-3820	6	10	17	63	24/48/96
YT-3821	7	10	17	63	24/48/96
YT-3822	8	12	17	63	24/48/96
YT-3823	9	13	17	63	24/48/96
YT-3824	10	14	17	63	24/48/96
YT-3825	11	16	17	63	24/48/96
YT-3826	12	18	17	63	24/48/96
YT-3827	13	19	17	63	24/48/96
YT-3828	14	20	19	63	24/48/96
YT-3829	15	21	19	63	12/60/120
YT-3830	16	22	20	63	12/60/120
YT-3831	17	24	23	63	12/60/120
YT-3832	18	25	23	63	12/60/120
YT-3833	19	26	24	63	12/60/120
YT-3834	20	28	25	63	10/50/100
YT-3835	21	28	26	63	60/120
YT-3836	22	28	26	63	10/50/100

Hexagonal deep socket

3/8" | DIN 3121 | S.A.E. | CrV 50BV30 | AS-DRIVE

INCREASED CONTACT AREA



COLOR BOX




- drive locks
- surface finish: chromed, mirror

YATO	○ A	D1 (mm)	D2 (mm)	L (mm)	
YT-5070	3/8"	17.0	14.2	63	10/50/100
YT-5071	7/16"	17.0	16.3	63	10/50/100
YT-5072	1/2"	17.0	18.0	63	10/50/100
YT-5073	9/16"	18.0	20.0	63	10/50/100
YT-5074	5/8"	19.0	22.0	63	10/50/100
YT-5075	11/16"	19.0	24.0	63	10/50/100
YT-5076	3/4"	21.0	26.0	63	10/50/100
YT-5077	13/16"	23.0	28.0	63	10/50/100
YT-5078	7/8"	24.0	30.0	63	10/50/100

Extension bar

3/8" | DIN 3121 | CrV 50BV30




COLOR BOX



YATO	○	D1 (mm)	D2 (mm)	L (mm)	
YT-3842	3/8"	18.0	12.3	42.0	10/100/200
YT-3843	3/8"	18.0	12.3	76.0	10/100/200
YT-3844	3/8"	18.0	12.3	152.4	10/50/100
YT-3845	3/8"	18.0	12.3	254.0	10/50

Extension bar with wobble

3/8" | DIN 3121 | CrV 50BV30



COLOR BOX



- max wobble angle: 15°


YATO	○	D1 (mm)	D2 (mm)	L (mm)	
YT-3846	3/8"	18.0	12.3	40.0	10/100/200
YT-3847	3/8"	18.0	12.3	76.0	10/100/200
YT-3848	3/8"	18.0	12.3	152.4	10/50/100
YT-3849	3/8"	18.0	12.3	254.0	10/50

Adapter

3/8" | DIN 3121 | CrV 50BV30

COLOR BOX





YATO	○ A	○ B	D (mm)	L (mm)	
YT-3853	3/8"(F)	1/4"(M)	17	27	10/250/500
YT-3854	3/8"(F)	1/2"(M)	17	35	10/100/200

Universal joint

3/8" | DIN 3121 | CrV 50BV30



COLOR BOX




YATO	○	D (mm)	L (mm)	
YT-3850	3/8"	18	49	10/100/200

Sliding T-bar

3/8" | DIN 3121 | CrV 50BV30

COLOR BOX






YATO	○	D1 (mm)	D2 (mm)	L (mm)	
YT-3840	3/8"	20.0	10.7	198	10/50/100

Flexible handle

3/8" | DIN 3121 | CrV 50BV30



COLOR BOX



YATO	○	D (mm)	L (mm)	
YT-3839	3/8"	16	215	8/24/48

Bit adapter

3/8" | CrV 6140



COLOR BOX




YATO	○	○ A	D (mm)	L (mm)	
YT-1296	3/8"	8mm	18	49	10/100

Spark plug socket

3/8" | DIN 3121 | AS-DRIVE | CrV 50BV30

COLOR BOX






YATO	○	A	D1 (mm)	D2 (mm)	L (mm)	
YT-3851	3/8"	16	22.0	19.0	64.0	10/100
YT-3841	3/8"	18	25.8	21.8	64.0	10/100
YT-3852	3/8"	21	27.8	22.0	64.0	10/100

3 way adaptor

3/8" | CrV 50BV30





COLOR BOX



YATO	○	○	
YT-38541	3/8"(F)	1/2"(M)	10/100/200

Quick release ratchet handle

3/8" | DIN 3122 | QUICK RELEASE | CrV 6140

PLASTIC HANGER





- minimum operation angle 5˚
- quick release



YATO	○	Teeth	L (mm)	PCS packing:	
YT-07292	3/8"	72T	185	6	24/48
YT-07295	3/8"	45T	185	6	24/48

Quick release ratchet handle

3/8" | DIN 3122 | 72T | QUICK RELEASE | CrV 6135

PLASTIC HANGER





- minimum operation angle 5˚
- quick release



YATO	○	L (mm)	PCS packing:	
YT-0291	3/8"	202	6	24/48

Quick release ratchet handle

3/8" | DIN 3122 | 72T | QUICK RELEASE | CrV 6140



- minimum operation angle 5˚
- quick release



YATO	○	L (mm)	PCS packing:	
YT-0308	3/8"	185	6	24/48

Quick release ratchet handle

3/8" | DIN 3122 | 72T | QUICK RELEASE | CrV 6140



- minimum operation angle 5˚
- quick release



YATO	○	L (mm)	PCS packing:	
YT-0314	3/8"	170	6	24/48

Quick release ratchet handle

3/8" | DIN 3122 | 72T | QUICK RELEASE | CrV 6140



- minimum operation angle 5˚
- quick release



YATO	○	L (mm)	PCS packing:	
YT-0320	3/8"	205	6	24/48


Hexagonal socket

1/2" | DIN 3121 | CrV 50BV30 | AS-DRIVE

INCREASED CONTACT AREA







- drive locks
- surface finish: chromed, satin / mirror



YATO	○ A (mm)	D1 (mm)	D2 (mm)	L (mm)	
YT-1201	8	12	22	38	12/120/240
YT-1202	9	14	22	38	12/120/240
YT-1203	10	15	22	38	12/120/240
YT-1204	11	16	22	38	12/120/240
YT-1205	12	18	22	38	12/120/240
YT-1206	13	19	22	38	12/120/240
YT-1207	14	20	22	38	12/120/240
YT-1208	15	21	22	38	12/120/240
YT-1209	16	23	22	38	12/120/240
YT-1210	17	24	23	38	12/120/240
YT-1211	18	25	23	38	12/120/240
YT-1212	19	27	24	38	12/120/240
YT-1213	20	28	24	38	12/120/240
YT-1214	21	29	24	38	12/120/240
YT-1215	22	30	26	38	12/120/240
YT-1216	23	31	28	38	12/60/120
YT-1217	24	32	28	38	12/60/120
YT-1218	27	36	30	42	12/60/120
YT-1219	30	40	34	42	12/60/120
YT-1220	32	42	36	42	10/50/100
YT-1199	34	44	37	45	6/36
YT-1200	36	48	43	45	8/32

Telescopic quick release ratchet handle

3/8" | 72T | QUICK RELEASE | CrV 6135




- minimum operation angle 5˚
- quick release
- extended handle to increase torque



YATO	○	L (mm)	PCS packing:	
YT-0298	3/8"	215-315	6	24

Hexagonal deep socket

1/2" | DIN 3121 | CrV 50BV30 | AS-DRIVE



- drive locks
- surface finish: chromed, satin / mirror



YATO	○ A (mm)	D1 (mm)	D2 (mm)	L (mm)	
YT-1221	8	13	22	76	12/60/120
YT-1222	9	14	22	76	12/60/120
YT-1223	10	15	22	76	12/60/120
YT-1224	11	17	22	76	12/60/120
YT-1225	12	18	22	76	12/60/120
YT-1226	13	19	22	76	12/60/120
YT-1227	14	20	22	76	12/60/120
YT-1228	15	21	22	76	12/60/120
YT-1229	16	24	22	76	12/60/120
YT-1230	17	24	22	76	12/60/120
YT-1231	18	25	23	76	12/60/120
YT-1232	19	27	24	76	12/60/120
YT-1233	20	28	24	76	12/60/120
YT-1234	21	29	24	76	12/60/120
YT-1235	22	30	26	76	12/60/120
YT-1236	23	31	28	76	12/60/120
YT-1237	24	32	28	76	12/60/120
YT-1238	27	36	30	76	12/24/72
YT-1239	30	40	36	76	12/24/48
YT-1240	32	42	38	76	12/24/48

Hexagonal socket

1/2" | DIN 3121 | S.A.E. | CrV 50BV30 | AS-DRIVE





- drive locks
- surface finish: chromed, mirror



YATO	○ A (mm)	D1 (mm)	D2 (mm)	L (mm)	
YT-5079	5/16"	12.4	22.0	38	10/100/200
YT-5080	3/8"	14.7	22.0	38	10/100/200
YT-5081	7/16"	17.0	22.0	38	10/100/200
YT-5082	1/2"	19.0	22.0	38	10/100/200
YT-5083	9/16"	20.8	22.0	38	10/100/200
YT-5084	5/8"	22.0	21.2	38	10/100/200
YT-5085	11/16"	24.0	23.5	38	10/100/200
YT-5086	3/4"	26.0	24.0	38	10/100/200
YT-5087	13/16"	28.0	24.0	38	10/100/200
YT-5088	7/8"	30.0	26.0	38	10/50/100
YT-5089	15/16"	32.0	26.0	40	10/50/100
YT-5090	1"	34.0	27.5	43	10/50/100
YT-5091	1-1/16"	36.0	29.0	43	10/50/100
YT-5092	1-1/8"	38.0	30.5	44	10/50/100
YT-5093	1-1/4"	42.0	34.0	45	10/50/100

Hexagonal deep socket

1/2" | DIN 3121 | CrV 50BV30 | S.A.E. | AS-DRIVE




- drive locks
- surface finish: chromed, mirror



YATO	○ A	D1 (mm)	D2 (mm)	L (mm)	
YT-5094	3/8"	14.7	22.0	78	10/50/100
YT-5095	7/16"	17.0	22.0	78	10/50/100
YT-5096	1/2"	19.0	22.0	78	10/50/100
YT-5097	9/16"	20.8	22.0	78	10/50/100
YT-5098	5/8"	22.0	21.3	78	10/50/100
YT-5099	11/16"	24.0	23.3	78	10/50/100
YT-5100	3/4"	26.0	24.0	78	10/50/100
YT-5101	13/16"	28.0	24.0	78	10/50/100
YT-5102	7/8"	30.0	28.0	78	10/50/100
YT-5103	15/16"	32.0	28.0	78	10/50/100
YT-5104	1"	34.0	30.5	78	10/50/100
YT-5105	1-1/16"	36.0	32.0	78	10/50
YT-5106	1-1/8"	38.0	33.5	78	10/20/40
YT-5107	1-1/4"	42.0	36.0	78	10/20/40

Spline socket

1/2" | DIN 3121 | CrV 50BV30






- drive locks
- enable to undo 5 types of screws
- allows to unscrew nuts damaged in 70%
- surface finish: chromed, satin / mirror



YATO	○ A (mm)	D1 (mm)	D2 (mm)	L (mm)	
YT-1460	8	13	22	38	10/100/200
YT-1461	9	15	22	38	10/100/200
YT-1462	10	16	22	38	10/100/200
YT-1463	11	17	22	38	10/100/200
YT-1464	12	18	22	38	10/100/200
YT-1465	13	19	22	38	10/100/200
YT-1466	14	20	22	38	10/100/200
YT-1467	15	22	23	38	10/100/200
YT-1468	16	23	22	38	10/100/200
YT-1469	17	25	23	38	10/100/200
YT-1470	18	26	23	38	10/100/200
YT-1471	19	27	24	38	10/100/200
YT-1472	20	28	24	38	10/100/200
YT-1473	21	30	24	38	10/100/200
YT-1474	22	31	26	38	10/100/200
YT-1475	23	32	28	38	10/50/100
YT-1476	24	34	28	38	10/50/100
YT-1478	27	37	30	42	10/50/100
YT-1480	30	41	34	42	10/50/100
YT-1481	32	44	36	45	10/50/100

Extension bar

1/2" | DIN 3121 | CrV 50BV30



COLOR BOX


- max wobble angle: 15˚



YATO	○	D1 (mm)	D2 (mm)	L (mm)	
YT-1246	1/2"	24.0	14.5	76	15/30/120
YT-1247	1/2"	24.0	14.5	127	5/20/80
YT-1248	1/2"	24.0	14.5	254	5/20/40

Bihexagonal socket

1/2" | DIN 3121 | CrV 50BV30 | AS-DRIVE





- drive locks
- surface finish: chromed, satin / mirror




YATO	○ A (mm)	D1 (mm)	D2 (mm)	L (mm)	
YT-1270	8	12	22	38	12/120/240
YT-1271	9	14	22	38	12/120/240
YT-1272	10	15	22	38	12/120/240
YT-1273	11	16	22	38	12/120/240
YT-1274	12	17	22	38	12/120/240
YT-1275	13	19	22	38	12/120/240
YT-1276	14	20	22	38	12/120/240
YT-1277	15	21	22	38	12/120/240
YT-1278	16	23	22	38	12/120/240
YT-1279	17	24	22	38	12/120/240
YT-1280	18	25	23	38	12/120/240
YT-1281	19	27	24	38	12/120/240
YT-1282	20	28	24	38	12/120/240
YT-1283	21	29	24	38	12/120/240
YT-1284	22	30	26	38	12/120/240
YT-1285	23	31	28	38	6/60/120
YT-1286	24	32	28	38	6/60/120
YT-1289	27	36	30	42	6/60/120
YT-1291	30	40	34	42	6/60/120
YT-1292	32	42	36	42	6/60/120
YT-12921	34	46	38	44	10/50/100

Extension bar with wobble

1/2" | DIN 3121 | CrV 50BV30





COLOR BOX


- max wobble angle: 15°




YATO	○	D1 (mm)	D2 (mm)	L (mm)	
YT-1249	1/2"	24.0	14.5	76	15/30/120
YT-1250	1/2"	24.0	14.5	127	5/20/80
YT-1251	1/2"	24.0	14.5	254	5/20/40

Bihexagonal deep socket

1/2" | DIN 3121 | CrV 50BV30 | AS-DRIVE







YATO	○ A (mm)	D1 (mm)	D2 (mm)	L (mm)	
YT-12930	8	13	22	76	60/120
YT-12931	9	14	22	76	60/120
YT-12932	10	15	22	76	60/120
YT-12933	11	17	22	76	60/120
YT-12934	12	18	22	76	60/120
YT-12935	13	19	22	76	60/120
YT-12936	14	20	22	76	60/120
YT-12937	15	21	22	76	60/120
YT-12938	16	24	22	76	60/120
YT-12939	17	24	22	76	60/120
YT-12940	18	25	23	76	60/120
YT-12941	19	27	24	76	60/120
YT-12942	20	28	24	76	60/120
YT-12943	21	29	24	76	60/120
YT-12944	22	30	26	76	60/120
YT-12945	23	31	28	76	60/120
YT-12946	24	32	28	76	60/120
YT-12947	27	36	30	76	36/72
YT-12948	30	40	36	76	24/48
YT-12949	32	42	38	76	24/48

Torx socket

1/2" | DIN 3121 | CrV 50BV30






YATO	○	size	L(mm)	
YT-05220	1/2"	E10	28	12/120/240
YT-05221	1/2"	E11	28	12/120/240
YT-05222	1/2"	E12	28	12/120/240
YT-05223	1/2"	E14	28	12/120/240
YT-05224	1/2"	E16	28	12/120/240
YT-05225	1/2"	E18	28	12/120/240
YT-05226	1/2"	E20	28	12/120/240
YT-05227	1/2"	E22	28	12/120/240
YT-05228	1/2"	E24	28	12/60/120

Universal joint

1/2" | DIN 3121 | CrV 50BV30








YATO	○	D (mm)	L (mm)	
YT-1252	1/2"	25	69	5/50/100

Adapter

1/2" | DIN 3121 | CrV 50BV30








YATO	○A	○B	D (mm)	L (mm)	
YT-1255	1/2"(F)	3/8"(M)	22.0	34.0	10/100/200
YT-1258	1/2"(F)	3/4"(M)	27.0	45.5	10/50/100

Bit adapter

1/2" | CrV 50BV30








YATO	○	○A	D (mm)	L (mm)	
YT-1295	1/2"	8mm	21.9	38	10/250/500

Flexible handle

1/2" | DIN 3121 | CrV 50BV30






YATO	○	D (mm)	L (mm)	
YT-1241	1/2"	19.0	360	5/15/30
YT-1242	1/2"	20.0	457	5/10/20

Sliding T-bar

1/2" | DIN 3121 | CrV 50BV30





YATO	○	D1 (mm)	D2 (mm)	L (mm)	
YT-1243	1/2"	24.0	13.5	255	4/24/48

L-type handle

1/2" | DIN 3121 | CrV 50BV30





YATO	○	L (mm)	
YT-12438	1/2"	317	36

L-type handle

1/2" | DIN 3121 | CrV 50BV30





YATO	○	L (mm)	PCS packing:	
YT-1244	1/2"	317	3	36

Quick release ratchet handle

1/2" | DIN 3122 | QUICK RELEASE | CrV 6140



- minimum operation angle 5°
- quick release



YATO	○	Teeth	L (mm)	PCS packing:	
YT-07293	1/2"	72T	255	6	24
YT-07296	1/2"	45T	255	6	24

Quick release ratchet handle

1/2" | DIN 3122 | 72T | QUICK RELEASE | CrV 6140




- minimum operation angle 5°
- quick release



YATO	○	L (mm)	PCS packing:	
YT-0309	1/2"	278	6	24

Spark plug socket

1/2" | DIN 3121 | AS-DRIVE | CrV 50BV30





YATO	○	A	D1 (mm)	D2 (mm)	L (mm)	
YT-1253	1/2"	16	22.0	19.0	64.0	50/100
YT-1254	1/2"	21	27.8	24.0	64.0	50/100

Quick release ratchet handle

1/2" | DIN 3122 | 72T | QUICK RELEASE | CrV 6140



- minimum operation angle 5°
- quick release



YATO	○	L (mm)	PCS packing:	
YT-0321	1/2"	255	6	24

Quick release ratchet handle

1/2" | DIN 3122 | 72T | QUICK RELEASE | CrV 6135



- minimum operation angle 5°
- quick release



YATO	○	L (mm)	PCS packing:	
YT-0292	1/2"	257	6	24

Telescopic ratchet handle

1/2" | 72T | QUICK RELEASE | CrV 6135



- minimum operation angle 5°
- quick release
- extension bar increase the torque



YATO	○	L (mm)	PCS packing:	
YT-0299	1/2"	305-445	6	24

Quick release ratchet handle

1/2" | DIN 3122 | 72T | QUICK RELEASE | CrV 6140



- minimum operation angle 5°
- quick release



YATO	○	L (mm)	PCS packing:	
YT-0315	1/2"	250	6	24

Extension bar

3/4" | DIN 3121 | CrV 50BV30



COLOR BOX



YATO	○	D1 (mm)	D2 (mm)	L (mm)	
YT-1340	3/4"	36	22	100	6/36
YT-1341	3/4"	36	22	200	5/20
YT-1342	3/4"	36	22	400	5/10

Hexagonal socket

3/4" | DIN 3121 | CrV 50BV30 | AS-DRIVE

INCREASED CONTACT AREA




- application: industry, car service stations and workshops
- for high loads
- drive locks
- surface finish: chromed, satin



YATO	○ A (mm)	D1 (mm)	D2 (mm)	L (mm)	
YT-1301	19	30	36	50	12/96
YT-1302	21	32	36	50	12/96
YT-1303	22	32	36	50	12/96
YT-1304	23	34	36	50	12/96
YT-1305	24	34	36	50	12/96
YT-1306	25	36	36	50	12/96
YT-1307	26	37	34	50	12/96
YT-1308	27	38	34	50	12/96
YT-1309	28	40	34	50	12/96
YT-1310	29	40	35	50	12/96
YT-1311	30	42	36	55	8/48
YT-1312	32	44	37	55	8/48
YT-1313	33	46	38	55	8/48
YT-1314	34	47	38	55	8/48
YT-1315	35	48	42	60	6/36
YT-1316	36	50	42	60	6/36
YT-1317	38	52	45	60	6/36
YT-1318	41	56	45	65	4/32
YT-1319	42	57	45	65	4/32
YT-1320	43	58	45	65	4/32
YT-1322	46	62	48	70	4/32
YT-1323	48	64	48	70	4/24
YT-1324	50	68	48	70	4/24
YT-1326	52	70	48	70	4/20
YT-1328	55	73	48	75	4/20
YT-1330	60	80	48	80	4/20

Sliding T-bar

3/4" | DIN 3121 | CrV 50BV30






YATO	○	D1 (mm)	D2 (mm)	L (mm)	
YT-1350	3/4"	37	20	500	5/10

Adapter

3/4" | DIN 3121 | CrV 50BV30






YATO	○ A	○ B	D (mm)	L (mm)	
YT-1259	3/4"(F)	1/2"(M)	32	51	50/100

Universal joint

3/4" | DIN 3121 | CrV 50BV30





YATO	○	D (mm)	L (mm)	
YT-1352	3/4"	40	106	12/36

Quick release ratchet handle

3/4" | DIN 3122 | 24T | QUICK RELEASE SZYBKO-ZŁĄCZE | CrV 6140






YATO	○	L (mm)	PCS packing:	
YT-1360	3/4"	625	1	10

Flexible handle

3/4" | DIN 3121 | CrV 50BV30






YATO	○	D (mm)	L (mm)	
YT-1345	3/4"	25	507	5/10

L-type handle

3/4" | DIN 3121 | CrV 50BV30





YATO	○	D (mm)	L1 (mm)	L2 (mm)	PCS packing:	
YT-1347	3/4"	25	360	75	5	10
YT-1348	3/4"	25	410	75	5	10

Socket bit

DIN 3120 | AISI S2 | HRC 58-62 | HEX | 1/4"

Sliding card




YATO	size(mm)	L (mm)	○	max(Nm)	
YT-7671	7MM	37	1/4"	120.6	10/100

Socket bit

DIN 3120 | AISI S2 | HRC 58-62 | ⊕ | 1/4"


Sliding card



YATO	size(mm)	L (mm)	○	max(Nm)	
YT-7673	PH1	37	1/4"	7.6	10/100
YT-7675	PH3	37	1/4"	44.4	10/100

Socket bit


DIN 3120 | AISI S2 | HRC 58-62 | TORX | 1/4"



YATO	size(mm)	L (mm)	○	max(Nm)	
YT-7660	T8	37	1/4"	3.9	10/100
YT-7661	T10	37	1/4"	5.9	10/100
YT-7662	T15	37	1/4"	9.8	10/100

Socket bit

DIN 3120 | AISI S2 | HRC 58-62 | ⊕ | 1/4"




YATO	size(mm)	L (mm)	○	max(Nm)	
YT-7676	PZ1	37	1/4"	6.2	10/100
YT-7678	PZ3	37	1/4"	44.1	10/100

Socket bit

DIN 3120 | AISI S2 | HRC 58-62 | ⊖ | 1/4"

Sliding card



YATO	size(mm)	L (mm)	○	max(Nm)	
YT-7679	4MM	37	1/4"	5.2	10/100
YT-7680	5.5MM	37	1/4"	8.8	10/100
YT-7681	6.5MM	37	1/4"	16.8	10/100

Socket bit

DIN 3120 | AISI S2 | HRC 58-62 | TORX | 3/8"


Sliding card



YATO	size(mm)	L (mm)	○	max(Nm)	
YT-7682	T10	50	3/8"	6.1	10/100
YT-7683	T15	50	3/8"	11.0	10/100
YT-7684	T20	50	3/8"	18.1	10/100
YT-7685	T25	50	3/8"	27.0	10/100
YT-7686	T27	50	3/8"	34.8	10/100
YT-7687	T30	50	3/8"	41.8	10/100
YT-7688	T40	50	3/8"	77.9	10/100
YT-7689	T45	50	3/8"	120.6	10/100
YT-7690	T50	50	3/8"	175.5	10/100
YT-7691	T55	50	3/8"	205.9	10/100
YT-7692	T60	50	3/8"	379.0	10/100

Socket bit

DIN 3120 | AISI S2 | HRC 58-62 | HEX | 3/8"




YATO	size(mm)	L (mm)	○	max(Nm)	
YT-7693	3MM	50	3/8"	14.2	10/100
YT-7694	4MM	50	3/8"	27.0	10/100
YT-7695	5MM	50	3/8"	53.9	10/100
YT-7696	6MM	50	3/8"	89.2	10/100
YT-76594	7MM	36	3/8"	122.4	100/400
YT-7697	7MM	50	3/8"	122.4	10/100
YT-7698	8MM	50	3/8"	174.5	10/100
YT-76595	9MM	92	3/8"	174.5	20/120
YT-7699	10MM	50	3/8"	220.0	10/100

Socket bit

DIN 3120 | AISI S2 | HRC 58-62

3/8"

Sliding card




YATO	size(mm)	L (mm)		max(Nm)	
YT-7700	PH1	50	3/8″	7.4	10/100
YT-7701	PH2	50	3/8″	22.1	10/100
YT-7702	PH3	50	3/8″	45.1	10/100

Socket bit

DIN 3120 | AISI S2 | HRC 58-62

3/8"

Sliding card



YATO	size(mm)	L (mm)		max(Nm)	
YT-7706	5.5MM	50	3/8″	9.0	10/100
YT-7707	6.5MM	50	3/8″	17.2	10/100
YT-7708	8MM	50	3/8″	20.1	10/100

Socket bit

DIN 3120 | AISI S2 | HRC 58-62

HEX | 1/2"




YATO	size(mm)	L (mm)		max(Nm)	
YT-7723	4MM	50	1/2″	26.3	10/100

Socket bit

DIN 3120 | AISI S2 | HRC 58-62

3/8"

Sliding card




YATO	size(mm)	L (mm)		max(Nm)	
YT-7705	PZ3	50	3/8″	43.9	10/100

Socket bit

DIN 3120 | AISI S2 | HRC 58-62

TORX TAMPERPROOF | 3/8"

Sliding card




YATO	size(mm)	L (mm)		max(Nm)	
YT-7709	T45	50	3/8″	122.5	10/100
YT-7710	T50	50	3/8″	176.5	10/100
YT-7711	T55	50	3/8″	218.0	10/100
YT-7712	T60	50	3/8″	379.0	10/100

Socket bit

DIN 3120 | AISI S2 | HRC 58-62

SPLINE | 1/2"




YATO	size(mm)	L (mm)		max(Nm)	
YT-7732	M5	50	1/2″	33.9	10/100
YT-7733	M6	50	1/2″	60.8	10/100

Socket bit

DIN 3120 | AISI S2 | HRC 58-62

TORX | 1/4"




YATO	size(mm)	L (mm)		max(Nm)	
YT-76590	T6	37	1/4"	3.9	10/150
YT-76591	T7	37	1/4"	3.9	10/150
YT-04301	T8	37	1/4"	3.9	10/150
YT-76592	T9	37	1/4"	3.9	10/150
YT-04302	T10	37	1/4"	5.9	10/150
YT-04303	T15	37	1/4"	9.8	10/150
YT-04304	T20	37	1/4"	18.6	10/150
YT-04305	T25	37	1/4"	26.5	10/150
YT-76593	T27	37	1/4"	26.5	10/150
YT-04305	T25	37	1/4"	26.5	10/150
YT-04306	T30	37	1/4"	42.9	10/150
YT-04307	T40	37	1/4"	75.8	10/150

Socket bit

DIN 3120 | AISI S2 | HRC 58-62

TORX | 1/2"



YATO	size(mm)	L (mm)		max(Nm)	
YT-04310	T20	50	1/2″	17.9	10/40
YT-04311	T25	50	1/2″	25.5	10/40
YT-04312	T27	50	1/2″	34.1	10/40
YT-04313	T30	50	1/2″	37.4	10/40
YT-04314	T40	50	1/2″	76.7	10/40
YT-04315	T45	50	1/2″	117.0	10/40
YT-04316	T50	50	1/2″	176.5	10/40
YT-04317	T55	50	1/2″	218.0	10/40
YT-04318	T60	50	1/2″	379.0	10/40
YT-04319	T70	50	1/2″	590.0	10/40

Star bit sockets

max. TORQUE 21.8 Nm | DIN 3120 | AISI S2 | HRC 58-62

7 PCS | TORX SPECIAL TAMPERPROOF for new models: TOYOTA VW




1/4": L=35 mm;
TS10, TS15, TS20, TS25, TS27, TS30, TS40

YATO		
YT-0461	340	12/48

Socket bit

1/2" | DIN 3120 | AISI S2 | HRC 58-62 | TORX






YATO		L (mm)		max(Nm)	
YT-04320	T20	100	1/2"	12.7	10/20
YT-04321	T25	100	1/2"	19.0	10/20
YT-04322	T27	100	1/2"	26.9	10/20
YT-04323	T30	100	1/2"	37.4	10/20
YT-04324	T40	100	1/2"	65.1	10/20
YT-04325	T45	100	1/2"	104.0	10/20
YT-04326	T50	100	1/2"	159.0	10/20
YT-77170	T50	200	1/2"	159.0	25/100
YT-77171	T55	200	1/2"	257.0	25/100
YT-04327	T55	100	1/2"	257.0	10/20
YT-77172	T60	200	1/2"	446.0	25/100
YT-04328	T60	100	1/2"	446.0	10/20
YT-04329	T70	100	1/2"	701.0	10/20

Socket bit

DIN 3120 | AISI S2 | HRC 58-62 | SPLINE | 1/2"








YATO	size(mm)	L (mm)		max(Nm)	
YT-04341	M6	50	1/2"	30	40/240
YT-04342	M8	50	1/2"	104.2	40/240
YT-04343	M10	50	1/2"	176.5	40/160
YT-04344	M12	50	1/2"	220.0	40/160
YT-04345	M14	50	1/2"	370.0	40/160
YT-04346	M16	50	1/2"	590.0	40/160

Socket bit

1/2" | DIN 3120 | AISI S2 | HRC 58-62 | SPLINE







YATO		L (mm)		max(Nm)	
YT-04350	M5	100	1/2"	16.0	20/120
YT-04351	M6	100	1/2"	30.0	20/120
YT-04352	M8	100	1/2"	52.0	20/120
YT-04353	M10	100	1/2"	120.0	20/120
YT-04354	M12	100	1/2"	220.0	20/120
YT-04355	M14	100	1/2"	370.0	20/120
YT-04356	M16	100	1/2"	590.0	20/120
YT-04357	M17	100	1/2"	590.0	20/120

Star bit sockets

12 PCS | TORX TAMPERPROOF





1/4": L=35 mm; T8, T10, T15, T20, T25, T27, T30
3/8": L=50 mm; T40, T45, T47, T50, T55

YATO		
YT-0431	340	6/48

Star bit sockets

max. TORQUE 21.8 Nm | DIN 3120 | AISI S2 | HRC 58-62 | 9 PCS | HEX





1/4": L=35 mm; H2, H3, H4, H5, H6 mm
3/8": L=50 mm; H7, H8, H10, H12 mm

YATO		
YT-0432	290	6/36

5 PCS | SPLINE





1/4": L=35 mm; M5, M6
3/8": L=50 mm; M8, M10, M12

YATO		
YT-0433	185	12/48

Star bit sockets

max. TORQUE 21.8 Nm | DIN 3120 | AISI S2 | HRC 58-62 | 12 PCS | TORX




1/4": L=35 mm; T8, T10, T15, T20, T25, T27, T30
3/8": L=50 mm; T40, T45, T47, T50, T55

YATO		
YT-04331	340	10/40

Socket bit


DIN 3120 | AISI S2 | HRC 58-62
HEX | 1/4"



YATO	size(mm)	L (mm)		max(Nm)	
YT-04370	3MM	37	1/4"	14.7	150/600
YT-04371	4MM	37	1/4"	26.5	150/600
YT-04372	5MM	37	1/4"	53.8	150/600
YT-04373	6MM	37	1/4"	88.6	150/600
YT-04374	7MM	37	1/4"	120.6	150/600
YT-04375	8MM	37	1/4"	170.2	150/600

Socket bit


DIN 3120 | AISI S2 | HRC 58-62
HEX | 1/2"



YATO	size(mm)	L (mm)		max(Nm)	
YT-04381	5MM	50	1/2"	52.7	40/240
YT-04382	6MM	50	1/2"	89.0	40/240
YT-04383	7MM	50	1/2"	128.7	40/240
YT-04384	8MM	50	1/2"	174.1	40/240
YT-04385	10MM	50	1/2"	220.0	40/160
YT-04386	12MM	50	1/2"	370.0	40/160
YT-04387	14MM	50	1/2"	590.0	40/160
YT-04388	17MM	50	1/2"	1000.0	40/160

Socket bit

DIN 3120 | AISI S2 | HRC 58-62
HEX | 1/2"



YATO	size(mm)	L (mm)		max(Nm)	
YT-04390	4MM	100	1/2"	27.5	20/120
YT-04391	5MM	100	1/2"	53.4	20/120
YT-04392	6MM	100	1/2"	89.4	20/120
YT-04393	7MM	100	1/2"	132.2	20/120
YT-04394	8MM	100	1/2"	176.3	20/120
YT-76596	9MM	50	1/2"	176.3	20/120
YT-04395	10MM	100	1/2"	220.0	20/120
YT-76597	11MM	90	1/2"	220.0	20/120
YT-04396	12MM	100	1/2"	370.0	20/120
YT-04397	14MM	100	1/2"	590.0	20/120
YT-04398	17MM	100	1/2"	1000.0	20/120

Star bit sockets

max. TORQUE 21.8 Nm | DIN 3120 | AISI S2 | HRC 58-62
12 PCS | TORX TAMPERPROOF



1/4": L=35 mm; T8, T10, T15, T20, T25, T27, T30
3/8": L=50 mm; T40, T45, T47, T50, T55

YATO		
YT-04332	340	10/40

Socket bit

max. TORQUE 21.8 Nm | DIN 3120 | AISI S2 | HRC 58-62
5 PCS | SPLINE



1/4": L=35 mm; M5, M6
3/8": L=50 mm; M8, M10, M12

YATO		
YT-04360	185	12/48

max. TORQUE 21.8 Nm | DIN 3120 | AISI S2 | HRC 58-62
9 PCS | HEX



1/4": L=35 mm; H2, H3, H4, H5, H6 mm
3/8": L=50 mm; H7, H8, H10, H12 mm

YATO		
YT-04401	290	6/36

Bit socket set

45 PCS | 1/4" 6.3mm | S2



1/4" (6.3 mm): 3, 4, 5, 6, 7 mm (L=25 mm); S2;
1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm); PH1, PH2 (L=50 mm); S2;
1/4" (6.3 mm): PZ0, PZ1, PZ2, PZ3 (L=25 mm); PZ1, PZ2 (L=50 mm); S2;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 5.5, 6 x2 mm (L=25 mm); S2;
1/4" (6.3 mm): S1, S2, S3 (L=25 mm); S2;
5 mm x PH1, 6 mm x PH2, 6 mm x PH3 (L=65 mm); S2;
PH2 x PH2, PH2 x PH3 (L=65 mm); S2;
PZ1 x PZ1, PZ2 x PZ2, PZ3 x PZ3 (L=65 mm); S2;
1/4" (6.3 mm); (L=60 mm); (MAGNETIC); S2



YATO		
YT-04620	1/4" (6.3 mm)	20


Socket bit

DIN 3120 | AISI S2 | HRC 58-62

1/4"







YATO	size(mm)	L (mm)		max(Nm)	
YT-04411	PH1	37	1/4"	7.6	150/600
YT-04412	PH2	37	1/4"	21.6	150/600
YT-04413	PH3	37	1/4"	44.4	150/600


Socket bit

DIN 3120 | AISI S2 | HRC 58-62

1/4"







YATO	size(mm)	L (mm)		max(Nm)	
YT-04417	PZ1	37	1/4"	6.2	150/600
YT-04418	PZ2	37	1/4"	20.1	150/600

Bit socket set

18 PCS | 1/2" | 1/4" | CrV 6150 | HRC 58-62 | AISI S2 | DIN 3120





1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm);
AISI S2 / CrV 6150;

1/4" (6.3 mm): PH1, PH2, PH3 (L=37 mm);
AISI S2 / CrV 6150;

1/2" (12.7 mm): M5, M6, M8, M10, M12, M14 (L=50 mm);
M5, M6, M8, M10, M12, M14 (L=100 mm);
AISI S2 / CrV 6150

YATO			
YT-7750	1/2" (12.7 mm)	1/4" (6.3 mm)	10

Bit socket set

18 PCS | 1/2" | 1/4" | CrV 6150 | HRC 58-62 | AISI S2 | DIN 3120





1/2" (12.7 mm): T30, T40, T45, T50, T55, T60 (L=50 mm);
T30, T40, T45, T50, T55, T60 (L=100 mm);
AISI S2 / CrV 6150;
1/4" (6.3 mm): T10, T15, T20, T25, T30, T40 (L=37 mm);
AISI S2 / CrV 6150

YATO			
YT-7751	1/2"(12.7 mm)	1/4" (6.3 mm)	10

Bit socket set

18 PCS | 1/2" | 1/4" | CrV 6150 | HRC 58-62 | AISI S2 | DIN 3120





1/2" (12.7 mm): 5, 6, 7, 8, 10, 12 mm (L=50 mm);
5, 6, 7, 8, 10, 12 mm (L=100 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm);
AISI S2 / CrV 6150

YATO			
YT-7752	1/2" (12.7 mm)	1/4" (6.3 mm)	10

Bit socket set

12 PCS | 1/2" | CrV 6150 | HRC 58-62 | AISI S2 | DIN 3120





1/2" (12.7 mm): M12, M17 (L=50 mm); M6 (L=70 mm);
M7, M8 (L=100 mm);
M8, M10 (L=120 mm); M6, M10, M12 (L=140 mm);
M5 (L=180 mm);
M6 (L=250 mm); AISI S2 / CrV 6150

YATO		
YT-7753	1/2" (12.7 mm)	10

Bit socket set

23 PCS | 1/4" 6.3mm



- 1/4" (6.3 mm): PH0, 2 x PH2, PH3 (L=25 mm); S2;
- 1/4" (6.3 mm): PZ0, 2 x PZ2, PZ3 (L=25 mm); S2;
- 1/4" (6.3 mm): 2 x T20, 2 x T25, 2 x T30, T40 (L=25 mm); S2;
- 1/4" (6.3 mm): 4, 5, 6 mm (L=25 mm); S2;
- 1/4" (6.3 mm): PH2 (L=50 mm); S2;
- 1/4" (6.3 mm): PZ2 (L=50 mm); S2;
- 1/4" (6.3 mm): T20, T30 (L=50 mm); S2;
- 1/4" (6.3 mm); (L=60 mm); CrV



YATO		
YT-04621	**1/4"** (6.3 mm)	20

Bit socket set

32 PCS | 1/4" 6.3mm



- 1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); S2;
- 1/4" (6.3 mm): PH1, 2 x PH2, PH3 (L=25 mm); S2;
- 1/4" (6.3 mm): PZ1, 2 x PZ2, PZ3 (L=25 mm); S2;
- 1/4" (6.3 mm): T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
- 1/4" (6.3 mm): T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
- 1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); S2;
- 1/4" (6.3 mm), (L=70 mm); CrV;
- 1/4" (6.3 mm); (L=25 mm); S2




YATO		
YT-04622	**1/4"** (6.3 mm)	20

Bit socket set

34 pcs | 1/4" 6.3mm | S2



- 1/4" (6.3 mm): 5, 6, 7, 8, 9, 10, 11, 12 mm (L=25 mm);
- 1/4" (6.3 mm); (L=75 mm);
- 1/4" (6.3 mm): 3, 4, 2 x 5.5, 2 x 6.5 mm (L=25 mm); S2;
- 1/4" (6.3 mm): 2 x PH1, 2 x PH2, 2 x PH3 (L=25 mm); S2;
- 1/4" (6.3 mm): 2 x PZ1, 2 x PZ2, 2 x PZ3 (L=25 mm); S2;
- 1/4" (6.3 mm): T10, T15, T20, T25, T27, T30 (L=25 mm); S2;
- 1/4" (6.3 mm); (L=60 mm); CrV



YATO		
YT-04623	**1/4"** (6.3 mm)	20

Bit socket set

59 pcs | 1/4" 6.3mm | S2



- 1/4" (6.3 mm): 2, 4, 6.5 mm (L=25 mm); S2;
- 1/4" (6.3 mm): PH0, 2 x PH1, 2 x PH2, PH3 (L=25 mm); S2;
- 1/4" (6.3 mm): 2 x PZ1, 2 x PZ2, PZ3 (L=25 mm); S2;
- 1/4" (6.3 mm): T10, T15, T20, T25, T30, T40 (L=25 mm); S2;
- 1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
- 1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6, 8 mm (L=25 mm); S2;
- 1/4" (6.3 mm): 0, 1, 2, 3 (L=25 mm); S2;
- 1/4" (6.3 mm): 1, 2, 3, 4 mm (L=25 mm); S2;
- 1/4" (6.3 mm): 6, 8, 10 mm (L=25 mm); S2;
- 1/4" (6.3 mm): 4, 6, 8, 10 mm (L=25 mm); S2;
- 1/4" (6.3 mm): M5, M6, M8 (L=25 mm); S2;
- 1/4" (6.3 mm): C1, C2, C3 (L=25 mm);
- S2: 1/4" (6.3 mm); (L=70 mm); CrV; 1/4" (6.3 mm); CrV



YATO		
YT-04624	**1/4"** (6.3 mm)	20



Tool sets

6 PCS



250V, 4x190 mm; 5x100 mm, PH1x100 mm; S2;
9 mm; SK2; 160 mm; CrV; 3 m x 16 mm

YATO	size(mm)
YT-39005	225x110x45

7 PCS



250V, 4x190 mm; 5x100 mm, PH1x100 mm; S2;
9 mm; SK2; 200 mm; CrV; 200 mm;
3 m x 16 mm

YATO	size(mm)
YT-39006	225x150x45

Tool sets

10 PCS



250V, 4x190 mm; 5x100 mm, PH1x100 mm; S2;
9 mm; SK2; 180 mm; CrV; 160 mm; CrV;
200 mm; 3 m x 16 mm; 225 g;

YATO	size(mm)
YT-39002	320x180x50

Tool sets

12 PCS



250V, 4x190 mm; 5x100 mm, PH1x100 mm; S2;
9 mm; SK2; 180 mm; CrV; 160 mm; CrV;
200 mm; 3 m x 16 mm; 225 g;
PVC 0.13 mm 19 mm x 20 m; 190 mm

YATO	size(mm)
YT-39003	320x180x50

Tool sets

13 PCS



140 mm; 3x75 mm, PH0x75 mm; S2; 2x50 mm, PH00x50 mm; S2; 12-220V; 115 mm;
115 mm; 140 mm; 30W; 205 mm;
19.5x190 mm;

YATO	size(mm)
YT-39007	300x180x55

Tool sets

22 PCS



140 mm; 140 mm;
185 mm; 12-220V;
130 mm; 115 mm; 115 mm;
205 mm; 3CR13;
2x50 mm, PH00x50 mm; S2;
3x75 mm, 5x100 mm, PH0x75 mm, PH1x100 mm; S2;
30W; 3 m x 16 mm;
150 mm; PVC 0.13 mm 19 mm x 20 m;
19.5x190 mm; ; 9 mm, SK2

YATO	size(mm)
YT-39008	310x230x55

Tool sets

8 PCS



125-250V;
5.5x100 mm, PH1x100 mm; SVCM55;
9 mm; SK5; 180 mm; CrV;
160 mm; CrV;
200 mm; CrV; 3 m x 16 mm

YATO	size(mm)
YT-3904	265x160x60

Tool sets

8 PCS



125-250V; ~~5x100 mm, PH1x~~100 mm; S2;
9 mm; SK5; 180 mm; CrV;
160 mm; CrV;
200 mm; 3 m x 16 mm

YATO	size(mm)
YT-3906	265x160x60

Socket set

14 PCS | 1" | CrV 50BV30 | QUICK RELEASE | 24T | CrV 6140



1" 46,48,50,55,60,65,70,75,80;CrV50BV30;
1"x650 mm; CrV50BV30;
1"x550 mm; CrV50BV30;
1"x200 mm, 1"x400 mm; CrV50BV30;
1"x500 mm; CrV50BV30;



YATO		
YT-13630	1"	1

Tool set

44 PCS | 1/4" 6.3mm | CrV | S2 | SK2



6x7, 8x9, 10x11, 12x13, 14x15 mm;
1/4" (6.3 mm): 3, 4, 5, 5.5, 6 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); AISI S2;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T27 (L=25 mm); AISI S2;
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6 mm (L=25 mm); AISI S2;
160 mm; 160 mm;
200 mm; 300 g (L=300 mm);
3 m x16 mm; 18 mm; SK2;
1/4" (6.3 mm); CrV;
5x75, 6x100, PH2x100 mm; S2;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150







NYLON BAG & COLOR BOX

YATO	O	
YT-39280	1/4" (6.3 mm)	4

Socket set

20 PCS | 3/4" | CrV 50BV30 | QUICK RELEAS | 24T | CrV 6140



3/4":19,21,22,24mm(L=50mm);
26,27,28mm(L=52mm);30,32(L=53mm);
33,34mm(L=56mm);36mm(L=58mm);
38mm(L=60mm);41mm(L=64mm);
46mm(L=68mm); 50 mm (L=72mm); CrV50BV30;
3/4"x500 mm; CrV50BV30;
3/4"x510 mm; CrV50BV30;
3/4"x100 mm, 3/4"x200 mm; CrV50BV30;



YATO	O	
YT-1335	3/4"	1

Socket set

15 PCS | 3/4" | CrV 50BV30 | QUICK RELEAS | 24T | CrV 6140



3/4":30,32,34(L=55mm);
36,38mm(L=60mm);
41mm(L=65mm);
46,50mm(L=70mm);
55(L=75mm);60mm(L=80mm); CrV50BV30;
3/4"x500 mm; 24T;CrV 6140;
3/4"x500 mm; CrV50BV30;
3/4"x100 mm, 3/4"x200 mm; CrV50BV30;
3/4"x106 mm; CrV50BV30;



YATO	O	
YT-1334	3/4"	1

Torx socket set

9 PCS | TORX | CrV 50BV30



1/4": E5, E6, E7, E8;
3/8": E10, E12, E14, E16;
1/4" (M) x 3/8" (F)

YATO	O		
YT-0520	1/4"	210	10/40

Torx socket set

9 PCS | TORX | CrV 50BV30



1/2": E10, E11, E12, E14, E16, E18, E20, E22, E24

YATO		
YT-0521	1100	20

Go-through socket set

21 PCS | QUICK RELEAS | 1/4" | 1/2" | METRIC | IMPERIAL | CrV 50BV30 | CrV 6140







BMC & COLOR SLEEVE

10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm (L=32 mm);
3/4", 11/16", 5/8", 9/16", 1/2", 7/16", 3/8" (L=32 mm); CrV 50BV30;
L=178 mm; CrV 6140;
1/4", 1/2"; CrV 6140;
17 mm (L=75 mm); CrV 50BV30

YATO	O	O	
YT-3865	1/2"	1/4"	4/12

Tool set

8 PCS | 1/4" | CrV 50BV30 | AS-DRIVE



METAL CASE & COLOR BOX





1/4": 5.5, 6, 7, 8, 9, 10, 12, 13 mm (L=50 mm
CrV 50BV30

YATO		
YT-14431	220	10/20

Sockets set

1/4" | 15 PCS | CrV 50BV30



1/4": 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=25 mm); CrV 50BV30;
1/4" (50.8, 152.4 mm); CrV 50BV30;
1/4"; CrV 50BV30;
1/4"; 72T; CrV 6140;
1/4" (150 mm); CrV 50BV30



YATO			
YT-14411	1/4"	1100	10

Sockets set

1/4" | 23 PCS | CrV 50BV30



1/4": 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=25 mm); CrV 50BV30;
1/4": 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=50 mm); CrV 50BV30;
1/4" (50.8, 152.4 mm); CrV 50BV30;
1/4"; CrV 50BV30;
1/4"; 72T; CrV 6140;
1/4" (150 mm); CrV 50BV30



YATO			
YT-14421	1/4"	1330	10

Tool set

25 PCS | 1/4" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/4": 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/4": 8, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
1/4" (50.8, 101.6 mm); CrV 50BV30;
1/4"; CrV 50BV30;
1/4" (152.4 mm); CrV 50BV30;
1/4"; 72T; CrV 6140; L=155mm;
1/4" (150 mm); CrV 50BV30

YATO		
YT-14461	760	10

Tool set

23 PCS | 1/4" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/4": 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=25 mm); CrV 50BV30;
1/4": 4, 5, 6, 7, 8, 9, 10, 12, 13 mm (L=50 mm); CrV 50BV30;
1/4" (50.8, 152.4 mm); CrV 50BV30;
1/4"; CrV 50BV30;
1/4"; 72T; CrV 6140; L=155mm;
1/4" (150 mm); CrV 50BV30

YATO			
YT-14451	1/4"	700	10

Tool set

38 PCS | 1/4" | CrV 50BV30 | CrV 6140



1/4": 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30; L=155mm;
1/4" (50.8, 101.6 mm); CrV 50BV30;
1/4"; CrV 50BV30;
1/4" (152.4 mm); CrV 50BV30;
1/4"; 72T; CrV 6140;
1/4" (150 mm); CrV 50BV30;
1/4": T10, T15, T20, T25, T30, T40; AISI S2 / CrV 50BV30;
1/4": PH1, PH2; AISI S2 / CrV 50BV30;
1/4": PZ1, PZ2; AISI S2 / CrV 50BV30;
1/4": 4, 5.5, 6.5 mm; AISI S2 / CrV 50BV30;
1/4": 3, 4, 5, 6, 8 mm; AISI S2 / CrV 50BV30

YATO		
YT-14471	830	10

Tool set

20 PCS | 1/4" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/4": 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/4" (50.8, 152.4 mm); CrV 50BV30;
1/4"; CrV 50BV30; L=155mm;
1/4" (152.4 mm); CrV 50BV30;
1/4"; 72T; CrV 6140;
1/4" (150 mm); CrV 50BV30



YATO		
YT-14491	600	10

Tool set

42 PCS | 1/4" | CrV 50BV30 | CrV 6140 | CrV 6150 | S2 | 72T | AS-DRIVE



1/4": 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/4": 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
1/4" (50.8, 101.6 mm); CrV 50BV30;
1/4"; CrV 50BV30;
1/4" (152.4 mm); CrV 50BV30;
1/4"; 72T; CrV 6140;
1/4" (150 mm); CrV 50BV30;
1/4"; CrV 50BV30;
1/4": PH0, PH1, PH2 (L=25 mm); AISI S2;
1/4": PZ0, PZ1, PZ2 (L=25 mm); AISI S2;
1/4": 3, 4, 5 mm (L=25 mm); AISI S2;
1/4": 6, 7, 8 mm (L=25 mm); AISI S2;
1/4" (150 mm); CrV 6140;
1.5, 2.0, 2.5 mm; CrV 6150



YATO		
YT-14481	900	6

Tool set

20 PCS | 1/2" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2": 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (127, 254 mm); CrV 50BV30;
1/2"; CrV 50BV30;
1/2": 16, 21 mm; CrV 50BV30;
1/2" (255 mm); CrV 50BV30;
1/2"; 72T; CrV 6140



YATO		
YT-3875	3500	6

Tool set

20 PCS | 1/2" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm (L=38 mm); CrV 50BV30;
1/2": 13, 17, 19 mm (L=76 mm); CrV 50BV30;
1/2" (254 mm); CrV 50BV30;
3/8"(F) x 1/2"(M); CrV 50BV30;
1/2"; CrV 50BV30;
1/2": 16 mm; CrV 50BV30;
1/2"; 72T; CrV 6140



YATO		
YT-38691	2400	6

Tool set

9 PCS | 3/8" | CrV 50BV30 | AS-DRIVE



3/8": 8, 10, 11, 12, 13, 14, 16, 17, 19 mm (L=63 mm); CrV 50BV30

YATO		
YT-3855	630	10

Tool set

25 PCS | 1/2" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (127 mm); CrV 50BV30;
1/2"(F) x 3/8"(M); CrV 50BV30;
1/2": 16, 21 mm; CrV 50BV30;
1/2" (255 mm); CrV 50BV30;
1/2" (317 mm); CrV 50BV30;
1/2"; 72T; CrV 6140

YATO		
YT-38741	3500	2

Tool set

22 PCS | 3/8" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



3/8": 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19, 20, 21, 22 mm (L=30 mm); CrV 50BV30;
3/8" (76, 152.4 mm); CrV 50BV30;
3/8"; CrV 50BV30;
3/8" (198 mm); CrV 50BV30;
3/8"; 72T; CrV 6140 ;L=200mm;



YATO		
YT-38561	1400	10

Socket set

40 PCS | CrV

NEW



1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12 mm (L=25 mm); CrV;
1/4" (6.3 mm); (50 mm); CrV;
1/4" (6.3 mm); CrV;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV;
1/4" (6.3 mm): 4, 5, 6 mm (L=25 mm); CrV;
1/4" (6.3 mm): PH1 x2, PH2 x3, PH3 (L=25 mm); CrV;
1/4" (6.3 mm): PZ1 x2, PZ2 x4, PZ3 x2 (L=25 mm); CrV;
1/4" (6.3 mm): 4, 5 mm (L=25 mm); CrV;
1/4" (6.3 mm): T10, T15, T20 x2, T25 x2, T27, T30, T40 (L=25 mm); CrV

YATO	
YT-27960	6/24

Tool set

3/8" | 19 PCS | CrV 50BV30



3/8" (9.5 mm): 10, 11, 13, 14, 15, (L=28mm);17, 19 mm (L=30 mm); CrV 50BV30;
3/8" (9.5 mm): 10, 11, 12, 13 mm (L=46 mm); 14, 15, 17, 19 mm (L=63 mm); CrV 50BV30;
3/8" (9.5 mm); (75 mm); CrV 50BV30;
3/8" (9.5 mm); (200 mm); 72T; CrV 6140;
3/8" (9.5 mm); (215 mm); CrV 50BV30;
3/8" (9.5 mm); CrV 50BV30



YATO			
YT-38641	3/8"	2300	8

Sockets set

1/2" | 12 PCS | CrV 50BV30




10, 11, 12, 13, 14, 15, 17, 19, 21, 24 mm; L=38 mm; CrV 50BV30;
250 mm; 72T; CrV 6140;
125 mm; CrV 50BV30



YATO			
YT-12621	1/2"	2200	8

Sockets set

1/2" | 23 PCS | CrV 50BV30



10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm; L=38 mm; 27, 30, 32 mm; L=42 mm; CrV 50BV30; 250 mm; 72T; CrV 6140; 125 mm, 250 mm; CrV 50BV30; 250 mm; CrV 50BV30; CrV 50BV30



YATO			
YT-12651	1/2"	5000	5

Tool set

3/8" | 15 PCS | CrV 50BV30



10, 11, 12, 13, 14, (L=28mm); 15, 17, 19, 21, 22 mm, (L=30mm); L= 28 mm; CrV 50BV30
75 mm, 150 mm; CrV 50BV30
200 mm; 72T; CrV 6140
16 mm, 21 mm; CrV 50BV30



YATO			
YT-38631	3/8"	1900	10

Tool set

18 PCS | 1/2" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



11, 13, 14, 15, 17, 19, 21, 22, 23, 24 mm; (L=38 mm); 27, 30, 32 mm; (L=42 mm); CrV 50BV30; 125 mm; CrV 50BV30;
250 mm; 72T; CrV 6140;
460 mm; CrV 50BV30;
16 mm, 21 mm; CrV 50BV30



YATO			
YT-12641	1/2"	4500	5

Sockets set

1/2" | 24 PCS | CrV 50BV30



10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm; (L=38 mm);
27, 30, 32 mm; (L= 42 mm); CrV 50BV30;
125 mm; CrV 50BV30;
250 mm; 72T; CrV 6140;
250 mm; CrV 50BV30;
CrV 50BV30;
16 mm, 21 mm; CrV 50BV30



YATO			
YT-12661	1/2"	4800	5

Tool set

22 pcs | 1/2" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE | NEW



1/2" (12.7 mm): 10, 12, 13, 14, 15, 16, 17, 22, 23, 24 mm (L=38 mm);
1/2" (12.7 mm); (127 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
10, 12, 13, 14, 15, 16, 17, 19, 22, 24mm; CrV;

YATO	
YT-38971	1

Tool set

12 pcs | 1/2" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE | NEW



1/2" (12.7 mm): 10, 12, 13, 14, 15, 17, 19, 22, (L=38 mm); CrV 50BV30;
1/2" (12.7 mm); (127 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
200 mm; CrV 50BV30;
180 mm; CrV 50BV30;

YATO	
YT-38972	1

Tool set

37 pcs | 1/2" | CrV 50BV30 | CrV 6140 | AS-DRIVE | 72T | SK5 | SVCM55 | NEW




1/2" (12.7 mm): 10, 12, 13, 14, 15, 16, 17, 19, 22, 24 mm (L=38 mm); CrV 50BV30;
1/2" (12.7 mm); (127 mm); CrV 50BV
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrMo 440;
3x75, 4x100, 6.5x100, 8x150, PH0x75, PH1x75, PH2x100; SVCM55;
10, 12, 13, 14, 15, 16, 17, 19, 22, 24 mm; CrV;
16oz;
5K5;
100 mm; 160 mm; 160 mm; 250 mm; 180 mm; CrV

YATO	
YT-38973	1

Sockets set

25 PCS | 1/2" | CrV 50BV30





10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm; L=38mm; 27, 30, 32 mm; L= 42 mm; CrV 50BV30; 125 mm; CrV 50BV30; 250 mm; 72T; CrV 6140; 250 mm; CrV 50BV30; 50 mm; CrV 50BV30; 16 mm, 21 mm; CrV 50BV30; 315 mm; CrV 50BV30

YATO			
YT-12671	1/2"	5300	5

Sockets set

10 PCS | 1/2" | CrV 50BV30 | AS-DRIVE



1/2": 10, 12, 13, 14, 15, 17, 19, 21, 22, 24 mm (L=76 mm); CrV 50BV30

YATO		
YT-38861	1300	10

Sockets set

19 PCS | 1/2" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2": 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;

1/2"; 72T; CrV 6140

YATO		
YT-38681	2100	10

Tool set

18 PCS | 1/2" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2": 11, 13, 14, 15, 17, 19, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;

1/2" (127 mm); CrV 50BV30;

1/2": 16, 21 mm; CrV 50BV30;

1/2" (457 mm); CrV 50BV30;

1/2"; 72T; CrV 6140

YATO		
YT-3870	3100	6

Sockets set

12 PCS | 1/2" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2": 10, 11, 12, 13, 14, 15, 17, 19, 21, 24 mm (L=38 mm); CrV 50BV30;

1/2" (127 mm); CrV 50BV30;

1/2"; 72T; CrV 6140

YATO		
YT-38821	1400	10

Tool set

12 PCS | 1/2" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE





1/2": 10, 11, 12, 13, 14, 15, 17, 19, 21, 24 mm (L=38 mm); CrV 50BV30;

1/2" (127 mm); CrV 50BV30;

1/2"; 72T; CrV 6140

YATO		
YT-38671	1400	10

Tool set

147 PCS | CrV | SK2 | S2 | MAGNETIC | GRADE II | NYLON COATED



- 1/4" (6.3 mm); S2
- 200 mm;
- 160 mm; CrV 55;
- 160 mm; CrV 55;
- 160 mm; CrV 55;
- 12-220V;
- 190 mm;
- PVC 0.13 mm 19 mm x 20 m;
- LED;
- 8 oz
- 3 m x 16 mm;
- 150mm;
- 9 mm, SK2

m

E8x10PCS;
4x3x10PCS;
1.6x25x50PCS;
20LBx15PCS;
3x30x14PCS;
2.6x25x15PCS;
3.2x38x10PCS;
M5x20x5PCS;



BMC & COLOR SLEEVE
XL SIZE

YATO		
YT-39000	3500	1

Tool set

169 PCS | CrV | SK2 | S2 | MAGNETIC | LED | GRADE II | NYLON COATED



- 160 mm; Cr-Ni ;
- 200 mm;
- 1/4" (6.3 mm);
- 8 oz ;
- 1/4" (6.3 mm): 3, 4, 5.5, 6 mm (L=25mm); AISI S2;
- 1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); AISI S2;
- 1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6 mm (L=25 mm); AISI S2;
- 1/4" (6.3 mm): T8, T10, T15, T20, T25, T27 (L=25 mm); AISI S2;
- 9 mm, SK2
- 3 m x 16 mm;
- L=95mm;
- 190 mm;
- 150mm;
- ;
- 30W;
- HARDWANE SETS
- 1.0mm;
- LED;
- 140 mm;
- 12-220V;
- PVC 0.13 mm 19 mm x 20 m;



BMC & COLOR SLEEVE
XL SIZE

YATO		
YT-39291	3000	1

Tool set

29 PCS | CrV | SK2 | S2 | MAGNETIC | GRADE II | NYLON COATED



- 1.4x50 mm, 2.0x50mm, 2.4x50mm, 6x100mm, PH00x50mm, PH0X50mm, PH1x50mm, PH2x100 mm;
- 200 mm;
- 160 mm; CrV 55;
- 160 mm; CrV 55;
- 250 mm; CrV;
- 2.6mm; 205 mm;
- 12-220V;
- 190 mm;
- PVC 0.13 mm 19 mm x 20 m;
- LED;
- 8 oz
- 3 m x 16 mm;
- 150mm;
- 9 mm, SK2
- 1.5, 2.0, 2.2, 3.0, 4.0, 5.0, 5.5, 6.0mm;



BMC & COLOR SLEEVE
XL SIZE

YATO		
YT-39001	4350	2

Tool set

68 PCS | 1/4" | LED | CrV | SK2 | S2 | CrV 50BV30 | PTFE TIP | MAGNETIC | GRADE II | NYLON COATED



1/4"(63mm):4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm(L=25mm);

1/4" (150 mm); 1/4", 23mm;

1.4x50 mm, 2.0x50mm, 2.4x50mm, 5.0x75mm, 6x100mm, PH00x50mm, PH0X50mm, PH1x50mm, PH1x75mm, PH2x100 mm;

150 mm;

160 mm; CrV 55;

160 mm; CrV 55;

250 mm; CrV;

2.6mm; 205 mm;

5-6mm; 175mm;

12-220V;

30W;

19.5x190 mm;

205 mm; 3CR13;

140 mm;

PVC 0.13 mm 19 mm x 20 m;

1/4" (6.3 mm): 3, 4, 5.5, 6 mm (L=25 mm); AISI S2;

1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); AISI S2;

1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6 mm (L=25 mm); AISI S2;

1/4" (6.3 mm): T8, T10, T15, T20, T25, T27 (L=25 mm); AISI S2;

LED; 9 mm, SK2; 3 m x 16 mm;

1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm;

180x90x40mm



BMC & COLOR SLEEVE XL SIZE

YATO		
YT-39004	4850	2

Tool set

68 PCS | 1/4" 6.3mm | 1000 V | VDE | CrV 50BV30 | CrV 6150 | S2



1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;

140 mm; 190 mm; 3CRB;

150 mm; 160 mm; 1000 V; CrV;

160 mm; 1000 V; CrV; 3 m x16 mm;

175 mm; 1000V; 19.5 x 190 mm;

1.5 V; 9 LED; 9 mm;

19 mm x 20 m; 10 g;

1/4" (6.3 mm); (150 mm); CrV 50BV30;

1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;

1.4, 2.0, 2.4 mm; PH00, PH0, PH01; S2;

4x75, 5.5x125, PH1x80, PH2x100 mm; 1000V; S2;

1/4" (6.3 mm): 3.0, 4.0, 5.0, 5.5, 6.0 mm (L=25 mm); AISI S2 / CrV 6150;

1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); AISI S2 / CrV 6150;

1/4" (6.3 mm): 2.0, 2.5, 3.0, 4.0, 5.0, 6.0 mm (L=25 mm); AISI S2 / CrV 6150;

1/4" (6.3 mm): T8, T10, T15, T20, T25, T27 (L=25 mm); AISI S2 / CrV 6150;

1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 10 mm; CrV 6150

30W 12-220V

126x70x24mm



BMC & COLOR SLEEVE XL SIZE

YATO		
YT-39009	4850	2

Tool set

38 PCS | 1/2" | CrV 50BV30 | CrV 6140 | 72T | AS-DRIVE



1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;

1/2": 10, 13, 17, 19 mm (L=76 mm); CrV 50BV30;

1/2" (127, 254 mm); CrV 50BV30;

1/2"; CrV 50BV30; 1/2": 16, 21 mm; CrV 50BV30;

1/2" (255 mm); CrV 50BV30;

8, 10, 11, 12, 13, 14, 17, 19, 22 mm; CrV;

1/2"; 72T; CrV 6140



BMC & COLOR SLEEVE XL SIZE

YATO		
YT-3876	4700	6

Tool set

60 PCS | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 6140 | S2 | SK5 | 72T | AS-DRIVE



1/4" (6.3 mm): 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/4" (6.3 mm); (155 mm), 72T; CrV 6140;
1/4" (6.3 mm); (200 mm); CrV;
1/4" (6.3 mm); (L=60 mm); S2;
1/4" (6.3 mm): 3, 4, 5, 6, 7 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH0, PH1, 2xPH2, 2xPH3 (L=25 mm); AISI S2;
1/4" (6.3 mm): PZ0, PZ1, 2xPZ2, PZ3 (L=25 mm); AISI S2;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;
1/4" (6.3 mm): 2, 3, 4, 5, 5.5, 6 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): S0, S1, S2 (L=25 mm); AISI S2;
160 mm; 160 mm;
150 mm; 300 g;
3 m x16 mm; 18 mm; SK5;
230 mm;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150

BMC & COLOR SLEEVE



YATO		
YT-38920	1/4" (6.3 mm)	4

Tool set

88 PCS | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrV 6140 | S2 | Mn 65 | 72T | AS-DRIVE



1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/4" (6.3 mm); (50.8 mm); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 6140;
1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 50BV30;
1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140;
1/4" (6.3 mm): 3, 4, 5 mm (L=50 mm); AISI S2;
1/4" (6.3 mm): PH1, PH2, PH3 (L=50 mm); AISI S2;
1/4" (6.3 mm): PZ1, PZ2 (L=50 mm); AISI S2;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30 (L=50 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=50 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH0, PH1, PH2 (L=25 mm); AISI S2;
1/4" (6.3 mm): PZ0, PZ1, PZ2 (L=25 mm); AISI S2;
1/4" (6.3 mm): T10, T15, T20, T25, T27, T30 (L=25 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): 4, 5.5 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2, PH3 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T15, T20 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4 mm (L=37 mm); AISI S2 / CrV 6150;
2x50, 2.4x50, 6x38, 6x100, PH0x50, PH1x50, PH2x38, PH2x100 mm; S2;
140 mm;
160 mm; 160 mm;
150 mm; 250 mm;
300 g; 125 mm, 65 Mn;
65 Mn; 3 m x16 mm;
230 mm; 1.5, 2, 2.5; CrV 6150

BMC & COLOR SLEEVE



YATO		
YT-38928	1/4" (6.3 mm)	2

Tool set

111 PCS | 1/2" 12.5mm | 3/8" 10mm | 1/4" 6.3mm | CrV 50BV30 | CrV 6150 | CrMo 440 | S2 | 72T | AS-DRIVE



1/2" (12.7 mm): 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm),
1/4" (6.3 mm): 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (76, 152.4 mm), 1/4" (6.3 mm); (50.8, 152.4 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M),
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M),
3/8" (9.5 mm) (F) x 1/4" (6.3 mm) (M); CrV 50BV30;
1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm, 3/8" (9.5 mm): 16, 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm); (200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm) x 5/16" (7.9 mm), 3/8" (9.5 mm) x 5/16" (7.9 mm); CrV 50BV30;
5/16" (7.9 mm): 6, 6.5, 8 mm (L=30 mm); AISI S2;
5/16" (7.9 mm): PH2, PH3 (L=30 mm); AISI S2;
5/16" (7.9 mm): PZ2, PZ3 (L=30 mm); AISI S2;
5/16" (7.9 mm): T27, T30, T35, T40, T45 (L=30 mm); AISI S2;
5/16" (7.9 mm): 5.5, 6, 6.5 mm (L=30 mm); AISI S2;
1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PZ1, PZ2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T10, T15, T20, T25 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T10, T15, T20, T25, T40 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=37 mm); AISI S2 / CrV 6150;
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrV;
1.5, 2, 2.5 mm; CrV 6150

BMC & COLOR SLEEVE XL SIZE



YATO				
YT-38831	1/2" (12.7 mm)	3/8" (9.5 mm)	1/4" (6.3 mm)	2

Tool set

46 PCS | 1/2" | CrV 50BV30 | CrV 6140 | METRIC & S.A.E. | 72T | AS-DRIVE



1/2": 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;

1/2": 10, 12, 13, 14, 15, 17, 19 mm (L=76 mm); CrV 50BV30;

1/2" (127, 254 mm); CrV 50BV30;

3/8"; CrV 50BV30;

1/2"; CrV 50BV30;

1/2": 16, 21 mm; CrV 50BV30;

1/2" (254 mm); CrV 50BV30;

1/2"x3/8", 1/2"x7/16", 1/2"x1/2", 1/2"x9/16", 1/2"x5/8", 1/2"x11/16", 1/2"x3/4", 1/2"x13/16", 1/2"x7/8", 1/2"x15/16", 1/2"x1"; CrV 50BV30;

1/2"; 72T; CrV 6140



BMC & COLOR SLEEVE XL SIZE

YATO		
YT-3877	5200	6

Tool set

77 PCS | 1/2" | 1/4" | CrV 50BV30 | CrV 6140 | CrV 6150 | S2 | 72T | AS-DRIVE



1/2": 10, 11, 12, 13, 14, 15, 17, 19, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm);
1/4": 4, 5, 6, 7, 8, 9, 10, 11, 12 mm (L=25 mm); CrV 50BV30;

1/2" (127, 254 mm); 1/4" (76, 101.6 mm); CrV 50BV30;

1/2", 1/4"; CrV 50BV30;

1/2": 16, 21 mm; CrV 50BV30;

1/4"; CrV 50BV30;

1/4": T10, T15, T20, T25, T30 (L=25 mm); AISI S2;

1/4": PH0, PH1, PH2, PH3 (L=25 mm); AISI S2;

1/4": PZ1, PZ2, PZ3 (L=25 mm); AISI S2;

1/4": 3, 4, 5.5, 7 mm (L=25 mm); AISI S2;

1/4": 2, 3, 4, 5, 6 mm (L=25 mm); AISI S2;

1/4"x1/4"; CrV;

7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm; CrV;

14x15, 12x13, 10x11, 8x9 mm; CrV 6140;

1/2", 1/4"; 72T; CrV 6140;

1.5, 2, 2.5, 5, 6, 8, 10 mm; CrV 6150



YATO		
YT-38781	4700	2

Tool set

82 PCS | 1/2" | 1/4" | CrV 50BV30 | CrV 6140 | S2 | 72T | AS-DRIVE



1/2": 14, 15, 16, 17, 18, 19, 20, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm);
1/4": 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;

1/2" (127, 254 mm); 1/4" (50.8, 101.6 mm); CrV 50BV30;

3/8"(F) x 1/2"(M); CrV 50BV30;

1/4" (150 mm); CrV 6140;

1/2", 1/4"; CrV 50BV30;

1/2": 16, 21 mm; CrV 50BV30;

1/4" (152 mm); CrV 50BV30;

1/2", 1/4"; 72T; CrV 6140;

1/4" (150 mm); CrV 50BV30;

1/4"x1/4"; 1/2"x5/16"; CrV 50BV30;

5/16": PH3, PH4 (L=30 mm); AISI S2;

5/16": PZ3, PZ4 (L=30 mm); AISI S2;

5/16": 8, 10, 12 mm (L=30 mm); AISI S2;

5/16": 8, 10, 12, 14 mm (L=30 mm); AISI S2;

5/16": T40, T45, T50, T55 (L=30 mm); AISI S2;

1/4": T8, T10, T15, T20, T25, T30; AISI S2 / CrV 50BV30;

1/4": PH1, PH2; AISI S2 / CrV 50BV30;

1/4": PZ1, PZ2; AISI S2 / CrV 50BV30;

1/4": 3, 4, 5, 6 mm; AISI S2 / CrV 50BV30;

1/4": 4, 5.5, 7 mm; AISI S2 / CrV 50BV30;

8, 10, 11, 12, 13, 14, 17, 19, 22 mm; CrV



YATO		
YT-12691	4800	4

Tool set

94 PCS | 1/2" | 1/4" | CrV 50BV30 | CrV 6140 | CrV 6150 | S2 | 72T | AS-DRIVE



1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm);
1/4": 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;

1/2": 14, 15, 17, 19 mm (L=76 mm);
1/4": 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;

1/2" (127, 254 mm); 1/4" (50.8, 101.6 mm); CrV 50BV30;

3/8"(F) x 1/2"(M); CrV 50BV30;

1/4" (150 mm); CrV;

1/2", 1/4"; CrV 50BV30;

1/2": 16, 21 mm; CrV 50BV30;

1/4" (152 mm); CrV 50BV30;

1/2", 1/4"; 72T; CrV 6140;

1/4" (150 mm) ; CrV 50BV30;

5/16": 8, 10, 12, 14 mm (L=30 mm); AISI S2;

5/16": 8, 10, 12 mm (L=30 mm); AISI S2;

5/16": PH3, PH4 (L=30 mm); AISI S2;

5/16": PZ3, PZ4 (L=30 mm); AISI S2;

5/16": T40, T45, T50, T55 (L=30 mm); AISI S2;

1/2"x5/16"; CrV 50BV30; 1/4"x1/4"; CrV 50BV30;

1/4": T8, T10, T15, T20, T25,T30; AISI S2 / CrV 6150;

1/4": 3, 4, 5, 6mm; AISI S2 / CrV 6150;

1/4": PZ1, PZ2; AISI S2 / CrV 6150;

1/4": PH1, PH2; AISI S2 / CrV 6150;

1/4": 4, 5.5, 7mm; AISI S2 / CrV 6150;

1.5, 2, 2.5 mm; CrV 6150



YATO		
YT-12681	5000	2

Tool set

56 PCS | 1/4" 6.3mm | CrV 50BV30 | 72T | CrV 6150 | CrV 6140 | S2 | AS-DRIVE



1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;

1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;

1/4" (6.3 mm): E4, E5, E6, E7, E8, E10; CrV 50BV30;

1/4" (6.3 mm); (76, 152.4 mm); CrV 50BV30;

1/4" (6.3 mm); (150 mm); CrV 6140;

1/4" (6.3 mm); CrV 50BV30;

1/4" (6.3 mm); (152.4 mm);CrV 50BV30;

1/4" (6.3 mm); (155 mm); 72T; CrV 6140;

1/4" (6.3 mm); (150 mm); CrV 50BV30;

1/4" (6.3 mm) (F) x 3/8" (9.5 mm) (M); CrV 50BV30;

1/4" (6.3 mm): 4, 5.5, 6.5 mm (L=37 mm); AISI S2 / CrV 6150;

1/4" (6.3 mm): PH1, PH2, PH3 (L=37 mm); AISI S2 / CrV 6150;

1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=37 mm); AISI S2 / CrV 6150;

1/4" (6.3 mm):T8, T10, T15, T20, T25, T30, T40 (L=37 mm); AISI S2 / CrV 6150;

1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=37 mm); AISI S2 / CrV 6150



YATO		
YT-14501	1/4" (6.3 mm)	10

Tool set

58 PCS | 3/8" | CrV 50BV30 | AS-DRIVE | S2 | 72T | AS-DRIVE



3/8" : 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19, 20, 21, 22, 24 mm (L=30 mm); CrV 50BV30;

3/8": 8, 10, 11, 12, 13, 14, 15, 17, 19 mm (L=63 mm); CrV 50BV30;

3/8" ; (76, 254 mm); CrV 50BV30;

3/8" ; CrV 50BV30;

3/8" : 16, 21 mm; CrV 50BV30;

3/8" ; (200 mm); 72T; CrV 6140;

1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV 50BV30;

3/8" : 5.5, 6.5, 8 mm (L=50 mm); AISI S2 / CrV 6150;

3/8" : PH1, PH2, PH3 (L=50 mm); AISI S2 / CrV 6150;

3/8" : PZ1, PZ2 (L=50 mm); AISI S2 / CrV 6150;

3/8" : T10, T15, T20, T25, T30, T40, T45, T50, T55 (L=50 mm); AISI S2 / CrV 6150;

3/8" : 3, 4, 5, 6, 7, 8, 10 mm (L=50 mm); AISI S2 / CrV 6150



YATO		
YT-3857	3100	6

Tool set

100 PCS | CrV 6140





1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30; 1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30; 1/2" (12.7 mm); (127, 254 mm), 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30; 3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm), 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 40;
1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); 72T; CrV 6140; 1/4" (6.3 mm); (150 mm); CrV 50BV30; 1/2" (12.7 mm) x 5/16" (7.9 mm); CrV 6140; 1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140; 1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140; 1/4" (6.3 mm); (L=60 mm); 5/16" (7.9 mm): 8, 10, 12 mm (L=30 mm); AISI S2; 1/4" (6.3 mm): 4 mm (L=50 mm); AISI S2; 1/4" (6.3 mm): 3, 4, 5.5, 7 mm (L=25 mm); AISI S2; 5/16" (7.9 mm): PH3, PH4 (L=30 mm); AISI S2; 1/4" (6.3 mm): PH1 (L=50 mm); AISI S2; 1/4" (6.3 mm): PH0, PH1, PH2, PH3, (L=25 mm); AISI S2; 5/16" (7.9 mm): PZ3, PZ4 (L=30 mm); AISI S2; 1/4" (6.3 mm): PZ1, PZ2, PZ3 (L=25 mm); AISI S2; 5/16" (7.9 mm): T40, T45, T50, T55 (L=30 mm); AISI S2; 1/4" (6.3 mm): T10, T15, T20, T25, T30 (L=25 mm); AISI S2; 5/16" (7.9 mm): 8, 10, 12, 14 mm (L=30 mm); AISI S2; 1/4" (6.3 mm): 2, 3, 4, 5, 6 mm (L=25 mm); AISI S2; 1.5, 2.0, 2.5 mm; CrV 6150; 3.6V; 5V ⎓ 300mA;



YATO			
YT-12685	1/2"(12.7mm)	1/4"(6.3mm)	2

Tool set

108 PCS | 1/2" | 1/4" | CrV 50BV30 | CrV 6140 | CrV 6150 | S2 | 72T | AS-DRIVE





1/2": 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm);
30;
1/4": 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV
1/2": 14, 15, 17, 19, 22 mm (L=76 mm);
1/4": 6, 7, 8, 9, 10, 11, 12, 13 mm (L=50 mm); CrV 50BV30;
1/2" (127, 254 mm); 1/4" (50.8, 101.6 mm); CrV 50BV30;
1/2", 1/4"; CrV 50BV30;
1/2": 16, 21 mm; CrV 50BV30;
1/4" (152.4 mm); CrV 50BV30;
1/2", 1/4"; 72T; CrV 6140;
1/2"(F) x 5/16"(F);
1/4" (150 mm); CrV 50BV30;
1/4": T8, T10, T15, T20, T25, T27, T30; AISI S2 / CrV 50BV30;
1/4": PH1, PH2; AISI S2 / CrV 50BV30;
1/4": PZ1, PZ2; AISI S2 / CrV 50BV30;
1/4": 4, 5.5, 6.5 mm; AISI S2 / CrV 50BV30;
1/4": 3, 4, 5, 6; AISI S2 / CrV 50BV30;
5/16": PH3, PH4 (L=30 mm); AISI S2;
5/16": PZ3, PZ4 (L=30 mm); AISI S2;
5/16": T40, T45, T50, T55, T60; (L=30 mm); AISI S2;
5/16": 8, 10, 12 mm (L=30 mm); AISI S2;
5/16": 7, 8, 10, 12, 14 mm (L=30 mm); AISI S2;
1/2": E10, E11, E12, E14, E16, E18, E20, E24 mm;
1/4": E4, E5, E6, E7, E8 mm; CrV 6150;
1.5, 2, 2.5 mm; CrV 6150

YATO		
YT-38791	5600	2

Tool set

120 PCS | 1/2" | 3/8" | 1/4" | CrV 50BV30 | CrV 6140 | S2 | METRIC & S.A.E. | 72T | AS-DRIVE





1/2": 20, 21, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm)
3/8": 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 m
1/4": 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
3/8": 13, 14, 15, 17 mm (L=63 mm);
1/4": 8, 9, 10, 12 mm (L=50 mm); CrV 50BV30;
1/2" (127, 254 mm);
3/8" (76, 152.4 mm);
1/4" (50.8 mm); CrV 50BV30;
1/2", 3/8", 1/4"; CrV 50BV30;
3/8": 16, 21 mm; CrV 50BV30;
1/2", 3/8", 1/4"; 72T; CrV 6140;
1/4" (150 mm); CrV 50BV30;
1/4": T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;
1/4"x1/4"; CrV;
3/8": T20, T30, T40, T45, T50, T55, T60; AISI S2 / CrV 50BV30;
3/8": PH1, PH2; AISI S2 / CrV 50BV30;
3/8": PZ1, PZ2; AISI S2 / CrV 50BV30;
3/8": 5.5, 6.5 mm; AISI S2 / CrV 50BV30;
3/8": 3, 4, 5, 6 mm; AISI S2 / CrV 50BV30;
8, 9, 10, 11, 12, 13, 14, 17, 18, 19 mm; CrV;
1/4"x5/32", 1/4"x3/16", 1/4"x7/32", 1/4"x1/4", 1/4"x9/32",
1/4"x5/16", 1/4"x11/32", 1/4"x3/8", 1/4"x7/16", 1/4"x1/2",
3/8"x3/8", 3/8"x7/16", 3/8"x1/2", 3/8"x9/16", 3/8"x5/8",
3/8"x11/16", 3/8"x3/4", 3/8"x13/16", 3/8"x7/8", 1/2"x15/16",
1/2"x1", 1/2"x1-1/16", 1/2"x1-1/4"; CrV 50BV30;
1/2": 17, 19, 21, 23 mm; CrV 50BV30;
3/8": E8, E10, E11, E12, E14, E16, E18, E20 mm; CrV 50BV30

YATO		
YT-38801	7500	2

Tool set

150 PCS | 1/2" | 3/8" | 1/4" | CrV 50BV30 | CrV 6140 | CrV 6150 | S2 | METRIC & S.A.E. | 72T | AS-DRIVE





1/2": 20, 21, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm);
3/8": 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm);
1/4": 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;

1/2": 10, 12, 13, 14, 17, 19 mm (L=76 mm);
3/8": 10, 11, 12, 13, 14, 15 mm (L=63 mm);
1/4": 4, 5, 6, 7, 8, 9 mm (L=50 mm); CrV 50BV30;

1/2" (127, 254 mm);
3/8" (76, 152.4 mm);
1/4" (50.8 mm); CrV 50BV30;

1/2", 3/8", 1/4"; CrV 50BV30;

3/8": 16, 21 mm; CrV 50BV30;

1/2", 3/8", 1/4"; 72T; CrV 6140;

1/4" (150 mm); CrV 50BV30;

1/4": T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;

1/4"x1/4"; CrV;

3/8": 4, 5.5, 6.5 mm; AISI S2 / CrV 50BV30;

3/8": PH1, PH2, PH3; AISI S2 / CrV 50BV30;

3/8": PZ1, PZ2, PZ3; AISI S2 / CrV 50BV30;

3/8": T20, T30, T40, T45, T50, T55, T60; AISI S2 / CrV 50BV30;

3/8": 3, 4, 5, 6, 8, 10 mm; AISI S2 / CrV 50BV30;

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrV;

1/4"x5/32", 1/4"x3/16", 1/4"x7/32", 1/4"x1/4", 1/4"x9/32",
1/4"x5/16", 1/4"x11/32", 1/4"x3/8", 1/4"x7/16", 1/4"x1/2",
3/8"x3/8", 3/8"x7/16", 3/8"x1/2", 3/8"x9/16", 3/8"x5/8",
3/8"x11/16", 3/8"x3/4", 3/8"x13/16", 3/8"x7/8", 1/2"x15/16",
1/2"x1", 1/2"x1-1/16", 1/2"x1-1/4"; CrV 50BV30;

1/2": 17, 19, 21, 23 mm; CrV 50BV30;

3/8": E8, E10, E11, E12, E14, E16, E18, E20 mm; CrV 50BV30;

8x10, 12x13, 17x19 mm;

1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm; CrV 6150

YATO		
YT-38811	9100	2

Tool set

216 PCS | 1/2" | 3/8" | 1/4" | CrV 50BV30 | CrV 6140 | CrV 6150 | S2 | 72T | AS-DRIVE





1/2": 10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 22, 24 mm (L=38 mm);
27, 30, 32 mm (L=42 mm);
3/8": 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm);
17, 18, 19 mm (L=30 mm);
1/4": 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;

1/2": 16, 17, 18, 19, 22 mm (L=76 mm);
3/8": 10, 11, 12, 13, 14, 15 mm (L=63 mm);
1/4": 4, 5, 6, 7, 8, 9, 10 mm (L=50 mm); CrV 50BV30;

1/2" (127, 254 mm); 3/8" (125 mm);
1/4" (50.8, 101.6 mm); CrV 50BV30;

1/2", 3/8", 1/4"; CrV 50BV30;

1/2": 16, 21 mm; 3/8": 18 mm; CrV 50BV30;

1/2" (255 mm); 1/4" (152.4 mm); CrV 50BV30;

1/2", 3/8", 1/4"; 72T; CrV 6140;

1/4" (150 mm); CrV 50BV30;

1/4" (220 mm); CrV 6140;

1/4"x1/4", 3/8"x5/16", 1/2"x5/16"; CrV 6140;

5/16": 5.5, 6, 6.5, 7, 8 mm (L=30 mm); AISI S2;
1/4": 5.5, 6, 6.5, 7, 8 mm (L=25 mm); AISI S2;

5/16": M5, M6, M8, M10 (L=30 mm); AISI S2;
1/4": M5, M6, M8, M10 (L=37 mm); AISI S2;

5/16": T25, T27, T30, T35, 2xT40, T45, T50 (L=30 mm); AISI S2;
1/4": T8, T10,T15,T20,T25(L=20 mm); AISI S2 ,
1/2": T55, T60(L=50 mm); AISI S2 / CrV 6150;

5/16": T27, T30, T35, T40, T45, T50 (L=30 mm); AISI S2;
1/4": T8, 2XT10,2XT15,2XT20,2XT25,T40 (L=25 mm); AISI S2 ;

5/16": PH3, PH4 (L=30 mm); AISI S2;
1/4": PH1, PH2 (L=25 mm); AISI S2;

5/16": PZ3, PZ4 (L=30 mm); AISI S2;
1/4": PZ1, PZ2 (L=25 mm); AISI S2;

5/16": 6, 6.5, 8 mm (L=30 mm); AISI S2;
1/4": 4,5.5,6.5mm (L=25 mm); AISI S2;

1/4": 3, 4, 5, 6 mm (L=25 mm); AISI S2;

1/4": S1, S2 (L=25 mm); AISI S2;

1/4": 4, 6, 8 mm (L=25 mm); AISI S2;

1/4": 6, 8, 10 mm (L=25 mm); AISI S2;

1/4": 1, 2, 3 mm (L=25 mm); AISI S2;

1/2": T55, T60; AISI S2 / CrV 50BV30;
1/4": T25, T27, T30,T35,2xT40,T45,T50 ; AISI S2 / CrV 50BV30;

1/4": T27, T30,T35,T40,T45,T50 ; AISI S2 / CrV 50BV30;

1/4": 5. 5, 6, 6. 5, 7, 8mm ; AISI S2 / CrV 50BV30;

1/4": PZ3, PZ4; AISI S2 / CrV 50BV30;

1/4": PH3, PH4; AISI S2 / CrV 50BV30;

1/4": 6, 6. 5, 8mm; AISI S2 / CrV 50BV30;

8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm; CrV;

1.27, 1.5, 2, 2.5, 3, 4, 5 mm; CrV 6150

1/2": E20, E22, E24;
3/8": E10, E11, E12, E14, E16, E18;
1/4": E4, E5, E6, E7, E8, CrV 6150

YATO		
YT-38841	9100	2

Tool set

128 PCS | 1/2" | 3/8" | 1/4" | 12.5 mm | 10 mm | 6.3 mm | CrV 50BV30 | CrV 6140 | CrV 6150 | S2 | 72T | AS-DRIVE





1/2" (12.7 mm): 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm), 3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18 mm (L=30 mm), 1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;

1/2" (12.7 mm): 17, 18, 19, 22 mm (L=76 mm), 3/8" (9.5 mm): 8, 10, 12, 13, 14, 15 mm (L=63 mm), 1/4" (6.3 mm): 6, 7, 8, 10, 12, 13 mm (L=50 mm); CrV 50BV30;

1/2" (12.7 mm); (150, 250 mm), 3/8" (9.5 mm); (150, 250 mm), 1/4" (6.3 mm); (50, 100 mm); CrV 50BV30;

1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;

1/2" (12.7 mm): 16, 21 mm; CrV 50BV30;

3/8" (9.5 mm); (198 mm), 1/4" (6.3 mm); (152.4 mm); CrV 50BV30;

1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); 72T; CrV 6140;

1/4" (6.3 mm); (150 mm); CrV 50BV30;

1/2" (12.7 mm); (250 mm); CrV 50BV30;

1/2" (12.7 mm) x 5/16" (7.9 mm), 3/8" (9.5 mm) x 1/4" (6.3 mm); CrV 6140;

3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;

1/4" (6.3 mm) x 1/4" (6.3 mm); CrV;

3/8" (9.5 mm) x 5/16" (7.9 mm); CrV 50BV30;

5/16" (8 mm): 6, 7, 8, 10, 12 mm (L=70 mm); AISI S2 / CrV 6150;

1/4" (6.3 mm): T8, T10 (L=25 mm), 3/8" (9.5 mm): T20, T30, T40, T45, T50, T55 (L=70 mm); AISI S2 / CrV 6150;

5/16" (8 mm): PH1, PH2, PH3 (L=70 mm); AISI S2 / CrV 6150;

1/4" (6.3 mm): PZ1, PZ2 (L=25 mm); AISI S2 / CrV 6150;

5/16" (8 mm): 5.5, 6.5 mm (L=70 mm); AISI S2 / CrV 6150;

1/4" (6.3 mm): PH1, PH2; AISI S2 / CrV 50BV30;

1/4" (6.3 mm): 4.0, 5.5, 6.5 mm; AISI S2 / CrV 50BV30;

1/4" (6.3 mm): 3, 4, 5, 6 mm; AISI S2 / CrV 50BV30;

1/4" (6.3 mm): T8, T10, T15, T20, T25, T30, T40; AISI S2 / CrV 50BV30;

8, 10, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrV;

1.5, 2, 2.5 mm; CrV 6150;

1/2" (12.7 mm): 17, 19, 21, 22 mm;
CrV 50BV30;

3/8" (9.5 mm): E8, E10, E11, E12, E14, E16; CrV 50BV30

YATO		
YT-38872	9100	2

Tool set

129 PCS | 1/2" | 3/8" | 1/4" | CrV 6150 | CrV 6140 | CrV 50BV30 | 12.5 mm | 10 mm | 6.3 mm | S2 | SVCM 55 | 72T | AS-DRIVE | CrV 55



- 1/2" (12,5 mm): 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); 3/8" (10 mm): 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm); 1/4" (6,3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
- 1/2" (12,5 mm): 10, 12, 13, 14, 17, 19 mm (L=76 mm); 1/4" (6,3 mm): 4, 5, 6, 7, 8, 9 (L=50 mm); CrV 50BV30;
- 3/8": 16, 21 mm; CrV 50BV30;
- 1/2" (12,5 mm) (L=127, 254 mm); 3/8" (10 mm) (L=76, 152 mm); 1/4" (6,3 mm) (L=50 mm); CrV 50BV30;
- 1/2" (12,5 mm); 3/8" (10 mm); 1/4" (6,3 mm); CrV 50BV30;
- 1/4" (L=150 mm); CrV 50BV30;
- 1/2" (12,5 mm); 3/8" (10 mm); 1/4" (6,3 mm); 72T; CrV 6140;
- 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm; CrV;
- 3/8" (10 mm): 4.0, 5.5, 6.5 mm; AISI S2 / CrV 50BV30;
- 3/8" (10 mm): PH1, PH2, PH3; AISI S2 / CrV 50BV30;
- 3/8" (10 mm): PZ1, PZ2, PZ3; AISI S2 / CrV 50BV30;
- 3/8" (10 mm): T20, T30, T40, T45, T50, T55, T60; AISI S2 / CrV 50BV30;
- 3/8" (10 mm): 3, 4, 5, 6, 8, 10 mm; AISI S2 / CrV 50BV30;
- 3x75, 4x100, 6.5x150, PH1x75, PH2x100, PH3x150 mm; SVCM55;
- 180 mm; CrV 55;
- 160 mm; CrV 55;
- 160 mm; CrV 55;
- 1/2" (12,5 mm): 17, 19, 21, 23 mm; CrV 50BV30;
- 3/8" (10 mm): E8, E10, E11, E12, E14, E16, E18, E20; CrV 50BV30;
- 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm; CrV 6150



YATO		
YT-38881	12000	2

Tool set

109 PCS | 1/2" | 3/8" | 1/4" | CrV 6140 | CrV 50BV30 | CrV 55 | 12.5 mm | 10 mm | 6.3 mm | S2 | SVCM 55 | 72T | AS-DRIVE



- 1/2" (12,5 mm): 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); 1/4" (6,3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
- 1/2" (12,5 mm): 10, 12, 13, 14, 17, 19 mm (L=76 mm); 1/4" (6,3 mm): 4, 5, 6, 7, 8, 9 (L=50 mm); CrV 50BV30;
- 1/2" (12,5 mm); 1/4"(6,3 mm); CrV 50BV30;
- 1/2" (12,5 mm) (L=254 mm); 1/4" (6,3 mm) (L=150 mm); CrV 50BV30;
- 1/2" (12,5 mm); 1/4" (6,3 mm); CrV 50BV30;
- 1/2" (12,5 mm): 16, 21 mm; CrV 50BV30;
- 1/2" (12,5 mm); 1/4" (6,3 mm); 72T; CrV 6140;
- 1/4" (6,3 mm) (L=150 mm); CrV 50BV30;
- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrV;
- 8x10, 12x13, 17x19 mm; CrV;
- 1/4" (6,3 mm): 4.0, 5.5, 6.5 mm; AISI S2 / CrV 50BV30;
- 1/4" (6,3 mm): PH1, PH2, PH3; AISI S2 / CrV 50BV30;
- 1/4" (6,3 mm): PZ2, PZ3; AISI S2 / CrV 50BV30;
- 1/4" (6,3 mm): T8, T10, T15, T20, T25; AISI S2 / CrV 50BV30;
- 1/4" (6,3 mm): T10, T15, T20, T25, T40; AISI S2 / CrV 50BV30;
- 1/4" (6,3 mm): 3, 4, 5, 6 mm; AISI S2 / CrV 50BV30;
- 3x75, 4x100, 6.5x150, PH1x75, PH2x100, PH3x150 mm; SVCM55;
- 180 mm; CrV 55
- 160 mm; CrV 55;
- 1/2" (12,5 mm): E10, E12, E14, E16, E18, E20, E22, E24; CrV 50BV30;
- 300 g;
- 8x9, 10x11, 12x13, 14x15 mm; CrV



YATO		
YT-38891	10000	2

Tool set

122 PCS | 1/2" | 3/8" | 1/4" | CrV 6150 | CrV 6140 | CrV 50BV30 | CrV 55 | 12.5 mm | 10 mm | 6.3 mm | S2 | SVCM 55 | 72T | AS-DRIVE



- 1/2" (12,5 mm): 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); 1/4" (6,3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm), CrV 50BV30;
- 1/2" (12,5 mm): 10, 12, 13, 14, 17, 19 mm (L=76 mm); 1/4" (6,3 mm): 4, 5, 6, 7, 8, 9 (L=50 mm); CrV 50BV30;
- 1/2" (12,5 mm); 1/4" (6,3 mm); CrV 50BV30;
- 1/4" (6,3 mm)x1/4" (6,3 mm); CrV
- 1/2" (12,5 mm) (L=254 mm); 1/4" (6,3 mm) (L=150 mm); CrV 50BV30;
- 1/2" (12,5 mm); 1/4" (6,3 mm); CrV 50BV30;
- 1/2" (12,5 mm): 16, 21 mm; CrV 50BV30;
- 1/2" (12,5 mm); 1/4" (6,3 mm); 72T; CrV 6140;
- 1/4" (6,3 mm) (L=150 mm); CrV 50BV30;
- 1/4" (6,3 mm): PH0, PH1, PH2 (L=25 mm); AISI S2 / CrV 6150;
- 1/4" (6,3 mm): PZ0, PZ1, PZ2 (L=25 mm); AISI S2 / CrV 6150;
- 1/4" (6,3 mm): 3, 4, 5, 6 mm (L=25 mm); AISI S2 / CrV 6150;
- 1/4" (6,3 mm): 4.0, 5.5, 6.5 mm; AISI S2 / CrV 50BV30;
- 1/4" (6,3 mm): PH1, PH2, PH3; AISI S2 / CrV 50BV30;
- 1/4" (6,3 mm): PZ2, PZ3; AISI S2 / CrV 50BV30;
- 1/4" (6,3 mm): T8, T10, T15, T20, T25; AISI S2 / CrV 50BV30;
- 1/4" (6,3 mm): T10, T15, T20, T25, T40; AISI S2 / CrV 50BV30;
- 1/4" (6,3 mm): 3, 4, 5, 6 mm; AISI S2 / CrV 50BV30;
- 180 mm; CrV 55
- 160 mm; CrV 55;
- 160 mm; CrV 55;
- 250 mm; CrV;
- 4x100, 6.5x150, PH2x100, PH3x150 mm; SVCM55;
- 300 g;
- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; CrV;
- 1/2" (12,5 mm): E10, E12, E14, E16, E18, E20, E22, E24; CrV 50BV30;
- 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm; CrV 6150



YATO		
YT-38901	10000	2

Tools sets

79 PCS | 1/2" | 1/4" | CrV 50BV30 | CrV 6140 | CrV 55
AS-DRIVE | 12.5 mm | 6.3 mm | SVCM 55 | S2 | 72T





1/2" (12,5 mm): 10, 11, 12, 13, 14, 16, 17, 19, 22, 24, 26 mm (L=38 mm); 27, 30, 32 mm (L=42 mm);
1/4" (6,3 mm): 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/2" (12,5 mm): 10, 11, 12, 13, 14, 17, 19 mm (L=76 mm); CrV 50BV30;
1/2" (12,5 mm) (430 mm); CrV 50BV30;
1/2" (12,5 mm) (L=125 mm); 1/4" (6,3 mm) (L=50 mm); CrV 50BV30;
1/2" (12,5 mm); CrV 50BV30;
1/2" (12,5 mm): 16, 21 mm; CrV 50BV30;
1/2" (12,5 mm), 1/4" (6,3 mm); 72T; CrV 6140;
1/4" (6,3 mm) (L=150 mm); CrV 50BV30;
6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 17, 19, 22, 24 mm; CrV;
2.0x40, 2.4x75 mm, S2;
3.0x75, 4.0x100, 6.5x100, 8.0x150 mm; SVCM55;
PH0x75 mm; S2;
PH1x75, PH2x100 mm; SVCM55;
180 mm; CrV 55;
160, 200 mm; CrV 55;
160 mm; CrV 55;
250 mm; CrV;
300 g;
300 mm;
180 mm; CrMo;
120 mm; CrV 60;
2.5, 3, 4, 5, 6, 8, 10 mm; CrV
SK5;

YATO		
YT-38911	12000	2

Tools sets

224 PCS | 1/2" | 3/8" | 1/4" | S2 | CrV 50BV30
12.5 mm | 10 mm | 6.3 mm | 72T | CrV 6150
METRIC & S.A.E. | MAGNETIC | AS-DRIVE | CrV 6140





1/2" (12.5 mm): 10, 13, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm);
3/8" (10 mm): 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm);
1/4" (6.3 mm): 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm);
CrV 50BV30;
1/2" (12.5 mm): 10, 11, 12, 13, 14, 15, 17, 19, 21 mm (L=76 mm);
3/8" (10 mm): 6, 7, 8, 9, 10 mm (L=63 mm); CrV 50BV30;
1/2" (12.5 mm): 7/16" (11.1 mm), 1/2" (12.7 mm), 9/16" (14.3 mm), 5/8" (15,9 mm), 11/16" (17.5 mm), 3/4" (19.0 mm), 13/16" (20.6 mm), 7/8" (22.2 mm);
1/4" (6.3 mm): 1/4" (6.3 mm), 9/32" (7.1 mm), 5/16" (7.9 mm), 11/32" (8.7 mm), 3/8" (9.5 mm); CrV 50BV30;
1/2" (12.5 mm): E16, E18, E20, E22, E24; 3/8" (10 mm): E10, E11, E12, E14; 1/4" (6.3 mm): E4, E5, E6, E7, E8; CrV 50BV30;
1/2" (12.5 mm): 17, 19, 21 mm; CrV 50BV30;
1/2" (12.5 mm); 3/8" (10 mm); CrV 50BV30;
1/4" (6.3 mm); CrV 50BV30;
1/2" (12.5 mm): 16, 21 mm; 3/8" (10 mm): 18 mm; CrV 50BV30;
1/2" (12.5 mm); 3/8" (10 mm); 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.5 mm) x 5/16" (8 mm); 3/8" (10 mm) x 5/16" (8 mm); 3/8" (10 mm) x 1/4" (6.3 mm); 1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/2" (12.5 mm) (125, 250 mm); (10 mm) (75, 250 mm); 1/4" (6.3 mm) (50, 100 mm); CrV 50BV30;
1/2" (12.5 mm); 3/8" (10 mm); 1/4" (6.3 mm); 72T; CrV 6140;
1/4" (6.3 mm) (150 mm); CrV 50BV30;
1/4" (6.3 mm); 1/4" (6.3 mm) (L=60 mm);
3/8" (10 mm) x 1/4" (6.3 mm) (L=50 mm); 1/4" (6.3 mm) x 1/4" (6.3 mm) (L=50 mm); 1/4" (6.3mm) x 1/4" (6.3mm) (L=25mm); CrV
1/4" (6.3 mm): 3, 4, 5.5, 6.5, 7, 8, 9 mm (L=25 mm); AISI S2; 5/16" (8 mm): 8, 10 mm (L=30 mm); AISI S2;
1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm); AISI S2; 5/16" (8 mm): PH3, PH4 (L=30 mm); AISI S2;
1/4" (6.3 mm): PZ0, PZ1, PZ2, PZ3 (L=25 mm); AISI S2; 5/16" (8 mm): PZ3, PZ4 (L=30 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm (L=25 mm); AISI S2; 5/16" (8 mm): 10, 12, 14 mm (L=30 mm); AISI S2;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30 (L=25 mm); AISI S2; 5/16" (8 mm): T40, T45, T50, T55, T60, T70 (L=30 mm); AISI S2;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30 (L=25 mm); AISI S2; 5/16" (8 mm): T40, T45, T50, T55, T60, T70 (L=30 mm); AISI S2;
5/16" (8 mm): T20, T25, T27, T30, T40, T45, T50, T55 (L=75 mm); AISI S2;
1/4" (6.3 mm): 4, 6, 8, 10 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): 4, 5, 6, 7, 8 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): TW1, TW2, TW3, TW4 (L=25 mm); AISI S2;
1/4" (6.3 mm): 6, 8, 10 mm (L=25 mm); AISI S2;
1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; (L=25 mm); AISI S2;
8, 9, 10, 11, 12, 13, 14, 15,17, 19, 22 mm,-CrV,-
6x38, PH2x38; SVCM55;
180 mm; CrV 55;
250 mm; CrV;
2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 mm; CrV 6150

YATO		
YT-38941	14000	2

Tools sets

173 PCS | 1/2" | 3/8" | 1/4" | S2 | CrV 50BV30
12.5 mm | 10 mm | 6.3 mm | 72T | CrV 6150
METRIC & S.A.E. | MAGNETIC | AS-DRIVE | CrV 6140






1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm);
17, 18, 19 mm (L=30 mm), 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 16, 17, 18, 19, 22 mm (L=76 mm),
3/8" (9.5 mm): 10, 11, 12, 13, 14, 15 mm (L=63 mm),
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10 mm (L=50 mm); CrV 50BV30;
1/2" (12.7 mm): E18, E20, E24, 3/8" (9.5 mm): E10, E11, E12, E14, E16, 1/4" (6.3 mm): E4, E5, E6, E7, E8; CrV 6150;
1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (152.4 mm), 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm);CrV 50BV30;
1/2" (12.7 mm): 16, 21 mm, 3/8" (9.5 mm): 18 mm; CrV 50BV30;
1/4" (6.3 mm); (152.4 mm); CrV 40;
1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm);(200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/2" (12.7 mm) x 5/16" (7.9 mm), 3/8" (9.5 mm) x 5/16" (7.9 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
5/16" (7.9 mm): 8, 10, 12 mm (L=30 mm); AISI S2;
5/16" (7.9 mm): PH3, PH4 (L=30 mm); AISI S2;
5/16" (7.9 mm): PZ3, PZ4 (L=30 mm); AISI S2;
5/16" (7.9 mm): T40, T45, T50, T55, T60, T70 (L=30 mm); AISI S2;
5/16" (7.9 mm): T40, T45, T50, T55, T60, T70 (L=30 mm); AISI S2;
5/16" (7.9 mm): 7, 8, 10, 12, 14 mm (L=30 mm); AISI S2;
1/4" (6.3 mm): T5, T6, T7 (L=25 mm); AISI S2;
1/4" (6.3 mm): T7, T10, T15, T20, T25, T27, T30, T40, T45 (L=25 mm); AISI S2;
1/4" (6.3 mm): M5, M6, M8 (L=25 mm); AISI S2;
1/4" (6.3 mm): RM5, RM6, RM7, RM8, RM9 (L=25 mm); AISI S2;
1/4": (6.3 mm) 4, 5.5, 6.5, 7 mm (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): PH0, PH1, PH2 (L=37 mm); AISI S2 / CrV 6150;
1/4": (6.3 mm) PZ0, PZ1, PZ2 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30 (L=37 mm); AISI S2 / CrV 6150;
1/4" (6.3 mm): 3, 4, 5, 6 mm (L=37 mm); AISI S2 / CrV 6150;
1.25, 1.5, 2, 2.5, 3, 4, 5 mm; CrV 6150

YATO		
YT-38931	7500	2

Brushless cordless power drill set





1/4" (6.3 mm): 2, 4, 6.5 mm (L=25 mm); S2;
1/4" (6.3 mm): PH0, 2 x PH1, 2 x PH2, PH3 (L=25 mm); S2;
1/4" (6.3 mm): 2 x PZ1, 2 x PZ2, PZ3 (L=25 mm); S2;
1/4" (6.3 mm): T10, T15, T20, T25, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6, 8 mm (L=25 mm); S2;
1/4" (6.3 mm): 0, 1, 2, 3 (L=25 mm); S2;
1/4" (6.3 mm): 1, 2, 3, 4 mm (L=25 mm); S2;
1/4" (6.3 mm): 6, 8, 10 mm (L=25 mm); S2;
1/4" (6.3 mm): 4, 6, 8, 10 mm (L=25 mm); S2;
1/4" (6.3 mm): M5, M6, M8 (L=25 mm); S2;
1/4" (6.3 mm): C1, C2, C3 (L=25 mm); S2;
1/4" (6.3 mm); (L=70 mm); CrV;
1/4" (6.3 mm); CrV; HSS 4241; Ø 0-6, 1-8, 2-10, 3-12, 4-14 mm;
200 mm
HSS 4241; Ø 6, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38 mm; Ø 4, 6, 8, 10, 12, 14, 16, 18, 20, 22 mm;
HSS; 40mm; Ø 6.3, 8.3, 10.4, 12.4 mm; 45mm; Ø 16.5, 20.5 mm;
HSS 4241; HRC 58-52; Ø 3, 4, 5, 6, 6.5, 7, 8, 9, 10, 11, 12, 13 mm;
YG6X; HRC 89-91; Ø 4, 5, 6, 8, 10 mm;
HS6542; DIN338; Ø 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 12, 13 mm;
HSSM2; M3, M4, M5, M6, M8, M10








YATO	
YT-44250	1

Cordless power drill set





3 m x16 mm;
9 mm;
230mm
180 mm; CrV 55
1/4" (220 mm); CrV 6140;
12-220V
8 oz

1/4" (6.3 mm): 2, 4, 6.5 mm (L=25 mm); S2;
1/4" (6.3 mm): PH0, 2 x PH1, 2 x PH2, PH3 (L=25 mm); S2;
1/4" (6.3 mm): 2 x PZ1, 2 x PZ2, PZ3 (L=25 mm); S2;
1/4" (6.3 mm): T10, T15, T20, T25, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6, 8 mm (L=25 mm); S2;
1/4" (6.3 mm): 0, 1, 2, 3 (L=25 mm); S2;
1/4" (6.3 mm): 1, 2, 3, 4 mm (L=25 mm); S2;
1/4" (6.3 mm): 6, 8, 10 mm (L=25 mm); S2;
1/4" (6.3 mm): M5, M6, M8 (L=25 mm); S2;
1/4" (6.3 mm): C1, C2, C3 (L=25 mm); S2;
1/4" (6.3 mm); (L=70 mm); CrV;
1/4" (6.3 mm); CrV; HSS 4241; Ø 0-6, 1-8, 2-10, 3-12, 4-14 mm;
200 mm








YATO	
YT-44251	1

Brushless cordless power drill set





3 m x16 mm;
9 mm;
230mm
180 mm; CrV 55
1/4" (220 mm); CrV 6140;
12-220V
8 oz

1/4" (6.3 mm): 2, 4, 6.5 mm (L=25 mm); S2;
1/4" (6.3 mm): PH0, 2 x PH1, 2 x PH2, PH3 (L=25 mm); S2;
1/4" (6.3 mm): 2 x PZ1, 2 x PZ2, PZ3 (L=25 mm); S2;
1/4" (6.3 mm): T10, T15, T20, T25, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6, 8 mm (L=25 mm); S2;
1/4" (6.3 mm): 0, 1, 2, 3 (L=25 mm); S2;
1/4" (6.3 mm): 1, 2, 3, 4 mm (L=25 mm); S2;
1/4" (6.3 mm): 6, 8, 10 mm (L=25 mm); S2;
1/4" (6.3 mm): 4, 6, 8, 10 mm (L=25 mm); S2;
1/4" (6.3 mm): M5, M6, M8 (L=25 mm); S2;
1/4" (6.3 mm): C1, C2, C3 (L=25 mm); S2;
1/4" (6.3 mm); (L=70 mm); CrV;
1/4" (6.3 mm); CrV; HSS 4241; Ø 0-6, 1-8, 2-10, 3-12, 4-14 mm;
200 mm







YATO	
YT-44252	1

Tools sets

126 PCS | 1/2" 12.5mm | 3/8" 10mm | 1/4" 6.3mm | CrMo 440
CrV 50BV30 | S2 | 72T | AS-DRIVE | CrV 6140

with magnetic 

Sparking plugs socket with magnetic, it can suck the plug, taken out easily and without falling down



Flare nut wrench 8-12mm



Adding adapter,can use for 1/2" extension bar



Dual-use oil filter wrench,can fit both 3/8" and 1/2"



7mm socket bit,for removing the brake cylinder screw of VW car



Slip joint pliers,can use for removing screw,and replace of pipe wrench



- 1/2" (12.7 mm): 20, 21, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); 3/8" (9.5 mm): 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm); 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
- 3/8" (9.5 mm): 13, 14, 15, 17 mm (L=63 mm); 1/4" (6.3 mm): 8, 9, 10, 12 mm (L=50 mm); CrV 50BV30;
- 3/8" (9.5 mm): E8, E10, E11, E12, E14, E16, E18, E20; CrV 6150;
- 1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (76, 152.4 mm), 1/4" (6.3 mm); (50.8 mm); CrV 50BV30;
- 1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
- 3/8" (9.5 mm): 16, 21 mm; CrV 50BV30;
- 1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M), 3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M), 3/8" (9.5 mm) (F) x 1/4" (6.3 mm) (M); CrV 50BV30;
- 3/8" (9.5 mm) (M) x 1/2" (12.7 mm) (F);
- 1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm); (200 mm), 1/4" (6.3 mm); (155 mm); 72T; CrMo 440;
- 1/4" (6.3 mm); (150 mm); CrV 50BV30;
- 1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30; L=140mm;
- 1/4" (6.3 mm): 4.0, 5.0, 6.5; AISI S2;
- 1/4" (6.3 mm): PH1, PH3; AISI S2;
- 1/4" (6.3 mm): Pz1, PZ2; AISI S2;
- 1/4" (6.3 mm): T10, T15, T20, T25, T27, T30, T40 (L=25 mm); AISI S2;
- 1/4" (6.3 mm): 3.0, 4.0, 5.0, 6.0; AISI S2;
- 6x100mmCrV2x100mm; S2;
- 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0 mm; S2;
- 3/8" (9.5 mm): 5.5, 6.5 mm (L=50 mm); AISI S2 / CrV 50BV30;
- 3/8" (9.5 mm): PH1, PH2 x2 (L=50 mm); AISI S2 / CrV 50BV30;
- 3/8" (9.5 mm): T20, T30, T40 ; AISI S2 / CrV 50BV30;
- 3/8" (9.5 mm): T45, T50, T55, T60 (L=50 mm); AISI S2 / CrV 50BV30;
- 3/8" (9.5 mm): 3, 4, 5, 6, 7 mm (L=50 mm); AISI S2 / CrV 50BV30;
- 1/2" (9.5mm)T52 (L=125mm); AISI S2 / CrV 50BV30;
- 8, 10, 12, 13, 14, 16, 17, 18, 19 mm; CrV;
- 8x10mm(L=140mm); 11x12mm(L=160mm); CrV 6140;
- L=160mm;

- 3/8"(10.0mm);
- 1/2"(12.5mm);
- 63-120mm; CrV;




YATO		
YT-38875	9600g	2



Hexagonal deep impact socket

3/8" CrMo SCM-440 AS-DRIVE








- cold forged
- surface: black phosphated

YATO	A (mm)	D1 (mm)	D2 (mm)	L (mm)	t (mm)	
YT-3770	6	12.0	18.0	63	3	18/216
YT-3771	7	13.0	18.0	63	4	18/216
YT-3772	8	14.5	18.0	63	4	18/216
YT-3773	9	15.8	18.0	63	4	18/216
YT-3774	10	16.0	18.0	63	5	18/216
YT-3775	11	17.5	18.0	63	5	18/216
YT-3776	12	19.0	19.0	63	6	18/216
YT-3777	13	20.0	22.0	63	6	16/192
YT-3778	14	21.0	22.0	63	7	16/192
YT-3779	15	22.0	22.0	63	7	12/144
YT-3780	16	24.0	22.0	63	8	12/144
YT-3781	17	25.0	22.0	63	9	12/144
YT-3782	18	26.0	26.0	63	9	12/144
YT-3783	19	19.0	27.5	63	9.5	12/144
YT-3784	20	20.0	28.0	63	10	6/72
YT-3785	21	21.0	30.0	63	10	6/72
YT-3786	22	22.0	32.0	63	10	5/60
YT-3787	23	23.0	33.0	63	11	5/60
YT-3788	24	24.0	34.0	63	12	5/60

Impact adapter

3/8" CrMo SCM-440








- cold forged
- surface: black phosphated

YATO	A	B	D (mm)	L (mm)	
YT-3790	3/8"(F)	1/4"(M)	22	32	32/384
YT-3791	3/8"(F)	1/2"(M)	24	54	20/240

Hexagonal impact socket

3/8" CrMo SCM-440 AS-DRIVE








- cold forged
- surface: black phosphated

YATO	A (mm)	D1 (mm)	D2 (mm)	L (mm)	t (mm)	
YT-3750	6	12	18	30	3	36/432
YT-3751	7	13	18	30	4	36/432
YT-3752	8	14.5	18	30	4	36/432
YT-3753	9	15	18	30	4	36/432
YT-3754	10	16	18	30	5	36/432
YT-3755	11	17.5	18	30	5	36/432
YT-3756	12	19	19	30	6	36/432
YT-3757	13	20	22	30	6	32/384
YT-3758	14	21	22	30	7	32/384
YT-3759	15	22	22	30	7	24/288
YT-3760	16	24	22	30	8	24/288
YT-3761	17	25	22	30	9	24/288
YT-3762	18	26	22	30	9	16/192
YT-3763	19	27.5	22	30	9.5	16/192
YT-3764	20	28	22	30	10	16/192
YT-3765	21	30	22	30	10	16/192
YT-3766	22	32	22	30	10	16/192
YT-3767	23	33	22	30	11	16/192
YT-3768	24	34	22	30	12	16/192

Impact universal joint

3/8" CrMo SCM-440









- cold forged
- surface: black phosphated

YATO		D1 (mm)	D2 (mm)	L (mm)	
YT-3792	3/8"(F)	27	12.7	50	12/144

Impact extension bar

3/8" | CrMo SCM-440





- cold forged
- surface: black phosphated

YATO	○	D1 (mm)	D2 (mm)	L (mm)	
YT-3793	3/8"(F)	19.0	12.3	75	22/264
YT-3794	3/8"(F)	19.0	12.3	150	12/144
YT-3795	3/8"(F)	19.0	12.3	250	20/80

Hexagonal impact socket set

1/2" | 10 PCS | CrMo SCM-440 | AS-DRIVE





10, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm;
L=39 mm

- cold forged
- surface: black phosphated

YATO	○	
YT-1025	1/2"	20

Hexagonal deep impact socket set

1/2" | CrMo SCM-440 | 11 PCS | AS-DRIVE





10, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm;
L=78 mm


- cold forged
- surface: black phosphated

YATO	○	
YT-1054	1/2"	10

Hexagonal impact socket

1/2" | CrMo SCM-440 | AS-DRIVE





COLOR BOX



- cold forged
- surface: black phosphated

YATO	○ A (mm)	D1 (mm)	D2 (mm)	L (mm)	t (mm)	
YT-1000	10	17.5	25.0	39	5	60/240
YT-1001	11	18.5	25.0	39	5	60/240
YT-1002	12	20.0	25.0	39	6	60/240
YT-1003	13	21.0	25.0	39	6	60/240
YT-1004	14	22.5	25.0	39	7	60/240
YT-1005	15	23.5	30.0	39	7	40/160
YT-1006	16	24.0	30.0	39	8	40/160
YT-1007	17	26.0	30.0	39	9	40/160
YT-1008	18	27.5	30.0	39	9	40/160
YT-1009	19	28.0	30.0	39	9.5	40/160
YT-1010	20	30.0	30.0	39	10	40/160
YT-1011	21	30.0	30.0	39	11	40/160
YT-1012	22	32.0	30.0	39	11	30/120
YT-1013	23	32.0	30.0	39	13	30/120
YT-1014	24	34.0	30.0	43	13	30/120
YT-1015	25	35.0	30.0	43	13	30/120
YT-1016	26	38.0	30.0	43	13	24/96
YT-1017	27	38.0	30.0	43	13	24/96
YT-1018	28	40.0	30.0	48	14	24/96
YT-1019	29	41.0	30.0	48	16.5	22/88
YT-1020	30	42.0	30.0	48	16.5	24/96
YT-1022	32	44.0	30.0	48	17	20/80

Hexagonal deep impact socket

1/2" | CrMo SCM-440 | AS-DRIVE





- cold forged
- surface: black phosphated

YATO	○ A (mm)	D1 (mm)	D2 (mm)	L (mm)	t (mm)	
YT-1030	10	17.5	24.0	78	5	30/120
YT-1031	11	18.5	24.0	78	5	30/120
YT-1032	12	20.0	24.0	78	6	30/120
YT-1033	13	21.0	24.0	78	6	30/120
YT-1034	14	22.0	24.0	78	7	30/120
YT-1035	15	23.7	24.0	78	7	30/120
YT-1036	16	24.0	24.0	78	8	30/120
YT-1037	17	26.0	26.0	78	9	25/100
YT-1038	18	28.0	28.0	78	9	24/96
YT-1039	19	28.0	28.0	78	9.5	24/96
YT-1040	20	30.0	30.0	78	10	20/80
YT-1041	21	30.0	30.0	78	11	20/80
YT-1042	22	32.0	30.0	78	11	18/72
YT-1043	23	32.0	30.0	78	13	15/60
YT-1044	24	34.0	30.0	78	13	15/60
YT-1045	25	35.0	30.0	78	13	15/60
YT-1046	26	38.0	30.0	78	13	12/48
YT-1047	27	38.0	30.0	78	13	12/48
YT-1048	28	40.0	30.0	78	14	12/48
YT-1049	29	41.0	30.0	78	16.5	10/40
YT-1050	30	42.0	30.0	78	16.5	10/40
YT-1052	32	44.0	30.0	78	17	10/40

Hexagonal deep impact socket set

1/2" | CrMo SCM-440 | 15 PCS | AS-DRIVE







10, 12, 13, 14, 15, 16, 17, 18, 19, 21,
22, 24, 27, 30, 32 mm; L=78 mm

- cold forged
- surface: black phosphated

YATO	○	
YT-1055	1/2"	4






Impact extension bar

1/2" CrMo SCM-440





COLOR BOX




- cold forged
- surface: black phosphated

YATO	○	D1 (mm)	D2 (mm)	L (mm)	
YT-1060	1/2" (12.7 mm)	17.5	25.0	75	40/160
YT-1061	1/2" (12.7 mm)	18.5	25.0	125	28/112
YT-1062	1/2" (12.7 mm)	20.0	25.0	250	30/60

Impact universal joint

1/2" CrMo SCM-440





COLOR BOX




- cold forged
- surface: black phosphated

YATO	○	D1 (mm)	D2 (mm)	L (mm)	
YT-1064	1/2" (12.7 mm)	31	17	63	25/100

Impact adapter

1/2" CrMo SCM-440





COLOR BOX




- cold forged
- surface: black phosphated

YATO	○A	○B	D (mm)	L (mm)	
YT-10670	1/2" (F)	3/8" (M)	22	36	24/192
YT-1067	1/2" (F)	3/4" (M)	30	48	40/160


Hexagonal impact socket

1/2" CrV AS-DRIVE

COLOR BOX







- cold forged
- surface: black phosphated

YATO	○A (mm)	D1 (mm)	D2 (mm)	L (mm)	
YT-1781	9	15.5	24.0	38	12/240
YT-1783	11	18.0	24.0	38	12/240
YT-1788	16	24.0	24.0	38	12/240
YT-1792	20	30.0	30.0	38	12/144

Hexagonal impact socket protect cover



COLOR BOX




- spare part for YT-1037S

YATO	thickess	L (mm)	
YT-1037S1	1.4mm	59	6/40

Hexagonal impact socket

5/8" CrMo SCM-440 AS-DRIVE





COLOR BOX




- cold forged
- surface: black phosphated

YATO	○	D1 (mm)	D2 (mm)	L (mm)	
YT-1037S	17	29	35.0	113	6/40

Hexagonal impact socket

3/4" CrMo SCM-440 AS-DRIVE







- cold forged
- surface: black phosphated

YATO	○A (mm)	D1 (mm)	D2 (mm)	L (mm)	t (mm)	
YT-1081	18	31	40	50	8.5	16/64
YT-1070	19	32	40	50	9.5	16/64
YT-1071	21	35	40	50	10	16/64
YT-1072	22	38	40	50	10	16/64
YT-1073	23	38	40	50	13	16/64
YT-1074	24	40	40	50	12	16/64
YT-1075	25	40	40	50	13	16/64
YT-1076	26	40	40	50	13	16/64
YT-1077	27	42	42	53	13	16/64
YT-1078	28	44	44	53	14	16/64
YT-1079	29	46	44	53	16.5	12/48
YT-1080	30	46	44	53	16.5	12/48
YT-1082	32	48	44	56	16.5	12/48
YT-1083	33	48	44	56	17	8/32
YT-1084	34	50	44	56	17	8/32
YT-1085	35	50	44	56	17	6/24
YT-1086	36	52	44	56	19	6/24
YT-1088	38	56	44	57	22	6/24
YT-1091	41	60	44	57	22	5/20
YT-1092	42	61	44	57	22	4/16
YT-1093	43	63	44	57	22	4/16
YT-1096	46	66	44	62	25.5	3/12
YT-1098	48	68	44	67	26	3/12
YT-1100	50	71	54	72	27	3/12
YT-1102	52	74	54	72	28	2/8
YT-1105	55	78	54	74	30	2/8
YT-1110	60	84	54	74	33	2/8

Hexagonal impact socket set

3/4" 8 PCS CrMo SCM-440 AS-DRIVE





22, 24 mm (L=50 mm); 27, 30 mm (L=53 mm); 32, 36 mm (L=55 mm); 38, 41 mm (L=57 mm)

- cold forged
- surface: black phosphated

YATO	○	
YT-1115	3/4"	6

Hexagonal deep impact socket

3/4" | CrMo SCM-440 | AS-DRIVE





- cold forged
- surface: black phosphated

YATO	A (mm)	D1 (mm)	D2 (mm)	L (mm)	t (mm)	
YT-1118	18	31	44	90	8.5	9/36
YT-1119	19	32	44	90	9.5	9/36
YT-1121	21	35	44	90	10	9/36
YT-1122	22	38	44	90	11	9/36
YT-1123	23	38	44	90	10	9/36
YT-1124	24	40	44	90	13	9/36
YT-1125	25	40	44	90	12	9/36
YT-1126	26	40	44	90	13	9/36
YT-1127	27	42	44	90	13	9/36
YT-1128	28	44	44	90	13	8/32
YT-1129	29	44	44	90	14	8/32
YT-1130	30	46	44	90	16.5	7/28
YT-1132	32	48	44	90	16.5	7/28
YT-1133	33	50	44	90	16.5	6/24
YT-1134	34	51	44	90	17	6/24
YT-1135	35	52	44	90	17	6/24
YT-1136	36	54	44	90	17	6/24
YT-1138	38	56	44	90	19	6/24
YT-1141	41	60	44	90	19	5/20
YT-1142	42	61	44	90	22	4/16
YT-1143	43	63	44	90	22	3/12
YT-1146	46	66	44	90	22	3/12
YT-1148	48	68	44	90	25.5	2/8
YT-1150	50	71	54	90	27	2/8

Hexagonal deep impact socket set

3/4" | 8 PCS | CrMo SCM-440 | AS-DRIVE






22, 24, 27, 30, 32, 36, 38, 41 mm (L=90 mm)


- cold forged
- surface: black phosphated

YATO		
YT-1155	3/4"	4

Impact extension bar

3/4" | CrMo SCM-440






- cold forged
- surface: black phosphated

YATO		D1 (mm)	D2 (mm)	L (mm)	
YT-1160	3/4" (19.0 mm)	44	24	100	8/32
YT-1161	3/4" (19.0 mm)	44	24	175	10/20
YT-1162	3/4" (19.0 mm)	44	24	250	8/16
YT-1163	3/4" (19.0 mm)	44	24	330	6/12

Impact extension bar with adapter

3/4" | CrMo SCM-440






- cold forged
- surface: black phosphated

YATO			D1 (mm)	D2 (mm)	L (mm)	
YT-1343	3/4(F)	1"(M)	44	33	250	3/12

Impact adapter

3/4" | CrMo SCM-440





- cold forged
- surface: black phosphated

YATO	A	B	D (mm)	L (mm)	
YT-1167	3/4" (19.0 mm) (F)	1/2" (12.7 mm) (M)	44	56	12/48
YT-1168	3/4" (19.0 mm) (F)	1" (25.4 mm) (M)	44	63	12/48

Impact adapter

3/4" | CrV S0BV30






- cold forged
- surface: black phosphated

YATO	A	B	D (mm)	L (mm)	
YT-11671	3/4" (19.0 mm) (F)	1/2" (12.7 mm) (M)	44	55	12/48

Impact universal joint

3/4" | CrMo SCM-440








- cold forged
- surface: black phosphated

YATO		D1 (mm)	D2 (mm)	L (mm)	
YT-1164	3/4" (19.0 mm)	31	44	102	8/32

Hexagonal impact socket

1" | CrMo SCM-440 | AS-DRIVE





COLOR BOX




- cold forged
- surface: black phosphated

YATO	A (mm)	D1 (mm)	D2 (mm)	L (mm)	t (mm)	
YT-1180	24	42	54	59	12	6/24
YT-1181	25	43	54	59	13	6/24
YT-1182	26	43	54	59	13	6/24
YT-1183	27	46	54	59	13	6/24
YT-1184	28	47	54	59	14	6/24
YT-1185	29	48	54	60	16.5	6/24
YT-1186	30	49	54	60	16.5	6/24
YT-1187	32	52	54	61	16.5	6/24
YT-1188	33	53	54	61	17	6/24
YT-1189	34	54	54	61	17	6/24
YT-1190	35	56	54	61	17	6/24
YT-1191	36	57	54	65	19	6/24
YT-1192	37	58	54	65	19	6/24
YT-1193	38	60	54	65	22	5/20
YT-1194	41	63	54	65	22	4/16
YT-1195	43	65	54	68	23	4/16
YT-1196	46	69	54	73	25.5	3/12
YT-1197	48	72	54	73	27	2/8
YT-1198	50	75	54	73	27	2/8

Hexagonal deep impact socket

1" | CrMo SCM-440 | AS-DRIVE








- cold forged
- surface: black phosphated

YATO	A (mm)	D1 (mm)	D2 (mm)	L (mm)	t (mm)	
YT-1175	27	46	54	90	13	6/24
YT-1176	30	50	54	90	16.5	6/24
YT-1177	32	52	54	90	16.5	6/24
YT-1178	33	54	54	90	17	6/24
YT-1179	36	57	54	90	19	6/24

Impact extension bar with adapter

1" | CrMo SCM-440





- cold forged
- surface: black phosphated

YATO	(F)	(M)	D1 (mm)	D2 (mm)	L (mm)	
YT-1169	1" (25.4 mm)	3/4" (19.0mm)	53	33	250	6/12

Impact bit socket set

1/2" | CrMo | HRC 54 | 8 PCS

HEX 6, 7, 8, 10, 12, 14, 17, 19 mm





YATO			
YT-1065	1/2"	900	15

1/2" | CrMo | HRC 54 | 8 PCS

HEX 6, 7, 8, 10, 12, 14, 17, 19 mm



YATO			
YT-1066	1/2"	1100	15

Impact bit socket set

1/2" | CrMo | HRC 54 | 8 PCS

RIBE RM5, RM6, RM7, RM8, RM10, RM11, RM12, RM13



YATO			
YT-1068	1/2"	840	15

1/2" | CrMo | HRC 54 | 8 PCS

SPLINE M5, M6, M8, M10, M12, M14, M16, M18




- cold forged
- surface: black phosphated

YATO			
YT-1069	1/2"	930	15

6 PCS | 1/2" 12.5mm | SPLINE | CrMo | NEW



M14,M16,M18 (L=43mm)
M14,M16,M18 (L=78mm)



YATO		
YT-10652	1/2"(12.7mm)	20

6 PCS | 3/4" 19mm | SPLINE | TORX | CrMo | NEW



M16,M18,T70,T80,T90,T100



YATO		
YT-10653	3/4"(19.0mm)	10

Impact bit socket set

9 PCS | 1/2" 12.5mm | CrMo | TORX | NEW





T20,T25,T30,T40,T45,T50,T55,T60,T70

YATO		
YT-10654	1/2"(12.7mm)	10

9 PCS | 1/2" 12.5mm | CrMo | RIBE | NEW



RM5,RM6,RM7,RM8,RM9,RM10,RM12,RM13,RM14

YATO		
YT-10681	1/2"(12.7mm)	10

9 PCS | 1/2" 12.5mm | CrMo | SPLINE | NEW



M4,M5,M6,M8,M9,M10,M12,M14,M16

YATO		
YT-10691	1/2"(12.7mm)	10

Adaptor set

6 PCS | CrV | NEW





3/8" (9.5 mm) (M) x 1/4" (6.3 mm) (F)
1/4" (6.3 mm) (M) x 3/8 (9.5 mm) (F)
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M)
1/2" (12.7 mm) (F) x 3/8 (9.5 mm) (M)
3/4" (19.0 mm) (M) x 1/2" (12.7 mm) (F)
1/2" (12.7 mm) (M) x 3/4 (19.0 mm) (F)

YATO	
YT-10671	20



Torque wrench

CrMo42 CrMo30 | 3/8" | 45T



- measurement tolerance +/- 3%
- high precision and durability
- ratchet head:45T
- teflon handle
- warning sound when the preset torque value is reached



YATO	⌀	Nm	L(mm)	scale devision	
YT-07730	3/8"(9.5mm)	6-30	318	0.10	10
YT-07731	3/8"(9.5mm)	10-60	388	0.25	12
YT-07732	3/8"(9.5mm)	20-100	443	0.5	12
YT-07733	3/8"(9.5mm)	25-125	443	0.5	12

Torque wrench

CrMo42 CrMo30 | 1/2" | 45T



- measurement tolerance +/- 3%
- high precision and durability
- ratchet head:45T
- teflon handle
- warning sound when the preset torque value is reached



YATO	⌀	Nm	L(mm)	scale devision	
YT-07740	1/2"(12.7mm)	10-60	388	0.25	12
YT-07741	1/2"(12.7mm)	20-100	443	0.5	15
YT-07742	1/2"(12.7mm)	25-125	443	0.5	12
YT-07743	1/2"(12.7mm)	40-200	468	1.0	12
YT-07744	1/2"(12.7mm)	65-335	528	1.0	9

Torque wrench

CrMo42 CrMo30 | 1/4" | 45T



- measurement tolerance +/- 3%
- high precision and durability
- ratchet head:45T
- teflon handle
- warning sound when the preset torque value is reached



YATO	⌀	Nm	L(mm)	scale devision	
YT-07720	1/4"(6.3mm)	1-5	240	0.025	5
YT-07721	1/4"(6.3mm)	2-10	252	0.05	10
YT-07722	1/4"(6.3mm)	2.5-12	280-305	0.05	5
YT-07723	1/4"(6.3mm)	4-20	280-305	0.10	5

Torque wrench

CrMo42 CrMo30 | 3/4" | 45T



- measurement tolerance +/- 3%
- high precision and durability
- ratchet head:45T
- teflon handle
- warning sound when the preset torque value is reached



YATO	⌀	Nm	L(mm)	scale devision	
YT-07750	3/4"(19.0mm)	80-400	700	2.0	5
YT-07751	3/4"(19.0mm)	100-500	855	2.5	2
YT-07752	3/4"(19.0mm)	160-800	1055	4	2
YT-07753	3/4"(19.0mm)	200-1000	1055	5	2

Torque wrench

CrMo42 CrMo30 | 1" | 45T



- measurement tolerance +/- 3%
- high precision and durability
- ratchet head:45T
- teflon handle
- warning sound when the preset torque value is reached



YATO	○	Nm	L(mm)	scale devision	
YT-07760	1"(25.4mm)	160-800	1055	4	2
YT-07761	1"(25.4mm)	200-1000	1055	5	2
YT-07762	1"(25.4mm)	300-1500	2200	5	1
YT-07763	1"(25.4mm)	400-2000	2200	10	1
YT-07764	1"(25.4mm)	600-3000	2780	15	1

Torque wrench

CrV 6140 | 24x32 mm



- measurement tolerance +/- 3%
- high precision and durability
- teflon handle
- warning sound when the preset torque value is reached



YATO	○	Nm	L(mm)	scale devision	
YT-07859	24X32mm	100-500	855	2.5	1
YT-07860	24X32mm	160-800	1055	4	1
YT-07861	24X32mm	200-1000	1055	5	1

Torque wrench

9x12 mm | CrMo 30 | TOLERANCE TOLERANCJA +- 3%



- measurement tolerance +/- 3%
- high precision and durability
- teflon handle
- warning sound when the preset torque value is reached



YATO	○	Nm	L(mm)	scale devision	
YT-07850	9X12mm	2.5-12	284	0.05	15
YT-07851	9X12mm	4.0-20	284	0.10	15
YT-07852	9X12mm	6.0-30	303	0.10	12
YT-07853	9X12mm	10-60	372	0.25	12
YT-07854	9X12mm	20-100	427	0.5	12
YT-07855	9X12mm	25-125	427	0.5	3

Torque wrench

CrV 6140 | 27x36 mm



- measurement tolerance +/- 3%
- high precision and durability
- teflon handle
- warning sound when the preset torque value is reached



YATO	○	Nm	L(mm)	scale devision	
YT-07862	27X36mm	300-1500	1260	5	1
YT-07863	27X36mm	400-2000	2200	10	1
YT-07864	27X36mm	600-3000	2780	15	1

Torque wrench

CrMo 30 | 14x18 mm



- measurement tolerance +/- 3%
- high precision and durability
- teflon handle
- warning sound when the preset torque value is reached



YATO	○	Nm	L(mm)	scale devision	
YT-07856	14X18mm	40-200	460	1.0	12
YT-07857	14X18mm	65-335	520	1.0	9
YT-07858	14X18mm	80-400	700	2.0	4

Dial torque wrench

CrV 6140



- measurement tolerance +/- 3%
- dial torque wrench,high precision and durability
- indicator dial reading
- indicator memory function for recording maximunm torque value



YATO	○	Nm	L(mm)	scale devision	
YT-07830	1/4"	0-5	340	0.05	12
YT-07831	1/4"	1-10	340	0.1	5
YT-07832	3/8"	3-30	340	0.25	12
YT-07833	3/8"	5-50	390	0.5	12
YT-07834	1/2"	0-100	390	1	12
YT-07835	1/2"	20-200	500	2	10
YT-07836	1/2"	30-300	600	3	10

Torque multiplier

CrV 6140 | 3.3:1 | 5:1 | 25:1



- measurement tolerance +/- 5%
- with reaction arm

YATO	F□	Tmax.(Nm)	M■	Tmax.(Nm)	Increase rate	
YT-07880	1/2"	303	3/4"	1000	3.3:1	1
YT-07881	1/2"	200	3/4"	1000	5:1	1
YT-07882	1/2"	300	1"	1500	5:1	1
YT-07883	1/2"	100	1"	2500	25:1	1
YT-07884	1/2"	140	1-1/2"	3500	25:1	1
YT-07885	1/2"	160	1-1/2"	4000	25:1	1
YT-07886	1/2"	240	1-1/2"	6000	25:1	1
YT-07887	1/2"	320	1-1/2"	8000	25:1	1
YT-07888	1/2"	400	1-1/2"	10000	25:1	1

Torque wrench

CrV 6140 | 3/8" | 1/2"



- measurement tolerance +/- 4%
- can measure the torque in two directions
- the head will be slightly deflected when the preset torsion value is reached



YATO	□	Nm	L(mm)	
YT-0750	3/8" (9.5mm)	10-110	433-462	20
YT-0760	1/2" (12.7mm)	30-210	473-495	12

Torque wrench

3/4" | 1/2"



- application: automotive service stations, trucks
- wrench and extension pipe designed to tighten screws in double wheels
- measurement tolerance +/- 3%



YATO	□	Nm	L(mm)	
YT-0761	1/2" (12.7mm)	40-200	458-480	10
YT-0770	3/4" (19.0mm)	100-500	865	4

Torque wrench

CrV 6140 | NEW



- measurement tolerance +/- 3%
- can measure the torque in two directions
- the head will be slightly deflected when the preset torsion value is reached



YATO	□	Nm	L(mm)	
YT-07402	3/8" (9.5mm)	10-60	337	24

CrV 6140



- measurement tolerance +/- 3%
- can measure the torque in two directions
- warning sound when the preset torque value is reached




YATO	□	Nm	L(mm)	
YT-07403	1/2" (12.7mm)	20-100	436	12
YT-07404	1/2" (12.7mm)	40-200	512	10

Torque multiplier

3:1 | □1/2" max. 460 Nm | ■3/4" max. 1400Nm

CrMo 4140 | □3/4" max. 900 Nm | ■1" max. 2700 Nm







YATO	F□	Tmax.(Nm)	M■	Tmax.(Nm)	L(mm)		
YT-0780	1/2" (12.7mm)	460	3/4"	1400	420	2300	4
YT-0781	3/4" (19.0mm)	900	1"	2700	500	4800	2

Cautions

1. After the first using or being left unused for longer time and it is required to use once again, be sure to use higher torque to operate for 5-10 times so that the components within may be fully lubricated by the special-purpose lubricant oil. When it is not used, be sure to set the torque to the lowest value.
2. Torque wrench need to be calibrated after using 5000 times.
3. Do not keep applying pressure after reaching the preset torque, otherwises the work piece may get damaged.
4. Upon the ex-factory, the torque wrench has been calibrated and tested, and meet its accuracy.
5. Do not soak in any liquid to avoid affecting the lubrication inside.

Torque wrench

3/4" CrV 6140





- warning sound when the preset torque value is reached
- measurement tolerance +/- 3%
- can measure the torque in two directions

YATO	O	Nm	L(mm)	
YT-07405	**3/4"** (19.0mm)	100-600	1050	2

Torque wrench

CrV 6140





- warning sound when the preset torque value is reached
- measurement tolerance +/- 4%

YATO	O	Nm	L(mm)	
YT-07410	**1/4"** (6.3mm)	5-25	290	10
YT-07411	**3/8"** (9.5mm)	10-50	360	10
YT-07412	**3/8"** (9.5mm)	10-100	405	10
YT-07413	**1/2"** (12.7mm)	10-100	405	10
YT-07414	**1/2"** (12.7mm)	20-200	500	10
YT-07415	**1/2"** (12.7mm)	60-300	595	10
YT-07416	**1/2"** (12.7mm)	80-400	680	8
YT-07417	**3/4"** (19.0mm)	100-550	970	2
YT-07418	**3/4"** (19.0mm)	160-800	1113-1120	2
YT-07419	**1"** (25.4mm)	150-750	1150	2
YT-07420	**1"** (25.4mm)	300-1000	1250	2

Digital torque wrench

1/2" LCD DISPLAY COLOR LEDS BEEP QUICK RELEASE 2x1,5V (AA)





- application: industry, service stations
- precise digital torque measurement
- internal memory
- can measure the torque in two directions
- accuracy +/-2%

YATO	O	Nm	L(mm)	
YT-0762	**1/2"** (12.7mm)	2-203	450	10

torque wrench

TOLERANCE +- 4% ALLOY STEEL





- measurement tolerance +/- 4%
- can measure the torque in two directions

YATO	O	Nm	L(mm)	
YT-07511	**1/4"** (6.3mm)	2.5-20	285	16

torque wrench

TOLERANCE +- 4% ALLOY STEEL





- measurement tolerance +/- 4%
- can measure the torque in two directions

YATO	O	Nm	L(mm)	
YT-07712	**3/4"** (19.0mm)	80-400	700	4

torque wrench

TOLERANCE +- 4% ALLOY STEEL





- measurement tolerance +/- 4%
- can measure the torque in two directions

YATO	O	Nm	L(mm)	
YT-07500	**3/8"** (9.5mm)	10-60	383	12

torque wrench

TOLERANCE +- 4% · ALLOY STEEL STAL STOPOWA





- measurement tolerance +/- 4%
- can measure the torque in two directions

YATO	○	Nm	L(mm)	
YT-07601	**1/2"** (12.7mm)	65-335	523	10
YT-07611	**1/2"** (12.7mm)	10-60	383	16

beam torque wrench

CrV 6140





YATO	○	Nm	
YT-07641	**1/2"** (12.5mm)	0-300	16
YT-07642	**3/4"** (19.0mm)	0-500	9

Digital torque wrench

CrV 6140







- warning sound when the preset torque value is reached
- measurement tolerance +/- 3%

YATO	joint size	Nm	L(mm)	
YT-07430	9x12	10-135	365	6

Torque wrench

CrV 6140







- warning sound when the preset torque value is reached
- measurement tolerance +/- 3%

YATO	joint size	Nm	L(mm)	
YT-07424	9x12	10-60	310	25
YT-07426	9x12	25-125	430	16
YT-07427	14x18	20-100	430	16

Torque screwdrive

1/4"



- idling when the preset torque value is reached
- material: alloy steel
- measurement tolerance +/- 6%

YATO	⬡	Nm	L(mm)		
YT-07525	1/4" (6.3mm)	1-5	154	207	30
YT-07526	1/4" (6.3mm)	1-8	235	475	30

Torque screwdrive

1/4"





- idling when the preset torque value is reached
- material: alloy steel
- measurement tolerance +/- 5%

YATO	⬡	Nm	L(mm)		
YT-07517	1/4" (6.3mm)	0.1-1.2	180	207	24
YT-07518	1/4" (6.3mm)	1-6	248	475	24

Digital torque screwdrive


1/4"



- warning sound when the preset torque value is reached
- material: alloy steel
- measurement tolerance +/- 2%

YATO	⬡	Nm	L(mm)		
YT-07520	1/4" (6.3mm)	0.3-3	215	150	20
YT-07521	1/4" (6.3mm)	0.6-6	215	150	20

Torque wrench





- measurement tolerance +/- 3%
- insert size: 13,14,15,17,19,22,24,27,30mm

YATO	○	Nm	L(mm)	
YT-0767	**1/2"** (12.7mm)	40-200	500	4

Ring insert tool

CrV 6140





YATO	size(mm)	joint size		
YT-07465	7	9x12	37	300
YT-07466	8	9x12	40	300
YT-07467	10	9x12	44	300
YT-07468	11	9x12	41	300
YT-07469	12	9x12	49	300
YT-07470	13	9x12	56	300
YT-07471	14	9x12	52	300
YT-07472	15	9x12	52	300
YT-07473	16	9x12	54	300
YT-07474	17	9x12	59	280
YT-07475	18	9x12	56	280
YT-07476	19	9x12	65	220
YT-07477	21	9x12	71	220
YT-07478	22	9x12	74	220
YT-07479	13	14x18	130	120
YT-07480	14	14x18	123	120
YT-07481	15	14x18	128	120
YT-07482	16	14x18	133	120
YT-07483	17	14x18	135	120
YT-07484	18	14x18	134	120
YT-07485	19	14x18	138	120
YT-07486	21	14x18	144	100
YT-07487	22	14x18	145	100
YT-07488	24	14x18	153	100
YT-07489	27	14x18	162	100
YT-07490	30	14x18	182	80
YT-07491	32	14x18	181	80
YT-07492	34	14x18	210	80
YT-07493	36	14x18	203	80
YT-07494	41	14x18	240	60

Ring insert tool

CrV 6140





YATO	size(mm)	joint size		
YT-07432	7	9x12	40	300
YT-07433	8	9x12	39	300
YT-07434	9	9x12	38	300
YT-07435	10	9x12	42	300
YT-07436	11	9x12	41	300
YT-07437	12	9x12	43	300
YT-07438	13	9x12	48	300
YT-07439	14	9x12	52	300
YT-07440	15	9x12	51	300
YT-07441	16	9x12	58	250
YT-07442	17	9x12	60	250
YT-07443	18	9x12	71	220
YT-07444	19	9x12	74	220
YT-07445	13	14x18	128	120
YT-07446	14	14x18	129	120
YT-07447	15	14x18	132	120
YT-07448	16	14x18	140	120
YT-07449	17	14x18	136	120
YT-07450	18	14x18	147	100
YT-07451	19	14x18	147	100
YT-07452	21	14x18	171	100
YT-07453	22	14x18	165	100
YT-07454	24	14x18	167	100
YT-07455	27	14x18	219	70
YT-07456	30	14x18	245	60
YT-07457	32	14x18	246	60
YT-07458	34	14x18	239	60
YT-07459	36	14x18	275	60
YT-07460	38	14x18	265	60
YT-07461	41	14x18	307	50

Labor save wrench

1" / 25 mm | 32, 33 mm | 4200 Nm (max) | I-1:3.8 / II-1:58 | CrV

BMC & COLOR SLEEVE





YATO		Nm	L (mm)	
YT-0782	1" (25.4 mm)	4200	330	1

Insert reversible ratchet

1/4" | 3/8" | 1/2" | 3/4" | CrV 6140







YATO		joint size		
YT-07495	1/4" (6.3mm)	9x12	73	220
YT-07496	3/8" (9.5mm)	9x12	155	100
YT-07497	1/2" (12.7mm)	9x12	170	100
YT-07498	1/2" (12.7mm)	14x18	305	50
YT-07499	3/4" (19.0mm)	14x18	315	50

Removable head for torque wrench

1/4" / 6.3 mm | RATCHET SYSTEM ZAPADKOWY | CrMo 42







YATO		joint size	
YT-07870	1/4" (6.3mm)	9x12	220
YT-07871	3/8" (9.5mm)	9x12	100
YT-07872	1/2" (12.7mm)	9x12	100
YT-07873	1/2" (12.7mm)	14x18	50
YT-07874	3/4" (19.0mm)	14x18	50

Labor save wrench

1" / 25 mm | 32, 33 mm | 5800 Nm (max) | 1:66 | CrV

BMC & COLOR SLEEVE






YATO		Nm	L (mm)	
YT-07822	1" (25.4 mm)	5800	380	1



Screwdriver





- PP+TPR 3 colour handle
- satin finish, sanded tip

YATO	⊛	L (mm)	shaft(mm)	PCS packing:	
YT-25950	T5	75	3	12	12/96/384
YT-25951	T6	75	3	12	12/96/384





- PP+TPR 3 colour handle
- satin finish, sanded tip

YATO	⊛	L (mm)	shaft(mm)	PCS packing:	
YT-25952	T7	75	3	12	12/96/384
YT-25953	T8	75	3	12	12/96/384
YT-25954	T9	75	3	12	12/96/384
YT-25955	T10	100	5	12	12/60/240
YT-25956	T15	100	5	12	12/60/240
YT-25957	T20	100	5	12	12/60/240
YT-25958	T25	100	6	12	12/36/144
YT-25959	T27	100	6	12	12/36/144
YT-25960	T30	100	6	12	12/36/144
YT-25961	T40	100	8	6	6/24/96

Screwdriver





PCS packing:



- PP+TPR 3 colour handle
- satin finish, sanded tip

YATO	⊖	L (mm)	shaft(mm)	
YT-25900	2	75	3	12/96/384
YT-25901	3	75	3	12/96/384
YT-25902	3	100	3	12/96/384
YT-25903	3	150	3	12/60/240
YT-25891	3	200	3	12/60/240
YT-25904	4	100	4	12/96/384
YT-25905	4	150	4	12/96/384
YT-25906	4	200	4	12/96/384
YT-25899	5	38	5	12/60/240
YT-25907	5	75	5	12/60/240
YT-25908	5	100	5	12/60/240
YT-25909	5	150	5	12/60/240
YT-25892	5	200	5	12/36/144
YT-25893	5	250	5	6/36/144
YT-25894	5	300	5	6/24/96
YT-25910	6	38	6	12/60/240
YT-25911	6	100	6	12/36/144
YT-25912	6	150	6	12/36/144
YT-25913	6	200	6	12/36/144
YT-25895	6	250	6	6/36/144
YT-25896	6	300	6	6/24/96
YT-25914	8	150	8	6/24/96
YT-25915	8	200	8	6/24/96
YT-25916	8	250	8	6/24/96
YT-25917	8	300	8	6/24/96

Screwdriver





PCS packing:



- PP+TPR 3 colour handle
- satin finish, sanded tip

YATO	⊕	L (mm)	shaft(mm)	
YT-25919	PH00	65	3	12/96/384
YT-25920	PH0	75	3	12/96/384
YT-25921	PH0	100	3	12/96/384
YT-25918	PH0	150	3	12/60/240
YT-25937	PH0	200	3	12/60/240
YT-25922	PH1	38	5	12/60/240
YT-25923	PH1	75	5	12/60/240
YT-25924	PH1	100	5	12/60/240
YT-25925	PH1	150	5	12/60/240
YT-25926	PH1	200	5	12/36/144
YT-25938	PH1	250	5	6/36/144
YT-25927	PH1	300	5	6/24/96
YT-25928	PH2	38	6	12/60/240
YT-25929	PH2	100	6	12/36/144
YT-25930	PH2	150	6	12/36/144
YT-25931	PH2	200	6	12/36/144
YT-25939	PH2	250	6	6/36/144
YT-25932	PH2	300	6	6/24/96
YT-25933	PH3	150	8	6/24/96
YT-25934	PH3	200	8	6/24/96
YT-25935	PH3	250	8	6/24/96
YT-25936	PH3	300	8	6/24/96

Go-through screwdriver





- PP+TPR 3 colour handle
- satin finish, sanded tip

YATO	⊖	L (mm)	shaft(mm)	
YT-25985	6	100	6	6/24/96
YT-25986	6	150	6	6/24/96
YT-25987	6	200	6	6/24/96
YT-25988	6	250	6	6/24/96
YT-25989	8	150	8	6/24/72
YT-25990	8	200	8	6/24/72
YT-25991	8	250	8	6/24/72
YT-25992	8	300	8	6/24/72

Go-through screwdriver

PH | MAGNETIC | CrV 6150 | HRC 52

PLASTIC HANGER





- PP+TPR 3 colour handle
- satin finish, sanded tip
- the head can use for striking

YATO	⊕	L (mm)	shaft(mm)	
YT-25993	PH2	100	6	6/24/96
YT-25994	PH2	150	6	6/24/96
YT-25995	PH3	150	8	6/24/72
YT-25996	PH3	200	8	6/24/72
YT-25997	PH3	250	8	6/24/72

6 in 1 Interchangeable screwdriver set

5.0 mm PH1 | 6.0 mm PH2 | 6 8 mm | MAGNETIC | S2 | HRC 58



DOUBLE BLISTER



- PP+TPR 3 colour handle
- satin finish, sanded tip

YATO		
YT-25971	150	12/96

Screwdriver set

2 PCS | ⊖ | PH | MAGNETIC | CrV 6150 | HRC 58

PLASTIC HANGER





- PP+TPR 3 colour handle
- satin finish, sanded tip
- the head can use for striking

YATO	⊖	⊕	L(mm)	
YT-25998	6		150	6/36
		PH2	150	

Screwdriver set

6 PCS | ⊖ | PH | MAGNETIC | S2 | HRC 52



YATO	⊖	⊕	L(mm)	
YT-25965	3		75	6/24
	5		100	
	6		100	
		PH0	75	
		PH1	100	
		PH2	100	

Screwdriver set

8 PCS | ⊖ | PH | MAGNETIC | S2 | HRC 58

DOUBLE BLISTER





YATO	⊖	⊕	L(mm)	
YT-25980	2.0		50	6/24
	2.4		50	
	6.0		38	
	6.0		100	
		PH0	50	
		PH1	50	
		PH2	38	
		PH2	100	

Screwdriver set

8 PCS | ⊖ | PH | MAGNETIC | S2 | HRC 58

DOUBLE BLISTER





YATO	⊖	⊕	L(mm)	
YT-25966	5		100	6/12
	6		100	
	8		150	
		PH0	75	
		PH1	100	
		PH2	38	
		PH2	100	
		PH3	150	

Screwdriver set

15 PCS | ⊖ | ⊕ | ✪ | MAGNETIC | S2 | HRC 58

DOUBLE BLISTER






YATO	⊖	⊕	✪	L(mm)	
YT-25981	1.5			50	6/24
	2.0			50	
	5.0			75	
	6.0			38	
	6.0			100	
	6.0			125	
		PH00		50	
		PH0		50	
		PH1		75	
		PH2		38	
		PH2		100	
			T5	50	
			T6	50	
			T7	50	
			T8	50	

Screwdriver set

8 PCS | ✪ | MAGNETIC | S2 | HRC 58





YATO	✪	L(mm)	
YT-25975	T8	75	6/12
	T10	100	
	T15	100	
	T20	100	
	T25	100	
	T27	100	
	T30	100	
	T40	100	

Screwdriver set

9 pcs | ⊖ | ⊕ | MAGNETIC | S2 | HRC 58





YATO	⊖	⊕	L(mm)	
YT-25968	3		75	6/12
	5		75	
	6		100	
	6		150	
	8		150	
		PH0	75	
		PH1	75	
		PH2	100	
		PH2	150	

18 PCS | ⊖ | ⊕ | ✪ | MAGNETIC | S2 | HRC 58

PLASTIC HANGER & DOUBLE BLISTER






YATO	⊖	⊕	✪	L(mm)	
YT-25982	2.4			50	6/12
	3.0			50	
	5.0			75	
	6.0			38	
	6.0			100	
	8.0			150	
		PH00		50	
		PH0		50	
		PH1		75	
		PH2		38	
		PH2		100	
		PH3		150	
			T5	50	
			T6	50	
			T7	50	
			T8	50	
			T9	50	
			T10	50	

Screwdriver set

8 PCS | ⊖ | ⊕ | MAGNETIC | S2 | HRC 58





YATO	⊖	⊕	L(mm)	
YT-25976	5.0		75	6/12
	6.0		38	
	6.0		100	
	6.0		150	
		PH1	75	
		PH2	38	
		PH2	100	
		PH2	150	

Screwdriver set

6 PCS | ⊖ | ⊕ | MAGNETIC | S2 | HRC 58





YATO	⊖	⊕	L(mm)	
YT-25977	5.0		75	6/12
	5.0		100	
	6.0		150	
		PH1	75	
		PH2	100	
		PH2	150	

Straight cut screwdriver

⊖ | MAGNETIC | S2 | HRC 58

PLASTIC HANGER







- application: for deep seated screws, e. g. in power tool casings
- cut tip, same diameter of shaft and tip

YATO	⊖	L (mm)	shaft(mm)	PCS packing:	
YT-2840	5	150	5	12	12/60/240
YT-2841	5	200	5	12	12/36/144
YT-2842	5	250	5	6	6/36/144
YT-2843	5	300	5	6	6/24/96
YT-2844	6	150	6	12	12/36/144
YT-2845	6	200	6	12	12/36/144
YT-2846	6	250	6	6	6/36/144
YT-2847	6	300	6	6	6/24/96

Screwdriver

⊕ | MAGNETIC | S2 | HRC 58

PLASTIC HANGER





- PP+TPR double colour handle
- satin finish, sanded tip

YATO	⊕	L (mm)	shaft(mm)	PCS packing:	
YT-2686	PZ0	75	3	12	12/96/384
YT-2687	PZ0	100	3	12	12/96/384
YT-2688	PZ1	75	5	12	12/60/240
YT-2689	PZ1	100	5	12	12/60/240
YT-2690	PZ1	200	5	12	12/36/144
YT-2691	PZ2	100	6	12	12/36/144
YT-2692	PZ2	150	6	12	12/36/144
YT-2693	PZ2	200	6	12	12/36/144
YT-2694	PZ3	150	8	12	12/24/96

Screwdriver

⊖ | MAGNETIC | S2 | HRC 58

PLASTIC HANGER



- PP+TPR double colour handle
- satin finish, sanded tip

YATO	⊖	L (mm)	shaft(mm)	PCS packing:	
YT-2675	2	75	3	12	12/96/384
YT-2760	3	75	3	12	12/96/384
YT-2761	3	100	3	12	12/96/384
YT-2715	3	150	3	12	12/60/240
YT-2716	3	200	3	12	12/60/240
YT-2676	4	100	4	12	12/96/384
YT-2677	4	150	4	12	12/96/384
YT-2678	4	200	4	12	12/96/384
YT-2679	5	38	5	12	12/60/240
YT-2762	5	75	5	12	12/60/240
YT-2763	5	100	5	12	12/60/240
YT-27168	5	125	5	12	12/36/144
YT-2764	5	150	5	12	12/60/240
YT-2717	5	200	5	12	12/36/144
YT-2718	5	250	5	12	6/36/144
YT-2719	5	300	5	12	6/24/96
YT-2765	6	38	6	12	12/60/240
YT-2766	6	100	6	12	12/36/144
YT-27198	6	125	6	12	6/36/144
YT-2767	6	150	6	12	12/36/144
YT-2768	6	200	6	12	12/36/144
YT-2720	6	250	6	12	6/36/144
YT-2721	6	300	6	12	6/24/96
YT-2769	8	150	8	12	6/24/96
YT-2722	8	200	8	12	6/24/96
YT-2723	8	250	8	12	6/24/96
YT-2724	8	300	8	12	6/24/96

Screwdriver

⊕ | MAGNETIC | S2 | HRC 58

PLASTIC HANGER



PCS packing:

- PP+TPR double colour handle
- satin finish, sanded tip

YATO	⊕	L (mm)	shaft(mm)	
YT-2682	PH00	65	3	12/96/384
YT-2770	PH0	75	3	12/96/384
YT-2771	PH0	100	3	12/96/384
YT-2725	PH0	150	3	12/60/240
YT-2726	PH0	200	3	12/60/240
YT-2683	PH1	38	5	12/60/240
YT-2772	PH1	75	5	12/60/240
YT-2773	PH1	100	5	12/60/240
YT-27268	PH1	125	5	12/36/144
YT-2774	PH1	150	5	12/60/240
YT-2727	PH1	200	5	12/36/144
YT-2728	PH1	250	5	6/36/144
YT-2729	PH1	300	5	6/24/96
YT-2775	PH2	38	6	12/60/240
YT-2776	PH2	100	6	12/36/144
YT-27298	PH2	125	6	12/36/144
YT-2777	PH2	150	6	12/36/144
YT-2778	PH2	200	6	12/36/144
YT-2730	PH2	250	6	6/36/144
YT-2731	PH2	300	6	6/24/96
YT-2779	PH3	150	8	6/24/96
YT-2732	PH3	200	8	6/24/96
YT-2733	PH3	250	8	6/24/96
YT-2734	PH3	300	8	6/24/96

Screwdriver

S2 | HRC 58



- PP+TPR double colour handle
- satin finish, sanded tip

YATO	⊛	L (mm)	shaft(mm)	PCS packing:	
YT-2620	T5	75	3	12	12/96/384
YT-2621	T6	75	3	12	12/96/384

Screwdriver

S2 | HRC 58



- PP+TPR double colour handle
- satin finish, sanded tip

YATO	⊛	L (mm)	shaft(mm)	PCS packing:	
YT-2622	T7	75	3	12	12/96/384
YT-2623	T8	75	3	12	12/96/384
YT-2624	T9	75	3	12	12/96/384
YT-2625	T10	100	5	12	12/60/240
YT-2626	T15	100	5	12	12/60/240
YT-2627	T20	100	5	12	12/60/240
YT-2628	T25	100	6	12	12/36/144
YT-2629	T27	100	6	12	12/36/144
YT-2630	T30	100	6	12	12/36/144
YT-2631	T40	100	8	12	12/24/96

6 in 1 Interchangeable screwdriver set

5.0 mm PH1 | 6.0 mm PH2 | 6 8 mm | S2 | HRC 58



- PP+TPR double colour handle
- satin finish, sanded tip

YATO		
YT-2781	150	6/12/96

Go-through screwdriver

CrV 6150 | HRC 52

PLASTIC HANGER





- PP+TPR double colour handle
- satin finish, sanded tip
- the head can use for striking

YATO	⊖	L (mm)	shaft(mm)	PCS packing:	
YT-2699	6	100	6	6	6/24/96
YT-2700	6	150	6	6	6/24/96
YT-2701	6	200	6	6	6/24/96
YT-2702	6	250	6	6	6/24/96
YT-2703	8	150	8	6	6/24/72
YT-2704	8	200	8	6	6/24/72
YT-2705	8	250	8	6	6/24/72
YT-2706	8	300	8	6	6/24/72

Go-through screwdriver

CrV 6150 | HRC 52



- PP+TPR double colour handle
- satin finish, sanded tip
- the head can use for striking

YATO	⊕	L (mm)	shaft(mm)	PCS packing:	
YT-2708	PH2	100	6	6	6/24/96
YT-2709	PH2	150	6	6	6/24/96
YT-2710	PH3	150	8	6	6/24/72
YT-2711	PH3	200	8	6	6/24/72
YT-2712	PH3	250	8	6	6/24/72

Bits handle

S2 | HRC 58



- for 1/4" screwdriver bits
- PP+TPR double colour handle
- satin finish, sanded tip

YATO	size (mm)	L (mm)	PCS packing:	
YT-27975	1/4"x100	215	24	24/96

Screwdriver set

8 PCS | S2 | HRC 58

DOUBLE BLISTER





YATO	⊖	⊕	L(mm)	
YT-2782	2.0		50	6/24
	2.4		50	
	6.0		38	
	6.0		100	
		PH0	50	
		PH1	50	
		PH2	38	
		PH2	100	

Screwdriver set


6 PCS | S2 | HRC 58

DOUBLE BLISTER





YATO	⊖	⊕	L(mm)	
YT-2783	3		75	6/24
	5		100	
	6		100	
		PH0	75	
		PH1	100	
		PH2	100	



Screwdriver set

8 PCS | ⊖ | ⊕ | MAGNETIC | S2 | HRC 58

DOUBLE BLISTER





YATO	⊖	⊕	L(mm)	
YT-2784	5		100	6/12
	6		100	
	8		150	
		PH0	75	
		PH1	100	
		PH2	38	
		PH2	100	
		PH3	150	

Screwdriver set

9 PCS | ⊖ | ⊕ | MAGNETIC | S2 | HRC 58





YATO	⊖	⊕	L(mm)	
YT-2785	3		75	6/12
	5		75	
	6		100	
	6		150	
	8		150	
		PH0	75	
		PH1	75	
		PH2	100	
		PH2	150	

Screwdriver set

18 PCS | ⊖ | ⊕ | ✿ | MAGNETIC | S2 | HRC 58



YATO	⊖	⊕	✿	L(mm)	
YT-2786	2.4			50	6/12
	3.0			50	
	5.0			75	
	6.0			38	
	6.0			100	
	8.0			150	
		PH00		50	
		PH0		50	
		PH1		75	
		PH2		38	
		PH2		100	
		PH3		150	
			T5	50	
			T6	50	
			T7	50	
			T8	50	
			T9	50	
			T10	50	

Screwdriver set

12 PCS | ⊖ | ⊕ | ■ | MAGNETIC | S2 | HRC 58



YATO	⊖	⊕	■	L(mm)	
YT-2787	3			75	6/12
	5			75	
	6			38	
	6			150	
	8			150	
		PH0		75	
		PH1		75	
		PH2		38	
		PH2		100	
		PH3		150	
			SQ1	100	
			SQ2	100	

Screwdriver set

15 PCS | ⊖ | ⊕ | ✿ | MAGNETIC | S2 | HRC 58



YATO	⊖	⊕	✿	L(mm)	
YT-2788	1.5			50	6/24
	2.0			50	
	5.0			75	
	6.0			38	
	6.0			100	
	6.0			125	
		PH00		50	
		PH0		50	
		PH1		75	
		PH2		38	
		PH2		100	
			T5	50	
			T6	50	
			T7	50	
			T8	50	

Screwdriver set

27 PCS | ⊖ | ⊕ | MAGNETIC | S2 | HRC 58

DOUBLE BLISTER





1/4" (6.3 mm): 5, 8 mm (L=25 mm);
1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm);
1/4" (6.3 mm): T10, T15 (L=25 mm);
1/4" (6.3 mm): 4, 5, 6 mm (L=25 mm)

YATO	⊖	⊕	L(mm)	
YT-2789	2.0		50	2/10
	2.4		50	
	3.0		75	
	5.0		75	
	6.0		38	
	6.0		100	
	8.0		150	
		PH00	50	
		PH0	50	
		PH0	75	
		PH1	75	
		PH2	38	
		PH2	100	
		PH3	150	

Precision screwdriver set

6 PCS | S2 | HRC 58



- PP+TPR double colour handle
- Satin finish,sanded tip

YATO		L(mm)	
YT-2791	T5	50	3/15/60
	T6	50	
	T7	50	
	T8	50	
	T9	50	
	T10	50	

Screwdriver

HRC 55-59 | SVCM55 | MAGNETIC





COLOR BOX



YATO		L (mm)	shaft(mm)	
YT-2656	PZ0	300	3	12/240
YT-2654	PZ1	38	5	12/240
YT-2655	PZ2	38	6	12/240
YT-2667	PZ3	150	8	12/120

Precision screwdriver

S2 | MAGNETIC



COLOR BOX



- PP+TPR 3 colour handle
- Satin finish,sanded tip

YATO		L (mm)	
YT-25802	1.4	50	50/500
YT-25804	1.8	50	50/400
YT-25805	2.0	50	50/400
YT-25807	2.4	50	50/400
YT-25808	2.4	75	50/400
YT-25809	3.0	50	50/400
YT-25810	3.0	75	50/400

Precision screwdriver set

6 PCS | MAGNETIC | S2

SLIDING CARD





YATO			L (mm)	
YT-2575	2.5		150	12/120
	3.0		150	
	3.5		150	
		PH00	150	
		PH0	150	
		PH1	150	

Screwdriver

HRC 58-62 | SVCM55 | MAGNETIC



COLOR BOX



- application: industry
- can be used as go-through
- special highest quality alloy steel
- the head can use for striking

YATO		L (mm)	shaft(mm)	
YT-2608	5.5	100	5	12/240
YT-2609	5.5	150	5	12/240
YT-2610	5.5	200	5	12/240
YT-2635	5	300	5	12/120
YT-2636	5	400	5	12/120
YT-2612	6.5	38	6	12/120
YT-2613	6.5	100	6	12/240
YT-2614	6.5	150	6	12/240
YT-2615	6.5	200	6	12/240
YT-2618	8.0	150	8	6/120

Screwdriver

HRC 58-62 | SVCM55 | MAGNETIC





YATO		L (mm)	shaft(mm)	
YT-2640	PH0	75	3	12/240
YT-2637	PH0	300	3	12/240
YT-2641	PH1	38	5	12/240
YT-2642	PH1	75	5	12/240
YT-2643	PH1	100	5	12/240
YT-2638	PH1	400	5	12/120
YT-2647	PH2	38	6	12/240
YT-2648	PH2	100	6	12/240
YT-2649	PH2	150	6	12/240
YT-2650	PH2	200	6	12/240
YT-2651	PH2	250	6	12/240
YT-2653	PH3	150	8	6/120

Straight cut screwdriver

HRC 58-62 | SVCM55 | MAGNETIC



COLOR BOX



- application: industry
- can be used as go-through
- special highest quality alloy steel
- the head can use for striking

YATO		L (mm)	shaft(mm)	
YT-2601	3	75	3	12/240
YT-2602	3	100	3	12/240
YT-2633	3	300	3	12/240
YT-2603	4	38	4	12/240
YT-2604	4	75	4	12/240
YT-2606	4	100	4	12/240
YT-2607	4	150	4	12/240
YT-2634	4	400	4	12/240

Screwdriver

HRC 58-62 | SVCM55 | MAGNETIC



COLOR BOX



- application: industry
- can be used as go-through
- special highest quality alloy steel
- the head can use for striking

YATO		L (mm)	shaft(mm)	
YT-2741	T5	75	4	12/240
YT-2742	T6	75	4	12/240

Screwdriver

HRC 58-62 | SVCM55 | MAGNETIC



COLOR BOX



- application: industry
- can be used as go-through
- special highest quality alloy steel
- the head can use for striking

YATO		L (mm)	shaft(mm)	
YT-2743	T7	75	4	12/240
YT-2744	T8	75	4	12/240
YT-2745	T9	75	4	12/240
YT-2746	T10	100	5	12/240
YT-2748	T15	100	5	12/240
YT-2750	T20	100	5	12/240
YT-2752	T25	100	5	12/240
YT-2753	T27	100	6	12/240
YT-2754	T30	100	6	12/240
YT-2756	T40	100	7	12/240
YT-2757	T45	100	8	12/240

Precision screwdriver

S2 | MAGNETIC | HRC 57-61



COLOR BOX



- PP+TPR 3 colour handle
- Satin finish,sanded tip

YATO	⊕	L (mm)	
YT-25831	PH000	50	50/400
YT-25832	PH000	75	50/400
YT-25833	PH00	50	50/400
YT-25834	PH00	75	50/400
YT-25835	PH0	50	50/400
YT-25836	PH0	75	50/400
YT-25837	PH0	100	50/400
YT-25838	PH1	50	50/400
YT-25839	PH1	100	50/400

Precision screwdriver

S2 | MAGNETIC | HRC 57-61



COLOR BOX



- PP+TPR 3 colour handle
- Satin finish,sanded tip

YATO	⊛	L (mm)	
YT-25852	T5	50	50/400
YT-25853	T6	50	50/400
YT-25854	T7	50	50/400
YT-25855	T8	50	50/400
YT-25856	T9	50	50/400
YT-25857	T10	50	50/500

Precision screwdriver set

6 PCS | S2 | MAGNETIC | HRC 57-61



YATO	⊖	⊕		
YT-25861	1.4		50	6/36
	2.0		50	
	2.4		50	
		PH00	50	
		PH0	50	
		PH1	50	

Precision screwdriver set

6 PCS | S2 | MAGNETIC | HRC 57-61



YATO	⊛	L(mm)	
YT-25862	T5	50	6/36
	T6	50	
	T7	50	
	T8	50	
	T9	50	
	T10	50	

Precision screwdriver set

7 PCS | S2 | MAGNETIC | HRC 57-61




YATO	⊖	⊕	⊛	L(mm)	
YT-25863	2.0			50	6/36
	3.0			50	
		PH00		50	
		PH0		50	
			T5	50	
			T6	50	
			T7	50	

22 in 1 interchangeable screwdriver set

12 PCS | ⊖ | ⊕ | ⊕ | ⊛ | ⊛ | SVCM







4 mm x 5.5 mm (L=175/115 mm);
6.5 mm x PH3 (L=175/115 mm);
PH1 x PH2 (L=175/115 mm);
PZ1 x PZ2 (L=175/115 mm);
3 mm x 3 mm (L=175/115 mm);
4 mm x 4 mm (L=175/115 mm);
5 mm x 5 mm (L=175/115 mm);
6 mm x 6 mm (L=175/115 mm);
T10 x T15 (L=175/115 mm);
T20 x T25 (L=175/115 mm);
T30 x T40 (L=175/115 mm)

YATO	size(mm)	
YT-2797	260x170x55	6/12

Flexible hose clip screwdriver

SVCM | ⊛



YATO	size (mm)	PCS packing:	
YT-1390	6x150	6	96
YT-1392	8x150	6	96

Socket wrench with handle

SVCM | 1/4" | 6.3 mm




YATO	size (mm)	PCS packing:	
YT-1381	1/4" x 150	6	96

Socket wrench with handle

CrV | HRC 44






YATO	⬡ (mm)	D (mm)	L1 (mm)	L2 (mm)	
YT-1541	5	8.0	125	242	6/120
YT-1542	6	9.1	125	242	6/120
YT-1545	9	13.0	125	242	6/120
YT-1547	11	15.9	125	242	6/120

Geared ratcheting speed screwdriver set

14 PCS · BITS x12 AISI S2 · MAGNETIC HEAD CrV 50BV30 · HEAVY DUTY NYLON POUCH · 4x SPEED GEAR · LOCK · S2





H2.5, H3, H3.5; T15, T20, T25;
PH1, PH2, PH3; 5, 6, 7 mm

YATO		
YT-2805	400	12/48

Ratchet screwdriver set

75 PCS · 1/4" · CrV 6150 · S2



1/4" (6.3 mm): 2.0(x2), 3.0(x2), 3.5(x2), 4.0(x2), 4.5(x2), 5.0(x2), 5.5(x2), 6.5(x2) mm (L=25 mm); S2
1/4" (6.3 mm): PH0(x2), PH1(x2), PH2(x2), PH3(x2) (L=25 mm); S2
1/4" (6.3 mm): PZ0(x3), PZ1(x3), PZ2(x2), PZ3(x2) (L=25 mm); S2
1/4" (6.3 mm): T10(x3), T15(x3), T20(x3), T25(x3), T27(x2), T30(x2) (L=25 mm); S2
1/4" (6.3 mm): 2.0, 3.0, 4.0, 5.0, 6.0 mm (L=25 mm); S2
1/4" (6.3 mm): SQ0(x2), SQ1(x2), SQ2(x2), SQ3(x2) (L=25 mm); S2
1/4" (6.3 mm): 5, 6, 7, 8, 9, 10, 11, 12, 13 mm; CrV 6150
1/4" (6.3 mm); (L=60 mm); CrV 6150/S2




YATO	
YT-2571	6/24

Flexible screwdriver with bits

31 PCS · 1/4" · S2 · CrV 6150







215 mm;
1/4" (6.3 mm): 3.0, 3.5, 4.0, 5.5, 6.5 mm (L=25 mm);
1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm);
1/4" (6.3 mm): PZ0, PZ1, PZ2, PZ3 (L=25 mm);
1/4" (6.3 mm): T10, T15 (L=25 mm);
1/4" (6.3 mm): 2.0, 3.0, 4.0, 5.0, 6.0 mm (L=25 mm);
1/4" (6.3 mm): 5.0, 6.0, 7.0, 8.0(x2), 9.0, 10.0, 11.0, 12.0, 13.0 mm

YATO	
YT-2780	6/24

Ratchet screwdriver set

42 PCS · 1/4" · BITS x30 AISI S2 · CrV 50BV30





1/4": 5, 6, 7, 8, 9, 10, 11, 12, 13 mm;
1/4" x 100 mm; 1/4"; CrV 50BV30;
H2, H2.5, H3, H4, H5,H6; T10, T15, T20, T25, T27, T30, T40; PH1, PH1, PH2, PH2, PH3, PH3; 3, 4, 5, 6, 7 mm; PZ1, PZ1, PZ2, PZ2, PZ3, PZ3

YATO		
YT-2806	1100	12

Ratchet screwdriver set

14 PCS · 1/4" · S2 · CrV 6150



5, 6 mm; PH1, PH2;
T15, T20; 5, 6, 7, 8, 10, 12, 13 mm

YATO	
YT-2804	6/36

Ratchet screwdriver set

29 PCS · 1/4" · S2 · 6.3 mm · CrV 6150





1/4" (6.3 mm): 3.5, 4.0, 5.5, 6.5 mm (L=25 mm);
1/4" (6.3 mm): PH0, PH1, PH2, PH3 (L=25 mm);
1/4" (6.3 mm): PZ0, PZ1, PZ2, PZ3 (L=25 mm);
1/4" (6.3 mm): 4.0, 5.0, 6.0 mm (L=25 mm);
1/4" (6.3 mm): 5, 6(x2), 7(x2), 8, 9(x2), 10(x2), 11, 13 mm; CrV 6150;
1/4" (6.3 mm) x 1/4" (6.3 mm); (L=30 mm)

YATO	
YT-2808	6/36

Impact screwdriver set

8 PCS · BITS x6 CrV 6150





5/16" 1/2";
PH2 (L=80 mm); PH2, PH3 (L=35 mm);
8mm (L=80 mm); 8, 10 mm (L=35 mm)

YATO	
YT-2801	5/20

Impact screwdriver set

8 PCS | BITS x6 CrV 6150 | ⊖ | ⊕





5/16" ⬡ ▭ ▢ 1/2";
⊕ PH2 (L=80 mm); PH2, PH3 (L=35 mm); ▯ 8mm (L=80 mm); 8, 10 mm (L=35 mm)

YATO		
YT-2800	870	20

Screwdriver bit set

COLD FORGED | 21.8 Nm max. | AISI S2 | HRC 58-62 | 10 PCS | ⊕

YATO NON-SLIP SYSTEM





• 10 pcs/set

YATO	⊕	L (mm)	⬡	PCS packing:	
YT-04702	PZ1	25	1/4"	10	25/200
YT-04712	PZ2	25	1/4"	10	25/200
YT-04722	PZ3	25	1/4"	10	25/200

Screwdriver bit set

COLD FORGED | 21.8 Nm max. | AISI S2 | HRC 58-62 | 10 PCS | ⊕

YATO NON-SLIP SYSTEM





• 10 pcs/set


YATO	⊕	L (mm)	⬡	PCS packing:	
YT-04772	PH1	50	1/4"	10	25/100
YT-04782	PH2	50	1/4"	10	25/100
YT-04792	PH3	50	1/4"	10	25/100

Screwdriver bit set

10 PCS | ⊕ | AISI S2 | HRC 58-62 | 21.8 Nm max. | COLD FORGED



SLIDING CARD



YATO	⊕	L (mm)	⬡	PCS packing:	
YT-0480	PH2	75	1/4"	10	25/100

Screwdriver bit set

COLD FORGED | 21.8 Nm max. | AISI S2 | HRC 58-62 | 10 PCS | ⊕

YATO NON-SLIP SYSTEM





• 10 pcs/set

YATO	⊕	L (mm)	⬡	PCS packing:	
YT-04742	PH1	25	1/4"	10	25/200
YT-04752	PH2	25	1/4"	10	25/200
YT-04762	PH3	25	1/4"	10	25/200

Screwdriver bit set

COLD FORGED | 21.8 Nm max. | AISI S2 | HRC 58-62 | 10 PCS | ⊕

YATO NON-SLIP SYSTEM






• 10 pcs/set

YATO	⊕	L (mm)	⬡	PCS packing:	
YT-04812	PH2	65	1/4"	10	25/100

Screwdriver bit set

CrV 6150 *for YT-2800 YT-2801*

SLIDING CARD





YATO	⊕	⊖	L (mm)	⬡	PCS packing:	
YT-2810	PH2		36	5/16"	5	10/100
YT-2812	PH2	8	36	5/16"	4	10/100
	PH3	10				

Screwdriver bit set

COLD FORGED | 21.8 Nm max. | AISI S2 | HRC 58-62 | 10 PCS | ⊖ | ⊕ | ⊕

YATO NON-SLIP SYSTEM





▯ 5, 6 mm; ⊕ PH1, PH1, PH2, PH2; ✥ PZ1, PZ1, PZ2, PZ2

YATO	L (mm)	⬡	PCS packing:	
YT-04822	25	1/4"	10	25/200

Screwdriver bit set

COLD FORGED | 21.8 Nm max. | AISI S2 | HRC 58-62 | 10 PCS | ⊖ | ⊕ | ⊕






▯ 5, 6 mm; ⊕ PH1, PH1, PH2, PH2; ✥ PZ1, PZ1, PZ2, PZ2

YATO	L (mm)	⬡	PCS packing:	
YT-04832	50	1/4"	10	25/100

Screwdriver bit

AISI S2 | COLD FORGED



COLOR BOX



YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7800	3.0	25	1/4"	50	20/40
YT-7801	4.0	25	1/4"	50	20/40
YT-7802	5.0	25	1/4"	50	20/40
YT-7803	5.5	25	1/4"	50	20/40
YT-7804	6.0	25	1/4"	50	20/40
YT-7805	6.5	25	1/4"	50	20/40

Screwdriver bit

AISI S2 | HRC 58-61






YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-78130	PH0	25	1/4"	10	20/100
YT-78131	PH1	25	1/4"	10	20/100
YT-78132	PH2	25	1/4"	10	20/100
YT-78133	PH3	25	1/4"	10	20/100

Screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62




COLOR BOX



YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7821	T8	25	1/4"	50	20/40
YT-7822	T10	25	1/4"	50	20/40
YT-7823	T15	25	1/4"	50	20/40
YT-7824	T20	25	1/4"	50	20/40
YT-7825	T25	25	1/4"	50	20/40
YT-7826	T27	25	1/4"	50	20/40
YT-7827	T30	25	1/4"	50	20/40
YT-7828	T40	25	1/4"	50	20/40

Screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62



COLOR BOX





YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7806	PH0	25	1/4"	50	20/40
YT-7807	PH1	25	1/4"	50	20/40
YT-7808	PH2	25	1/4"	50	20/40
YT-7809	PH3	25	1/4"	50	20/40

Screwdriver bit

AISI S2 | HRC 58-61





YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-78134	PZ1	25	1/4"	10	20/100
YT-78135	PZ2	25	1/4"	10	20/100
YT-78136	PZ3	25	1/4"	10	20/100

Screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62



COLOR BOX



YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7840	3.0	50	1/4"	50	10/20
YT-7841	4.0	50	1/4"	50	10/20
YT-7842	5.0	50	1/4"	50	10/20
YT-7843	5.5	50	1/4"	50	10/20
YT-7844	6.0	50	1/4"	50	10/20
YT-7845	6.5	50	1/4"	50	10/20

Screwdriver bit

AISI S2 | HRC 58-62





YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-78141	T10	25	1/4"	10	20/100
YT-78142	T15	25	1/4"	10	20/100
YT-78143	T20	25	1/4"	10	20/100
YT-78144	T25	25	1/4"	10	20/100
YT-78145	T27	25	1/4"	10	20/100
YT-78146	T30	25	1/4"	10	20/100
YT-78147	T40	25	1/4"	10	20/100

Screwdriver bit

HEX | AISI S2 | COLD FORGED | HRC 58-62



COLOR BOX



YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7829	2.0	25	1/4"	50	20/40
YT-7830	2.5	25	1/4"	50	20/40
YT-7831	3.0	25	1/4"	50	20/40
YT-7832	4.0	25	1/4"	50	20/40
YT-7833	5.0	25	1/4"	50	20/40
YT-7834	6.0	25	1/4"	50	20/40

Screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62



COLOR BOX



YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7848	PH2	50	1/4"	50	10/20

Screwdriver bit

AISI S2 | HRC 58-61






YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-78150	PH0	50	1/4"	10	20/100
YT-78151	PH1	50	1/4"	10	20/100
YT-78152	PH2	50	1/4"	10	20/100
YT-78153	PH3	50	1/4"	10	20/100

Screwdriver bit

HEX | AISI S2 | COLD FORGED | HRC 58-62




COLOR BOX



YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7869	2.0	50	1/4"	50	10/20
YT-7870	2.5	50	1/4"	50	10/20
YT-7871	3.0	50	1/4"	50	10/20
YT-7872	4.0	50	1/4"	50	10/20
YT-7873	5.0	50	1/4"	50	10/20
YT-7874	6.0	50	1/4"	50	10/20

Double end screwdriver bit

⊕ | ⊖ | AISI S2 | COLD FORGED | HRC 58-62



COLOR BOX



YATO	⊕	⊖	L (mm)	⬡	PCS packing:	
YT-7885	PH1	4.5	65	1/4"	50	10/20

Screwdriver bit

AISI S2 | HRC 58-62






YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-78154	PZ1	50	1/4"	10	20/100
YT-78155	PZ2	50	1/4"	10	20/100
YT-78156	PZ3	50	1/4"	10	20/100

Screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62




COLOR BOX



YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7853	T8	50	1/4"	50	10/20
YT-7854	T10	50	1/4"	50	10/20
YT-7855	T15	50	1/4"	50	10/20
YT-7856	T20	50	1/4"	50	10/20
YT-7857	T25	50	1/4"	50	10/20
YT-7858	T27	50	1/4"	50	10/20
YT-7859	T30	50	1/4"	50	10/20
YT-7860	T40	50	1/4"	50	10/20

Double end screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62



COLOR BOX



YATO	⊕	⊕	L (mm)	⬡	PCS packing:	
YT-7881	PH2	PH2	65	1/4"	50	10/20
YT-7882	PH3	PH3	65	1/4"	50	10/20

Screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62



COLOR BOX



YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7861	T8	50	1/4"	50	10/20
YT-7862	T10	50	1/4"	50	10/20
YT-7863	T15	50	1/4"	50	10/20
YT-7864	T20	50	1/4"	50	10/20
YT-7865	T25	50	1/4"	50	10/20
YT-7866	T27	50	1/4"	50	10/20
YT-7867	T30	50	1/4"	50	10/20
YT-7868	T40	50	1/4"	50	10/20

Double end screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62





YATO	⊕	⊕	L (mm)	⬡	PCS packing:	
YT-78160	PH1	PH1	65	1/4"	10	20/100
YT-78161	PH2	PH2	65	1/4"	10	20/100
YT-78162	PH3	PH3	65	1/4"	10	20/100
YT-78163	PH1	PH2	65	1/4"	10	20/100
YT-78164	PH2	PH3	65	1/4"	10	20/100

Double end screwdriver bit

⊕ | ⊖ | AISI S2 | HRC 58-62





YATO	⊕	⊖	L (mm)	⬡	PCS packing:	
YT-78165	PH1	4.5	65	1/4"	10	20/100
YT-78166	PH2	5.5	65	1/4"	10	20/100
YT-78167	PH3	6.5	65	1/4"	10	20/100

Double end screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62



COLOR BOX



YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7888	PH1	110	1/4"	20	10/20
YT-7889	PH2	110	1/4"	20	10/20
YT-7890	PH3	110	1/4"	20	10/20

Impact screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62


COLOR BOX



- 50 pcs/small box

YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7908	T10	30	8mm	50	10/20
YT-7909	T15	30	8mm	50	10/20
YT-7910	T20	30	8mm	50	10/20
YT-7911	T25	30	8mm	50	10/20
YT-7912	T27	30	8mm	50	10/20
YT-7913	T30	30	8mm	50	10/20
YT-7914	T40	30	8mm	50	10/20
YT-7915	T45	30	8mm	50	10/20
YT-7916	T50	30	8mm	50	10/20
YT-7917	T55	30	8mm	50	10/20
YT-7918	T60	30	8mm	50	10/20

Impact screwdriver bit

SPLINE | AISI S2 | HRC 58-62






YATO	size(mm)	L (mm)	⬡ (mm)	PCS packing:	
YT-78190	M5	30	8	10	20/100
YT-78191	M6	30	8	10	20/100
YT-78192	M8	30	8	10	20/100
YT-78193	M10	30	8	8	10/50
YT-78194	M12	30	8	6	10/50

Impact screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62


COLOR BOX




- 50 pcs/small box

YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7891	5.5	30	8mm	50	10/20
YT-7892	6.5	30	8mm	50	10/20
YT-7893	8	30	8mm	50	10/20

Impact screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62


COLOR BOX




- 50 pcs/small box

YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7894	PH1	30	8mm	50	10/20
YT-7895	PH2	30	8mm	50	10/20
YT-7896	PH3	30	8mm	50	10/20

Impact screwdriver bit

HEX | AISI S2 | COLD FORGED | HRC 58-62


COLOR BOX



- 50 pcs/small box

YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7919	4	30	8mm	50	10/20
YT-7920	5	30	8mm	50	10/20
YT-7921	6	30	8mm	50	10/20
YT-7922	7	30	8mm	50	10/20
YT-7923	8	30	8mm	50	10/20

Impact screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62


COLOR BOX



- 50 pcs/small box

YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7897	T10	30	8mm	50	10/20
YT-7898	T15	30	8mm	50	10/20
YT-7899	T20	30	8mm	50	10/20
YT-7900	T25	30	8mm	50	10/20
YT-7901	T27	30	8mm	50	10/20
YT-7902	T30	30	8mm	50	10/20
YT-7903	T40	30	8mm	50	10/20
YT-7904	T45	30	8mm	50	10/20
YT-7905	T50	30	8mm	50	10/20
YT-7906	T55	30	8mm	20	10/40
YT-7907	T60	30	8mm	20	10/20

Impact screwdriver bit

SPLINE | AISI S2 | COLD FORGED | HRC 58-62


COLOR BOX



- 50 pcs/small box

YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7931	M8	30	8mm	50	10/20
YT-7932	M10	30	8mm	20	10/40

Impact screwdriver bit

AISI S2 | COLD FORGED | HRC 58-62



COLOR BOX



- 20 pcs/small box

YATO	size(mm)	L (mm)	⬡ (mm)	PCS packing:	
YT-7934	5.5	70	8	20	10/20
YT-7935	6.5	70	8	20	10/20
YT-7936	8.0	70	8	20	10/20

Impact screwdriver bit




COLOR BOX



- 20 pcs/small box

YATO	size(mm)	L (mm)	⬡ (mm)	PCS packing:	
YT-7937	PH1	70	8	20	10/20
YT-7938	PH2	70	8	20	10/20
YT-7939	PH3	70	8	20	10/20

Impact screwdriver bit




COLOR BOX



- 20 pcs/small box

YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7971	M5	70	8mm	20	10/20
YT-7972	M6	70	8mm	20	10/20
YT-7973	M8	70	8mm	20	10/20
YT-7974	M10	70	8mm	20	5/10
YT-7975	M12	70	8mm	20	5/10

Screwdriver bit with limiter



COLOR BOX



- with limiter

YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7980	PH2	25	1/4"	20	20/40

Impact screwdriver bit




COLOR BOX



- 20 pcs/small box

YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7940	T10	70	8mm	20	10/20
YT-7941	T15	70	8mm	20	10/20
YT-7942	T20	70	8mm	20	10/20
YT-7943	T25	70	8mm	20	10/20
YT-7944	T27	70	8mm	20	10/20
YT-7945	T30	70	8mm	20	10/20
YT-7946	T40	70	8mm	20	10/20
YT-7947	T45	70	8mm	20	10/20
YT-7948	T50	70	8mm	20	10/20
YT-7949	T55	70	8mm	20	5/10
YT-7950	T60	70	8mm	20	5/10

Impact screwdriver bit



COLOR BOX



- 20 pcs/small box

YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7951	T10	70	8mm	20	10/20
YT-7952	T15	70	8mm	20	10/20
YT-7953	T20	70	8mm	20	10/20
YT-7954	T25	70	8mm	20	10/20
YT-7955	T27	70	8mm	20	10/20
YT-7956	T30	70	8mm	20	10/20
YT-7957	T40	70	8mm	20	10/20
YT-7958	T45	70	8mm	20	10/20
YT-7959	T50	70	8mm	20	10/20
YT-7960	T55	70	8mm	20	5/10
YT-7961	T60	70	8mm	20	5/10

Nut setter





- packing:20pcs in color box

YATO	⬡	⬡	
YT-1501	6	1/4"	20/200/600
YT-1502	7	1/4"	20/200/600
YT-1503	8	1/4"	20/200/600
YT-1505	10	1/4"	20/200/600
YT-1507	12	1/4"	20/200/600
YT-1508	13	1/4"	20/200/600

Impact screwdriver bit



COLOR BOX



- 20 pcs/small box

YATO	size(mm)	L (mm)	⬡	PCS packing:	
YT-7962	4	70	8mm	20	10/20
YT-7963	5	70	8mm	20	10/20
YT-7964	6	70	8mm	20	10/20
YT-7965	7	70	8mm	20	10/20
YT-7966	8	70	8mm	20	10/20

Screwdriver bit








- packing:one piece/sliding card

YATO	⊕	L (mm)	⬡	
YT-0485	PH2	100	1/4"	25/100
YT-0486	PH2	150	1/4"	25/100
YT-0487	PH2	200	1/4"	25/100

Nut setter





- packing:one piece/sliding card

YATO	⬡	⬡	
YT-1511	6	1/4"	20/100/200
YT-1512	7	1/4"	20/100/200
YT-1513	8	1/4"	20/100/200
YT-1515	10	1/4"	20/100/200
YT-1517	12	1/4"	20/100/200
YT-1518	13	1/4"	20/100/200

Keyless chuck snap-out hex

AISI S2



YATO	L (mm)	⬡	📦
YT-04644	50	1/4"	6/150

Screwdriver bit holder

1/4" 80 mm · MAGNETIC · ELASTIC COVER





- extention bar for deep working place
- black NON-SLIP sleeve,can be extended,to validate when tight the screw

YATO	⬡	L (mm)	📦
YT-0467	1/4"	80	20/200

Angle adapter with extention

1/4" 6.3 mm · MAGNETIC · 400 min⁻¹ · 90° · 13 Nm



YATO	⬡	L (mm)	📦
YT-04636	1/4"	325	6/60

Angle adapter

1/4" 60 mm · STAINLESS STEEL · 13 Nm · 4000 min⁻¹ · 90°





YATO	⬡	L (mm)	📦
YT-04631	1/4"	155	6/50

Swiverl bit holder

1/4" · 100 mm · MAGNETIC · CrV



YATO	⬡	L (mm)	📦
YT-04635	1/4"	100	6/120

Screwdriver bit holder

1/4" 60 mm · QUICK CONNECT · STAINLESS STEEL · MAGNETIC

SLIDING CARD





- mechanical locking device, easily holding screwdriver bits
- black NON-SLIP sleeve,for quick connect and release

YATO	⬡	L (mm)	📦
YT-0468	1/4"	60	20/200

Screwdriver bit holder

1/4" 60 mm · MAGNETIC · STAINLESS STEEL

SLIDING CARD





YATO	⬡	L (mm)	📦
YT-0465	1/4"	60	20/200

Screwdriver bit holder

1/4" 60 mm · MAGNETIC

SLIDING CARD





- while NON-SLIP sleeve,for quick connect and release

YATO	⬡	L (mm)	📦
YT-0466	1/4"	60	20/200

Screwdriver bit holder

1/4" 50 mm · QUICK CONNECT · CrV 6150

SLIDING CARD






- mechanical locking device, easily holding screwdriver bits
- black NON-SLIP sleeve,for quick connect and release
- no magnetic

YATO	⬡	L (mm)	📦
YT-0469	1/4"	50	20/200


Socket adapter HEX shank





YATO	⬡	L (mm)	
YT-04625	1/4"	65	40/120


Socket adapter HEX shank





YATO	⬡	L (mm)	
YT-04626	1/4"	65	40/120


Socket adapter HEX shank





YATO	⬡	L (mm)	
YT-04627	1/4"	70	40/120

Adapter








YATO	⬡	L (mm)	
YT-04690	1/4"	60	50/100

3 psc socket adapter HEX shank set






1/4" (6.3 mm), L=150 mm
3/8" (9.5 mm), L=150 mm
1/2" (12.7 mm), L=150 mm

YATO	⬡	
YT-04628	1/4"	24

3 pcs socket adapter hex







YATO	⬡	
YT-04685	1/4"	20/100

Screwdriver bit holder







YATO	⬡	L (mm)	
YT-04681	1/4"	150	50/100
YT-04682	1/4"	200	50/100


6 psc socket adapter HEX shank set





YATO	⬡	
YT-04629	1/4"	24

3 psc SDS socket driver set







YATO	
YT-04686	20/100

Screwdriver bit set

218 Nm max. | AISI S2 | HRC 58-62
7 PCS | TORX

HANGING COLOR BOX



x6:3/8"-9.5mm
L=30 mm: T25, T30, T40, T45, T50, T55; AISI S2;

1/2"-12.7 mm; CrV 6150

YATO		
YT-0410	150	24/72

218 Nm max. | AISI S2 | HRC 58-62
40 PCS | HEX | SPLINE | TORX



METAL CASE & COLOR BOX



x14: L=30 mm: H4, H5, H6, H7, H8, H10,H12;
L=75 mm: H4, H5, H6, H7, H8, H10, H12;
x10: L=30 mm: M5, M6, M8, M10, M12;L=75 mm: M5, M6, M8, M10, M12;
x14: L=30 mm: T20, T25, T30, T40, T45, T50, T55;L=75 mm: T20, T25, T30, T40, T45, T50, T55;AISI S2;

x2: 1/2"-12.7 mm, 3/8"-9.5 mm; CrV 6150

YATO	(mm)		
YT-0400	10	2000	10

218 Nm max. | AISI S2 | HRC 58-62
15 PCS | TORX



x14: 3/8:-9.5mm
L=30 mm: T20, T25, T30, T40, T45, T50, T55;
L=75 mm: T20, T25, T30, T40, T45, T50, T55;
AISI S2;

1/2"-12.7mm; CrV 6150

METAL CASE & COLOR BOX



YATO		
YT-0411	850	20

218 Nm max. | AISI S2 | HRC 58-62
7 PCS | HEX

HANGING COLOR BOX



x6:3/8"-9.5mm
L=30 mm: H4, H5, H6, H8, H10, H12 mm; AISI S2;

1/2"-12.7 mm; CrV 6150

YATO		
YT-0412	160	24/72

Screwdriver bit set

15 PCS | HEX



METAL CASE & COLOR BOX



x14: 3/8"9.5mm
L=30 mm: H4, H5, H6, H7, H8, H10, H12 mm;
L=75 mm: H4, H5, H6, H7, H8, H10, H12 mm;
AISI S2;

1/2"-12.7 mm; CrV 6150

YATO		
YT-0413	890	20

6 PCS | SPLINE

HANGING COLOR BOX



x5: 3/8"-9.5mm
L=30 mm: M5, M6, M8, M10, M12; AISI S2;

1/2"-12.7 mm; CrV 6150

YATO		
YT-0414	140	24/72

218 Nm max. | AISI S2 | HRC 58-62
11 PCS | SPLINE



x10:3/8"-9.5mm
L=30 mm: M5, M6, M8, M10, M12;
L=75 mm: M5, M6, M8, M10, M12;
AISI S2;



1/2"-12.7 mm; CrV 6150

METAL CASE & COLOR BOX

YATO		
YT-0415	750	20

7 PCS | TORX TAMPERPROOF



x6: 3/8"-9.5mm L=30 mm: T25, T30, T40, T45, T50, T55; AISI S2;

HANGING COLOR BOX

1/2"-12.7 mm; CrV 6150

YATO		
YT-0416	150	24/72

15 PCS | RIBE



x14:3/8"-9.5mm L=30 mm: M6, M7, M8, M9, M10, M12,M14;
L=75 mm: M6, M7, M8, M9, M10, M12, M14; AISI S2;

1/2"-12.7 mm; CrV 6150

YATO		
YT-0419	730	20

15 PCS | TORX TAMPERPROOF



x14:3/8"-9.5mm
L=30 mm: T20, T25, T30, T40, T45, T50, T55;
L=75 mm: T20, T25, T30, T40, T45, T50, T55;
AISI S2;



1/2"-12.7 mm; CrV 6150

METAL CASE & COLOR BOX

YATO		
YT-0417	700	20

218 Nm max. | AISI S2 | HRC 58-62
8 PCS | RIBE

HANGING COLOR BOX



x7:3/8"-9.5mm
L=30 mm: M5, M6, M7, M8, M10, M12, M14; AISI S2;

1/2"-12.7 mm; CrV 6150

YATO		
YT-0418	180	24/72


42 PCS | RIBE | TORX TAMPERPROOF



x18: 3/8"-9.5mmL=30 mm: T20, T25, T30, T40, T45, T50, T55, T60, T70; AISI S2;L=75 mm: T20, T25, T30, T40, T45, T50, T55, T60, T70; AISI S2;
x22:L=30 mm: M4, M5, M6, M7, M8, M9, M10, M11, M12, M13, M14; AISI S2;L=75 mm: M4, M5, M6, M7, M8, M9, M10, M11, M12, M13, M14; AISI S2;


x2: 1/2"-12.7mm, 3/8"-9.5 mm; CrV 6150

YATO		
YT-0420	1800	10



Hex key

LONG HEX | S2 | HRC 58-62



PONCH




YATO	⬡(mm)	a(mm)	b(mm)	torque(Nm)	
YT-5840	1.5	14	62	1.10	12/240/960
YT-5841	2.0	16	75	2.31	12/240/960
YT-5842	2.5	18	85	5.17	12/240/960
YT-5843	3.0	20	90	8.48	12/240/960
YT-5844	4.0	25	100	21.37	6/120/480
YT-5845	5.0	28	115	42.03	6/120/480
YT-5846	6.0	32	135	74.15	6/120/480
YT-5847	7.0	34	140	119.04	6/120/480
YT-5848	8.0	36	150	163.92	6/120/480
YT-5849	10.0	40	170	327.83	6/120/480
YT-57261	12.0	44	209	370.15	3/18/72
YT-57262	14.0	54.5	233	590.26	2/12/48
YT-57263	16.0	58.5	240	880.37	2/12/48
YT-57264	17.0	61.5	246	980.42	1/6/24
YT-57265	18.0	64.5	261	1158.63	1/6/24
YT-57266	19.0	68.5	276	1360.72	1/6/24
YT-57267	22.0	78	330	2110.51	1/1/12
YT-57268	24.0	88	370	2750.79	1/1/12
YT-57269	27.0	97.5	410	3910.11	1/1/6

Hex key

HEX | S2 | HRC 58-62

PONCH






- using S2 material.torque increasing 20% than CrV material
- chamfered end to be easy for insert

YATO	⬡(mm)	a(mm)	b(mm)	torque(Nm)	
YT-57250	1.5	14	45	1.10	12/240/960
YT-57251	2.0	16	50	2.31	12/240/960
YT-57252	2.5	18	56	5.17	12/240/960
YT-57253	3.0	20	63	8.48	12/240/960
YT-57254	4.0	25	70	21.37	6/120/480
YT-57255	5.0	28	80	42.03	6/120/480
YT-57256	6.0	32	90	74.15	6/120/240
YT-57257	7.0	34	95	119.04	6/120/240
YT-57258	8.0	36	100	163.92	6/120/240
YT-57259	10.0	40	112	327.83	6/120/240

Hex key

STANDARD HEX WITH BALL | S2 | HRC 58-62 | 25°

PONCH




- using S2 material. torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	⬡(mm)	a(mm)	b(mm)	torque(Nm)	
YT-58731	1.5	14	45	1.10	12/240/960
YT-58732	2.0	16	50	2.31	12/240/960
YT-58733	2.5	18	56	5.17	12/240/960
YT-58734	3.0	20	63	8.48	12/240/960
YT-58735	4.0	25	70	21.37	6/120/480
YT-58736	5.0	28	80	42.03	6/120/480
YT-58737	6.0	32	90	74.15	6/120/240
YT-58738	7.0	34	95	119.04	6/120/240
YT-58739	8.0	36	100	163.92	6/120/240
YT-58740	10.0	40	112	327.83	6/120/240

Hex key

LONG HEX WITH BALL | S2 | HRC 58-62 | 25°

PONCH




- using S2 material.torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	⬡(mm)	a(mm)	b(mm)	torque(Nm)	
YT-58800	1.5	14	77	1.10	12/240/960
YT-58801	2.0	16	82	2.31	12/240/960
YT-58802	2.5	18	89	5.17	12/240/960
YT-58803	3.0	20	90	8.48	12/240/960
YT-58804	4.0	25	104	21.37	6/120/480
YT-58805	5.0	28	116	42.03	6/120/480
YT-58807	6.0	32	138	74.15	6/120/240
YT-58808	7.0	34	148	119.04	6/120/240
YT-58809	8.0	36	158	163.92	6/120/240
YT-58810	10.0	40	167	327.83	6/120/240

Extra long hex key

EXTRA LONG HEX | S2 | HRC 58-62



PONCH




- using S2 material.torque increasing 20% than CrV material
- chamfered end to be easy for insert

YATO	⬡(mm)	a(mm)	b(mm)	torque(Nm)	
YT-58811	1.5	14	90	1.10	12/240/960
YT-58812	2.0	16	100	2.31	12/240/960
YT-58813	2.5	18	112	5.17	12/240/960
YT-58814	3.0	20	126	8.48	12/240/960
YT-58815	4.0	25	140	21.37	6/120/480
YT-58816	5.0	28	160	42.03	6/120/480
YT-58817	6.0	32	180	74.15	6/60/120
YT-58818	7.0	34	190	119.04	6/60/120
YT-55819	8.0	36	200	163.92	6/60/120
YT-58820	10.0	40	224	327.83	6/60/120

Extra long hex key

EXTRA LONG HEX WITH BALL | S2 | HRC 58-62 | S.A.E. | 25°



PONCH




- using S2 material.torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	⬡	a(mm)	b(mm)	torque (Nm)	
YT-5851	1/16"	13	89	1.30	12/240/960
YT-5852	5/64"	15	99	2.61	12/240/960
YT-5853	3/32"	17	111	4.60	12/240/960
YT-5854	7/64"	18	119	7.33	12/240/960
YT-5855	1/8"	19	125	10.69	12/240/960
YT-5856	9/64"	21	136	15.54	12/240/960
YT-5857	5/32"	24	139	23.05	6/60/120
YT-5858	3/16"	27	159	40.00	6/60/120
YT-5859	7/32"	30	170	57.62	6/60/120
YT-5860	1/4"	31	179	92.53	6/60/120
YT-5861	5/16"	35	199	183.60	6/60/120
YT-5862	3/8"	39	223	315.79	6/60/120

Hex key set

9 PCS | HEX | S2 | HRC 58-62





- using S2 material.torque increasing 20% than CrV material
- chamfered end to be easy for insert


YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58821	1.5	14	45	6/48
	2.0	16	50	
	2.5	18	56	
	3.0	20	63	
	4.0	25	70	
	5.0	28	80	
	6.0	32	90	
	8.0	36	100	
	10.0	40	112	

Extra long hex key with ball

EXTRA LONG HEX WITH BALL | S2 | HRC 58-62 | 25°

PONCH






- using S2 material.torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	torque (Nm)	
YT-5863	1.5	14	90	1.10	12/240/960
YT-5865	2.0	16	100	2.31	12/240/960
YT-5866	2.5	18	112	5.17	12/240/960
YT-5867	3.0	20	126	8.48	12/240/960
YT-5868	4.0	25	140	21.37	6/120/480
YT-5869	5.0	28	160	42.03	6/120/480
YT-5870	6.0	32	180	74.15	6/60/120
YT-5871	7.0	34	190	119.04	6/60/120
YT-5872	8.0	36	200	163.92	6/60/120
YT-5873	10.0	40	224	327.83	6/60/120

Hex key

TORX TAMPERPROOF | S2 | HRC 52-55



PONCH




- using S2 material.torque increasing 20% than CrV material
- with psitioning hole in the end

YATO	⬡ (mm)	a (mm)	b (mm)	torque (Nm)	
YT-58180	T6	13	70	0.6	12/240/960
YT-58181	T7	14	74	1.2	12/240/960
YT-58182	T8	15	78	1.8	12/240/960
YT-58183	T9	16	82	2.4	12/240/960
YT-58184	T10	17	86	3.2	12/240/960
YT-58185	T15	18	90	5.4	6/120/480
YT-58186	T20	19	95	8.9	6/120/480
YT-58187	T25	20	100	13.5	6/120/480
YT-58188	T27	21	105	19.1	6/120/480
YT-58189	T30	24	114	26.4	6/120/240
YT-58190	T40	26	124	46.0	6/120/240
YT-58191	T45	29	133	73.3	6/120/240
YT-58192	T50	32	152	112.5	6/120/240
YT-58193	T55	35	171	185.5	6/36/144
YT-58194	T60	38	190	321.8	3/18/72

Hex key set

9 PCS | STANDARD HEX WITH BALL | S2 | HRC 58-62 | 25°






- using S2 material.torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58825	1.5	14	45	6/48
	2.0	16	50	
	2.5	18	56	
	3.0	20	63	
	4.0	25	70	
	5.0	28	80	
	6.0	32	90	
	8.0	36	100	
	10.0	40	112	

Hex key set

9 PCS | LONG HEX | S2 | HRC 58-62






- using S2 material.torque increasing 20% than CrV material
- chamfered end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-5877	1.5	14	77	6/36
	2.0	16	82	
	2.5	18	89	
	3.0	20	99	
	4.0	25	104	
	5.0	28	116	
	6.0	32	138	
	8.0	36	158	
	10.0	40	167	

Extra long hex key set

9 PCS | EXTRA LONG HEX | S2 | HRC 58-62






- using S2 material.torque increasing 20% than CrV material
- chamfered end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58822	1.5	14	90	6/36
	2.0	16	100	
	2.5	18	112	
	3.0	20	126	
	4.0	25	140	
	5.0	28	160	
	6.0	32	180	
	8.0	36	200	
	10.0	40	224	

Extra long hex key set

12 PCS | EXTRA LONG WITH BALL | S2 | HRC 58-62 | S.A.E. | 25°






- using S2 material.torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	⬡	a (mm)	b (mm)	
YT-5875	1/16" (1.6 mm)	13	89	6/36
	5/64" (2.0 mm)	15	99	
	3/32" (2.4 mm)	17	111	
	7/64" (2.8 mm)	18	119	
	1/8" (3.2 mm)	19	125	
	9/64" (3.6 mm)	21	136	
	5/32" (4.0 mm)	24	139	
	3/16" (4.8 mm)	27	159	
	7/32" (5.6 mm)	30	170	
	1/4" (6.3 mm)	31	179	
	5/16" (7.9 mm)	35	199	
	3/8" (9.5 mm)	39	223	

Hex key set

9 PCS | LONG HEX WITH BALL | S2 | HRC 58-62 | 25°






- using S2 material.torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58823	1.5	14	77	6/36
	2.0	16	82	
	2.5	18	89	
	3.0	20	99	
	4.0	25	104	
	5.0	28	116	
	6.0	32	138	
	8.0	36	158	
	10.0	40	167	

Extra long hex key set with ball

9 PCS | EXTRA LONG HEX WITH BALL | S2 | HRC 58-62 | 25°






- using S2 material.torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-5878	1.5	14	90	6/36
	2.0	16	100	
	2.5	18	112	
	3.0	20	126	
	4.0	25	140	
	5.0	28	160	
	6.0	32	180	
	8.0	36	200	
	10.0	40	224	

Hex key set

9 PCS | TORX TAMPERPROOF | S2 | HRC 58-62 | LONG HEX






- using S2 material.torque increasing 20% than CrV material
- with psitioning hole in the end

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58827	T10	17	86	6/36
	T15	18	90	
	T20	19	95	
	T25	20	100	
	T27	21	105	
	T30	24	114	
	T40	26	124	
	T45	29	133	
	T50	32	152	

Hex key

7 PCS | LONG HEX | S2 | HRC 58-62






- using S2 material.torque increasing 20% than CrV material
- chamfered end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58826	1.5	14	77	10/60
	2.0	16	82	
	2.5	18	89	
	3.0	20	99	
	4.0	25	104	
	5.0	28	116	
	6.0	32	138	

Hex key

7 PCS | LONG HEX WITH BALL | S2 | HRC 58-62 | 25°





- using S2 material.torque increasing 20% than CrV material
- ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58824	1.5	14	77	6/36
	2.0	16	82	
	2.5	18	89	
	3.0	20	99	
	4.0	25	104	
	5.0	28	116	
	6.0	32	138	

Hex key set

8 PCS | HEX | S2 | HRC 58-62

PONCH





- using S2 material.torque increasing 20% than CrV material
- 1.5,2.0,2.5,3.0,4.0,5.0,8.0mm

YATO	
YT-58830	6/36

Hex key set

9 PCS | HEX | S2 | HRC 58-62

PONCH





- using S2 material.torque increasing 20% than CrV material
- 1/4", 7/32", 3/16", 5/64",3/32", 7/64", 1/8", 9/64", 5/32"

YATO	
YT-58831	6/36

9 PCS | TORX TAMPERPROOF | S2 | HRC 58-62

PONCH





- using S2 material.torque increasing 20% than CrV material
- T9, T10, T15, T20, T25, T27, T30, T40

YATO	
YT-58832	6/36

Hex key set

24 PCS | HEX | CrV 6150 | HRC 52-55



YATO	size(mm)	
YT-05640	1.5;2;2.5;3;4;5;6;8	10/40
	1/16;5/64;3/32;1/8;9/64;5/32/;/3/16;1/4	
	T6;T7;T8;T9;T10;T15;T20;T25	

Hex key

STANDARD HEX | CrV 6150 | HRC 52-55

PONCH





- chamfered end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	PCS packing:	
YT-5730	1.5	13	45	12	12/240/960
YT-5731	2.0	15	50	12	12/240/960
YT-5732	2.5	17	56	12	12/240/960
YT-5733	3.0	19	63	12	12/240/960
YT-5734	4.0	23	70	6	6/120/480
YT-5735	5.0	27	80	6	6/120/480
YT-5736	6.0	29	90	6	6/120/240
YT-5737	7.0	34	95	6	6/120/240
YT-5738	8.0	35	100	6	6/120/240
YT-5739	10.0	36	112	6	6/120/240

Hex key

STANDARD HEX WITH BALL | CrV 6150 | HRC 52-55

PONCH





- ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	PCS packing:	
YT-5785	1.5	13	45	12	12/240/960
YT-5786	2.0	15	49	12	12/240/960
YT-5787	2.5	17	56	12	12/240/960
YT-5788	3.0	19	62	12	12/240/960
YT-5789	4.0	23	70	6	6/120/480
YT-5790	5.0	26	77	6	6/120/480
YT-5791	6.0	30	91	6	6/120/240
YT-5792	7.0	32	95	6	6/120/240
YT-5793	8.0	34	98	6	6/120/240
YT-5794	10.0	37	111	6	6/120/240

Hex key set

26 PCS | HEX | CrV 6150 | HRC 52-55



YATO	size(mm)	
YT-05644	1.5;2;2.5;3;4;4.5;5;5.5;6	6/36
	5/64;3/32;7/64;1/8;9/64;5/32;3/16;7/32;1/4	
	T9;T10;T15;T20;T25;T27;T30;T40	

Hex key

HEX | CrV 6150 | HRC 52-55

PONCH




YATO	⬡ (mm)	a (mm)	b (mm)	PCS packing:	
YT-5740	1.5	13	61	12	20/80
YT-5741	2.0	15	75	12	20/80
YT-5742	2.5	17	84	12	20/80
YT-5743	3.0	18	88	12	20/80
YT-5744	4.0	23	115	6	20/80
YT-5745	5.0	26	115	6	20/80
YT-57451	5.5	28	130	6	20/80
YT-5746	6.0	31	132	6	20/40
YT-5747	7.0	32	139	6	20/40
YT-5748	8.0	33	150	6	20/40
YT-5749	10.0	37	170	6	20/40
YT-5750	12.0	41	185	3	10/20
YT-5751	14.0	52	238	3	10/20
YT-5752	16.0	55	235	3	10
YT-5753	17.0	60	250	1	10
YT-5754	18.0	65	250	1	10
YT-5755	19.0	68	280	1	10
YT-5756	22.0	78	329	1	10
YT-57561	24.0	90	370	1	2
YT-57563	27.0	100	410	1	2
YT-57565	30.0	112	430	1	2
YT-57566	32.0	125	450	1	2
YT-57568	36.0	140	470	1	2

Hex key

HEX | CrV 6150 | HRC 52-55 | 25°

PONCH




• ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	PCS packing:	
YT-5795	1.5	13	62	12	20/80
YT-5796	2.0	15	75	12	20/80
YT-5797	2.5	17	85	12	20/80
YT-5798	3.0	19	89	12	20/80
YT-5799	4.0	23	99	6	120/480
YT-5800	5.0	26	115	6	20/80
YT-58001	5.5	28	134	6	20/80
YT-5801	6.0	29	135	6	120/240
YT-5802	7.0	33	140	6	20/40
YT-5803	8.0	34	150	6	20/40
YT-5804	10.0	36	172	6	20/40
YT-58141	12.0	45	190	1	30/60
YT-58142	14.0	56	215	1	30/60
YT-58144	17.0	63	245	1	1/10

Extra long hex key

HEX | CrV 6150 | HRC 52-55

PONCH




YATO	⬡ (mm)	a (mm)	b (mm)	PCS packing:	
YT-5760	1.5	14	81	12	20/80
YT-5761	2.0	16	99	12	20/80
YT-5762	2.5	17	110	12	20/80
YT-5763	3.0	19	124	12	20/80
YT-5764	4.0	23	137	6	20/80
YT-5765	5.0	26	158	6	20/80
YT-5766	6.0	30	177	6	10/20
YT-5767	7.0	32	186	6	10/20
YT-5768	8.0	34	197	6	10/20
YT-5769	10.0	38	221	6	10/20

Extra long hex key with ball

HEX | CrV 6150 | HRC 52-55 | 25°

PONCH




• ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	PCS packing:	
YT-5805	1.5	14	89	12	20/80
YT-5806	2.0	15	99	12	20/80
YT-5807	2.5	18	110	12	20/80
YT-5808	3.0	20	124	12	20/80
YT-5809	4.0	24	138	6	20/80
YT-5810	5.0	26	158	6	20/80
YT-5811	6.0	30	179	6	10/20
YT-5812	7.0	31	187	6	10/20
YT-5813	8.0	34	198	6	10/20
YT-5814	10.0	38	220	6	10/20

Extra long hex key

HEX | CrV 6150 | HRC 52-55 | S.A.E. | 25°

PONCH




• ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	PCS packing:	
YT-5770	1/16"	14.0	90	12	20/80
YT-5771	5/64"	16.0	100	12	20/80
YT-5772	3/32"	17.0	110	12	20/80
YT-5773	7/64"	18.0	116	12	20/80
YT-5774	1/8"	19.0	123	12	20/80
YT-5775	9/64"	20.0	130	12	20/80
YT-5776	5/32"	21.0	137	6	10/20
YT-5779	1/4"	28.0	183	6	10/20
YT-5780	5/16"	32.0	202	6	10/20
YT-5781	3/8"	35.0	233	6	10/20

Hex key

TORX TAMPERPROOF | CrV 6150 | HRC 52-55

PONCH



YATO	⬡ (mm)	a (mm)	b (mm)	PCS packing:	
*YT-5820	T6	16	69	12	20/80
*YT-5822	T8	16	77	12	20/80
YT-5824	T10	17	86	12	20/80
YT-5825	T15	18	89	6	20/80
YT-5826	T20	19	96	6	20/80
YT-5827	T25	20	102	6	120/480
YT-5828	T27	22	104	6	20/80
YT-5829	T30	24	114	6	20/80
YT-5830	T40	26	127	6	20/80
YT-5831	T45	27	135	6	20/40
YT-5832	T50	32	155	6	20/40
YT-5833	T55	35	164	6	20/40

Hex key set

10 PCS | HEX | CrV 6150 | HRC 52-55



YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58200	3.0	18	88	8
	4.0	23	115	
	5.0	26	115	
	5.5	28	130	
	6.0	31	132	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	
	17.0	60	250	

Hex key set

10 PCS | HEX | CrV 6150 | HRC 52-55



YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58202	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	6.0	31	132	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	

Hex key set

11 PCS | HEX | CrV 6150 | HRC 52-55



YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58204	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	6.0	31	132	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	

Hex key set

10 PCS | HEX | CrV 6150 | HRC 52-55 | 25°



- ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58201	3.0	19	89	8
	4.0	23	99	
	5.0	26	115	
	5.5	28	134	
	6.0	29	135	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	
	14.0	56	215	
	17.0	63	245	

Hex key set

10 PCS | HEX | CrV 6150 | HRC 52-55 | 25°



- ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58203	1.5	13	62	8
	2.0	15	75	
	2.5	17	85	
	3.0	19	89	
	4.0	23	99	
	5.0	26	115	
	6.0	29	135	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	

Hex key set

11 PCS | HEX | CrV 6150 | HRC 52-55 | 25°



- ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58205	1.5	13	62	8
	2.0	15	75	
	2.5	17	85	
	3.0	19	89	
	4.0	23	99	
	5.0	26	115	
	6.0	29	135	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	
	14.0	56	215	

Hex key set

12 PCS | HEX | CrV 6150 | HRC 52-55



YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58206	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	6.0	31	132	
	7.0	32	139	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	

Hex key set

13 PCS | HEX | CrV 6150 | HRC 52-55



YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58208	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	6.0	31	132	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	
	17.0	60	250	
	19.0	68	280	

Hex key set

14 PCS | HEX | CrV 6150 | HRC 52-55 | 25°



• ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58210	1.5	13	62	8
	2.0	15	75	
	2.5	17	85	
	3.0	19	89	
	4.0	23	99	
	5.0	26	115	
	5.5	28	130	
	6.0	29	135	
	7.0	33	140	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	
	14.0	56	215	
	17.0	63	245	

Hex key set

12 PCS | HEX | CrV 6150 | HRC 52-55 | 25°



• ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58207	1.5	13	62	8
	2.0	15	75	
	2.5	17	85	
	3.0	19	89	
	4.0	23	99	
	5.0	26	115	
	6.0	29	135	
	7.0	33	140	
	8.0	34	150	
	10.0	36	172	
	12.0	45	190	
	14.0	56	215	

Hex key set

14 PCS | HEX | CrV 6150 | HRC 52-55



YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58209	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	5.5	28	130	
	6.0	31	132	
	7.0	32	139	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	
	17.0	60	250	

Hex key set

15 PCS | HEX | CrV 6150 | HRC 52-55




YATO	⬡ (mm)	a (mm)	b (mm)	
YT-58211	1.5	13	61	8
	2.0	15	75	
	2.5	17	84	
	3.0	18	88	
	4.0	23	115	
	5.0	26	115	
	5.5	28	130	
	6.0	31	132	
	7.0	32	139	
	8.0	33	150	
	10.0	37	170	
	12.0	41	185	
	14.0	52	238	
	17.0	60	250	
	19.0	68	280	

Hex key set

12 PCS | LONG HEX | HRC 52-55 | S.A.E. | CrV 6150

PLASIC HANGER & SLIDING CARD




YATO	⬡ (mm)	a (mm)	b (mm)	
YT-5835	1/16"	14.0	74	6/36
	5/64"	16.0	79	
	3/32"	17.0	83	
	7/64"	18.0	88	
	1/8"	19.0	93	
	9/64"	20.0	99	
	5/32"	21.0	105	
	3/16"	24.0	112	
	7/32"	26.0	122	
	1/4"	28.0	132	
	5/16"	32.0	151	
	3/8"	35.0	170	

Hex key set

12 PCS | LONG HEX WITH BALL | HRC 52-55 | S.A.E. | CrV 6150

PLASIC HANGER & SLIDING CARD



YATO	⬡ (mm)	a (mm)	b (mm)	
YT-5837	1/16"	14.0	74	6/36
	5/64"	16.0	79	
	3/32"	17.0	83	
	7/64"	18.0	88	
	1/8"	19.0	93	
	9/64"	20.0	99	
	5/32"	21.0	105	
	3/16"	24.0	113	
	7/32"	25.0	122	
	1/4"	28.0	132	
	5/16"	32.0	150	
	3/8"	35.0	170	

Hex key set

HEX | CrV 6150 | HRC 52-55

PLASIC HANGER & SLIDING CARD



9 PCS

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-0500	1.5	15	74	6/36
	2.0	16	81	
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	8.0	35	157	
	10.0	39	174	

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-0501	1.5	15	90	6/36
	2.0	16	96	
	2.5	18	112	
	3.0	21	125	
	4.0	23	142	
	5.0	28	157	
	6.0	31	180	
	8.0	35	201	
	10.0	39	225	

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-0502	2.0	16	81	6/36
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	7.0	33	145	
	8.0	35	157	
	10.0	39	174	

10 PCS


YATO	⬡ (mm)	a (mm)	b (mm)	
YT-0508	2.0	16	81	6/36
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	7.0	33	145	
	8.0	35	157	
	10.0	39	174	
	12.0	42	180	

Extra long hex key set

12 PCS | EXTRA LONG HEX | HRC 52-55 | S.A.E. | CrV 6150

PLASIC HANGER & SLIDING CARD






YATO	⬡ (mm)	a (mm)	b (mm)	
YT-5836	1/16"	14.0	91	6/36
	5/64"	16.0	100	
	3/32"	17.0	110	
	7/64"	18.0	116	
	1/8"	19.0	123	
	9/64"	20.0	130	
	5/32"	21.0	132	
	3/16"	24.0	150	
	7/32"	25.0	165	
	1/4"	28.0	185	
	5/16"	32.0	200	
	3/8"	35.0	233	

Extra long hex key set

12 PCS | EXTRA LONG HEX WITH BALL | HRC 52-55 | S.A.E. | CrV 6150

PLASIC HANGER & SLIDING CARD






• ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-5838	1/16"	14.0	91	6/36
	5/64"	16.0	100	
	3/32"	17.0	110	
	7/64"	18.0	116	
	1/8"	19.0	123	
	9/64"	20.0	130	
	5/32"	21.0	132	
	3/16"	24.0	150	
	7/32"	26.0	165	
	1/4"	28.0	185	
	5/16"	32.0	200	
	3/8"	35.0	233	

Hex key set

HEX | CrV 6150 | HRC 52-55 | 25°

PLASIC HANGER & SLIDING CARD



9 PCS

• ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-0505	1.5	15	74	6/36
	2.0	16	81	
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	8.0	35	157	
	10.0	39	174	


YATO	⬡ (mm)	a (mm)	b (mm)	
YT-0506	1.5	15	90	6/36
	2.0	16	96	
	2.5	18	112	
	3.0	21	125	
	4.0	23	142	
	5.0	28	157	
	6.0	31	180	
	8.0	35	201	
	10.0	39	225	

Hex key set

HEX | CrV 6150 | HRC 52-55 | 25°

PLASIC HANGER & SLIDING CARD

9 PCS



• ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-0507	2.0	16	81	6/36
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	7.0	33	145	
	8.0	35	157	
	10.0	39	174	

TORX key set

9 PCS | TORX TAMPERPROOF | CrV 6150 | HRC 52-55

PLASIC HANGER & SLIDING CARD



TORX

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-0511	T10	15	72	6/36
	T15	16	79	
	T20	17	86	
	T25	21	94	
	T27	24	107	
	T30	27	122	
	T40	32	133	
	T45	36	155	
	T50	38	174	
YT-0512	T10	15	78	6/36
	T15	16	95	
	T20	19	109	
	T25	23	124	
	T27	26	143	
	T30	27	153	
	T40	32	180	
	T45	36	200	
	T50	41	222	

Hex key set

HEX | CrV 6150 | HRC 52-55 | 25°

PLASIC HANGER & SLIDING CARD

10 PCS




• ball-end to be easy for insert

YATO	⬡ (mm)	a (mm)	b (mm)	
YT-0509	2.0	16	81	6/36
	2.5	18	88	
	3.0	21	95	
	4.0	23	109	
	5.0	28	121	
	6.0	31	135	
	7.0	33	145	
	8.0	35	157	
	10.0	39	174	
	12.0	42	180	

Hex key set

10 PCS | HEX | CrV 6150 | HRC 52-55






YATO	⬡ (mm)	a (mm)	b (mm)	
YT-0519	3.0	20	125	1/5
	4.0	25	140	
	5.0	28	160	
	5.5	30	170	
	6.0	32	180	
	8.0	35	200	
	10.0	42	220	
	12.0	49	250	
	14.0	57	285	
	17.0	65	320	

T-handle hex key


HEX | S2 | HRC 58-62



YATO	⬡ (mm)	a (mm)	b (mm)	c (mm)	
YT-05571	2.5	13	76	100	12/240
YT-05572	3.0	13	76	100	12/240
YT-05574	4.0	13	76	140	12/240
YT-05576	5.0	17	92	140	12/144
YT-05577	6.0	17	92	170	12/144
YT-05578	7.0	17	92	170	12/144
YT-05579	8.0	22	102	200	12/96
YT-05581	10.0	22	102	200	12/96

T-handle hex key with ball


HEX | S2 | HRC 58-62 | 25°



YATO	⬡ (mm)	a (mm)	b (mm)	c (mm)	
YT-05585	2.5	13	76	100	12/240
YT-05586	3.0	13	76	100	12/240
YT-05588	4.0	13	76	140	12/240
YT-05590	5.0	17	92	140	12/144
YT-05591	6.0	17	92	170	12/144
YT-05592	7.0	17	92	170	12/144
YT-05593	8.0	22	102	200	12/96
YT-05594	10.0	22	102	200	12/96

T-handle TORX key

TORX TAMPERPROOF | S2 | HRC 58-62



YATO	⬡ (mm)	a (mm)	b (mm)	c (mm)	
YT-05601	T8	13	76	100	12/240
YT-05602	T9	13	76	100	12/240
YT-05603	T10	13	76	100	12/240
YT-05604	T15	13	76	100	12/240
YT-05605	T20	13	76	130	12/240
YT-05606	T25	13	76	130	12/240
YT-05607	T27	17	92	140	12/144
YT-05608	T30	17	92	170	12/144
YT-05609	T40	17	92	170	12/144
YT-05610	T45	22	102	200	12/96
YT-05611	T50	22	102	200	12/96

T-handle hex key set

HEX | S2 | HRC 58-62



YATO	⬡ (mm)	a (mm)	b (mm)	c (mm)	
YT-05583	2.5	13	76	100	6/12/24
	3.0	13	76	100	
	4.0	13	76	140	
	5.0	17	92	140	
	6.0	17	92	170	
	7.0	17	92	170	
	8.0	22	102	200	
	10.0	22	102	200	

T-handle hex key with ball set

HEX | S2 | HRC 58-62 | 25°



YATO	⬡ (mm)	a (mm)	b (mm)	c (mm)	
YT-05597	2.5	13	76	100	6/12/24
	3.0	13	76	100	
	4.0	13	76	140	
	5.0	17	92	140	
	6.0	17	92	170	
	7.0	17	92	170	
	8.0	22	102	200	
	10.0	22	102	200	

T-handle TORX key set

TORX TAMPERPROOF | S2 | HRC 58-62




YATO	⬡ (mm)	a (mm)	b (mm)	c (mm)	
YT-05615	T10	13	76	100	6/12/24
	T15	13	76	100	
	T20	13	76	130	
	T25	13	76	130	
	T27	17	92	140	
	T30	17	92	170	
	T40	17	92	170	
	T45	22	102	200	
	T50	22	102	200	

Hex with ball with handle

SVCM 55 | HRC 55-59





YATO ⬡

	(mm)	L1 (mm)	L2 (mm)	
YT-1534	5.0	100	205	12/240
YT-1537	8.0	150	278	6/120
YT-1539	10.0	150	278	6/120

- Handle with TPV materail,can be used go-through screwdriver
- shaft hardness :HRC 55-59
- Head with magnetic

COLOR BOX



T-handle hex key

HEX | S2 | HRC 58-62



YATO	⬡ (mm)	a (mm)	b (mm)	PCS packing:	
YT-5734-T	4	10	100	12	12/240
YT-5735-T	5	10	145	12	12/144



Water pump pliers



- TPI handle, oil proof, acid proof, alcohol proof
- Passed more than 5000 shear test

YATO	size	
YT-21138	10" (250mm)	6/30

Cable cutter



- TPI handle, oil proof, acid proof, alcohol proof
- Passed more than 5000 shear test

YATO	size	
YT-21139	6"(160mm)	6/60

Combination pliers



- TPI handle, oil proof, acid proof, alcohol proof
- Passed more than 5000 shear test

YATO	size	
YT-21130	6" (160mm)	6/60
YT-21131	7" (180mm)	6/60
YT-21132	8" (200mm)	6/48

Long nose pliers



- TPI handle, oil proof, acid proof, alcohol proof
- Passed more than 5000 shear test

YATO	size	
YT-21133	6" (160mm)	6/60
YT-21134	8" (200mm)	6/48

Diagonal side cutting pliers



- TPI handle, oil proof, acid proof, alcohol proof
- Passed more than 5000 shear test

YATO	size	
YT-21135	5" (140mm)	6/60
YT-21136	6" (160mm)	6/60
YT-21137	7" (180mm)	6/30

Wire stripping pliers

1000 V | DIN 5745 | GERMANY | VDE





• TPI handle, oil proof, acid proof, alcohol proof

YATO	size	cutting size	
YT-21140	**6”**(160mm)	0.5-2.6mm	6/60

Insulated plier sets

4 PCS | 1000 V | GERMANY | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39622	combination plier	**8”**(200mm)	1/12
	long nose plier	**6”**(160mm)	
	diagonal side cutting pliers	**6”**(160mm)	
	water pump plier	**10”**(250mm)	

Insulated plier sets

4 PCS | 1000 V | GERMANY | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39626	combination plier	**7”**(180mm)	1/8
	diagonal side cutting pliers	**6”**(160mm)	
	long nose plier	**6”**(160mm)	
	wire stripping plier	**6”**(160mm)	

Insulated plier sets

3 PCS | 1000 V | GERMANY | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39604	combination plier	**8”**(200mm)	1/20
	long nose plier	**6”**(160mm)	
	diagonal side cutting pliers	**6”**(160mm)	

Insulated plier sets

4 PCS | 1000 V | GERMANY | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39623	combination plier	**8”**(200mm)	1/12
	long nose plier	**6”**(160mm)	
	diagonal side cutting pliers	**6”**(160mm)	
	cable cutter	**6”**(160mm)	

Insulated plier sets

4 PCS | 1000 V | GERMANY | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39628	combination plier	**7”**(180mm)	1/8
	long nose plier	**8”**(200mm)	
	diagonal side cutting pliers	**7”**(180mm)	
	water pump plier	**10”**(250mm)	

Insulated plier sets

3 PCS | 1000 V | GERMANY | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39605	combination plier	**8”**(200mm)	1/20
	long nose plier	**6”**(160mm)	
	cable cutter	**6”**(160mm)	

Insulated plier sets

4 PCS | 1000 V | GERMANY | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39624	combination plier	**8”**(200mm)	1/8
	long nose plier	**8”**(200mm)	
	diagonal side cutting pliers	**7”**(180mm)	
	cable cutter	**6”**(160mm)	

Insulated plier sets

8 PCS | 1000 V | GERMANY | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39630	combination plier	**8”**(200mm)	1/8
	long nose plier	**8”**(200mm)	
	diagonal side cutting pliers	**6”**(160mm)	
	screwdriver	**PH1**x80mm	
	screwdriver	**PH2**x100mm	
	screwdriver	4.0x100mm	
	screwdriver	5.5x125mm	
	VDE tester	4x190mm	

Combination pliers

1000 V | DIN 5746 | CrV | VDE





HALF DOUBLE BLISTER

- TPI handle, oil proof, acid proof, alcohol proof
- Passed more than 5000 shear test

YATO	size	
YT-21151	**6”** (160mm)	6/36
YT-21152	**7”** (180mm)	6/36
YT-21153	**8”** (200mm)	6/36

Wire stripping pliers

1000 V | DIN 5745 | CrV | VDE





HALF DOUBLE BLISTER

- TPI handle, oil proof, acid proof, alcohol proof

YATO	size	
YT-21160	**6”** (160mm)	6/36

Plier sets

4 PCS | CrV | 1000 V | VDE



- The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39625	combination plier	**8”**(200mm)	1/8
	long nose plier	**8”**(200mm)	
	diagonal side cutting pliers	**7”**(180mm)	
	cable cutter	**6”**(160mm)	

Long nose pliers

1000 V | DIN 5745 | CrV | VDE





HALF DOUBLE BLISTER

- TPI handle, oil proof, acid proof, alcohol proof
- Passed more than 5000 shear test

YATO	size	
YT-21154	**6”** (160mm)	6/36
YT-21155	**8”** (200mm)	6/36

Water pump pliers

CrV | 1000 V | VDE





HALF DOUBLE BLISTER

YATO	size	
YT-21161	**10”** (250mm)	6/24

Plier sets

4 PCS | CrV | 1000 V | VDE



- The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39627	combination plier	**7”**(200mm)	1/8
	long nose plier	**6”**(160mm)	
	diagonal side cutting pliers	**6”**(160mm)	
	wire stripping plier	**6”**(160mm)	

Diagonal side cutting pliers

1000 V | DIN 5749 | CrV | VDE





HALF DOUBLE BLISTER

- TPI handle, oil proof, acid proof, alcohol proof
- Passed more than 5000 shear test

YATO	size	
YT-21158	**6”** (160mm)	6/36
YT-21159	**7”** (180mm)	6/36

Bent nose pliers

1000 V | DIN 5745 | CrV | VDE



- Eccentric design, shearing saves labor than traditional

YATO	size	
YT-2128	**6”** (160mm)	4/48
YT-2129	**8”** (200mm)	4/48

Plier sets

4 PCS | CrV | 1000 V | VDE



- The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39629	combination plier	**7”**(180mm)	1/8
	long nose plier	**8”**(200mm)	
	diagonal side cutting pliers	**7”**(180mm)	
	water pump plier	**10”**(250mm)	

Plier sets

8 PCS | 1000 V | DIN 5745 | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39631	combination plier	8"(200mm)	1/8
	long nose plier	8"(200mm)	
	diagonal side cutting pliers	6"(160mm)	
	screwdriver	PH1x80mm	
	screwdriver	PH2x100mm	
	screwdriver	4.0x100mm	
	screwdriver	5.5x125mm	
	VDE tester	3x140mm	

Plier sets

3 PCS | CrV | 1000 V | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39601	combination plier	7"(180mm)	1/20
	long nose plier	8"(200mm)	
	diagonal side cutting pliers	7"(180mm)	

Plier sets

4 PCS | CrV | 1000 V | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39620	combination plier	8"(200mm)	1/12
	long nose plier	6"(160mm)	
	diagonal side cutting pliers	6"(160mm)	
	wire stripping plier	6"(160mm)	

Plier sets

3 PCS | CrV | 1000 V | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39602	combination plier	8"(200mm)	1/20
	long nose plier	6"(160mm)	
	diagonal side cutting pliers	6"(160mm)	

Plier sets

4 PCS | CrV | 1000 V | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39621	combination plier	8"(200mm)	1/12
	long nose plier	6"(160mm)	
	diagonal side cutting pliers	6"(160mm)	
	water pump plier	10"(250mm)	

Insulated screwdriver

1000 V | ⊕ | VDE | GERMANY



PLASTIC HANGER



• TPI handle, oil proof, acid proof, alcohol proof

YATO	⊕	L (mm)	shaft(mm)	
YT-28125	PZ1	80	5.5	12/204
YT-28126	PZ2	100	6.5	6/252

Plier sets

3 PCS | CrV | 1000 V | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39600	combination plier	7"(180mm)	1/20
	long nose plier	8"(200mm)	
	diagonal side cutting pliers	6"(160mm)	

Plier sets

3 PCS | CrV | 1000 V | VDE



• The pliers body adopts two-color processing, with novel style

YATO	product name	size	
YT-39603	combination plier	8"(200mm)	1/20
	long nose plier	6"(160mm)	
	wire stripping plier	6"(160mm)	

Insulated screwdriver

1000 V | ⊖ | VDE | GERMANY



• TPI handle, oil proof, acid proof, alcohol proof

YATO	⊖	L (mm)	shaft(mm)	
YT-28130	2.5	75	2.5	12/300
YT-28131	3.0	100	3	12/252
YT-28132	3.5	100	3.5	12/252
YT-28133	4.0	100	4	12/204
YT-28134	5.5	125	5.5	12/180
YT-28135	6.5	150	6.5	6/252
YT-28136	8.0	175	8	12/96

Insulated screwdriver



• TPI handle, oil proof, acid proof, alcohol proof

YATO	⊕	L (mm)	shaft(mm)	
YT-28140	PH0	60	3	12/240
YT-28141	PH1	80	5.5	12/204
YT-28142	PH2	100	6.5	12/156
YT-28143	PH2	150	6.5	12/132
YT-28144	PH3	150	8	6/252

Insulated screwdriver



• TPI handle, oil proof, acid proof, alcohol proof

YATO	⊕	L (mm)	shaft(mm)	
YT-28145	PZ0	60	3	12/252
YT-28146	PZ1	80	5.5	12/204
YT-28148	PZ2	150	6.5	12/252

Insulated screwdriver set





YATO	⊖	⊕	L(mm)	
YT-2827	3.0		100	3/20/40
	4.0		100	
	5.5		125	
		PH1	80	
		PH2	100	

Insulated screwdriver



• Tool bar hardness up to HRC56-60, high strength, good toughness

YATO	⊕	L (mm)	shaft(mm)	
YT-28245	PZ0	60	3	12/360
YT-2825	PZ1	80	4.5	12/120
YT-2826	PZ2	100	6	12/120
YT-28263	PZ3	150	8	6/96

Insulated screwdriver





• Tool bar hardness up to HRC56-60, high strength, good toughness

YATO	⊖	L (mm)	shaft(mm)	
YT-28150	2.5	75	2.5	12/360
YT-2815	3.0	75	3	12/120
YT-28153	3.0	100	3	12/360
YT-28174	3.5	100	3.5	12/360
YT-2817	4.0	100	4	12/120
YT-2818	5.5	125	5.5	12/120
YT-2819	6.5	150	6.5	12/120
YT-2820	8.0	175	8	12/120

Voltage tester



YATO	⊖	L (mm)	
YT-2830	3.5	190	12/144


Insulated screwdriver



• Tool bar hardness up to HRC56-60, high strength, good toughness

YATO	⊕	L (mm)	shaft(mm)	
YT-2821	PH0	60	3	12/120
YT-2822	PH1	80	4.5	12/120
YT-2823	PH2	100	6	12/120
YT-2824	PH3	150	8	12/120

Insulated screwdriver set



YATO	⊖	⊕	⊕	L(mm)	
YT-2828	3.0			100	3/20/40
	4.0			100	
	5.5			125	
		PH1		80	
		PH2		100	
			PZ1	80	
			PZ2	100	

Voltage tester



YATO	⊖	L (mm)	
YT-28301	3	140	20/400

Insulated tool set

1000 V | CrV | VDE




1/4" ;5/16" ;3/8" ;1/2" ;9/16" ; 3/8" :7,8,10,12,14 ;
3/8" (10 mm); 7 mm;8 mm;10 mm;12 mm;14 mm;
L (200 mm); L (165 mm);
L (220 mm); L (220 mm);
0.8x4x100mm;1.0x5.5x125mm;
PH1×100mm ; PH2×100 ;
3/8" (10 mm); 3/8" (10 mm);

YATO	
YT-3875V	1/4

Insulated hexagon socket

CrV | 1000 V | VDE





POLYBAG

• Two-color insulated injection molded handle, ergonomic design, comfortable grip


YATO	O H	L1 (mm)	L2 (mm)	Ø (mm)	
YT-21095	3/8" (9.5 mm)	207	160	15.6	4/32
YT-21096	1/2" (12.7 mm)	207	160	19.3	4/32

VDE Insulated screwdrivers set

12 PCS | CrV | 1000 V | VDE

NYLON CASE & POLYBAG





2.0,2.5,3.0,3.5,4.0,5.5,6.5mm
PH0x100,PH1x100,PH2x100

YATO	
YT-28290	24

VDE Insulated screwdrivers set

50 PCS | CrV | 1000 V | VDE

NYLON CASE & POLYBAG





2.0,2.5,3.0,3.5,4.0,5.5,6.5mm
PH0x100,PH1x100,PH2x100
PZ0,PZ1,PZ2
T6,T8,T9,T10,T15,T20,T25,T27,T30
H2.5,H3.0,H4.0,H5.0,H6.0
R1,R2
TRI1,TRI2,TR3,TRI4
TORO4,TORO6,TORO8,TORO10
M4,M5,M6
4,6,8,10
6.3,8.1
1pc
1pc
Voltage tester： 1pc
hand shank： 1pc

YATO	
YT-28293	10

Insulated adjustable wrench

CrV | 1000 V | VDE





• Two-color insulated injection molded handle, ergonomic design, comfortable grip

POLYBAG

YATO	size(mm)	L(mm)	
YT-20940	8"	200	6
YT-20941	10"	250	6
YT-20942	12"	300	6


Insulated open end wrench

CrV | 1000 V | VDE

POLYBAG








• Two-color insulated injection molded handle, ergonomic design, comfortable grip

YATO	O (mm)	L (mm)	B (mm)	S (mm)	
YT-20950	6	90	23	7.0	6/108
YT-20951	7	90	25	7.0	6/108
YT-20952	8	100	27	7.5	6/108
YT-20953	9	100	29	7.5	6/108
YT-20954	10	110	31	8.0	6/108
YT-20955	11	110	34	8.5	6/108
YT-20956	12	130	36	8.5	6/108
YT-20957	13	135	39	10.5	6/108
YT-20958	14	145	40	10.5	6/72
YT-20959	15	150	42	11.5	6/72
YT-20960	16	160	43	11.5	6/72
YT-20961	17	160	47	12.5	6/72
YT-20962	18	175	50	13.0	6/72
YT-20963	19	175	53	14.0	6/72
YT-20964	21	195	55	14.0	6/66
YT-20965	22	195	58	14.0	6/66
YT-20966	24	225	62	16.5	6/66
YT-20967	27	250	69	18.0	4/60
YT-20968	30	290	75	19.0	4/48
YT-20969	32	310	79	20.0	4/48

Insulated hex key

CrV 1000 V

POLYBAG



- Two-color insulated injection molded handle, ergonomic design, comfortable grip


YATO	⬡ (mm)	a (mm)	b (mm)	
YT-21120	3.0	25	130	12/144
YT-21121	4.0	40	140	12/144
YT-21122	5.0	45	160	12/144
YT-21123	6.0	47	180	10/120
YT-21125	8.0	50	200	10/120
YT-21126	10.0	52	235	6/48
YT-21127	12.0	60	260	6/48

Insulated ring wrench

CrV 1000 V

POLYBAG





- Two-color insulated injection molded handle, ergonomic design, comfortable grip

YATO	⬡ (mm)	L (mm)	B (mm)	S (mm)	
YT-20980	6	150	16.0	5.5	6/126
YT-20981	7	150	18.0	5.7	6/126
YT-20982	8	155	19.0	6.1	6/126
YT-20983	9	155	20.0	7.2	6/126
YT-20984	10	170	21.0	7.3	6/90
YT-20985	11	170	22.5	7.7	6/90
YT-20986	12	190	22.5	8.5	6/90
YT-20987	13	190	26.5	9.0	6/90
YT-20988	14	205	28.0	9.5	6/90
YT-20989	15	205	29.0	9.5	6/90
YT-20990	16	215	31.0	10.2	6/90
YT-20991	17	215	32.0	10.7	6/90
YT-20992	18	230	35.0	11.5	6/90
YT-20993	19	230	36.0	12.0	6/90
YT-20994	21	245	39.0	13.0	6/48
YT-20995	22	245	41.0	12.2	6/48
YT-20996	24	265	44.0	13.0	6/48
YT-20997	27	290	48.0	14.5	4/40
YT-20998	30	310	52.0	15.2	4/40
YT-20999	32	310	55.0	16.5	4/40

Insulated reversible ratchet

CrV 1000 V 72T

POLYBAG




- Two-color insulated injection molded handle, ergonomic design, comfortable grip

YATO	○	size	L (mm)	
YT-21071	3/8"	72T	200	4
YT-21072	1/2"	72T	250	4

Insulated hexagon socket

3/8" CrV 1000 V



POLYBAG

YATO	○ A (mm)	D1 (mm)	D2 (mm)	L1 (mm)	L2 (mm)	
YT-21008	8	18	15.1	45	28	7/126
YT-21010	10	18	18.7	45	28	7/126
YT-21011	11	18	20.0	45	28	7/126
YT-21012	12	18	21.2	45	28	7/126
YT-21013	13	18	22.5	45	28	7/126
YT-21014	14	18	23.7	45	28	7/126
YT-21016	16	18	26.2	45	28	7/126
YT-21017	17	18	27.5	45	28	7/126
YT-21018	18	18	28.7	45	30	5/90
YT-21019	19	18	30.0	47	30	5/90
YT-21021	21	18	32.6	47	30	5/90
YT-21022	22	18	33.7	47	30	5/90

Insulated hexagon socket

CrV 1000 V




POLYBAG

YATO	○	L (mm)	
YT-21055	3/8"	125	4
YT-21056	3/8"	250	4
YT-21057	1/2"	125	4
YT-21058	1/2"	250	4

Insulated hexagon socket

1/2" CrV 1000 V




POLYBAG

YATO	○ A (mm)	D1 (mm)	D2 (mm)	L1 (mm)	L2 (mm)	
YT-21030	10	27	19.5	55	38	12/144
YT-21031	11	27	20.7	55	38	12/144
YT-21032	12	27	22.0	55	38	12/144
YT-21033	13	27	23.2	55	38	12/144
YT-21034	14	27	24.5	55	38	12/144
YT-21036	16	27	27.0	55	38	12/144
YT-21037	17	27	28.5	55	38	12/144
YT-21038	18	27	29.5	55	38	12/144
YT-21039	19	27	30.7	55	38	12/144
YT-21041	21	27	33.2	55	38	10/110
YT-21042	22	27	34.5	55	38	10/110
YT-21044	24	27	37.0	60	38	10/110
YT-21047	27	27	38.8	60	38	6/66
YT-21050	30	27	42.8	60	38	6/66
YT-21052	32	27	44.8	60	38	6/66

Insulated hexagon socket

3/8" CrV 1000 V




POLYBAG

YATO	○	size (mm)	L (mm)	
YT-21080	3/8"	4	75	6
YT-21081	3/8"	5	75	6
YT-21082	3/8"	6	75	6
YT-21083	3/8"	8	75	6

Insulated hexagon socket

1/2" CrV 1000 V



YATO	○	⬡	L (mm)	torque / moment obrotowy max. (Nm)	
YT-21085	1/2" (12.7 mm)	4	120	16.0	18/144
YT-21086	1/2" (12.7 mm)	5	120	30.0	18/144
YT-21087	1/2" (12.7 mm)	6	120	52.0	18/144
YT-21088	1/2" (12.7 mm)	8	120	120.0	18/144
YT-21089	1/2" (12.7 mm)	10	120	220.0	18/144

Insulated bolt cutters

CrV 1000 V



YATO	size	L (mm)	
YT-21147	24"	600	1

Insulated cable cutters

CrV 1000 V

POLYBAG




• Arc-shaped knife edge, can produce cohesion force during cutting, the core will not be loose after cutting

YATO	size	L (mm)	
YT-21141	80mm²	250	6

Insulated cable cutters

CrV 1000 V



• Arc-shaped knife edge, can produce cohesion force during cutting, the core will not be loose after cutting

YATO	size	L (mm)	
YT-21145	38mm ²	610	1
YT-21146	500mm²	810	1

Insulated cable knives

CrV 1000 V

POLYBAG



YATO	size (mm)	L (mm)	
YT-21211	38	155	6

Insulated electrician's scissor

CrV 1000 V

POLYBAG



YATO	size	L (mm)	
YT-21200	6"	160	6

Insulated ratcheting cable cutters

CrV 1000 V



• Arc-shaped knife edge, can produce cohesion force during cutting, the core will not be loose after cutting

YATO	size	L (mm)	
YT-21180	240mm²	240	1
YT-21181	380mm²	330	1

Insulated cable cutters

CrV 1000 V




POLYBAG

YATO	size (mm)	L (mm)	
YT-21210	50	180	6

Insulated plastic clamp

1000 V



YATO	L (mm)	
YT-21190	150	6

Insulated plastic clamp

1000 V




POLYBAG



YATO	L (mm)	
YT-21191	200	6

16 pcs VDE socekts set

3/8" | 1000 V | CrV | DIN



3/8" :8,10,11,12,13,14,17,19mm;
3/8" (6",10");
3/8" (200 mm);
3/8" (200 mm);
3/8" (4,5,6,8 mm);



YATO		
YT-21280		1/4

16 pcs VDE socekts set

CrV | 1000 V | DIN



200 mm; CrV 55; PH1x80,PH2x100mm;
200 mm; CrV 55; 3x140 mm;
10,11,12,13,14,17,19mm;
4x100,5.5x125,6.5x150mm;
50x180 mm;

YATO	size (mm)	kg	
YT-21296	420x210x340	2.93	1/4

21 pcs VDE socekts set

CrV | 1000 V | DIN



160mm;CrV 55; 50x180 mm;
200 mm; CrV 55; 160 mm; CrV 55;
160 mm; CrV 55; 160mm;CrV 55;
10,11,12,13,14,17,19mm; 3x140 mm;
3x75,4x100,5.5x125,6.5x150mm;
PH0x60,PH1x80,PH2x100mm;

YATO	size (mm)	kg	
YT-21298	420x210x340	3.63	1/4

20 pcs VDE socekts set

1/2" | CrV | 1000 V | DIN



1/2" :10,11,12,13,14,17,19,22,24,27,32mm;
1/2" (6",10");
1/2" (250 mm);
1/2" (200 mm);
1/2" (4,5,6,8,10 mm);



YATO		
YT-21284		1/4

20 pcs VDE socekts set

GB Insulated tool set

1/2" | CrV | 1000 V



1/2" :10,11,12,13,14,17,19mm;
1/2" (6",10"); 1/2" (250 mm);
200 mm; CrV 55; 160 mm; CrV 55;
3x75,4x100,5.5x125mm; 3x140 mm;
PH0x60;PH1x80,PH2x100,mm;
50x180 mm;

YATO	size (mm)	kg	
YT-21297	420x210x340	4.19	1/4

32 pcs VDE socekts set

GB Insulated tool set

1/2" | CrV | 1000 V



1/2" :10,11,12,13,14,17,19mm; 50x180 mm;
1/2" (6",10"); 1/2" (250 mm);
200 mm; 160 mm; CrV 55;
200 mm; CrV 55; 200 mm; CrV 55;
10,11,12,13,14,17,19mm; 3x140 mm;
4x100,5.5x125,6.5x150mm;
PH1x80,PH2x100mm; 1/2" (4,5,6,8 mm);


YATO	size (mm)	kg	
YT-21299	420x210x340	5.67	1/4

49 pcs insulated tool set


GB Insulated tool set

1/2" | CrV | 1000 V | S2











1/2" :10,11,12,13,14,16,17,18,19,21,22,24,mm;
1/2" (6",10");
1/2" (250 mm);
250 mm;
160 mm;
200 mm; CrV 55;
160 mm; CrV 55;
200 mm; CrV 55;
250 mm; CrV;
10,11,12,13,14,17,19,21,22,24mm;
10,13,14,17,19,21mm;
3x75,4x100,5.5x125,6.5x150,8x175mm;
PH1x80,PH2x100,PH3x150mm;
19mm x 20m;
4x190 mm;
50x180 mm;
250 mm;

• Two-color high-density EVA contoured pad for easy storage management and 5S Standard

YATO	size(mm)	
YT-21295	559x351x229	1

Insulated tools set

905x685 x455 mm | 3x BALL BEARING | 1000 V | DRAWERS LOCKING | NON SLIP WORKTOP | CENTRAL LOCK | 125 mm | 310x200 mm | 2x | UNIVERSAL PERFORATION | 2x BRAKE



• Two-color high-density EVA contoured pad for easy storage management and 5S Standard

YATO	size (mm)	kg	
YT-55278	905x685x455	50	1

Insulated tools set

958x766 x465 mm | NO SLIP WORKTOP | 1000 V | CORNER BUMPERS | DRAWERS LOCKING | UNIVERSAL PERFORATION | DOUBLE WALLS



• Two-color high-density EVA contoured pad for easy storage management and 5S Standard

YATO	size (mm)	kg	
YT-55305	958x766x465	71	1

Insulated tools set

CrV | 1000 V | 25 PCS



YATO	size (mm)	
YT-55305T1	531x391x45	1

Insulated tools set

CrV | 1000 V | 15 PCS



YATO	size (mm)	
YT-55305T2	531x391x45	1

Insulated tools set

CrV | 1000 V | 29 PCS




YATO	size (mm)	
YT-55305T3	531x391x4.5	1



Bent nose pliers

HRC 44-50 BODY | HRC 58-62 CUTTER | CrV 55 | DIN 5746



- application: industry
- induction hardening

HALF DOUBLE BLISTER

YATO	size	
YT-1945	6" (160mm)	6/60
YT-1946	8" (200mm)	6/60

Long nose pliers

HRC 44-50 BODY | HRC 58-62 CUTTER | CrV 55 | DIN 5746




- application: industry
- induction hardening

HALF DOUBLE BLISTER

YATO	size	
YT-1943	6" (160mm)	6/60
YT-1944	8" (200mm)	6/60

Combination pliers

HRC 44-50 BODY | HRC 58-62 CUTTER | CrV 55 | DIN 5746



- application: industry
- induction hardening

HALF DOUBLE BLISTER

YATO	size	
YT-1940	6" (160mm)	6/60
YT-1941	7" (180mm)	6/60
YT-1942	8" (200mm)	6/36

Diagonal side cutting pliers

HRC 44-50 BODY | HRC 58-62 CUTTER | CrV 55 | DIN 5746



- application: industry
- induction hardening

HALF DOUBLE BLISTER

YATO	size	
YT-1947	6" (160mm)	6/60
YT-1948	7.5" (190mm)	6/60

Plier sets

3 PCS | CrV



YATO	product name	size	
YT-39612	combination plier	8"(200mm)	6
	long nose plier	6"(160mm)	
	diagonal side cutting pliers	6"(160mm)	

Plier sets

4 PCS | CrV



YATO	product name	size	
YT-39618	combination plier	**8”**(200mm)	6
	long nose plier	**6”**(160mm)	
	bent nose plier	**6”**(160mm)	
	diagonal side cutting pliers	**6”**(160mm)	

Long nose pliers

DIN 5746 | Germany



- application: industry
- induction hardening
- over 5000 times working life

YATO	size	
YT-66344	**6”** (160mm)	6/60
YT-66345	**8”** (200mm)	48

Plier sets

3 PCS | CrV | Germany



YATO	product name	size	
YT-39611	combination plier	**8”**(200mm)	6
	long nose plier	**8”**(200mm)	
	diagonal side cutting pliers	**7”**(180mm)	

Plier sets

4 PCS | CrV



YATO	product name	size	
YT-39619	combination plier	**8”**(200mm)	6
	long nose plier	**6”**(160mm)	
	diagonal side cutting pliers	**6”**(160mm)	
	water pump plier	250mm	

Side cutting pliers

DIN 5746 | Germany



- over 5000 times working life

YATO	size	
YT-66346	**5”** (140mm)	6/60
YT-66347	**6”** (160mm)	6/60
YT-66348	**7”** (180mm)	40

Combination pliers

CrV | ECCENTRIC





HALF DOUBLE BLISTER

- high leverage design,labor-saving 35%

YATO	size	
YT-65819	**7”** (180mm)	6/36
YT-6582	**8”** (200mm)	6/36

Combination pliers

DIN 5746 | Germany



- over 5000 times working life

YATO	size	
YT-66341	**6”** (160mm)	6/60
YT-66342	**7”** (180mm)	6/60
YT-66343	**8”** (200mm)	48

Plier sets

3 PCS | CrV | Germany



YATO	product name	size	
YT-39610	combination plier	**8”**(200mm)	6
	long nose plier	**6”**(160mm)	
	diagonal side cutting pliers	**6”**(160mm)	

Diagonal side cutting pliers

CrV | ECCENTRIC





HALF DOUBLE BLISTER

- high leverage design,labor-saving 35%

YATO	size	
YT-6583	**6”** (150mm)	6/60
YT-65831	**8”** (200mm)	6/60

Long nose pliers

CrV ECCENTRIC





- high leverage design,labor-saving 35%

HALF DOUBLE BLISTER

YATO	size	
YT-6586	**6”** (150mm)	6/60
YT-6587	**8”** (200mm)	6/36

Side cutting pliers

DIN 5749 Cr-NI





- HRC 55-62
- TPR/PVC 3 colour handle

HALF DOUBLE BLISTER

YATO	size	
YT-6610	**6”** (160mm)	6/60
YT-6611	**7”** (180mm)	6/60

Flat nose pliers

DIN 5745 Cr-NI





- HRC 55-62
- TPR/PVC 3 colour handle

HALF DOUBLE BLISTER

YATO	size	
YT-6607	**6”** (160mm)	6/60

Plier sets

3 PCS CrV



YATO	product name	size	
YT-39608	combination plier	**8”**(200mm)	6
	long nose plier	**6”**(150mm)	
	diagonal side cutting pliers	**6”**(150mm)	

Long nose pliers

DIN 5745 Cr-NI





- HRC 55-62
- TPR/PVC 3 colour handle

HALF DOUBLE BLISTER

YATO	size	
YT-6603	**6”** (160mm)	6/60
YT-6604	**8”** (200mm)	6/60

Round nose pliers

DIN 5745 Cr-NI





- HRC 55-62
- TPR/PVC 3 colour handle

HALF DOUBLE BLISTER

YATO	size	
YT-6608	**6”** (160mm)	6/60

Combination pliers

DIN 5746 Cr-NI





- HRC 55-62
- TPR/PVC 3 colour handle

HALF DOUBLE BLISTER

YATO	size	
YT-6600	**6”** (160mm)	6/60
YT-6601	**7”** (180mm)	6/60
YT-6602	**8”** (200mm)	6/36

Bent nose pliers

DIN 5745 Cr-NI





- HRC 55-62
- TPR/PVC 3 colour handle

HALF DOUBLE BLISTER

YATO	size	
YT-6605	**6”** (160mm)	6/60
YT-6606	**8”** (200mm)	6/60

Wire stripping pliers

DIN 5745 Cr-NI





- HRC 55-62
- TPR/PVC 3colour handle

HALF DOUBLE BLISTER

YATO	size	
YT-6609	**6”** (160mm)	6/60

Heavy duty side cutting pliers

DIN 5748 | Cr-NI





- HRC 55-62
- TPR/PVC 3 colour handle

HALF DOUBLE BLISTER

YATO	size	
YT-6612	**7”** (180mm)	6/60

Plier sets

4 PCS | Cr-NI



YATO	product name	size	
YT-39616	combination plier	**8”**(200mm)	6
	long nose plier	**6”**(160mm)	
	wire stripping plier	**6”**(160mm)	
	diagonal side cutting pliers	**6”**(160mm)	

Side cutting mini pliers

115 mm | HRC 55-62



- HRC 55-62
- TPR/PVC 3 colour handle

YATO	size	
YT-6614	**4.5”** (115mm)	6/120

Plier sets

3 PCS | Cr-NI



YATO	product name	size	
YT-39606	combination plier	**8”**(200mm)	6
	long nose plier	**6”**(160mm)	
	wire stripping plier	**6”**(160mm)	

Plier sets

4 PCS | Cr-NI



YATO	product name	size	
YT-39617	combination plier	**8”**(200mm)	6
	long nose plier	**6”**(160mm)	
	wire stripping plier	**6”**(160mm)	
	water pump plier	**10”** (250mm)	

Long nose mini pliers

115 mm | HRC 55-62



- HRC 55-62
- TPR/PVC 3 colour handle

YATO	size	
YT-6616	**4.5”** (115mm)	6/120

Plier sets

3 PCS | Cr-NI



YATO	product name	size	
YT-39607	combination plier	**8”**(200mm)	6
	long nose plier	**6”**(160mm)	
	wire stripping plier	**6”**(160mm)	

Combination mini pliers

115 mm | HRC 55-62



- HRC 55-62
- TPR/PVC 3 colour handle

YATO	size	
YT-6613	**4.5”** (115mm)	6/120

Bent nose mini pliers

115 mm | HRC 55-62



- HRC 55-62
- TPR/PVC 2 colour handle

YATO	size	
YT-6617	**4.5”** (115mm)	6/120

Flat nose mini pliers

115 mm | HRC 55-62



- HRC 55-62
- TPR/PVC 2 colour handle

YATO	size	
YT-6618	**4.5”** (115mm)	6/120

Round nose mini pliers

115 mm | HRC 55-62



- HRC 55-62
- TPR/PVC 2 colour handle

YATO	size	
YT-6619	**4.5”** (115mm)	6/120

End cutting mini pliers

115 mm | HRC 55-62



- HRC 55-62
- TPR/PVC 2 colour handle

YATO	size	
YT-6615	**4.5”** (115mm)	6/120

Combination pliers

DIN 5746 | NICKEL IRON FINISH | HALF DOUBLE BLISTER



YATO	size	
YT-2006	**6”** (160mm)	6/60
YT-2007	**7”** (180mm)	6/60
YT-2008	**8”** (200mm)	6/36

Diagonal side cutting pliers

DIN 5746 | NICKEL IRON FINISH



HALF DOUBLE BLISTER

YATO	size	
YT-2036	**6”** (160mm)	6/60
YT-2037	**7”** (180mm)	6/60

Long nose pliers


DIN 5746 | NICKEL IRON FINISH | HALF DOUBLE BLISTER



YATO	size	
YT-2016	**6”** (160mm)	6/60
YT-2018	**8”** (200mm)	6/60

Bent nose pliers

DIN 5746 | NICKEL IRON FINISH | HALF DOUBLE BLISTER



YATO	size	
YT-2026	**6”** (160mm)	6/60
YT-2028	**8”** (200mm)	6/60

Round nose pliers

DIN 5746 | NICKEL IRON FINISH



HALF DOUBLE BLISTER

YATO	size	
YT-2030	**6”** (160mm)	6/60

Bent nose pliers

DIN 5746 | NICKEL IRON FINISH | HALF DOUBLE BLISTER



YATO	size	
YT-2031	**6”** (160mm)	6/60

Flat nose pliers

DIN 5746 | NICKEL IRON FINISH



HALF DOUBLE BLISTER



YATO	size	
YT-2039	**7”** (180mm)	6/60

Double joint bent nose pliers

HRC 50 | CrV | 45° | NEW







YATO	L (mm)	
YT-20401	330	5/50

Combination pliers

CrV | HRC CUTTER 56-62



- HRC 55-62
- TPR/PVC 2 colour handle

YATO	size	
YT-6620	**6”** (160mm)	6/60
YT-6621	**7”** (180mm)	6/60
YT-6622	**8”** (200mm)	6/36

Flat nose plier

DIN 5746 | NICKEL IRON FINISH

HALF DOUBLE BLISTER





YATO	size	
YT-2029	**6”** (160mm)	6/60

Double joint bent nose pliers

HRC 50 | CrV | 90° | NEW







YATO	L (mm)	
YT-20402	330	5/50

Diagonal side cutting pliers

CrV | HRC CUTTER 56-62



- HRC 55-62
- TPR/PVC 2 colour handle

YATO	size	
YT-6628	**5.5”** (125mm)	6/60
YT-6629	**6”** (160mm)	6/60
YT-6630	**7”** (180mm)	6/60

Double joint long nose pliers

HRC 50 | CrV | NEW





YATO	L (mm)	
YT-20400	340	5/50

Round nose pliers

115 mm | NICKEL IRON FINISH

HALF DOUBLE BLISTER





YATO	L (mm)	
YT-2086	115	6/120

Multi use long nose pliers

CrV | HRC CUTTER 56-62



- HRC 55-62
- TPR/PVC 2 colour handle

YATO	size	
YT-6625	**6”** (160mm)	6/60

Long nose pliers

CrV | HRC CUTTER 56-62



- HRC 55-62
- TPR/PVC 2 colour handle

YATO	size	
YT-6626	6" (160mm)	6/60

End cutting pliers

CrV | HRC CUTTER 56-62



- HRC 55-62
- TPR/PVC 2 colour handle

YATO	size	
YT-6631	6" (160mm)	6/60

Tower pincers

DIN 5748 | CrV





- body: HRC 43~48
- cutter: HRC 56~62

SLIDING CARD

YATO	L (mm)	steel max(mm)	
YT-2054	200	1.2	6/60
YT-2055	225	1.8	6/60
YT-2056	250	2.0	6/48
YT-2057	275	2.2	6/24

Long nose pliers

CrV | HRC CUTTER 56-62



- HRC 55-62
- TPR/PVC 2 colour handle

YATO	size	
YT-6623	6" (160mm)	6/60
YT-6624	8" (200mm)	6/36

Plier sets

3 PCS | CrV



YATO	product name	size	
YT-39609	combination plier	8"(200mm)	6
	long nose plier	6"(160mm)	
	diagonal side cutting pliers	6"(160mm)	

Long nose pliers

HRC CUTTER 56-62 | HRC BODY 43-48 | CrV 60





- body: HRC 43~48
- cutter: HRC 56~62
- application:cable cutting

SLIDING CARD

YATO	size	steel max	copper max	
YT-1955	5" (125mm)	1.5mm	2.6mm	6/120
YT-1956	6" (160mm)	1.5mm	2.6mm	6/120

Adjustable pliers

HRC BODY 45-55



YATO	L (mm)	
YT-1957	160	6/60
YT-1958	200	6/60

Side cutting pliers

HRC CUTTER 56-62 | HRC BODY 43-48 | CrV 60





- body: HRC 43~48
- cutter: HRC 56~62
- application: cable cutting

SLIDING CARD

YATO	size	steel max	copper max	
YT-1953	4" (110mm)	1.0mm	1.8mm	6/120
YT-1954	5" (125mm)	1.2mm	2.0mm	6/120

Side cutting pliers

HRC CUTTER 56-62 | HRC BODY 43-48 | CrV 60





- body: HRC 43~48
- cutter: HRC 56~62
- application:cable cutting

SLIDING CARD

YATO	size	plastic max(mm)	
YT-1950	5" (125mm)	3	6/120
YT-1951	6" (160mm)	5	6/120
YT-1952	7" (180mm)	6	6/60

Circlip pliers

Ø mm 10-50 | 160 mm



	23 mm max.	20 mm max.
	28 mm max.	23 mm max.
	30 mm max.	27 mm max.

SLIDING CARD



YATO	L (mm)	
YT-2130	160	20/60

End cutting pliers

DIN 5748 | CrV | HRC CUTTER 56-62



SLIDING CARD



YATO	L (mm)	steel max(mm)	
YT-2062	150	1.2	6/60
YT-2063	175	1.5	6/48
YT-2064	200	1.8	6/48

Carpenter's pliers

DIN 5748 | CrV



SLIDING CARD



YATO	L (mm)	steel max(mm)	
YT-2050	150	1.5	6/60
YT-2051	175	1.8	6/60
YT-2052	200	2.0	6/48

Circlip pliers

CrV | NICKEL IRON FINISH

SLIDING CARD





YATO	L(mm)	
YT-2140	150	6/120
YT-2144	200	6/60

Circlip pliers

CrV | NICKEL IRON FINISH





YATO	L(mm)	
YT-2141	150	6/120
YT-2145	200	6/60

Circlip pliers

CrV | NICKEL IRON FINISH





YATO	L(mm)	
YT-2143	150	60/120
YT-2147	200	6/60

Circlip pliers

CrV | NICKEL IRON FINISH

SLIDING CARD





YATO	size	
YT-1980	5" (125mm)	6/120
YT-1984	7" (175mm)	6/96
YT-1988	9" (225mm)	6/60
YT-1992	13" (325mm)	6/48

Circlip pliers

CrV | NICKEL IRON FINISH





YATO	size	
YT-1981	5" (125mm)	6/120
YT-1985	7" (175mm)	6/96
YT-1989	9" (225mm)	6/60
YT-1993	13" (325mm)	6/48

Circlip pliers

CrV | NICKEL IRON FINISH



YATO	L(mm)	
YT-2142	150	6/60
YT-2146	200	6/60

Circlip pliers

CrV | NICKEL IRON FINISH



YATO	size	
YT-1982	**5”** (125mm)	6/120
YT-1986	**7”** (175mm)	6/96
YT-1990	**9”** (225mm)	6/60
YT-1994	**13”** (325mm)	6/48

Circlip pliers

HRC 42-48 | CrV 50



- finish of head:black finish with polish

YATO	size	
YT-2136	**7”** (180mm)	6/24

Circlip plier sets

4 PCS | CrV



YATO	product name	size	
YT-39615	external straight nose	**7”**(180mm)	6
	internal straight nose	**7”**(180mm)	
	external bent nose	**7”**(180mm)	
	internal bent nose	**7”**(180mm)	

Circlip pliers

CrV | NICKEL IRON FINISH





YATO	size	
YT-1983	**5”** (125mm)	6/120
YT-1987	**7”** (175mm)	6/96
YT-1991	**9”** (225mm)	6/60
YT-1995	**13”** (325mm)	6/48

Circlip pliers

HRC 42-48 | CrV 50



- finish of head:black finish with polish

YATO	size	
YT-2137	**7”** (180mm)	6/24

Circlip plier sets

4 PCS | CrV



YATO	product name	size	
YT-39171	external straight nose	**9”**(225mm)	6
	internal straight nose	**9”**(225mm)	
	external bent nose	**9”**(225mm)	
	internal bent nose	**9”**(225mm)	

Circlip plier

HRC 42-48 | CrV 50

SLIDING CARD





- finish of head:black finish with polish

YATO	size	
YT-2138	**7”** (180mm)	6/24

Circlip pliers

HRC 42-48 | CrV 50



- finish of head:black finish with polish

YATO	size	
YT-2139	**7”** (180mm)	6/24

Lock grip pliers

CD TYPE | CrV

HALF DOUBLE BLISTER





- 40 CRV drop forged
- hardened and tempered
- 2 colour TPR handle
- VPA/GS certificate

YATO	L (mm)	
YT-2155	165	6/48
YT-2156	220	6/36

Lock grip pliers

WR TYPE | CrV

HALF DOUBLE BLISTER



- 40 CRV drop forged
- hardened and tempered
- 2 colour TPR handle
- VPA/GS certificate

YATO	L (mm)	
YT-2151	140	6/48
YT-2152	180	6/36
YT-2153	240	6/36

Locking pliers

CrMo

HALF DOUBLE BLISTER



- european type lock
- straight jaws with wire cutter
- double dipped handle for small handle

YATO	size	
YT-2452	**7”** (180mm)	6/24
YT-2453	**10”** (250mm)	6/24

C-type welding locking pliers

CrV | 0-100 mm | TYPE C



- european type lock,locking clamps with regular tips
- nickel plated, satin
- working capacity:100mm

YATO	size	
YT-2466	**11”** (280mm)	6/24

Locking pliers

CrMo

HALF DOUBLE BLISTER



- european type lock
- curved jaws with wire cutter nickel plated
- double dipped handle for small handle

YATO	size	
YT-2449	**5”** (125mm)	6/24
YT-2450	**7”** (180mm)	6/24
YT-2451	**10”** (250mm)	6/24

Locking pliers

GB Locking pliers

CrMo



- european type lock
- long nose jaws with wire cutter
- double dipped handle for small handle

YATO	size	
YT-2459	**6”** (150mm)	6/24
YT-2460	**9”** (225mm)	6/24

C-type welding locking pliers

CrV | 0-100 mm | TYPE C

HALF DOUBLE BLISTER



- european type lock,locking clamps with regular tips
- nickel plated, satin
- working capacity:100mm

YATO	size	
YT-2468	**11”** (280mm)	6/24

Locking pliers

3 PCS | CrV



YATO	product name	size	
YT-39613	locking plier	**5”**(125mm)	6
	locking plier	**7”**(180mm)	
	locking plier	**10”**(250mm)	

Plier sets

4 PCS | CrV



YATO	product name	size	
YT-39172	straight nose	**7”**(180mm)	6
	straight nose	**10”**(250mm)	
	long nose	**6”**(150mm)	
	long nose	**9”**(225mm)	

Plier sets

4 PCS | CrV



YATO	product name	size	
YT-39614	straight nose	**7”**(180mm)	6
	straight nose	**10”**(250mm)	
	long nose	**6”**(150mm)	
	long nose	**9”**(225mm)	

Locking pliers

CrMo | 0-36 mm





- european type lock
- curved clamps
- chrome plated
- opening capacity: 36mm/42mm

YATO	size	
YT-2472	**7”** (180mm)	6/24
YT-2473	**10”** (250mm)	6/24

Flat locking pliers

CrV | 0-12.7 mm | 78 mm

HALF DOUBLE BLISTER







- european type lock
- width of jaws:78mm
- adjustable, opening capacity:12.7mm

YATO	size	
YT-2463	**8”** (200mm)	6/24

Water pump pliers

CrV



YATO	L (mm)	
YT-2090	250	6/36
YT-2091	300	6/36

Locking pliers

CrMo





- materical: CrMo
- european type lock,straight jaws
- chrome plated
- opening capacity:42mm

YATO	size	
YT-2476	**10”** (250mm)	6/24

Chain locking pliers

CrV | 500 mm | 40 Mn

HALF DOUBLE BLISTER





- european type lock
- chain length: 500mm
- chain material:40Mn
- nickel plated

YATO	size	
YT-2469	**10”** (250mm)	6/24

Water pump pliers

250 mm | NICKEL IRON FINISH

NEW





- Nickel-iron alloy surface treatment, durable

YATO	L (mm)	
YT-2069	250	6/36

Welding locking pliers

CrV | TYPE U

HALF DOUBLE BLISTER







- jaws of clamp is "u" shaped
- nickel plated, satin
- european type lock, carbon steel body with textile
- double dipped handle for small handle

YATO	size	
YT-2461	**9”** (225mm)	6/24

Water pump pliers


HALF DOUBLE BLISTER





- Nickel-iron alloy surface treatment, durable

YATO	L (mm)	
YT-2070	250	6/24





Ratchet crimping pliers

195 mm | CAT.5 | RJ11 | RJ12 | RJ22 | RJ45 | HRC 42-48



- widely used for cutting,strippong, crimping fit for 4p,6P,8P network cable use

YATO	L (mm)	
YT-2244	195	10/60

Ratchet crimping pliers

CAT.5 | HRC 42-48 | SK5



SLIDING CARD



- widely used for cutting,strippong, crimping fit for 4p,6P,8P network cable use

YATO	L (mm)	
YT-2243	200	8/48

Ratchet crimping pliers

220 mm | 20-8 (AWG) 1.5-10 mm² (DIN)

SLIDING CARD





- application: for non-insulated terminals
- pressure force can be adjusted, fit for various terminals
- automatic ratchet

YATO	crimping shape	L (mm)	crimping range	
YT-2247	U	220	1.5-10mm²	5/30

Ratchet crimping pliers

RG 58 | RG 59 | RG 62 | RG 6



- application: for non-insulated terminals
- pressure force can be adjusted, fit for various terminals
- automatic ratchet

YATO	crimping shape	L (mm)	
YT-2248	⬡	220	5/30

Quick interchangeable ratch crimper set

260 mm | 22-10 (AWG) 0.5-6.0 mm² (DIN)

6 PCS | RG 6 | RG 58 | RG 59 | RG 62


260 mm | 20-10 (AWG) 0.5-6 mm² (DIN) | 22-10 (AWG) 0.5-6 mm² (DIN) | 20-8 (AWG) 1.5-10 mm² (DIN) | 22-12 (AWG) 0.5-4 mm² (DIN)



BMC & COLOR SLEEVE







- with 5 sets of jaws, multi-purpose using for various terminals

YATO	L (mm)	crimping range	
YT-2245	260	0.5-10mm²	10

Ratchet crimping pliers

215 mm | RJ12 | RJ11 | HRC 42-48 | CAT.5 | SK5 | RJ45



- widely used for cutting,strippong, crimping fit for 4p,6P,8P network cable use

YATO	L (mm)	
YT-22422	215	10/60

Ratchet crimping pliers

220 mm | 22-10 (AWG) 0.5-6 mm²(DIN) | SLIDING CARD



- application: for insulated terminals
- pressure force can be adjusted, fit for various terminals
- automatic ratchet

YATO	crimping shape	L (mm)	crimping range	
YT-2246	⬭	220	0.5-6mm²	5/30

220 mm | 22-12 (AWG) 0.5-4 mm²(DIN)



- application: crimping for pin terminal insulated or non-insulated ferrules
- pressure force can be adjusted, fit for various terminals
- automatic ratchet

YATO	crimping shape	L (mm)	crimping range	
YT-2249	⬭	220	0.5-4mm²	5/30

220 mm | 22-16 (AWG) 0.5-1.0 mm²(DIN) | 16-14 (AWG) 1.5-2.5 mm²(DIN) | 12-10 (AWG) 4.0-6.0 mm²(DIN) | SLIDING CARD



- application: crimping for pin terminal insulated or non-insulated ferrules
- pressure force can be adjusted, fit for various terminals
- automatic ratchet

YATO	crimping shape	L (mm)	crimping range	
YT-2250	⬭	220	0.5-6mm²	5/30

250 mm | 22-10 (AWG) 0,5-6 mm²(DIN) | SLIDING CARD



- application: for insulated teiminals and colour code nests
- automatic ratchet

YATO	crimping shape	L (mm)	crimping range	
YT-2251	⬭	250	0.5-6mm²	5/30

Ratchet crimping pliers

195 mm | HRC 44-47 | 22-14 (AWG) 0.5-2.5 mm²(DIN)



- application: for insulated teiminals and colour code nests

YATO	crimping shape	L (mm)	crimping range	
YT-2283	⬭	195	0.5-2.5mm²	6/36

250 mm | HRC 44-47 | 22-8 (AWG) 0.5-10 mm²(DIN)



- application: for non-insulated terminals

YATO	crimping shape	L (mm)	crimping range	
YT-2284	∪	250	0.5-10mm²	6/36

180 mm | 0.2-6.0 mm² | HRC 44-47 | SLIDING CARD



- application: cord end sleave from 0.2-6mm²

YATO	crimping shape	L (mm)	crimping range	
YT-2240	⬟	180	0.2-6mm²	6/36

230 mm | HRC 44-48 | CrMo 4140 | 22-10 (AWG) 0.5-6.0 mm²(DIN)



- application: for insulated teiminals and colour code nests
- automatic ratchet

YATO	crimping shape	L (mm)	crimping range	
YT-2285	⬭	230	0.5-6mm²	6/36

Ratchet crimping pliers

230 mm | 22-10 (AWG) 0.5-6 mm²(DIN) | SLIDING CARD



- application: for insulated terminals
- pressure force can be adjusted, fit for various terminals
- automatic ratchet

YATO	crimping shape	L (mm)	crimping range	
YT-2296	⬭	230	0.5-6mm²	5/30

230 mm | 20-8 (AWG) 1.5-10 mm²(DIN)



- application: for non-insulated ferrules
- pressure force can be adjusted, fit for various terminals
- automatic ratchet

YATO	crimping shape	L (mm)	crimping range	
YT-2297	∪	230	1.5-10mm²	5/30

240 mm | RG 58 | RG 59 | RG 62 | RG 6



- application: for crimping RG58,59,62,6 cable
- pressure force can be adjusted, fit for various terminals
- automatic ratchet

YATO	crimping shape	L (mm)	
YT-2298	⬡	240	5/30

230 mm | 22-12 (AWG) 0.5-4 mm²(DIN)



- application: crimping for pin terminal insulated or non-insulated ferrules
- pressure force can be adjusted, fit for various terminals
- automatic ratchet

YATO	crimping shape	L (mm)	crimping range	
YT-2299	⬭	230	0.5-4mm²	5/30

Ratchet crimping pliers

230 mm | 20-18 (AWG) 0.5-1.5 mm² (DIN) | 16-14 (AWG) 1.0-2.5 mm² (DIN) | 18-16 (AWG) 4.0-6.0 mm² (DIN)



- application: for non-insulated ferrules
- pressure force can be adjusted, fit for various terminals

YATO	crimping shape	L (mm)	crimping range	
YT-2300		230	0.5-6mm²	5/30

175 mm | 0.2-6.0 mm² | HRC 44-47



- application: cord end sleave
- 2 colour PP & TPR handle

YATO	crimping shape	L (mm)	crimping range	
YT-2305		175	0.2-6mm²	6/36

Crimping pliers

195 mm | HRC 44-47 | 22-14 (AWG) 0.5-2.5 mm² (DIN)

- application: cord end sleave
- 2 colour PP & TPR handle



- application: for insulated tcrminals and colour code nests

YATO	crimping shape	L (mm)	crimping range	
YT-2307		195	0.5-2.5mm²	6/36

140 mm | 22-10 (AWG) 0.2-6.0 mm² (DIN)



- application: for insulated terminals

YATO	crimping shape	L (mm)	crimping range	
YT-2271		140	0.2-6mm²	20/120

Crimping pliers

22-20 (AWG) 0.3-0.5 mm² (DIN) | 18-14 (AWG) 1.0-2.0 mm² (DIN) | 28-26 (AWG) 0.08-0.12 mm² (DIN) | 26-22 (AWG) 0.12-0.3 mm² (DIN) | 26-22 (AWG) 0.12-0.3 mm² (DIN)

180 mm



- widely used for cutting, striping, crimping

BLISTER CARD

YATO	crimping shape	L (mm)	crimping range	
YT-2255		180	0.12-2mm²	10/60

22-20 (AWG) 0.3-0.5 mm² (DIN) | 18-14 (AWG) 1.0-2.0 mm² (DIN) | 28-26 (AWG) 0.08-0.12 mm² (DIN) | 26-22 (AWG) 0.12-0.3 mm² (DIN) | 26-22 (AWG) 0.12-0.3 mm² (DIN) | 14-10 (AWG) 2.0-6.0 mm² (DIN) | 18-16 (AWG) 1.0-1.5 mm² (DIN) | 20-22 (AWG) 0.3-0.5 mm² (DIN)

180 mm



- widely used for cutting, striping, crimping

YATO	crimping shape	L (mm)	crimping range	
YT-2256		180	0.08-6mm²	10/60

Universal wire stripper& Ratchet crimping pliers

205 mm | HRC 52-57 | 24-10 (AWG) 0.2-6.0 mm² (DIN) | 22-10 (AWG) 1.5-6.0 mm² (DIN) | 12-10 (AWG) 4.0-6.0 mm² (DIN) | 22-14 (AWG) 0.5-2.5 mm² (DIN) | 7-8 mm



- widely used for cutting, striping, crimping
- double colour non-slip handle

HALF DOUBLE BLISTER

YATO	L (mm)	stripping range	
YT-2270	205	0.5-2.6mm	5/30

Universal wire stripper

14-8 (AWG) 1.6-3.2 mm (DIN) | SPRING SPRĘŻYNA | M3 | 170 mm | 10.5 mm (AWG) | LOCK BLOKADA



HALF DOUBLE BLISTER

YATO	L (mm)	剥线直径	
YT-19691	170	0.6-3.2mm	5/30

Universal wire stripper

205 mm | HRC 52-57 | 24-10 (AWG) 0.2-6.0 mm² (DIN) | 22-10 (AWG) 1.5-6.0 mm² (DIN) | 12-10 (AWG) 4.0-6.0 mm² (DIN) | 22-14 (AWG) 0.5-2.5 mm² (DIN) | 7-8 mm



- widely used for cutting, striping, crimping
- double colour non-slip handle

YATO	L (mm)	stripping range	
YT-2313	205	0.5-2.6mm	5/30

Wire stripper

140 mm | 22-10 (AWG) 0.34-6.0 mm (DIN)



YATO	L (mm)	stripping range	
YT-2272	140	0.34-6.0mm	20/120

Wire stripper

180 mm | HRC 45-49 | M3-M4 | 20-10 (AWG) 0.8-2.6 mm (DIN)



YATO	L (mm)	stripping rangee	
YT-2273	180	0.8-2.6mm	10/60

Wire stripper

125 mm | RG6 | RG59 | SK5 | 20-10 (AWG) 0.8-2.6 mm (DIN)



YATO	L (mm)	stripping range	
YT-2274	125	0.8-2.6mm	15/90

Wire stripper

210 mm | RG6 | # 310 # 311 # 410 # 411 | 20-8 (AWG) 0.8-3.3 mm (DIN) | 22-10 (AWG) 0.8-3.3 mm (DIN) | M2.5-M5



- cut & strip 8~20AWG solid and 10~22AWG wires
- crimp 10~22AWG insulated & non-insulated terminals and coaxial connectors

YATO	L (mm)	stripping range	
YT-2277	210	0.8-3.3mm	10/60

Cable cutter

170 mm | 10.5 mm | 3.5 mm | SK5



- side cutter, with lock
- max cutting size: 10.5mm
- screw cutter: 3.5mm



YATO	L (mm)	
YT-2279	170	10/60

Wire stripper

205 mm | HRC 50-53 | RG 6 | 22-10 (AWG) 0.64-2.6 mm (DIN) | 22-10 (AWG) 0.64-2.6 mm (DIN) | M3-M5 | Mn 65




- material: 65Mn
- widely used for cutting, striping
- screw cutter: M3-M5

YATO	L (mm)	stripping range	
YT-2292	205	0.6-2.6mm	12/72

Automatic wire stripper

170 mm | SK5 | 18- 8 (AWG) 1.0-3.2 mm (DIN)



- stripping range: 1.0/1.6/2.0/3.2mm^2

YATO	L (mm)	stripping range	
YT-2276	170	1.0-3.2mm	8/48

Cable stripper

Ø mm 8-28





YATO	L (mm)	stripping range	
YT-2280	190	8-28mm	10/100

Wire stripper

215 mm | HRC 50-53 | RG 6 | 18-10 (AWG) 1.0-2.6 mm^2(DIN) | 7-8 (mm) | M2.6-M5 | Mn 65



- material: 65Mn
- widely used for cutting, striping

YATO	L (mm)	stripping range	
YT-2293	215	1.0-2.6mm	12/72

Automatic wire stripper

170 mm | SK5 | 18- 8 (AWG) 1.0-3.2 mm (DIN)



- stripping range: 1.0/1.6/2.0/2.6/3.2mm^2

YATO	L (mm)	
YT-2316	185	8/48

Universal wire stripper& crimping pliers

20-10 (AWG) 0.5-5.5 mm^2(DIN) | 20-10 (AWG) 0.5-5.0 mm^2(DIN) | 250 mm | Mn 65 | 20-10 (AWG) 0.5-5.0 mm^2(DIN) | M 2.6-M5



- widely used for cutting, striping,crimping
- caser printing
- screw cutter: M2.6-M5

YATO	L (mm)	stripping range	
YT-2254	250	0.8-2.6mm	12/48

Wire stripper

165 mm | HRC 50-53 | Mn 65 | 22-10 (AWG) 0.64-2.6 mm^2(DIN)





- material: 65Mn
- widely used for cutting, striping

YATO	L (mm)	stripping range	
YT-2294	165	0.6-2.6mm	12/120

Electrican scissors

140 mm | STAINLESS STEEL STAL NIERDZEWNA | HRC 52-56





YATO	L (mm)	
YT-1974	140	12/120

Wire stripping pliers

185 mm | HRC 50-53 | Mn 65 | 20-10 (AWG) 0.8-2.6 mm (DIN) | M4-M5



- material: 65Mn
- widely used for cutting, striping
- screw cutter: M4-M5

YATO	L (mm)	stripping range	
YT-2290	185	0.8-2.6mm	12/120

Wire stripper

220 mm | HRC 50-53 | Mn 65 | 7 (mm) | 22-10 (AWG) 0.64-2.6 mm^2(DIN) | M3-M5





- material: 65Mn
- widely used for cutting, striping

YATO	L (mm)	stripping range	
YT-2295	220	0.6-2.6mm	12/72

Electrical cutter

125 mm

24-20 (AWG) 0,5-1,5 mm² (DIN)



- use for cutting

SLIDING CARD

YATO	L (mm)	stripping range	
YT-2260	125	0.5-0.8mm	15/150

Electrical mini cutter

130 mm | HRC 55-57



- material: 65Mn
- use for cutting

SLIDING CARD

YATO	L (mm)	
YT-2263	130MM	12/120

Automatic wire stripper

175 mm | 65Mn HRC55 | 6 mm

SLIDING CARD



- material: 65Mn
- widely used for cutting, striping

YATO	L (mm)	stripping range	
YT-2268	175	5-25mm	10/60

Electrical cutter

125 mm



- use for cutting

YATO	L (mm)	
YT-2261	125	15/150

Electrical mini cutter

130 mm | HRC 55-57



- material: 65Mn
- use for cutting

YATO	L (mm)	
YT-2264	130MM	12/120

Electrician's knife

85 mm | 200 mm | 3CR13 | HRC 42-48



- made of stainless steel blade, sharp and anti-rust
- high quality wood handle, comfortable grip, good durability

SLIDING CARD

YATO	L (mm)	
YT-7600	200	6/96

Electrician's knife

75 mm | 190 mm | 3CR13 | HRC 42-48



- made of stainless steel blade, sharp and anti-rust
- high quality wood handle, comfortable grip, good durability

YATO	L (mm)	
YT-7601	190	6/96

Electrical cutter

125 mm | 3,2 mm | STAINLESS STEEL STAL NIERDZEWNA



- material: stainless steel
- max cutting size: 3mm

SLIDING CARD

YATO	L (mm)	
YT-2262	125	20/120

Insulation tape



EN60454-3-1-1/F-PVC/60/R-Tp
DIELECTRIC STRENGTH> 40 Kv / mm
ELONGATION > 125%
FLAME TEST < 1 s
STORE TEMPERATURE +10°C ~ +40°C
USING TEMPERATURE +5°C ~ +50°C

YATO	size	ply	colour	PCS packing	
YT-8165	19mmx20M	0.13mm	black	12	72/288
YT-8166	19mmx20M	0.13mm	red	12	72/288
YT-81651	19mmx20M	0.13mm	blue	12	72/288
YT-81652	19mmx20M	0.13mm	green	12	72/288
YT-81654	19mmx20M	0.13mm	yellow	12	72/288
YT-81655	19mmx20M	0.13mm	kelly	12	72/288

Insulation tape

10 PCS



YATO	size	ply	
YT-8156	12mmx10M	0.13mm	10/40

Insulation tape

10 PCS



YATO	size	ply	
YT-8173	19mmx20M	0.13mm	6/24

Ratchet cable cutter

Cu/Al CABLE KABEL | 60Si2Mn | HRC 50 CUTTING BLADE OSTRZE TNĄCE



COLOR BOX



YATO	cutting range	max. Ø (mm)	L (mm)	
YT-18600	240	17.5	300	10

Ratchet cable cutter

Cu/Al CABLE KABEL | 60Si2Mn | HRC 50 CUTTING BLADE OSTRZE TNĄCE



YATO	cutting range	max. Ø (mm)	L (mm)	
YT-18602	380	22	380	10

Hydraulic pliers

10-120 mm² | Al 10-95 mm² | Cu 10-120 mm² | 415 mm | PRESSURE NACISK 8T | 10 16 25 35 50 70 95 120 mm²





- Used for communication, electricity, petroleum, chemical, mining
- Metallurgy, shipbuilding and other industries

BMC & COLOR SLEEVE



YATO	L (mm)	size (mm²)	pressure (T)	stripping range (mm²)		die configuration(mm²)	
				AL	Cu		
YT-22860	415	10-120	8	10-95	10-120	10 16 25 35 50 70 95 120	1/4

Hydraulic pliers

16-240 mm² | Al 16-185 mm² | Cu 16-240 mm² | 470 mm | PRESSURE NACISK 12T | 16 25 35 50 70 95 120 150 185 240 mm²





- Used for communication, electricity, petroleum, chemical, mining
- Metallurgy, shipbuilding and other industries

YATO	L (mm)	size (mm²)	pressure (T)	stripping range (mm²)		die configuration(mm²)	
				AL	Cu		
YT-22861	470	16-240	12	16-185	16-240	16 25 35 50 70 95 120 150 185 240	1/3

Hydraulic pliers

16-300 mm² | Al 16-240 mm² | Cu 16-300 mm² | 470 mm | PRESSURE NACISK 18-20T | 16 25 35 50 70 95 120 150 185 240 300 mm²





- Used for communication, electricity, petroleum, chemical, mining
- Metallurgy, shipbuilding and other industries

YATO	L (mm)	size (mm²)	pressure (T)	stripping range (mm²)		die configuration(mm²)	
				AL	Cu		
YT-22862	470	16-300	18-20	16-240	16-300	16 25 35 50 70 95 120 150 185 240 300	1/3

Electric glue gun

230V~ 50Hz | 35 (400) W | ⌀ 11 mm





- Warm-up time : 3-6 minutes
- Working temperature: 150-200°
- Glue flow rate :15g/min

YATO	power	voltage	dia. (mm)	
YT-82401	35W	230V	11.0	12/24

Electric glue gun



- High viscosity, no odor, high temperature resistance, viscosity up to 12000CPS

YATO	colour	diameter(mm)	L(mm)	PCS packing
YT-82430	white	11.2	200	52pcs/bag
YT-82431	white	11.2	300	32pcs/bag

PVC Plastic pipe welder

230V~ 50Hz | 850 W | 0-300°C | ⌀ 20, 25, 32 [mm] 40, 50, 63





METAL CASE & COLOR BOX

YATO	W	
YT-82250	850	4

Electric glue gun

230V~ 50Hz | ⌀ 11 mm | CE



- Warm-up time : 3-6 minutes
- Working temperature: 150-200°
- Glue flow rate :12g/min

YATO	power	voltage	dia. (mm)	
YT-8240	40W	230V	11.0	12/48
YT-8241	60W	230V	11.0	12/48

Desoldering Pump

PTFE TIP



SLIDING CARD



- small size, desoldering tin effectively
- high quality PTFE suction nozzle, heat-resistant, dissolvant-resistant
- aluminum handle, light weight

YATO	dia. (mm)	Size (mm)	
YT-82742	2.5	19.5x190	100/400

Digital voltage tester

⊖ | 12-250 V ~ | 50-500 Hz | LCD DISPLAY | CE





SLIDING CARD

- no battery needed
- pocket clip

YATO	light	⊖	L (mm)	
YT-2861	no light	4	135	20/500
YT-2862	neon light	4	130	20/500

Electric glue gun



- High viscosity, no odor, high temperature resistance, viscosity up to 12000CPS

YATO	colour	diameter	L(mm)	PCS packing
YT-82433	black	11.2	200	5pcs/bag
YT-82434	red	11.2	200	5pcs/bag
YT-82435	blue	11.2	200	5pcs/bag
YT-82436	green	11.2	200	5pcs/bag
YT-82437	yellow	11.2	200	5pcs/bag
YT-82438	white	11.2	200	5pcs/bag
YT-82439	brown	11.2	200	5pcs/bag

Desoldering Pump

PTFE TIP



- small size, desoldering tin effectively
- high quality PTFE suction nozzle, heat-resistant, dissolvant-resistant
- plastic handle, light weight

YATO	dia. (mm)	Size (mm)	
YT-82743	3.0	21.8x206	100/400

Digital voltage tester

⊖ | LCD DISPLAY | CE




YATO	⊖	L (mm)	
YT-2863	4	160	6/120

Voltage tester

125-250 V~

PLASTIC HANGER



YATO	⊖	L (mm)	
YT-2830	3.5	190	12/144

Tile cutting pliers

200 mm | 2x YG-6X | COATED TiN POWŁOKA





YATO	L(mm)	
YT-37161	200	6/36

Visual fault locator

10 km | 10 mW





- Wavelength: 650nm ± 20nm
- Pulse: 2Hz
- Interface: 2.5mm universal interface

YATO	
YT-73098	1/100

Voltage tester

125-250 V~



YATO	⊖	L (mm)	
YT-28301	3	140	20/400

3 Holes fiber stripper





YATO	
YT-22733	1/100

Small mid span slitter





YATO	
YT-22655	1/100

Digital voltage tester

50-500 Hz | CE | 70-250 V~ | 70-600 V~ | POWER "ZASILANIE" 2x1.5 V LR41 BATTERY" BATERIA" | 1,5-9 V | LED



- material: brass, long life time

YATO	⊖	L (mm)	
YT-2864	4	140	6/120

Visual fault locator

5km | 1mW | 2Hz





YATO	
YT-73097	1/100

Drop fiber cable stripper





YATO	
YT-22810	1/100

Length ways stripper





YATO	
YT-22805	1/100

Fiber cleaver





YATO	
YT-22650	1/50

Optical power mater

-70~+8 dBm | 700-1700 Nm | ±0.01 dB





YATO	
YT-73095	1/100

Internal soldering iron

230V ~50Hz	25W	450°C	TIP R0,5x Ø7,0 x 65 mm	YT-82475
230V ~50Hz	30W	450°C	TIP R0,5x Ø7,0 x 75 mm	YT-82476
230V ~50Hz	40W	450°C	TIP R0,5x Ø7,0 x 65 mm	YT-82477



- exchangeable long life tip and grounded strcture
- heating up super rapidly, and return to soldering temperature quickly
- light handle, easy to operate

YATO	power	voltage	T	
YT-82475	25W	230V	450°C	6/60
YT-82476	30W	230V	450°C	6/60
YT-82477	40W	230V	450°C	6/60

External soldering iron

230V ~50Hz	25W	420°C	TIP R0,3x Ø3,8 x 70,8 mm	YT-82470
230V ~50Hz	30W	440°C	TIP R0,3x Ø3,8 x 70,8 mm	YT-82471
230V ~50Hz	40W	500°C	TIP R0,3x Ø3,8 x 70,8 mm	YT-82472
230V ~50Hz	60W	500°C	TIP I R0,6x Ø5,8 x 60 mm	YT-82473



- exchangeable long life tip and grounded strcture
- heating up super rapidly, and return to soldering temperature quickly
- light handle, easy to operate

YATO	power	voltage	T	
YT-82470	25W	230V	420°C	6/60
YT-82471	30W	230V	440°C	6/60
YT-82472	40W	230V	500°C	6/60
YT-82473	60W	230V	500°C	6/60

Soldering station

48W | 150-450 °C | Ø 7.1 mm 65 mm | LCD



COLOR BOX



YATO	power	T	
YT-82455	48W	150-450	1/4

Digital multimeter



- 3½digits LCD; low battery indication;
- overload protection;
- audible continuity;
- coltage DC: 200M-2000M-20-200-500V;
- current AV: 200-500V;
- current DC: 2000U-20M-200M-5A;
- resistance: 200-2K-20K-200K-2000KΩ;
- continuity; diode check;
- power source: 9V battery;
- dimensions:126x70x24mm,weight 200G

COLOR BOX



YATO	L (mm)		
YT-73080	126×70×24	200	50

Digital multimeter



- 3½ digits lcd;
- low battery indication
- overload protection
- audible continuity
- voltage DV: 200M-2-20-200-1000V
- voltage AV: 200M-2-20-200-750V
- current DC: 2M-20M-200M-10A
- current AC: 2M/20M/200M/2A/10A
- resistance: 200-2K-20K-200K-2M-20MΩ
- capacitance: 2N-20N-200N-2M-20MF
- diode check: 2.8V/1MA
- power source: 9V battery
- dimensions: 180×90×40mm; weight: 360G

YATO	L (mm)		
YT-73082	180×90×40	360	30

Digital multimeter




- 3½ digits LCD with backlight
- 12 functions for DCV, ACV, DCA, ACA, OHM
- diode check; auto range; auto power off
- data-hold function
- display:1999 counts
- height of digit: 16mm
- DC voltage: 200M/2/20/200/600V
- AC voltage: 200M/2/20/200/600V
- DC current: 200M/2000M/20M/200MA/2A/10
- AC current: 200M/2000M/20M/200MA/2A/10A
- resistance: 200/2K/20K/200K/2MΩ/20MΩ
- temperature: -20 ~ +1000°C/ 0~ +1800°F
- capacitance: 20N~1000MF; continuity
- power:1.5V(AAA) × 3
- dimensions (w×l×t):75×158×35mm;weight:200g

YATO	L (mm)		
YT-73084	158×75×30	200	44

Digital multimeter



- LCD display; display: 3999 counts; backlight
- data-hold function; auto power off
- voltage DC: 400M//4/40/400/600V
- current DC: 400M/4000M/40M/400M/10A
- voltage AC: 4/40/400/600V
- current AC: 400M/4000M/40M/400M/10A
- resistance: 400/4K/40K/400K/4MΩ/40MΩ
- capacitance: 4N/40N/400N/4M/40M/100MF
- frequency: 10/100/1K/10K/100KHZ
- temperature: -20 ~ +1000°C
- duty cycle: 5% - 95%
- continuity; diode check
- power: 9V battery (6f22)
- dimensions (w×l×t): 83×162×47mm




YATO	L (mm)		
YT-73086	165×83×40	355	24

Digital multimeter



- voltage DC: 0.4/4/40/400/600V
- voltage AC: 4/40/400/600V
- current DC: 400M/4000M/40M/400M/10A
- current AC: 400M/4000M/40M/400M/10A
- resistance: 400/4K/40K/400K/4M/40MΩ
- capacitance: 4N/40N/400N/4M/40M/100MF
- frequency: 10/100/1K/10K/100K/200KHZ
- duty cycle: 0.1% ~ 99.9%;
- temperature: -20 ~ +1000°c
- humidity: 30%-95%
- light: 4000LUX/40000LUX
- sound level: 35 – 100Db
- continuity; diode check
- power: 9V battery (6F22)
- dimensions (W×L×T): 83×162×47MM; weight: 310g




YATO	L (mm)		
YT-73087	165×83×40	330	24

Digital multimeter



- 1/2 digits LCD; display: 1999 counts;
- display backlight function
- overload protection
- maximum value hold mode
- low battery indication
- automatic zeroing function
- voltage DC:200M/2/20/200/600V
- voltage AC:2/20/200/600V
- current AC:2/20/200/600A
- resistance:200/2K/20K/200K/2M/20MΩ
- temperature: -20 ~ +1000°C / -4 ~ +1832°F
- diode check:approx. 1.5V
- continuity:<50Ω
- power: 1.5V(AAA) battery×2
- dimensions:77×230×32mm; weight: 220g



YATO	L(mm)		
YT-73091	230×79×32	220	20

Heat gun with accessories



BMC & Colour SLEEVE

Mains voltage	[V]	230~
Mains frequency	[Hz]	50
Nominal power	[W]	2000
Blowing temperature (max)	[°C]	50 (I) / 70 - 600 (II) / 70 - 600 (III)
Air flow	[l/min]	300 (I) / 300 (II) / 500 (III)
Insulation class		II
Net mass	[kg]	0,81
Protection grade		IP20

YATO	W	
YT-82293	2000	5

Heat Gun



BMC & Colour SLEEVE


Mains voltage	[V]	230~
Mains frequency	[Hz]	50
Nominal power	[W]	2000
Blowing temperature (max)	[°C]	350 (I) / 550 (II)
Air flow	[l/min]	300 (I) / 500 (II)
Insulation class		II
Net mass	[kg]	0,76
Protection grade		IP20

YATO	W	
YT-82291	2000	5
YT-82291BS	2000	5

Extension cord

16 A ~250V | CABLE H05RR-F KABEL | IP44 | E TYPE / TYP | E & F TYPE / TYP | 3G2.5 mm² CABLE / KABEL





Colour BOX

YATO	L (m)	
YT-8100	20	4
YT-8101	30	2
YT-8102	40	2

Cable reel

16 A ~230V | CABLE H05RR-F KABEL | IP44 | E TYPE / TYP | E & F TYPE / TYP | 3G2.5 mm² CABLE / KABEL | PLASTIC REEL BEBEN PLASTIKOWY



- P_{max} = 1200 W coiled
  P_{max} = 1200 W zwinięty
- P_{max} = 3600 W uncoiled
  P_{max} = 3600 W rozwinięty

YATO	L (m)	
YT-8106	30	1
YT-8107	40	1
YT-8108	50	1

Auto retract electric cable reel

10 A ~250V | CABLE H05VV-F KABEL | 3G1.5 mm² CABLE / KABEL | E & F TYPE / TYP | E TYPE / TYP | AUTO RETRACTION ON/OFF | IP34 | EASILY MOUNTS ŁATWY MONTAŻ | x4 ANCHORAGE KOTWY

NEW





- P_{max} = 2500 W coiled
  P_{max} = 2500 W zwinięty
- P_{max} = 2500 W uncoiled
  P_{max} = 2500 W rozwinięty

YATO	L (m)	
YT-81220	10	4
YT-81221	20	2

Tweezer

140 mm | HRC 30



- stainless steel
- antistatic, anti-acid

YATO	L (mm)		
YT-6903	140	10	20/480

115 mm | HRC 30



SLIDING CARD



- stainless steel
- antistatic, anti-acid

YATO	L (mm)		
YT-6907	115	15	240

130 mm | HRC 40



- stainless steel
- antistatic, anti-acid, non-corrosive, non-glare

YATO	L (mm)		
YT-6912	130	15	20/480

130 mm | HRC 40



- stainless steel
- antistatic, anti-acid, non-corrosive, non-glare

YATO	L (mm)		
YT-6913	130	15	20/480

Tweezer

140 mm | HRC 40



- stainless steel
- antistatic, anti-acid, non-corrosive, non-glare

YATO	L (mm)		
YT-6916	140	15	240

Tweezer

140 mm | HRC 40



- stainless steel
- antistatic, anti-acid, non-corrosive, non-glare

YATO	L (mm)		
YT-6917	115	20	20/480



Ball pein hammer



- forged carbon steel head, hardened and tempered
- fibreglass handle

YATO	Lb (oz)	L (mm)	A (mm)	H (mm)	
YT-4515	0.5(8oz)	280	26	80	6/36
YT-4516	1(16oz)	315	34	100	6/24
YT-4517	1.5(24oz)	370	36	115	6/12
YT-4518	2(32oz)	380	40	125	6/12

Ball pein hammer



- forged carbon steel head, hardened and tempered
- hickory handle

YATO	Lb (oz)	L (mm)	A (mm)	H (mm)	
YT-4519	0.5(8oz)	295	26	80	6/36
YT-4520	1(16oz)	335	35	100	6/24
YT-4521	1.5(24oz)	360	36	115	6/12
YT-4522	2(32oz)	380	40	125	6/12

Machinist hammer

DIN 1041



YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4501	100	260	15	82	12/120
YT-4502	200	280	19	95	6/60
YT-4503	300	300	23	105	6/60
YT-4504	400	310	25	112	6/48
YT-4505	500	320	27	118	6/36
YT-4506	600	330	29	122	6/36
YT-4507	800	350	33	135	6/24
YT-4508	1000	360	36	135	6/24
YT-4509	1500	380	42	145	6/12
YT-4510	2000	400	47	155	6/12

Safety stoning hammer

DIN 6475



YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4550	1000	260	40	95	6/24
YT-4551	1250	260	43	100	6/24
YT-4552	1500	280	45	110	6/12
YT-4553	2000	300	50	120	6/12

Claw hammer



- forged carbon steel head, hardened and tempered
- hickory handle

YATO	m (g)(oz)	L (mm)	A(mm)	H (mm)	
YT-4523	225(8oz)	290	25	110	6/36
YT-4524	370(13oz)	310	32	120	6/24
YT-4525	450(16oz)	335	30	135	6/24
YT-4526	570(20oz)	329	34	135	6/18
YT-4527	680(24oz)	383	34	140	6/12

Claw hammer

FORGED CARBON STEEL HEAD HERDENED AND TEMPERED | HIGH QUALITY STEEL HANDLE



- drop forged, mirror polished head
- tubular steel handle with 2 colour TPR handle

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4560	450	318	30	130	6/24

Mason's hammer, type R

FORGED CARBON STEEL HEAD HERDENED AND TEMPERED | HIGH QUALITY STEEL HANDLE



- drop forged, mirror polished head
- tubular steel handle with 2 colour TPR grip

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4563	600	315	23x23	170	6/24

Welding hammer



YATO	size(mm)	
YT-4571S	300	6/24

Roofing hammer

FORGED CARBON STEEL HEAD HERDENED AND TEMPERED | HIGH QUALITY STEEL HANDLE





- drop forged, mirror polished head
- tubular steel handle with 2 colour TPR grip

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4561	600	318	25x25	165	6/24

Plasterer's hatchet

FORGED CARBON STEEL HEAD HERDENED AND TEMPERED | HIGH QUALITY STEEL HANDLE



- drop forged, mirror polished head
- tubular steel handle with 2 colour TPR grip

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4564	600	315	25x20	175	6/24

Sledge hammer



- forged carbon steel head
- TPR soft handle

YATO	m(g)	L(mm)	
YT-45535	2LB	291	6/24
YT-45536	3LB	352	6/12
YT-45537	4LB	420	6/12
YT-45538	6LB	790	6
YT-45539	8LB	794	4
YT-45540	10LB	800	4
YT-45541	12LB	882	4
YT-45542	14LB	885	4
YT-45543	16LB	890	2
YT-45544	18LB	892	2
YT-45545	20LB	894	2
YT-45546	24LB	905	2

Claw hammer

FORGED CARBON STEEL HEAD HERDENED AND TEMPERED | HIGH QUALITY STEEL HANDLE



- drop forged, mirror polished head

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4570	450	315	30	130	6/24

Roofing hammer

FORGED CARBON STEEL HEAD HERDENED AND TEMPERED | HIGH QUALITY STEEL HANDLE





- drop forged, mirror polished head

YATO	m (g)	L (mm)	A (mm)	H (mm)	
YT-4571	600	331	25x25	165	6/24

Dead blow mallet

PU





- head contains steel ball
- neon black

YATO	m(g)	L(mm)	⌀ (mm)	
YT-4620	740	300	44.5	4/24
YT-4622	900	336	53.5	4/24
YT-4623	1300	350	59.0	3/12

Rubber mallet with wooden handle



- wooden handle, white (30%)-black (35%) head

YATO	m(g)	L(mm)	⌀ (mm)	
YT-4600	230	259	44	12/48
YT-4601	340	291	49	12/48
YT-4602	370	300	50	6/36
YT-4603	580	341	58	6/36
YT-4604	780	341	63	6/36
YT-4605	980	345	72	6/24

Rubber mallet with fibreglass, TPR handle



- TPR soft handle

YATO	m(g)	L(mm)	⌀ (mm)	
YT-4594	440	340	50	6/36

Dead blow mallet

NYLON



- exchangeable PU and NYLON head
- zinc head base with hickory handle

YATO	m(g)	L(mm)	⌀ (mm)	
YT-4624	265	318	30.0	10/40
YT-4625	430	350	40.0	6/36
YT-4626	490	348	45.0	6/36

PU & Nylon heads mallet

PU NYLON



- exchangeable PU and NYLON head
- zinc head base with hickory handle

YATO	m(g)	L(mm)	⌀ (mm)	
YT-4630	150	250	22.0	6/48
YT-4631	250	280	28.0	6/36
YT-4632	340	315	35.0	6/36
YT-4633	660	350	45.0	6/24
YT-4634	1340	380	60.0	4/16

Nylon head for mallet

NYLON HARD TWARDA

SLIDING CARD





YATO	m(g)	⌀ (mm)	for	
YT-4640	11.0	22.0	YT-4630	6/60
YT-4641	20.0	28.0	YT-4631	6/60
YT-4642	35.0	35.0	YT-4632	6/60
YT-4643	69.0	45.0	YT-4633	6/60
YT-4644	139.0	60.0	YT-4634	6/60

PU head for mallet

PU SOFT MIĘKKA

SLIDING CARD





YATO	m(g)	⌀ (mm)	for	
YT-4635	11.0	22.0	YT-4630	6/60
YT-4636	20.0	28.0	YT-4631	6/60
YT-4637	35.0	35.0	YT-4632	6/60
YT-4638	69.0	45.0	YT-4633	6/60
YT-4639	139.0	60.0	YT-4634	6/60

Wood chisel

CrV 60 HRC 56-62



- wooden handle, CrV60 blade
- HRC 56-62

DOUBLE BLISTER

YATO	size (mm)	
YT-6241	8	10/60
YT-6242	10	10/60
YT-6243	12	10/60
YT-6244	14	10/60
YT-6245	15	10/60
YT-6246	16	10/60
YT-6247	18	10/60
YT-6248	20	10/60
YT-6249	22	10/60
YT-6251	25	10/60
YT-6253	28	10/60
YT-6256	35	10/60
YT-6258	38	10/60

Wood chisel set

4 PCS CrV 60 HRC 58-60





DOUBLE BLISTER

YATO	size (mm)	
YT-6260	10	5/20
	16	
	20	
	25	

Half-round wood chisel

#55 HALF-ROUND PÓŁOKRĄGŁY

NEW



YATO	size (mm)	
YT-62820	8	12/48
YT-62821	10	12/48
YT-62822	12	12/48
YT-62823	14	12/48
YT-62824	16	12/48
YT-62825	19	12/48
YT-62826	25	12/48
YT-62827	32	12/48
YT-62828	38	12/48

Half-round wood chisel set

3 PCS | 12 mm | 19 mm | #55 | HALF-ROUND POŁOKRĄGŁY | 25 mm

NEW



YATO	size (mm)	
YT-62830	12	12/24
	19	
	25	

Punch with protection

300 mm | CrV



- 19 x 300 mm, crv steel, black finished
- double colour handle with soft grip

PLASTIC HANGER



YATO	L(mm)	
YT-4705	300	4/24

Chisel and punch set

6 PCS | CHISEL 12x180 mm 16x180 mm 19x180 mm | PUNCH 3x180 mm 3x180 mm 4x180 mm | CrV



PLASTIC HANGER



- 180 mm, crv steel black finished
- yato logo embossed on grip, yato logo and size laser printed on blade

YATO	L(mm)	
YT-4710	180	10/20

Cold chisel with protection

76x267 mm | CrV



PLASTIC HANGER



YATO	L(mm)	
YT-4701	267	4/24

Cold chisel with protection

25x300 mm | CrV



- 25 x 19 x 300 mm, CrV steel, black finished
- double colour handle with soft grip

PLASTIC HANGER



YATO	L(mm)	
YT-4700	300	4/24

Profiled wrecking bar


DROP FORGED KUTE



YATO	size / rozmiar (mm)	
YT-46810	350x22x13	6/12

Go-through pry bar set

4 PCS | CrV







- 198x6x6 mm, 110 g
- 304x10x10 mm, 292 g
- 456x10x10 mm, 479 g
- 608x12x12 mm, 745 g

YATO	
YT-4730	3/6

Go-through pry bar


CrV



YATO	size (mm)	L(mm)	
YT-47302	10x10	304	10/20

Hexagonal wrecking bar


Mn 65



YATO	size (mm)	
YT-46800	400x18	6/12
YT-46801	450x18	6/12
YT-46802	600x18	6/12
YT-46803	750x18	6/12
YT-46804	900x18	5/10

Crow bar


Mn 65



YATO	L(mm)	A(mm)	B(mm)	C(mm)	
YT-46831	400	25	16	40	6/24
YT-46832	600	28	20	40	6/12
YT-46833	800	28	22	40	6/12
YT-46834	1000	28	22	40	1/6
YT-46835	1200	39	25	45	1/6
YT-46836	1500	39	25	45	1/6

Chisel


CrV 6150 | HEX



YATO	L(mm)	A(mm)	B(mm)	
YT-47147	142	10	8	20/120
YT-47148	152	12	10	20/120
YT-47149	172	16	12	20/120

Taper punch

CrV



YATO	L(mm)	A(mm)	B(mm)	
YT-47152	140	2	10	20/120

Axe


DIN 5131 7294 | GENUINE HICKORY



YATO	m (g)	L(mm)	
YT-8001	600	360	24
YT-8002	800	380	20
YT-8003	1000	430	12
YT-8004	1250	710	12
YT-8005	1400	710	12
YT-8006	1600	810	12

Punch


CrV 6150 | HEX



YATO	L(mm)	A(mm)	B(mm)	
YT-47141	150	1.5	6	20/120
YT-47142	150	3	8	20/120
YT-47143	150	4	8	20/120
YT-47144	150	5	8	20/120
YT-47145	150	6	10	20/120
YT-47146	150	8	10	20/120

Punch


CrV



YATO	L(mm)	A(mm)	B(mm)	
YT-47150	100	6	10	20/120
YT-47151	112	8	12	20/120

Adjustable center punch

125 mm | NEW



YATO	L(mm)	
YT-47161	125	12/72

Pin punch set

6 PCS | 150 mm | PIN DIAMETER: Ø 1.5, 3.0, 4.0, 5.0, 6.0, 8.0 mm | HEX | CrV 6150



YATO	L(mm)	
YT-47121	150	6/24

Chisel set

3 PCS | CHISEL: 10x142 mm, 12x152 mm, 16x172 mm | CrV | HEX



YATO		
YT-4711	370	6/24

Chisel and punch set

6 PCS | CHISEL 10x142 12x152 mm | PUNCH 2x140 mm 3x152 mm 6x152 mm 8x115 mm | CrV

PLASTIC HANGER





- 6 pcs: CrV steel
- black finished; yato logo laser printed on each blade

YATO		
YT-4712	480	6/24

12 PCS | CrV | CHISEL PRZECINAK 10x140 mm 12x150 mm 16x170 mm | CENTER PUNCH PUNKTAK ø6x100 mm ø8x110 mm | PIN PUNCH WYBIJAK ø4x150 mm ø5x150 mm ø6x150 mm ø8x150 mm ø1,5x150 mm ø3x150 mm

PLASTIC HANGER





YATO		
YT-4714	1000	10/20

Mini cold chisel and punch set

3 PCS | 125 mm | CrV | COLD CHISEL: 10 mm | PIN PUNCH: 3 mm | SOLID PUNCH: 3 mm



YATO		
YT-4713	190	10/60

Pin punch

150 mm | CrV 60 | PIN DIAMETER: ø 3.8 mm

SLIDING CARD



- CrV 60, pin punch, chrome plated, mirror finish, total length: 150mm
- pin diameter: 3,8mm, pin length: 40mm, hex shank: 9,4mm

YATO	L (mm)	
YT-4690	150	20/120

Center punch

120 mm | CrV 60 | TAPER POINT END

SLIDING CARD



- CrV 60, pin punch, chrome plated, mirror finish, total length: 120mm
- hex shank: 9,4mm, taper - point end

YATO	L (mm)	
YT-4692	120	20/120

Cape chisel

130 mm | CrV 60 | CHISEL WIDTH: 5.5 mm

SLIDING CARD



- CrV 60, pin punch, chrome plated, mirror finish, total length: 130mm
- hex shank: 9,4mm, chisel width: 5,5mm

YATO	L (mm)	
YT-4694	130	20/120

Number stamp

9 PCS | NUMBERS NUMERY 0 - 9 | 1045 CARBON STEEL | HRC 50-55





- Specifications are 0-8, 9 digits
- 8mm shank width and 6mm head width
- High carbon steel material, hardness up to HRC50-55

YATO	size (mm)	L(mm)	
YT-6854	6	66	20
YT-6855	8	73	18

Taper punch

120 mm | CrV 60 | CENTER PUNCH: ø3.3 mm

SLIDING CARD



- CrV 60, pin punch, chrome plated, mirror finish, total length: 120mm
- hex shank: 9,4mm, center punch: 3,3mm

YATO	L (mm)	
YT-4691	120	20/120

Cold chisel

130 mm | CrV 60 | CHISEL WIDTH: 12 mm



SLIDING CARD

YATO	L (mm)	
YT-4693	130	20/120

Chisel and punch set

5 PCS | CrV 60 | PIN PUNCH: ø3.8 mm | TAPER PUNCH: ø 3.3 mm | TAPER POINT END | COLD CHISEL: 12 mm | CAPE CHISEL: 5.5 mm | CENTER PUNCH PUNKTAK 3.8x120 mm



SLIDING CARD



YATO		
YT-4695	320	6/24

Letter stamp

27 PCS | LETTERS LITERY A - Z | & | 1045 CARBON STEEL | HRC 50-55





- Specifications are A-Z, &, 27 letters
- 8mm shank width and 6mm head width
- High carbon steel material, hardness up to HRC50-55


YATO	size (mm)	L(mm)	
YT-6862	6	65	12
YT-6863	8	72	8



C-clamp

DROP FORGED KUTE





- forged, chrome plated, quick adjustment; metal handle

YATO	L (mm)	A (mm)	B (mm)	force pressure(N)	
YT-6420	2"	50	54	15000	6/30
YT-6421	3"	75	60	19500	6/18
YT-6422	4"	100	80	29800	6/12
YT-6423	6"	150	102	32000	6/12
YT-6424	8"	200	120	36000	1/6

F-clamp

QUICK ADJUSTMENT



- forged, chrome plated, PVC handle

YATO	L (mm)	force pressure(N)	
YT-6401	160x80	4500	10/30
YT-6402	200x80	4500	10/30
YT-6403	250x80	4500	10/30
YT-6404	300x80	4500	10/30
YT-6405	450x80	4500	10/20
YT-6406	600x80	4500	10/20
YT-6407	400x120	4500	1/10
YT-6408	500x120	4500	1/10
YT-6409	600x120	4500	1/10
YT-6410	900x120	4500	1/5

F-clamp

QUICK ADJUSTMENT




- forged, chrome plated, quick adjustment; metal handle

YATO	L (mm)	force pressure(N)	
YT-6412	300x120	6000	1/10
YT-6413	400x120	6000	1/10
YT-6414	500x120	6000	1/5
YT-6415	600x120	6000	1/5
YT-6416	900x120	6000	1/5
YT-6417	1050x120	6000	1/5

Spring clamp





YATO	A (mm)	B (mm)	C (mm)	
YT-64270	100	44	42	24/240
YT-64271	150	68	55	12/120
YT-64272	200	91	79	10/100

Swivel base bench vice

COLOR BOX 



- anvil and changeable jaws made of hardened steel

100 mm | 7 kg

YATO	kg	force pressure(KN)	
YT-6501	7	10	2

125 mm | 10 kg

YATO	kg	force pressure(KN)	
YT-6502	10	12	2

150 mm | 15 kg

YATO	kg	force pressure(KN)	
YT-6503	15	15	1

200 mm | 21 kg

YATO	kg	force pressure(KN)	
YT-6504	21	20	1

Swivel base bench vice

COLOR BOX 



- anvil and changeable jaws
- made of hardened steel
- 360°rotation


150 mm | 19 kg

YATO	kg	KN	
YT-65048	19	25	1

200 mm | 29 kg

YATO	kg	KN	
YT-65049	29.5	30	1

Swivel base bench vice



COLOR BOX





- anvil and changeable jaws made of hardened steel

100 mm | 100 mm | 10 kN | 8-44 mm | HRC 45-52 | 10 kg


YATO	kg	
YT-6505	10	1

125 mm | 125 mm | 15 kN | 15-64 mm | HRC 45-52 | 20 kg

YATO	kg	
YT-6506	20	1

Quick release clamp

QUICK ADJUSTMENT




- can work from two direction:clamp or fix
- max clamp power: 135KGS

YATO	L (mm)	A (mm)	B (mm)	C max (mm)	
YT-64280	200	0-203	247-515	92	6/18
YT-64281	300	0-304	247-616	92	6/12
YT-64282	450	0-457	247-769	92	6/12
YT-64283	600	0-609	247-921	92	6/12
YT-64284	750	0-762	247-1074	92	4/8

Quick release clamp

QUICK ADJUSTMENT



YATO	L (mm)	A (mm)	B (mm)	C max (mm)	
YT-64290	200	0-203	206-456	85	6/18
YT-64291	300	0-304	206-557	85	6/18
YT-64292	450	0-457	206-710	85	6/12
YT-64293	600	0-609	206-862	85	6/12
YT-64294	750	0-762	206-1015	85	6/12
YT-64295	900	0-914	206-1167	85	6/12

Scriber for glass ceramics and metal

YG6X | 140 mm







YATO	L (mm)	g	
YT-3740	140	60	6/240



Twist drill HSS








- application: industry
- for precise drilling in steels, cast steels, non-ferrous metals, plastics



Twist drill HSS-G







- application: industry
- for precise drilling in steels, cast steels, non-ferrous metals, plastics

YATO	Ø (mm)	H1 (mm)	H2 (mm)	R.P.M.max.	PCS packing:	
YT-3900	1.0	34	12	4500	10	1/80/320
YT-3903	1.5	40	18	4500	10	1/80/320
YT-3905	2.0	49	24	4500	10	1/80/320
YT-3910	2.5	57	30	3000	10	1/80/320
YT-3913	2.8	61	33	3000	10	1/80/320
YT-3914	3.0	61	33	3000	10	1/80/320
YT-3916	3.2	65	36	3000	10	1/80/320
YT-3919	3.5	70	39	3000	10	1/80/320
YT-3922	4.0	75	43	2000	10	1/80/320
YT-3924	4.2	75	43	2000	10	1/20/80
YT-3926	4.5	80	47	2000	10	1/20/80
YT-3928	4.8	86	52	2000	10	1/20/80
YT-3930	5.0	86	52	2000	10	1/20/80
YT-3932	5.2	86	52	2000	10	1/20/80
YT-3935	5.5	93	57	2000	10	1/20/80
YT-3938	6.0	93	57	1500	10	1/20/80
YT-3942	6.5	101	63	1500	10	1/10/40
YT-3944	7.0	109	69	1500	10	1/10/40
YT-3945	7.5	109	69	1500	10	1/10/40
YT-3946	8.0	117	75	1500	10	1/5/20
YT-3949	8.5	117	75	1500	5	1/10/40
YT-3950	9.0	125	81	1000	5	1/10/40
YT-3951	9.5	125	81	1000	5	1/10/40
YT-3952	10.0	133	87	1000	5	1/10/40
YT-3954	10.5	133	87	1000	1	1/40/160
YT-3955	11.0	142	94	800	1	1/40/160
YT-3957	12.0	151	101	800	1	1/40/160
YT-3958	12.5	151	101	800	1	1/40/160
YT-3959	13.0	151	101	800	1	1/40/160

YATO	Ø (mm)	H1 (mm)	H2 (mm)	R.P.M.max.	PCS packing:
YT-4430	1.0	34	12	3800	10
YT-4431	1.5	43	20	3800	10
YT-4432	2.0	49	24	4000	10
YT-4433	2.5	57	30	3200	10
YT-4434	2.8	61	33	2800	10
YT-4435	3.0	61	33	2600	10
YT-4436	3.2	65	36	2500	10
YT-4437	3.5	70	39	2300	10
YT-4438	4.0	75	43	2000	10
YT-4439	4.2	75	43	1900	10
YT-4440	4.5	80	47	1800	10
YT-4441	4.8	86	52	1600	10
YT-4442	5.0	86	52	1600	10
YT-4443	5.2	86	52	1500	10
YT-4444	5.5	93	57	1500	10
YT-4445	6.0	93	57	1300	10
YT-4446	6.5	101	63	1200	10
YT-4447	7.0	109	69	1100	10
YT-4448	7.5	109	69	1100	10
YT-4449	8.0	117	75	1000	10
YT-4450	8.5	117	75	900	5
YT-4451	9.0	125	81	900	5
YT-4452	9.5	125	81	800	5
YT-4453	10.0	133	87	800	5
YT-4454	10.5	133	87	800	3
YT-4455	11.0	142	94	700	3
YT-4456	12.0	151	101	700	3
YT-4457	12.5	151	101	600	3
YT-4458	13.0	151	101	600	3

Twist drill set

6 PCS | Ø mm 2-8 | HSS 6542 | DIN 338



YATO	Ø (mm)	
YT-4460	2; 3; 4; 5; 6; 8	15/60

Twist drill set

DIN 338 | M2 HSS-G | HIGH HELIX | Ø mm 2-8 | 6 PCS | SPLIT POINT




YATO	Ø (mm)	
YT-4007	2; 3; 4; 5; 6; 8	15/60

Double end metal twist drill

STEEL STAL | FULLY GROUND WIERTŁO SZLIFOWANE | HSS 6542 | DIN 338 | 135°

NEW



YATO	Ø (mm)	H1 (mm)	H2 (mm)	
YT-40010	3.0	46	9.5	100/500
YT-40011	3.2	49	9.5	100/500
YT-40012	3.5	52	13.0	100/500
YT-40013	4.0	55	13.0	100/500
YT-40014	4.2	55	13.0	100/500
YT-40015	4.5	58	16.0	100/500
YT-40016	5.0	62	16.0	100/500
YT-40017	5.2	62	16.0	100/500
YT-40018	5.5	66	16.0	100/500
YT-40019	6.0	66	16.0	100/500

Twist drill set

10 PCS | Ø mm 1-10



YATO	Ø (mm)	
YT-4461	1; 2; 3; 4; 5; 6;7; 8; 9; 10	20/40

Twist drill set


10 PCS | Ø mm 1-10



YATO	Ø (mm)	
YT-4008	1; 2; 3; 4; 5; 6;7; 8; 9; 10	20/40

Twist drill HSS-COBALT

DIN 338 | HSS-E Co HS6-5-2-5 (PN-EN ISO 4957:2002(U)) | Rm >900 N/mm² | SPLIT POINT | 135°



- application: industry
- for precise drilling in hard steels, non-ferrous metals, plastics, stainless steel and acid resistant steel
- resistant to high temperatures

BLISTER CARD

YATO	Ø (mm)	H1 (mm)	H2 (mm)	PCS packing:
YT-4010	1.0	34	12	2
YT-4015	1.5	40	18	2
YT-4020	2.0	49	24	2
YT-4025	2.5	57	30	2
YT-4030	3.0	61	33	2
YT-4032	3.2	65	36	1
YT-4035	3.5	70	39	1
YT-4040	4.0	75	43	1
YT-4042	4.2	75	43	1
YT-4045	4.5	80	47	1
YT-4048	4.8	86	52	1
YT-4050	5.0	86	52	1
YT-4052	5.2	86	52	1
YT-4055	5.5	93	57	1
YT-4060	6.0	93	57	1
YT-4065	6.5	101	63	1
YT-4070	7.0	109	69	1
YT-4075	7.5	109	69	1
YT-4080	8.0	117	75	1
YT-4085	8.5	117	75	1
YT-4090	9.0	125	81	1
YT-4100	10.0	133	87	1
YT-4110	11.0	142	94	1
YT-4120	12.0	151	101	1
YT-4140	14.0	160	108	1
YT-4160	16.0	178	120	1

Twist drill set

19 PCS | Ø mm 1-10 | STEEL STAL | SPLIT POINT | HSS 6542 | DIN 338



YATO	Ø (mm)	
YT-4462	1.0; 1.5; 2.0; 2.5; 3.0; 3.5; 4.0; 4.5; 5.0; 5.5; 6.0; 6.5; 7.0; 7.5; 8.0; 8.5; 9.0; 9.5; 10.0	15/30


Twist drill set

19 PCS | Ø mm 1-10




YATO	Ø (mm)	
YT-4009	1.0; 1.5; 2.0; 2.5; 3.0; 3.5; 4.0; 4.5; 5.0; 5.5; 6.0; 6.5; 7.0; 7.5; 8.0; 8.5; 9.0; 9.5; 10.0	15/30

Twist drill HSS




NEW




YATO	Ø	
YT-4433S	3/32	80/320
YT-4435S	1/8	80/320
YT-4437S	5/32	80/320
YT-4442S	1/4	20/80
YT-4446S	5/16	10/40
YT-4449S	23/64	10/40
YT-4452S	13/32	10/40
YT-4458S	1/2	10/40

Twist drill HSS-COBALT



NEW



YATO	Ø	
YT-4025S	3/32	125/500
YT-4032S	1/8	125/500
YT-4040S	5/32	100/400
YT-4050S	3/16	100/400
YT-4065S	1/4	125/500
YT-4080S	5/16	125/500
YT-4090S	3/8	75/300
YT-4113S	1/2	75/300

Twist drill set







YATO	Ø (mm)	
YT-41602	2; 3; 4; 5; 6; 8	15/60

Twist drill set



YATO	Ø (mm)	
YT-41603	1;2;3;4;5;6;7;8;9;10	20/40

Twist drill set








YATO	Ø (mm)	
YT-41604	1.0; 1.5; 2.0; 2.5; 3.0; 3.5; 4.0; 4.5; 5.0; 5.5; 6.0; 6.5; 7.0; 7.5; 8.0; 8.5; 9.0; 9.5; 10.0	15/30

Twist drill set









YATO	Ø (mm)	
YT-41605	1.0; 1.5; 2.0; 2.5; 3.0; 3.5; 4.0; 4.5; 5.0; 5.5; 6.0; 6.5; 7.0; 7.5; 8.0; 8.5; 9.0; 9.5; 10.0,10.5,11.0,11.5,12.0,12.5,13.0	10

Saw drill



NEW






YATO	Ø (mm)	H1 (mm)	H2 (mm)	PCS packing:	
YT-44825	7.0	92	57	1	100/400
YT-44828	10.0	105	70	1	50/200

Twist drill




NEW




YATO	Ø (mm)	H1 (mm)	H2 (mm)	
YT-44860	1.5	26	57	100/600
YT-44861	2.0	26	57	100/600
YT-44862	2.5	26	57	100/600
YT-44863	3.0	31	61	100/400
YT-44864	3.2	34	65	100/400
YT-44865	3.5	37	70	50/400
YT-44866	4.0	43	75	50/200
YT-44867	4.2	43	75	50/200
YT-44868	4.5	47	80	50/100
YT-44869	4.8	52	86	50/100
YT-44870	5.0	52	86	50/150
YT-44871	5.5	57	93	50/150
YT-44872	6.0	57	93	50/200
YT-44873	6.5	63	101	50/200
YT-44874	7.0	69	109	50/100
YT-44875	7.5	69	109	50/100
YT-44876	8.0	75	117	50/150
YT-44877	8.5	75	117	50/150
YT-44878	9.0	81	125	25/100
YT-44879	9.5	81	125	25/100
YT-44880	10.0	87	133	25/50
YT-44881	10.5	87	133	25/50
YT-44882	11.0	94	142	25
YT-44883	12.0	101	151	25
YT-44884	13.0	101	151	25

Universal drill



YATO	Ø (mm)	H1 (mm)	H2 (mm)	
YT-43940	3	60	35	100/600
YT-43941	4	75	40	100/600
YT-43942	5	85	50	100/600
YT-43943	6	100	60	100/400
YT-43944	7	100	60	100/400
YT-43945	8	120	70	50/400
YT-43946	10	150	90	50/200
YT-43947	12	150	90	50/200
YT-43948	14	150	90	50/100
YT-43949	16	150	90	50/100
YT-43960	6	400	240	50/150
YT-43962	8	400	240	50/150
YT-43963	10	400	240	25/100
YT-43964	12	400	240	25/100
YT-43965	14	400	240	25/50
YT-43966	16	400	240	25/50
YT-43967	18	400	240	25
YT-43968	20	400	240	25

Universal drill




YATO	Ø (mm)	H1 (mm)	H2 (mm)	
YT-44780	3	85	30	125/250
YT-44781	4	85	30	125/250
YT-44782	5	85	30	125/250
YT-44783	6	85	30	125/250
YT-44784	7	85	30	125/250
YT-44785	8	100	45	50/200
YT-44786	10	120	70	50/200
YT-44787	12	120	70	50/200

Universal drills



YATO	Ø (mm)	
YT-44789	4;5;6;8;10	25/100

Masonry drill bit X-TIP



YATO	Ø (mm)	H1 (mm)	H2 (mm)	PCS packing:
YT-4200	5	110	45	10
YT-4201	6	110	45	10
YT-4202	6	160	95	10
YT-4203	6	210	135	10
YT-4204	8	110	45	10
YT-4205	8	160	95	10
YT-4206	8	210	140	10
YT-4207	8	460	370	10
YT-4208	8	600	500	10
YT-4209	10	160	95	10
YT-4210	10	210	140	10
YT-4211	10	300	220	10
YT-4212	10	460	370	10
YT-4213	10	600	500	10
YT-4214	12	160	95	10
YT-4215	12	260	185	10
YT-4216	12	460	360	10
YT-4217	12	600	490	10
YT-4218	14	260	180	10
YT-4219	14	460	360	10
YT-4220	16	200	125	10
YT-4221	16	460	360	10
YT-4222	16	600	490	10
YT-4223	18	460	360	10
YT-4224	18	600	490	10
YT-4225	20	460	360	5
YT-4226	20	600	490	5
YT-4227	22	460	360	5
YT-4228	22	600	490	5
YT-4229	25	460	360	5
YT-4230	25	600	490	5

Masonry drill bit



- for windows assembly

YATO	Ø (mm)	H1 (mm)	H2 (mm)	PCS packing:	
YT-41641	6.5	200	130	10	10/150
YT-41642	6.5	260	183	10	10/150


Drill for ceramic tiles



- Drill for glass

YATO	Ø (mm)		
YT-3725	4	5	100/400
YT-3726	6	10	100/400
YT-3727	8	15	100/400
YT-3728	10	35	50/200

Masonry drill bit




YATO	Ø (mm)	H1 (mm)	H2 (mm)	PCS packing:
YT-4161	5	110	45	10
YT-4162	6	110	45	10
YT-4163	6	160	95	10
YT-4164	6	210	140	10
YT-4165	8	110	45	10
YT-4166	8	160	90	10
YT-4167	8	210	140	10
YT-4168	8	460	370	10
YT-4169	8	600	500	10
YT-4170	10	160	95	10
YT-4171	10	210	140	10
YT-4172	10	300	220	10
YT-4173	10	460	370	10
YT-4174	10	600	500	10
YT-4175	12	160	85	10
YT-4176	12	260	180	10
YT-4177	12	460	360	10
YT-4178	12	600	490	10
YT-4179	14	260	180	10
YT-4180	14	460	360	10
YT-4181	16	200	125	10
YT-4182	16	300	220	10
YT-4183	16	460	360	10
YT-4184	16	600	490	10
YT-4185	18	460	360	10
YT-4186	18	600	490	10
YT-4187	20	460	360	5
YT-4188	20	600	490	5
YT-4189	22	460	360	5
YT-4190	22	600	490	5
YT-4191	25	460	360	5
YT-4192	25	600	490	5

Glass and tile drills




YATO	Ø (mm)	
YT-44809	4;5;6;8;10	200

Drill for ceramic tiles



YATO	Ø (mm)	H (mm)	
YT-44800	3	88	500
YT-44801	4	88	500
YT-44802	5	88	500
YT-44803	6	88	500
YT-44804	8	88	500
YT-44805	10	105	500
YT-44806	12	105	400

Auger drill bit HEX



YATO	Ø (mm)	
YT-44680	10MM	100/200
YT-44681	12MM	100/200
YT-44682	14MM	100/200
YT-44683	16MM	100/200
YT-44684	18MM	75/150
YT-44685	20MM	75/150
YT-44686	22MM	50/100
YT-44687	25MM	50/100
YT-44688	28MM	50/100
YT-44689	30MM	50/100
YT-44690	32MM	50/100

7pcs Auger drill bit set



YATO	Ø (mm)	
YT-44693	16;18;20;22;25	10/20

Countersink



YATO	Ø (mm)	L(mm)	
YT-44721	6.3	40	50/200
YT-44722	8.3	40	50/200
YT-44723	10.4	40	50/200
YT-44724	12.4	40	50/200
YT-44725	16.5	45	50/200
YT-44726	20.5	45	50/200

Countersink set




YATO	Ø (mm)	
YT-44729	6.3; 8.3; 10.4; 12.4; 16.5; 20.5	20

Forstner drill bit set




YATO	Ø (mm)	
YT-33015	15; 20; 26; 30; 35	20

Masonry drill bit set




YATO	Ø (mm)	
YT-4390	4; 5; 6; 8; 9; 10; 12	10/80

Masonry drill bit



YATO	Ø (mm)	H1 (mm)	H2 (mm)	
YT-4361	4	70	35	100/400
YT-4362	5	90	50	100/400
YT-4363	6	100	60	100/400
YT-4364	6	150	100	100/400
YT-4367	7	100	60	75/300
YT-4369	8	120	80	75/300
YT-4370	8	200	140	50/150
YT-4373	9	120	80	75/300
YT-4375	10	120	80	75/300
YT-4376	10	200	140	50/150
YT-4379	12	150	100	50/150
YT-4380	12	200	140	50/150
YT-4383	14	180	120	25/100
YT-4385	16	180	120	25/100


Confirmat screw drill bit



YATO	Ø (mm)	D1	D2	
YT-33021	4	6	8	25/250
YT-33022	5	7	8	25/250
YT-33023	7	10	8	25/250

Auger wood drill bit

13mm




DOUBLE BLISTER

YATO	Ø (mm)	H1 (mm)	H2 (mm)	
YT-3261	6	191	121	60/360
YT-3262	8	191	121	70/280
YT-3263	8	400	310	60/120
YT-3264	10	191	121	50/200
YT-3265	10	400	310	50/100
YT-3266	12	191	121	50/150
YT-3267	12	400	310	20/60
YT-3268	13	191	121	50/100
YT-3269	13	400	310	20/60
YT-3270	14	191	121	50/100
YT-3271	14	400	310	20/60
YT-3272	16	191	121	50/100
YT-3273	16	400	310	20/40

YATO	Ø (mm)	H1 (mm)	H2 (mm)	
YT-3274	18	215	142	40/80
YT-3275	18	400	310	20/40
YT-3276	20	215	145	20/60
YT-3277	20	400	310	20/40
YT-3278	22	215	145	20/60
YT-3279	22	400	310	10/30
YT-3280	24	215	145	20/60
YT-3281	24	400	310	6/30
YT-3282	25	215	145	20/40
YT-3283	25	400	310	5/25
YT-3284	26	215	145	10/40
YT-3285	26	400	310	10/20
YT-3286	28	240	145	6/24

YATO	Ø (mm)	H1 (mm)	H2 (mm)	
YT-3287	28	400	310	5/20
YT-3288	30	240	170	10/30
YT-3289	30	400	310	5/10
YT-3290	32	240	170	5/25
YT-3291	32	400	310	5/15
YT-3292	35	240	170	5/20
YT-3293	35	400	310	5/10
YT-3294	36	240	170	10/20
YT-3295	36	400	310	5/10
YT-3296	38	240	170	5/15
YT-3297	40	240	170	5/15

Flat wood drill bit set

8 PCS

1/4" (6.3mm)

PLASTIC CASE & DOUBLE BLISTER






YATO	Ø (mm)	H (mm)	
YT-3259	12; 16; 18; 20; 22; 25; 28; 32	152	5/20

Flat wood drill bit

1/4" (6.3mm)

DOUBLE BLISTER




YATO	Ø (mm)	H (mm)	
YT-3236	6	152	50/400
YT-3237	8	152	50/400
YT-3238	10	152	30/300
YT-3239	12	152	50/300
YT-3240	13	152	50/300
YT-3241	14	152	50/300
YT-3242	16	152	50/300
YT-3243	18	152	50/300
YT-3244	20	152	50/300
YT-3245	22	152	50/300
YT-3246	24	152	50/300
YT-3247	25	152	50/300
YT-3248	26	152	50/300
YT-3249	28	152	50/300
YT-3250	30	152	50/200
YT-3251	32	152	50/200
YT-3252	34	152	50/200
YT-3253	35	152	50/200
YT-3254	38	152	50/200
YT-3255	40	152	50/200

Spur wood drill bit

WOOD DREWNO

NEW



YATO	Ø (mm)	H1 (mm)	H2 (mm)	
YT-4350	3	60	35	30/300
YT-4351	4	75	44	30/300
YT-4352	5	85	52	30/300
YT-4353	6	90	57	30/300
YT-4354	7	100	67	30/300
YT-4355	8	110	75	30/300
YT-4356	10	120	77	30/300
YT-4357	12	150	97	15/120
YT-4358	13	150	102	15/120
YT-4359	16	160	120	15/120

Flat wood drill bit set

6 PCS

1/4" (6.3mm)

POUCH





YATO	Ø (mm)	H (mm)	
YT-3258	10; 12; 16; 18; 20; 25	152	25/50

Auger wood drill bit set

6 PCS

13mm




YATO	Ø (mm)	H (mm)	
YT-3299	10; 12; 14; 16; 18; 20	460	8

Auger wood drill bit set

6 PCS

SDS PLUS



YATO	Ø (mm)	H (mm)	
YT-3300	10; 12; 14; 16; 18; 20	200	20

6 PCS

13mm



WOOD CASE & COLOR BOX



YATO	Ø (mm)	H (mm)	
YT-3298	10; 12; 14; 16; 18; 20	230	15

Point chisel SDS+

4x14 x250 mm | SDS PLUS | CrV



PLASTIC HANGER



YATO	L(mm)	
YT-4720	250	6/48

Flat chisel SDS+

20x14 x250 mm | SDS PLUS | CrV



PLASTIC HANGER



YATO	L(mm)	
YT-4721	250	6/48

40x14 x250 mm | SDS PLUS | CrV



PLASTIC HANGER



YATO	L(mm)	
YT-4723	250	6/48

Hollow chisel SDS+

22x18 x250 mm | SDS PLUS | CrV



PLASTIC HANGER



YATO	L(mm)	
YT-4722	250	6/48

Pilot drill for hole saw

HSS

DOUBLE BLISTER





- use for YT-3303—YT-3353
- hardened high speed steel body provide stability and safeguard

YATO	Ø (mm)	H (mm)	PCS packing:	
YT-3376	6.0	75	1	25/100
YT-3377	6.0	100	1	25/100

Bi-metal hole saw

BI-METAL | 4-6 TPI | 40mm | SIDE CONSTRUCTION





- cutting depth to 40mm
- cut through stainless steel and other materials pipe,nail-embedded wood, hard wood floor,ply wood and plastics

YATO	Ø (mm)	thread	
YT-3303	19	1/2" (12.5 mm)	25/100
YT-3304	20	1/2" (12.5 mm)	25/100
YT-3306	22	1/2" (12.5 mm)	25/100
YT-3308	25	1/2" (12.5 mm)	25/100
YT-3311	29	1/2" (12.5 mm)	25/100
YT-3313	32	5/8" (16 mm)	25/100
YT-3315	35	5/8" (16 mm)	25/100
YT-3317	38	5/8" (16 mm)	25/100
YT-3318	40	5/8" (16 mm)	25/100
YT-3321	44	5/8" (16 mm)	25/100
YT-3322	46	5/8" (16 mm)	25/100
YT-3323	48	5/8" (16 mm)	25/100
YT-3324	51	5/8" (16 mm)	25/100
YT-3327	57	5/8" (16 mm)	25/50
YT-3329	60	5/8" (16 mm)	25/50
YT-3330	64	5/8" (16 mm)	25/50
YT-3332	67	5/8" (16 mm)	25/50
YT-3333	68	5/8" (16 mm)	25/50
YT-3334	70	5/8" (16 mm)	25/50
YT-3336	76	5/8" (16 mm)	25/50
YT-3338	83	5/8" (16 mm)	25/50
YT-3343	95	5/8" (16 mm)	25/50
YT-3345	102	5/8" (16 mm)	10/20
YT-3346	105	5/8" (16 mm)	10/20
YT-3349	114	5/8" (16 mm)	10/20
YT-3350	121	5/8" (16 mm)	10/20
YT-3351	127	5/8" (16 mm)	10/20
YT-3353	140	5/8" (16 mm)	10/20

Hollow drill set

TCT YG-11T | Cr50 | 50mm | M16 | SDS PLUS



COLOR BOX



- widely used in hard material like concerete or brick in construction and installation industries

YATO	Ø (mm)	TCT	
YT-4402	65	6	24
YT-4403	80	8	20

TCT YG-11T | Cr50 | 50mm | M16 | HEX 12mm

COLOR BOX





- widely used in hard material like concerete or brick in construction and installation industries

YATO	Ø (mm)	TCT	
YT-4400	65	6	24
YT-4401	80	8	20

Electrican's hole saw kit

8 PCS | BI-METAL | SIDE CONSTRUCTION | 4-6 TPI | 40mm





- cutting depth to 40mm
- cut through stainless steel and other materials pipe,nail-embedded wood, hard wood floor,ply wood and plastics

YATO	Ø (mm)	
YT-3380	22; 29; 35; 44; 67; 73	8

Arbor for hole saw

Ø 19-29 mm

DOUBLE BLISTER





- suitable for size 19-29mm

YATO	SDS+/HEX	PCS packing:	
YT-3370	HEX 7/16"	1	25/100
YT-3373	SDS+	1	25/100

HEX | Ø 32-140 mm



- suitable for size 32-140mm

YATO	SDS+/HEX	PCS packing:	
YT-3371	HEX 7/16"	1	25/100

Arbor for hole saw

HEX | SDS PLUS | Ø 32-140 mm



- suitable for size 32-140mm, with fixed screw

YATO	SDS+/HEX	PCS packing:	
YT-3372	HEX 7/16"	1	25/50
YT-3374	SDS+	1	25/50

Combination hole saw kit

15 PCS | BI-METAL | CONSTRUCTION STEEL KONSTRUKCYJNA | 4-6 TPI | 40mm





- cutting depth to 40mm
- cut through stainless steel and other materials pipe,nail-embedded wood, hard wood floor,ply wood and plastics

YATO	Ø (mm)	
YT-3381	19; 22; 25; 32; 35; 38; 44; 51; 57; 64; 76	15

Automotive hole saw kit

7 PCS | BI-METAL | HSS M3 | ALLOY STEEL | 4-6 TPI | 40mm



- cutting depth to 40mm
- cut through stainless steel and other materials pipe,nail-embedded wood, hard wood floor,ply wood and plastics

YATO	Ø (mm)	
YT-3382	19; 22; 25; 29; 32	20

Diamond tile drill bit

GRES TILE GRES | CERAMIC CERAMIKA | GRANITE GRANIT | DRY WORK PRACA NA SUCHO | FOR ANGLE GRINDER DO SZLIFIERKI KĄTOWEJ | M14



YATO	size(mm)	
YT-60441	6	100/200
YT-60442	8	100/200
YT-60443	10	100/200
YT-60444	20	100/200
YT-60445	30	50/100
YT-60446	51	40/80
YT-60447	68	50

Laser welded diamond core bit

5/4" 32mm | REINFORCED CONCRETE ŻELBET | CONCRETE BETON | DRY WORK PRACA NA SUCHO | WET WORK PRACA NA MOKRO | GRANITE GRANIT | M16 | CERAMIC CERAMIKA





YATO	Ø (mm)	segment size(mm)	
YT-60371	32	4x8x20	10
YT-60372	42	4x8x20	10
YT-60373	52	4x8x24	10
YT-60374	68	4x8x24	8
YT-60375	82	4x8x24	4
YT-60376	102	4x8x24	4
YT-60377	122	4x8x24	4
YT-60378	152	4x8x24	2
YT-60379	182	4x8x24	2

Electro-plated diamond core bit

GRES TILE GRES | CERAMIC CERAMIKA | DRY WORK PRACA NA SUCHO | WET WORK PRACA NA MOKRO





YATO	size(mm)	
YT-60421	5x55	50/400
YT-60422	6x55	50/250
YT-60423	8x55	50/250
YT-60424	10x55	50/250
YT-60425	12x55	20/100
YT-60426	14x65	20/100
YT-60427	16x65	20/100
YT-60428	20x65	20/100
YT-60429	25x65	10/50
YT-60430	30x65	10/50
YT-60431	40x65	10/50
YT-60432	50x65	10/50
YT-60433	68x65	10/50
YT-60434	80x70	5/25
YT-60435	105x70	4/20
YT-60436	125x70	4/20

Diamond core bit drilling holes for sockets

HEX 12mm | 85mm | M16

COLOR BOX






- widely used in hard material like concerete or brick in construction and installation industries
- diamond concetration up to 30%

YATO	Ø (mm)	R.P.M.max.	
YT-6045	68	1030	24
YT-6046	82	850	20

Step drill

12 STEPS STOPNI | Ø mm 6-38 | STEEL STAL | TITANIUM COATED POWŁOKA Z TYTANU | HSS 4241







YATO	size	
YT-44740	6; 8; 11;14; 17; 20; 23; 26;29;32;35;38	10/60

3pcs Step drill set

STEEL STAL | TITANIUM COATED POWŁOKA Z TYTANU | HSS 4241 | 3 PCS





YATO	Ø (mm)	
YT-44731	4;6;8;10;12	40
	3;4;5;6;7;8;9;10;11;12	
	4;6;8;10;12;14;16;18;20	

Step drill

STEEL STAL | TITANIUM COATED POWŁOKA Z TYTANU | HSS 4241



YATO	Ø (mm)	
YT-44739	6;10;13;16;19;22;25;29;32	10/80
YT-44741	4;6;8;10;12;14;16;18;20;22	25/50
YT-44742	10;15;20;25;30;35;40;45	40
YT-44743	14;16;18;20;22;24;26	10/100
YT-44744	6;12;13;14;15;16;17;18;19;20	20/200
YT-44745	10;11;12;13;14;15;16;17;18;19;20	20/200
YT-44746	10;20;21;22;23;24;25;26;27;28;29;30	12/96
YT-44747	20;21;22;23;24;25;26;27;28;29;30	12/96

5pcs Screw extractor set

HSS 4241 | 5 PCS



YATO	size(mm)	
YT-06035	0-6;1-8;2-10;3-12;4-14	40

Hand tap

3 PCS | DIN 352 | HSS M2

SLIDING CARD



YATO	size X pitch	thread length	L (mm)	
YT-2930	M3x0.5	11	40	3/100/400
YT-2931	M4x0.7	13	45	3/50/200
YT-2932	M5x0.8	16	50	3/60/240
YT-2933	M6x1.0	19	50	3/60/240
YT-2934	M7x1.0	19	50	3/75/300
YT-2935	M8x1.25	22	56	3/50/200
YT-2937	M10x1.5	24	70	3/50/200
YT-2939	M12x1.75	29	75	3/50/200
YT-2940	M14x2.0	30	80	3/20/80
YT-2941	M16x2.0	32	80	3/20/80
YT-2942	M18x2.5	40	95	3/20/80
YT-2943	M20 x2.5	40	95	3/10/40
YT-2926	M22x2.5	40	100	3/10/40
YT-2927	M24x3.0	52	110	3/15/30
YT-2928	M27x3.0	50	110	3/15/30
YT-2929	M30 x3.5	56	125	3/10/20

Taps and drills set

29 PCS | HSS | DIN338 DIN352 DIN1814



- tip:M3-M12,each 3pcs,DIN 352
- drill: 2.5,3.3,4.2,5.6,8,8.5,10.2mm;DIN338
- 1pc tap wrench; DIN1814

YATO	size	
YT-2977	M3; M4; M5; M6; M8; M10; M12	12

Taps set

21 PCS | DIN 352 | HSS



- tap:M3-M12,each 3pcs, DIN352

YATO	size	
YT-2976	M3; M4; M5; M6; M8; M10; M12	20

Taps and dies set

56 PCS | HSS | DIN223 DIN223 DIN352 DIN1814




- tap:M3-M20,each 3pcs,DIN352
- die: M3-M20mm;DIN223
- 6pcs die stock,2pcs tap wrench,2pcs ratchet wrench, 1pc screwdriver,1pc screw pitch gauge

YATO	size	
YT-2979	M3; M4; M5; M6; M8; M10; M12;M14;M16;M18;M20	2

Taps and dies set

32 PCS | DIN 223 DIN 352 | HSS



METAL BOX & COLOR BOX



- tip:M3-M12,each 3pcs,DIN 352
- die: M3-M12mm;DIN223
- 1pc die stock,1pc tap wrench,1pc screwdriver,1pc screw pitch gauge

YATO	size	
YT-2975	M3; M4; M5; M6; M8; M10; M12	10

Taps and dies set

44 PCS | HSS



- tap:M3-M12,each 3pcs,DIN352
- die: M3-M12mm;DIN223
- drill: 2.5,3.3,4.2,5.6,8,8.5,10.2mm;DIN338
- 5pcs die stock,2pc tap wrench,1pc screwdriver,1pc screw pitch gauge

YATO	size	
YT-2978	M3; M4; M5; M6; M8; M10; M12	4

Combined drill taps hex set

7 PCS | 1/4" (6.3mm) | HSS M2 | GRINDING SZLIFOWANE

NEW





YATO	size	
YT-44849	M3; M4; M5; M6; M8; M10;	5/60

Machine tap

DIN 371M | HSS M2 | 1-STAGE TAPPING (GWINTOWANIE 1-STOPNIOWE) | METRIC COARSE (GWINT METRYCZNY GRUBOZWOJNY)

SLIDING CARD






YATO	size X pitch	thread length	L (mm)	
YT-2950	M3x0.5	11	56	100/400
YT-2951	M4x0.7	13	63	100/400
YT-2952	M5x0.8	16	70	60/240
YT-2953	M6x1.0	19	80	50/200
YT-2954	M7x1.0	19	80	30/120
YT-2955	M8x1.25	22	90	50/200
YT-2956	M10x1.5	24	100	50/200



YATO	size X pitch	thread length	L (mm)	
YT-2944	M12x1.75	29	110	25/100
YT-2945	M14x2.0	30	110	25/100
YT-2946	M16x2.0	32	110	25/100
YT-2947	M18x2.5	34	125	25/100
YT-2948	M20x2.5	34	140	25/100
YT-2949	M22x2.5	34	140	20/80
YT-2957	M24x3.0	38	160	15/60
YT-2958	M27x3.0	38	160	15/60
YT-2959	M30x3.5	45	180	15/60

Circular die

DIN 223 | HSS M2





SLIDING CARD



YATO	size	AxB (mm)	
YT-2961	M4x0.7	20x5	125/500
YT-2962	M5x0.8	20x7	100/400
YT-2963	M6x1	20x7	100/400
YT-2964	M7x1	25x9	100/200
YT-2965	M8x1.25	25x9	100/400
YT-2967	M10x1.5	30x11	70/280
YT-2969	M12x1.75	38x14	60/240
YT-2970	M14x2	38x14	63/252
YT-2971	M16x2	45x18	50/200
YT-2972	M18x2.5	45x18	50/200
YT-2973	M20x2.5	45x18	50/200
YT-2960	M22x2.5	55x22	20/80
YT-2966	M24x3	55x22	20/80
YT-2968	M27x3	65x25	15/60
YT-2974	M30x3.5	65x25	15/60

Ratchet tap wrench

SLIDING CARD





YATO	size	L (mm)	
YT-2989	M3-M10	85	20/80
YT-2997	M3-M10	250	20/80
YT-2990	M5-M12	100	20/80
YT-2991	M5-M12	300	20/40

Die handle

DIN 225

SLIDING CARD





YATO	size	∅ (mm)	L (mm)	
YT-2980	M3-M4	20x5	200	25/100
YT-2981	M4.5-M6	20x7	200	25/100
YT-2982	M7-M9	25x9	224	25/100
YT-2983	M10-M11	30x11	260	25/50
YT-2984	M12-M14	38x14	315	15/30
YT-2985	M16-M20	45x18	450	10/20

Tap wrench

DIN 1814



YATO	size	L (mm)	
YT-2995	M1-M8	125	50/200
YT-2996	M3-M10	180	25/100
YT-2992	M3-M12	180	25/100
YT-2993	M4-M12	280	25/100
YT-2994	M5-M20	375	20/40

T-handle tap wrench

SLIDING CARD





YATO	size	L (mm)	
YT-2986	M3-M8	70	20/80
YT-2987	M5-M10	80	20/80
YT-2988	M6-M12	90	20/80

Punch set

9 PCS





- hardened,polished

YATO	size	
YT-3590	2.5,3.0,4.0,5.0,6.0, 7.0,8.0,9.0,10.0	50

Punch set

15 PCS





- hardened,polished


YATO	size	
YT-3591	2.0,2.5,3.2,4.0,4.8,5.5,6.4,8.0,9.5 ,11.1,12.7,14.0,15.8,19.0,22.0	10



Tin snips

CrMo STEEL | HRC 60-62 | DIN 6438 | Lever for increase cutting power

SLIDING CARD






cutting capacities (mm)			
copper	cold-rolled steel	hard steel HRC35	stainless steel 304
1.80	1.50	1.00	0.90

- Cr-Mo steel blades, black oxidized, induction hardened
- hardness 60-62 HRC

YATO	L (mm)	cutting length (mm)	
YT-1912	260	35	6/36

Tin snips

CrMo STEEL | HRC 60-62 | DIN 6438 | Lever for increase cutting power





SLIDING CARD


- Cr-Mo steel blades, black oxidized, induction hardened
- hardness 60-62 HRC

cutting capacities (mm)			
copper	cold-rolled steel	hard steel HRC35	stainless steel 304
1.50	1.20	1.00	0.70

YATO	L (mm)	cutting length (mm)	
YT-1916	235	30	6/36

Tin snips

CrMo STEEL | HRC 60-62 | DIN 6438 | Lever for increase cutting power






SLIDING CARD

- Cr-Mo steel blades, black oxidized, induction hardened
- hardness 60-62 HRC

YATO	L (mm)	cutting length (mm)	cutting capacities (mm)				
			copper	cold-rolled steel	hard steel HRC35	stainless steel 304	
YT-1910	260	35	1.80	1.50	1.00	0.90	6/36

Tin snips

CrMo STEEL | HRC 60-62 | DIN 6438 | Lever for increase cutting power





SLIDING CARD

- Cr-Mo steel blades, black oxidized, induction hardened
- hardness 60-62 HRC

YATO	L (mm)	cutting length (mm)	cutting capacities (mm)				
			copper	cold-rolled steel	hard steel HRC35	stainless steel 304	
YT-1911	260	35	1.80	1.50	1.00	0.90	6/36

Tin snips

CrMo STEEL | HRC 60-62 | DIN 6438 | Lever for increase cutting power

SLIDING CARD




- drop forged Cr-Mo steel blades with serrated edges
- induction hardened 60-62 HRC

cutting capacities (mm)			
copper	cold-rolled steel	hard steel HRC35	stainless steel 304
1.10	0.94	0.70	0.53

YATO	L (mm)	cutting length (mm)	
YT-1922	290	75	6/36

Tin snips

CrMo STEEL | HRC 60-62 | DIN 6438 | Lever for increase cutting power





SLIDING CARD

- drop forged Cr-Mo steel blades, induction hardened HRC 60-62
- cutting length 25 mm (1"), bi-colour TPR handle

cutting capacities (mm)			
copper	cold-rolled steel	hard steel HRC35	stainless steel 304
2.00	1.60	1.20	1.20

YATO	L (mm)	cutting length (mm)	
YT-1923	230	25	6/36

Tin snips

HRC 58-61 | DROP FORGED KUTE





- cutting: straight, 300 mm, drop forged high carbon steel
- induction hardened 58-61HRC
- blade finish: sand blasted, hard vinyl grip

cutting capacities (mm)			
copper	cold-rolled steel	hard steel HRC35	stainless steel 304
0.94	0.78	0.60	0.45

YATO	L (mm)	cutting length (mm)	
YT-1925	225	52	6/36

Tin snips

CrMo | HRC 56-62 | Lever for increase cutting power

SLIDING CARD




- size: 250mm, Cr-Mo head
- body of head: heat treatment, hardness 56-62HRC

cutting capacities (mm)			
copper	cold-rolled steel	hard steel HRC35	stainless steel 304
2.0	1.5	1.0	0.8

YATO	L (mm)	cutting length (mm)	
YT-1960	250	40	6/36

Tin snips

CrMo | HRC 56-62 | Lever for increase cutting power





SLIDING CARD

- size: 250mm, Cr-Mo head
- body of head: heat treatment, hardness 56-62HRC

cutting capacities (mm)			
copper	cold-rolled steel	hard steel HRC35	stainless steel 304
2.0	1.5	1.0	0.8

YATO	L (mm)	cutting length (mm)	
YT-1961	250	40	6/36

Tin snips

HRC 55-60




- S55C drop forged
- blade of head: high frequency hardening

cutting capacities (mm)			
copper	cold-rolled steel	hard steel HRC35	stainless steel 304
2.0	1.4	1.0	1.0

YATO	L (mm)	cutting length (mm)	
YT-1970	260	42	6/36

Tin snips

CrMo | HRC 56-62 | Lever for increase cutting power





SLIDING CARD

cutting capacities (mm)			
copper	cold-rolled steel	hard steel HRC35	stainless steel 304
2.0	1.5	1.0	0.8

YATO	L (mm)	cutting length (mm)	
YT-1962	250	45	6/36

Tin snips

300 mm | HRC 58-61 | DROP FORGED KUTE




- cutting: left, 300 mm, drop forged high carbon steel
- induction hardened 58-61HRC
- blade finish: sand blasted, hard vinyl grip

cutting capacities (mm)			
copper	cold-rolled steel	hard steel HRC35	stainless steel 304
0.94	0.78	0.60	0.45

YATO	L (mm)	cutting length (mm)	
YT-1902	300	50	6/24

Steel strap cutter

HRC 58-61





cutting capacities (mm)			
copper	cold-rolled steel	hard steel HRC35	stainless steel 304
-	1.00	0.80	0.60

YATO	L (mm)	cutting length (mm)	
YT-1930	305	28	6/24

Tin snips

S55C HRC 55-60



SLIDING CARD



- S55C drop forged
- blade of head: high frequency hardening

YATO	L (mm)	cutting length (mm)	cutting capacities (mm)				
			copper	cold-rolled steel	hard steel HRC35	stainless steel 304	
YT-1963	200	40	1.5	1.0	0.6	0.6	6/36
YT-1964	250	60	1.8	1.2	0.8	0.8	6/24
YT-1965	300	75	2.0	1.4	0.8	0.8	6/12

Tin snips

S55C HRC 55-60



- S55C drop forged
- blade of head: high frequency hardening

YATO	L (mm)	cutting length (mm)	cutting capacities (mm)				
			copper	cold-rolled steel	hard steel HRC35	stainless steel 304	
YT-1971	200	40	1.5	1.0	0.6	0.6	6/36
YT-1972	260	53	1.8	1.2	0.8	0.8	6/36
YT-1973	310	62	2.0	1.4	0.8	0.8	6/12

Cable cutter

STEEL STAL



COLOR BOX



YATO	cutting range / max. (mm²)	L (mm)	
YT-18611	250	580	10
YT-18612	500	770	5

Multi function scissors

65 mm HRC 50-54



SLIDING CARD



YATO	L (mm)	
YT-1976	65	12/72

Heavy duty cable cutter

max. ∅ 9 mm HRC 58-61 CrMo Lever for increase cutting power Ideal for copper and aluminium electric cables





YATO	L (mm)	max. ∅ (mm)	
YT-1933	230	9	6/36

Heavy duty cable cutter

240 mm CrV 50 HRC 55-60





YATO	L (mm)	max. ∅ (mm)	
YT-1969	240	9	6/48

Scissors

SS STAINLESS STEEL STAL NIERDZEWNA





YATO	L (mm)	
YT-19763	170	12/120
YT-19764	190	12/120
YT-19765	215	12/120
YT-19766	245	12/120
YT-19767	300	12/120

Cable cutter

160 mm 210 mm 240 mm CrV 50 HRC 55-60





YATO	L (mm)	max. ∅ (mm)	
YT-1966	160	6	6/60
YT-1967	210	7	6/60
YT-1968	240	8	6/48

Glass oil cutter

TUNGSTEN CARBIDE YD05 HRA 92.5-93





YATO	L (mm)		
YT-7560	177	100	6/120



YATO	L (mm)		
YT-7561	178	50	6/120

Hydraulic cutter

Ø 4-12 mm | 320 mm | PRESSURE NACISK 6T | STEEL STAL







BMC & COLOR SLEEVE



YATO	L (mm)	size(mm)	pressure (T)	cutting dia. (mm)	
YT-22870	320	Ø 4-12	6	Ø 5-12	1/5

Ø 4-16 mm | 430 mm | PRESSURE NACISK 8T | STEEL STAL








YATO	L (mm)	size(mm)	pressure (T)	cutting dia. (mm)	
YT-22871	430	Ø 4-16	8	Ø 5-16	1/5

Ø 4-20 mm | 515 mm | PRESSURE NACISK 13T | STEEL STAL







YATO	L (mm)	size(mm)	pressure (T)	cutting dia. (mm)	
YT-22872	515	Ø 4-20	13	Ø 5-20	3

Heads for hydraulic cutter

2 PCS





SLIDING CARD

YATO	for	size(mm)	
YT-22873	YT-22870	12	10/100
YT-22874	YT-22871	16	10/100
YT-22875	YT-22872	20	10/100

Bolt cutter

CrMo



YATO	size / rozmiar	max. Ø (mm)	
YT-18565	8" (200mm)	3	6/48
YT-18505	12" (300mm)	5	6/24
YT-1851	14" (350 mm)	6	6/24
YT-1854	30" (750 mm)	12	6
YT-1855	36" (900 mm)	14	4
YT-1856	42" (1050 mm)	16	2

Bolt cutter

HRC 56-61 | CrMo



YATO	size	max. Ø (mm)	
YT-1843	12"	4	20
YT-1844	14"	5	10
YT-1845	18"	6	10
YT-1846	24"	8	6
YT-1847	30"	10	4
YT-1848	36"	12	3
YT-1849	42"	14	2

Multi knife



YATO	L (mm)	
YT-76040	95	12/120

Multi knife



YATO	
YT-76042	12/48

Folding knife



YATO	L (mm)	
YT-76050	195	12/72



YATO	L (mm)	
YT-76051	190	30/120

Cutter knife



- casing: zinc alloy-TPR; TUV/GS

YATO	(mm)		
YT-7520	61x33x0.5	165	6/48

Folding knife



YATO	L (mm)	
YT-76052	202	48

Cutter knife





YATO	(mm)	
YT-75201	61x33x0.5	12/72



YATO	(mm)		
YT-7532	61x33x0.5	100	12/72



- quick change blade replacement
- 5 pcs of spare blades, folding lock back

YATO	(mm)		
YT-7534	61x33x0.5	100	12/72

Utility knife



YATO	size (mm)	
YT-7504	9x0.4	24/240
YT-7505	18x0.5	24/240



YATO	size (mm)	
YT-7507	18x0.5	12/144



YATO	size (mm)	
YT-7509	18x0.5	12/96

Utility knife



- sk2 blade,
- auto lock, 3pcs of blade

YATO	size (mm)	
YT-7502	9x0.4	24/240
YT-7503	18x0.5	12/144

Utility knife



- plastic/rubber casing; width 25 mm; 0,7 mm thick SK5 blade
- auto lock
- SK2 blade, 5pcs trapezoid blades 61x33mm, thickness of blade: 0,5mm

YATO	size (mm)		
YT-7510	25x0.7	210	6/48

Utility knife

25x0.7 mm | SK5 | LOCK | ABS/TPR



YATO	size (mm)	
YT-75101	25x0.7	12/144

9 mm | AUTO LOCK BLOKADA | STEEL BODY METALOWY KORPUS | SK2H | METAL SLIDING BAR METALOWA PROWADNICA



YATO	size (mm)	
YT-75002	9x0.4	10/240

9 mm | AUTO LOCK BLOKADA | ABS | SK2H | METAL SLIDING BAR METALOWA PROWADNICA



YATO	size (mm)	
YT-75003	9x0.4	10/240

SK2





YATO	(mm)	
YT-7511	9x0.4	24/288
YT-7512	18x0.5	12/96

Utility knife

18 mm | AUTO LOCK BLOKADA | ABS | SK2H | METAL SLIDING BAR METALOWA PROWADNICA



YATO	size (mm)	
YT-75123	18x0.5	10/120

SK5 | ZINC ALLOY TPR | LOCK





YATO	size (mm)	
YT-75122	18x0.5	12/144

18 mm | SCREW LOCK BLOKADA ŚRUBOWA | ABS | SK2H | METAL SLIDING BAR METALOWA PROWADNICA



YATO	size (mm)	
YT-75124	18x0.5	10/120

18 mm | ABS/TPR | SK5





YATO	size (mm)	
YT-75071	18x0.5	12/144

Spare blades

10 PCS | 9 mm | SK2H



YATO	size (mm)	
YT-75260	9x0.4	10/240

Spare blades

10 PCS | 18 mm | SK2H



YATO	size (mm)	
YT-75261	18x0.5	10/120

10 PCS | 25 mm | SK2



YATO	size (mm)	
YT-75262	25x0.7	10/60

10x | SK2



YATO	size (mm)	
YT-7524	9x0.4	24/240
YT-7525	18x0.5	24/144

10 PCS | SK5





YATO	size (mm)	
YT-7530	25x0.7	6/48

10 PCS | 61x33x0.5 mm | SK2



YATO	(mm)	
YT-7527	61x33x0.5	24/144

Window scraper

18x100 mm | SK5 | ALUMINUM | ABS



YATO	L (mm)		
YT-7550	300	250	10/60

Scraper

TUNGSTEN CARBIDE | BLADE 22 mm



YATO	L (mm)		
YT-5702	240	120	6/48

TUNGSTEN CARBIDE | BLADE 50 mm



YATO	L (mm)		
YT-5703	250	160	6/48

Spare blades

10 PCS | SK2



YATO	L (mm)	
YT-5702-1	22	6/6/48

10 PCS | SK2



YATO	L (mm)	
YT-5703-1	50	6/6/48

10 PCS | SK2



YATO	L (mm)	
YT-5704-1	65	6/6/48

Scraper

TUNGSTEN CARBIDE | BLADE 65 mm



YATO	L (mm)		
YT-5704	290	210	6/48

Hacksaw frame

300 mm | BI-METAL | 24 TPI | FOR METAL DO METALU





YATO	L (mm)	
YT-3161	300	6/36

Bow saw

HCS 65 | 2 FUNCTION | FOR WOOD AND METAL





YATO	L (mm)	
YT-3200	300	12/24

Bow saw



YATO	L (mm)	
YT-31631	150	12/120

Hacksaw frame

300 mm | BI-METAL | 24 TPI | FOR METAL DO METALU



YATO	L (mm)	
YT-3163	300	5/20

Hacksaw frame blade

BI-METAL M2+6150



YATO	L (mm)	teeth	
YT-34609	300	18	20/500
YT-3461	300	24	20/500
YT-34611	300	32	20/500

Hacksaw frame blade

BI-METAL M2+Co8%

YATO	L (mm)	teeth	
YT-34619	300	18	20/500
YT-3462	300	24	20/500
YT-34621	300	32	20/500

Hacksaw frame blade

300 mm | 12 mm

YATO	L (mm)	teeth	
YT-34599	300	18	10/200
YT-3460	300	24	10/200
YT-34601	300	32	10/200



Diamond blade


DOUBLE BLISTER



- application: concrete, brick, tile, masonry, stone
- size can be customized

YATO	⌀A (mm)	⌀B (mm)	R.P.M.max.	D(mm)	H(mm)
YT-6021	110	22.2	12000	2.2	5.3
YT-6022	115	22.2	12000	2.4	5.3
YT-6023	125	22.2	11000	2.6	5.3
YT-6024	180	22.2	8000	2.8	8.0
YT-6025	230	22.2	6500	3.1	5.3

Diamond blade



- application: ceramic tiles, thin natural stone tiles, glaze, glass, porcelain
- size can be customized

YATO	⌀A (mm)	⌀B (mm)	R.P.M.max.	D(mm)	H(mm)
YT-5982	250	25.4	6100	2.6	10.0
YT-5983	300	25.4	5100	3.2	10.0
YT-5984	350	25.4	4300	3.2	10.0

Diamond blade


DOUBLE BLISTER



- application: concrete, brick, tile, masonry, stone
- size can be customized

YATO	⌀A (mm)	⌀B (mm)	R.P.M.max.	D(mm)	H(mm)
YT-60009	100	16.0	14000	2.1	8.0
YT-6001	110	22.2	12000	1.8	8.0
YT-6002	115	22.2	12000	2.1	8.0
YT-6003	125	22.2	11000	2.2	8.0
YT-6004	180	22.2	8000	2.5	8.0
YT-6005	230	22.2	6500	2.7	8.0

Diamond blade


DOUBLE BLISTER



- application: concrete, brick, tile, masonry, stone
- size can be customized

YATO	⌀A (mm)	⌀B (mm)	R.P.M.max.	D(mm)	H(mm)
YT-6011	110	22.2	12000	2.0	5.3
YT-6012	115	22.2	12000	2.1	5.3
YT-6013	125	22.2	11000	2.2	5.3
YT-6014	180	22.2	8000	2.5	5.3
YT-6015	230	22.2	6500	2.7	5.3
YT-6016	180	25.4	8000	2.2	5.3

Diamond grinding cup wheel


HANGING COLOR BOX



- application: concrete, clinker, natural stone
- size can be customized

YATO	⌀A (mm)	⌀B (mm)	R.P.M.max.	size(mm)	
YT-6030T	115	22.2	13200	5x7.5	20
YT-6030	125	22.2	12200	5x7.5	20
YT-6032	125	22.2	12200	4.5x20	20
YT-6031	180	22.2	8500	5x7.5	10
YT-6033	180	22.2	8500	5x20	10

Diamond grinding cup wheel





YATO	R.P.M.max.	⌀A (mm)	⌀B (mm)	
YT-60322	12200	125	22.2	20
YT-60323	6600	180	22.2	10

Inox cutting disc



- depressed center
- size can be customized

YATO	⌀A (mm)	⌀B (mm)	R.P.M.max.	D(mm)	
YT-5940	115	22	13200	2.5	25/200
YT-5941	115	22	12200	3.2	25/200
YT-5945	230	22	6500	3.2	25/50

Inox cutting disc



- size can be customized

YATO	⌀A (mm)	⌀B (mm)	R.P.M.max.	D(mm)	
YT-61009	100	16	15200	1.0	25/200
YT-6101	115	22	13200	1.2	25/200
YT-6102	115	22	13200	2.5	25/200
YT-6103	125	22	12200	1.2	25/200
YT-6105	180	22	8600	1.5	25/50
YT-6106	180	22	8600	2.5	25/100
YT-6107	230	22	6500	2.0	25/50
YT-6108	230	22	6500	3.2	25/50
YT-61091	355	25.4	4400	3.5	5/25

Metal grinding disc



- depressed center
- size can be customized

YATO	⌀A (mm)	⌀B (mm)	R.P.M.max.	D(mm)	
YT-6121	115	22	13200	6.0	25/100
YT-6123	115	22	13200	8.0	25/100
YT-6124	125	22	12200	6.0	30/120
YT-6138	180	22	8600	6.0	15/30
YT-6125	230	22	6500	6.0	5/30

Metal cutting disc



- depressed center
- size can be customized

YATO	⌀A (mm)	⌀B (mm)	R.P.M.max.	D(mm)	
YT-6114	115	22	13200	3.2	25/200
YT-6115	115	22	13200	3.2	25/200
YT-6117	125	22	12200	3.2	25/200
YT-6119	180	22	8600	3.2	25/100
YT-6120	230	22	6500	3.2	25/50

Stone cutting disc



- depressed center
- size can be customized

YATO	Ø (mm)	Ø d(mm)	R.P.M.max.	D(mm)	
YT-6128	115	22	13200	3.2	25/200
YT-6129	125	22	12200	3.2	25/200
YT-6130	180	22	8600	3.2	25/100
YT-6131	230	22	6500	3.2	25/50

Flap disc – regular shape



- depressed center
- size can be customized

YATO	A(mm)	B(mm)	R.P.M.max.	
YT-5946	115	22	13200	25/100
YT-5947	125	22	12200	25/100
YT-5948	180	22	8600	15/30
YT-5949	230	22	6500	15/30

Metal cutting disc



- size can be customized

YATO	⌀A (mm)	⌀B (mm)	R.P.M.max.	D(mm)	
YT-5920	115	22	13200	1.2	25/200
YT-5921	115	22	13200	2.5	25/200
YT-5922	115	22	13200	3.2	25/200
YT-5923	125	22	12200	1.2	25/200
YT-6110	125	22	12200	3.2	25/200
YT-5925	180	22	8600	1.5	25/50
YT-5926	180	22	8600	2.5	25/50
YT-6111	180	22	8600	3.2	25/100
YT-5927	230	22	8600	3.2	25/50
YT-6112	230	22	6500	3.2	25/50
YT-6113	300	32	5100	3.2	25
YT-6122	305	25.4	5100	4.0	10/20
YT-6136	350	32	4400	3.5	5/25
YT-61132	355	25.4	6500	3.2	25
YT-6137	400	32	3800	4.0	5/25

TCT circular saw blade for wood





- application: for cutting wood and plastics

YATO	Ø (mm)	Ø d (mm)	R.P.M.max.	D (mm)	thickness of blade (mm)	T	
YT-6050T	115	22.0	10000	2.8	1.2	40	25/50
YT-6051T	115	22.0	10000	2.8	1.2	60	25/50
YT-6052T	125	22.0	10000	2.8	1.3	40	25/50
YT-6053T	125	22.0	10000	2.8	1.3	60	25/50
YT-6057	160	30.0	9500	2.8	2.0	36	25/50
YT-6054T	180	22.0	9000	3.2	1.4	40	25/50
YT-6055T	180	22.0	9000	3.2	1.4	60	25/50
YT-60634	190	20.0	7100	2.2	1.5	24	25/50
YT-6056T	230	22.0	8000	3.2	1.6	40	10/20
YT-6057T	230	22.0	8000	3.2	1.6	60	10/20
YT-6061	184	30.0	9000	3.2	2.2	40	25/50
YT-6061T	184	30	9000	2.2	1.4	40	10/20
YT-6063	185	20.0	9000	2.4	1.4	18	10/20
YT-60621	185	20.0	9000	2.2	1.5	24	25/50
YT-60622	185	20.0	9000	2.2	1.5	36	25/50
YT-60623	185	20.0	9000	2.2	1.5	60	25/50
YT-60668	235	25.5	5800	2.5	1.8	24	25
YT-60685	235	25.4	7000	2.8	1.8	24	10/20
YT-60686	235	25.4	7000	2.8	1.8	36	10/20
YT-60687	235	25.4	7000	2.8	1.8	60	10/20
YT-6069	235	25.5	5800	2.8	2.0	24	25
YT-6071	250	30.0	6000	3.2	2.2	40	10/20
YT-60733	255	30.0	6000	3.0	2.0	60	10/20
YT-6076	300	30.0	5000	3.2	2.2	40	10
YT-6077	300	30.0	5000	3.2	2.2	60	10
YT-6081	350	30.0	4500	3.5	2.5	40	10
YT-6080	350	30.0	4500	3.5	2.5	28	10
YT-6082	350	30.0	4500	3.5	2.5	54	10
YT-6083	350	30.0	4500	3.5	2.5	84	10
YT-6085	400	30.0	4000	3.8	2.8	32	10
YT-6086	400	30.0	4000	3.8	2.8	60	10

TCT circular saw blade for aluminium





- application: for cutting aluminium profiles, laminates, plexi, corian and other plastics
- negative angle of teeth

YATO	Ø (mm)	Ø d (mm)	R.P.M.max.	D (mm)	thickness of blade	T	
YT-6091	200	30	8000	3.0	2.2	60	10/20
YT-6093	210	30	8000	3.0	2.2	72	10/20
YT-6095	250	30	6000	3.0	2.2	100	10/20
YT-6097	300	30	5000	3.0	2.2	100	10
YT-6099	350	30	4500	3.2	2.5	100	10

Flap disc – regular shape



- application: metal
- abrasive: aluminium oxide
- bond: synthetic resin
- backing: fibreglass

YATO	grit	A(mm)	B(mm)	R.P.M.max.	
YT-83271	36	125	22.4	12200	25/100
YT-83272	40	125	22.4	12200	25/100
YT-83273	60	125	22.4	12200	50/200
YT-83275	100	125	22.4	12200	50/200
YT-83276	120	125	22.4	12200	50/200

Flap disc – depressed shape



- application: metal
- abrasive: aluminium oxide
- bond: synthetic resin
- backing: fibreglass

YATO	grit	A(mm)	B(mm)	R.P.M.max.	
YT-83281	36	115	22.4	13200	50/200
YT-83282	40	115	22.4	13200	50/200
YT-83283	60	115	22.4	13200	50/200
YT-83284	80	115	22.4	13200	50/200
YT-83285	100	115	22.4	13200	50/200
YT-83286	120	115	22.4	13200	50/200

Flap disc – regular shape



- application: metal
- abrasive: aluminium oxide
- bond: synthetic resin
- backing: fibreglass

YATO	grit	A(mm)	B(mm)	R.P.M.max.	
YT-83251	36	115	22.4	13200	50/200
YT-83252	40	115	22.4	13200	50/200
YT-83253	60	115	22.4	13200	50/200
YT-83254	80	115	22.4	13200	50/200
YT-83255	100	115	22.4	13200	50/200
YT-83256	120	115	22.4	13200	50/200

Flap disc – depressed shape



- application: metal
- abrasive: aluminium oxide
- bond: synthetic resin
- backing: fibreglass

YATO	grit	A(mm)	B(mm)	R.P.M.max.	
YT-83291	36	125	22.4	12200	25/100
YT-83292	40	125	22.4	12200	25/100
YT-83293	60	125	22.4	12200	50/200
YT-83294	80	125	22.4	12200	50/200
YT-83295	100	125	22.4	12200	50/200
YT-83296	120	125	22.4	12200	50/200

Sand paper





- application: paint, lacquer, filler
- abrasive: silicon carbide
- bond: synthetic resin
- backing: C
- coating: closed

YATO	grit	length (mm)	width (mm)	PCS packing:	
YT-8400	60	280	230	50	500
YT-8401	80	280	230	50	500
YT-8402	100	280	230	50	500
YT-8403	120	280	230	50	500
YT-8404	150	280	230	50	500
YT-8405	180	280	230	50	500
YT-8406	220	280	230	50	500
YT-8407	240	280	230	50	500
YT-8408	280	280	230	50	500
YT-8409	320	280	230	50	500
YT-8410	360	280	230	50	500
YT-8411	400	280	230	50	500
YT-8412	500	280	230	50	500
YT-8413	600	280	230	50	500
YT-8414	800	280	230	50	500
YT-8415	1000	280	230	50	500
YT-8416	1200	280	230	50	500
YT-8417	1500	280	230	50	500
YT-8418	2000	280	230	50	500

Abrasive cloth sheet



- application: metal, wood
- abrasive: aluminium oxide
- bond: semi-resin
- backing: J
- coating: close

POLYBAG 

YATO	grit	length (mm)	width (mm)	PCS packing:	
YT-83160	36	280	230	50	250
YT-83161	40	280	230	50	250
YT-83162	60	280	230	50	250
YT-83163	80	280	230	50	250
YT-83164	100	280	230	50	250
YT-83165	120	280	230	50	500
YT-83166	150	280	230	50	500
YT-83167	180	280	230	50	500
YT-83168	220	280	230	50	500
YT-83169	240	280	230	50	500

Abrasive disc

5 PCS | HOOK FASTENER | RZEP



- application: metal, wood
- abrasive: aluminium oxide
- bond: synthetic resin
- backing: C
- coating: semi-open

TIED ON CARD 

YATO	grit	Ø (mm)	PCS packing:	
YT-83430	36	125	5	50/200
YT-83431	40	125	5	50/200
YT-83432	60	125	5	50/200
YT-83433	80	125	5	50/200
YT-83434	100	125	5	50/200
YT-83435	120	125	5	50/200
YT-83436	150	125	5	50/200
YT-83437	180	125	5	50/200
YT-83438	220	125	5	50/200

Abrasive disc with holes

5 PCS | HOOK FASTENER | RZEP



5pcs/set 

- application: metal, wood
- abrasive: aluminium oxide
- bond: synthetic resin
- backing: C
- coating: semi-open

YATO	grit	Ø (mm)	PCS packing:	
YT-83450	36	125	5	50/200
YT-83451	40	125	5	50/200
YT-83452	60	125	5	50/200
YT-83453	80	125	5	50/200
YT-83454	100	125	5	50/200
YT-83455	120	125	5	50/200
YT-83456	150	125	5	50/200
YT-83457	180	125	5	50/200
YT-83458	220	125	5	50/200

Sand paper



- application: paint, lacquer, filler, wood
- abrasive: aluminium oxide
- bond: synthetic resin
- backing: C
- coating: semi-open

POLYBAG 

YATO	grit	length (mm)	width (mm)	PCS packing:	
YT-8350	40	280	230	50	500
YT-8351	60	280	230	50	500
YT-8352	80	280	230	50	500
YT-8353	100	280	230	50	500
YT-8354	120	280	230	50	500
YT-8355	150	280	230	50	500
YT-8356	180	280	230	50	500
YT-8357	220	280	230	50	500
YT-8358	240	280	230	50	500

Abrasive disc with holes

5 PCS | HOOK FASTENER | RZEP



5pcs/set 


- application: metal, wood
- abrasive: aluminium oxide
- bond: synthetic resin
- backing: C
- coating: semi-open

YATO	grit	Ø (mm)	PCS packing:	
YT-83440	36	115	5	50/200
YT-83441	40	115	5	50/200
YT-83442	60	115	5	50/200
YT-83443	80	115	5	50/200
YT-83444	100	115	5	50/200
YT-83445	120	115	5	50/200
YT-83446	150	115	5	50/200
YT-83447	180	115	5	50/200
YT-83448	220	115	5	50/200

Flap wheel with shaft

70P






- application: metal
- abrasive: aluminium oxide
- bond: synthetic resin

YATO	grit	A (mm)	B (mm)	ØC (mm)	D (mm)	R.P.M.max.	
YT-83361	40	60	30	6	35	15000	10/60
YT-83362	60	60	30	6	35	15000	10/60
YT-83363	80	60	30	6	35	15000	10/60
YT-83364	100	60	30	6	35	15000	10/60
YT-83365	120	60	30	6	35	15000	10/60
YT-83366	150	60	30	6	35	15000	10/60

Flap wheel with shaft

68P






- application: metal
- abrasive: aluminium oxide
- bond: synthetic resin

YATO	grit	A (mm)	B (mm)	ØC (mm)	D (mm)	R.P.M.max.	
YT-83351	40	40	20	6	30	18000	10/60
YT-83352	60	40	20	6	30	18000	10/60
YT-83353	80	40	20	6	30	18000	10/60
YT-83354	100	40	20	6	30	18000	10/60
YT-83355	120	40	20	6	30	18000	10/60
YT-83356	150	40	20	6	30	18000	10/60

Flap wheel with shaft

110P






- application: metal
- abrasive: aluminium oxide
- bond: synthetic resin

YATO	grit	A (mm)	B (mm)	ØC (mm)	D (mm)	R.P.M.max.	
YT-83381	40	80	40	6	38	12000	10/60
YT-83382	60	80	40	6	38	12000	10/60
YT-83383	80	80	40	6	38	12000	10/60
YT-83384	100	80	40	6	38	12000	10/60
YT-83385	120	80	40	6	38	12000	10/60
YT-83386	150	80	40	6	38	12000	10/60

Flap wheel with shaft

110P





- application: metal
- abrasive: aluminium oxide
- bond: synthetic resin

YATO	grit	A (mm)	B (mm)	ØC (mm)	D (mm)	R.P.M.max.	
YT-83371	40	80	30	6	35	12000	10/60
YT-83373	80	80	30	6	35	12000	10/60
YT-83374	100	80	30	6	35	12000	10/60
YT-83375	120	80	30	6	35	12000	10/60

Steel wire brush set

3 PCS | 180 mm | NYLON | BRASS MOSIĄDZ | STAINLESS STEEL STAL NIERDZEWNA

SLIDING CARD





YATO	ROWS	
YT-6351	3x7	24/144

Steel wire brush

ZINC PLATED WIRES



YATO	ROWS	
YT-6353	3	12/120
YT-6354	4	12/120
YT-6355	5	12/120
YT-6356	6	12/120

Cup brush with shaft

Ø 6 mm | INOX





YATO	Ø (mm)	R.P.M.max.	
YT-4751	75	4500	12/96

Cup brush with shaft

Ø 6 mm

SLIDING CARD





YATO	Ø (mm)	R.P.M.max.	
YT-4752	75	6000	12/72

Cup brush with shaft

Ø 6 mm

SLIDING CARD





YATO	Ø (mm)	R.P.M.max.	
YT-4750	75	4500	12/96

Cup brush with shaft

Ø 6 mm | INOX | NEW





YATO	Ø (mm)	R.P.M.max.	
YT-47496	25	4500	20/240

Cup brush with shaft

Ø 6 mm | INOX | NEW





YATO	Ø (mm)	R.P.M.max.	
YT-47511	100	4500	6/36

Cup brush with shaft

Ø 6 mm | NEW





YATO	Ø (mm)	R.P.M.max.	
YT-47518	65	12500	10/100

Cup brush with shaft

Ø 6 mm | INOX | NEW





YATO	Ø (mm)	R.P.M.max.	
YT-47497	50	4500	12/144

Cup brush with shaft

Ø 6 mm | NYLON | NEW





YATO	Ø (mm)	R.P.M.max.	
YT-47780	25	4500	20/240

Cup brush with shaft

Ø 6 mm | NYLON | NEW





YATO	Ø (mm)	R.P.M.max.	
YT-47782	75	4500	10/120

Circular brush with shaft

Ø 6 mm





YATO	Ø (mm)	R.P.M.max.	
YT-4757	100	4500	12/96

Circular brush with shaft

Ø 6 mm | INOX



YATO	Ø (mm)	R.P.M.max.	
YT-4758	100	4500	12/96

Cup brush with shaft set

Ø 6 mm



YATO	Ø (mm)	R.P.M.max.	
YT-4755	20	6000	12/60
	50	7500	
	50	4500	

Circular brush with shaft

Ø 6 mm



YATO	Ø (mm)	R.P.M.max.	
YT-4759	75	20000	10/100

Circular brush with shaft

Ø 6 mm NYLON NEW





YATO	Ø (mm)	R.P.M.max.	
YT-47791	75	4500	10/120
YT-47792	100	4500	10/60

Circular brush with shaft

Ø 6 mm POLYCARBIDE WŁÓKNINA NEW





YATO	Ø (mm)	R.P.M.max.	
YT-47800	50	4500	6/36
YT-47801	75	4500	6/36
YT-47802	100	4500	6/36

Circular brush with shaft

Ø 6 mm INOX NEW





YATO	Ø (mm)	R.P.M.max.	
YT-47565	50	4500	20/240
YT-47568	75	4500	12/144

Circular brush

M14





YATO	Ø (mm)	R.P.M.max.	
YT-4761	100	12500	8/64

Circular brush

M14





YATO	Ø (mm)	R.P.M.max.	
YT-4763	100	12500	8/64

Cup brush with shaft set

Ø 6 mm INOX 6 PCS NEW





YATO	Ø (mm)	R.P.M.max.	
YT-47593	37	4500	6/60
	50		
	62		
	75		

Circular brush

M14 INOX





YATO	Ø (mm)	R.P.M.max.	
YT-4764	125	10000	8/48

Circular brush

M14 NEW





YATO	Ø (mm)	R.P.M.max.	
YT-47612	125	12500	10/60

Cup brush

M14



YATO	Ø (mm)	R.P.M.max.	
YT-4766	100	8500	4/32

Cup brush

M14 INOX



YATO	Ø (mm)	R.P.M.max.	
YT-4768	75	11000	6/36

Cup brush

M14



YATO	Ø (mm)	R.P.M.max.	
YT-4769	100	8500	4/16

Cup brush

M14



YATO	Ø (mm)	R.P.M.max.	
YT-4767	60	12500	10/80

Cup brush

M14 INOX NEW



YATO	Ø (mm)	R.P.M.max.	
YT-47658	65	12500	10/80

Cup brush

M14 NYLON NEW



YATO	Ø (mm)	R.P.M.max.	
YT-47785	65	12200	10/80
YT-47787	125	6500	6/24

Cup brush

M14 NEW



YATO	Ø (mm)	R.P.M.max.	
YT-47691	125	6500	4/16

Circular brush

INOX NEW



YATO	Ø (mm)	R.P.M.max.	
YT-47554	150x32	6000	5/40
YT-47555	200x32	4500	5/20

Metal grinding disc

M14 POLYCARBIDE WŁÓKNINA NEW



YATO	Ø (mm)	R.P.M.max.	
YT-47820	125	12500	6/36



Steel file

T12 STEEL





COLOR BOX

YATO		size	L(mm)	
	YT-62243	#3	6”	20/80
	YT-62244	#3	8”	20/80
	YT-62245	#3	10”	20/80
	YT-62246	#3	12”	10/40
	YT-6181	#2	6”	20/80
	YT-6186	#2	8”	20/80
	YT-6229	#2	10”	20/80
	YT-6191	#2	12”	10/40
	YT-62238	#1	6”	20/80
	YT-62239	#1	8”	20/80
	YT-6224	#1	10”	20/80
	YT-62241	#1	12”	10/40

Steel file

T12 STEEL





COLOR BOX

YATO		size	L(mm)	
	YT-62338	#3	6”	20/80
	YT-62339	#3	8”	20/80
	YT-6234	#3	10”	20/80
	YT-62341	#3	12”	10/40
	YT-6182	#2	6”	20/80
	YT-6187	#2	8”	20/80
	YT-6230	#2	10”	20/80
	YT-6192	#2	12”	10/40
	YT-62248	#1	6”	20/80
	YT-62249	#1	8”	20/80
	YT-6225	#1	10”	20/80
	YT-62251	#1	12”	20/80

Steel file

T12 STEEL





COLOR BOX

YATO		size	L(mm)	
	YT-62328	#3	6”	20/80
	YT-62329	#3	8”	20/80
	YT-6233	#3	10”	20/80
	YT-62331	#3	12”	10/40
	YT-6180	#2	6”	20/80
	YT-6185	#2	8”	20/80
	YT-6228	#2	10”	20/80
	YT-6190	#2	12”	10/40
	YT-62228	#1	6”	20/80
	YT-62229	#1	8”	20/80
	YT-6223	#1	10”	20/80
	YT-62231	#1	12”	10/40

Steel file

T12 STEEL





COLOR BOX

YATO		size	L(mm)	
	YT-62348	#3	6”	20/80
	YT-62349	#3	8”	20/80
	YT-6235	#3	10”	20/80
	YT-62351	#3	12”	10/40
	YT-6183	#2	6”	20/80
	YT-6188	#2	8”	20/80
	YT-6231	#2	10”	20/80
	YT-6193	#2	12”	10/40
	YT-62258	#1	6”	20/80
	YT-62259	#1	8”	20/80
	YT-6226	#1	10”	20/80
	YT-62261	#1	12”	10/40

Steel file

T12 STEEL





COLOR BOX

YATO		size	L(mm)	
	YT-62358	#3	6”	20/80
	YT-62359	#3	8”	20/80
	YT-6236	#3	10”	20/80
	YT-62361	#3	12”	10/40
	YT-6184	#2	6”	20/80
	YT-6189	#2	8”	20/80
	YT-6232	#2	10”	20/80
	YT-6194	#2	12”	10/40
	YT-62268	#1	6”	20/80
	YT-62269	#1	8”	20/80
	YT-6227	#1	10”	20/80
	YT-62271	#1	12”	10/40

Steel file set

250 mm | T12 STEEL | 3 PCS | #2 | #2 | #2

SLIDING CARD




1# bastard cut
2# standard cut
3# smooth cut

YATO		
YT-6237	970	10/20

Steel file set

150 mm | T12 STEEL | 5 PCS | #1 | #1 | #1 | #1 | #1



YATO		
YT-62391	650	12

Steel file set

200 mm | T12 STEEL | 5 PCS | #1 | #1 | #1 | #1 | #1



YATO		
YT-62394	890	12

Steel file set

250 mm | T12 STEEL | 5 PCS | #1 #2 | #1 | #1 | #1


SLIDING CARD



YATO		
YT-6238	1500	5/10

Steel file set

150 mm | T12 STEEL | 5 PCS | #2 | #2 | #2 | #2 | #2



YATO		
YT-62392	650	12

Steel file set

200 mm | T12 STEEL | 5 PCS | #2 | #2 | #2 | #2 | #2



YATO		
YT-62395	890	12

Steel file set

250 mm | T12 STEEL | 5 PCS | #3 | #3 | #3 | #3 | #3

SLIDING CARD



YATO		
YT-6239	1500	5/10

Steel file set

150 mm | T12 STEEL | 5 PCS | #3 | #3 | #3 | #3 | #3



YATO		
YT-62393	650	12

Steel file set

200 mm | T12 STEEL | 5 PCS | #3 | #3 | #3 | #3 | #3



YATO		
YT-62396	890	12

Wood rasp set

3 PCS | # 45 | 250 mm | # 45 | # 45

SLIDING CARD



YATO	#		
YT-6222	*45*	470	5/20

Wood rasp

250 mm | # 45

PLASTIC HANGER



YATO	#		
YT-6221	*45*	110	12/72

Needle file set

6 PCS | EQUALLING | SQUARE | THREE-SQUARE | CROSSING | ROUND | HALF-ROUND



POUCH



YATO	size(mm)	coating length (mm)	
YT-6160	3x140	65	50/200
YT-6161	4x160	75	25/100
YT-6162	5x180	85	25/100

10 PCS | EQUALLING | SQUARE | THREE-SQUARE | CROSSING | ROUND | FLAT/CROCHET | FLAT WARDING | KNIFE | SLITTING | HALF-ROUND



YATO	size(mm)	coating length (mm)	
YT-6163	3x140	65	25/100
YT-6164	4x160	75	25/100
YT-6165	5x180	85	25/50

Diamond needle flat file

FLAT

SLIDING CARD



YATO	size(mm)	coating length (mm)	
YT-6140	3x140	50	120/1200
YT-6147	4x160	50	80/800
YT-6152	5x180	70	45/450

Diamond needle half-round file

HALF ROUND

SLIDING CARD



YATO	size(mm)	coating length (mm)	
YT-6141	3x140	50	120/1200
YT-6148	4x160	50	80/800
YT-6153	5x180	70	45/450

Diamond needle round file

ROUND

SLIDING CARD

YATO	size(mm)	coating length (mm)	
YT-6142	3x140	50	120/1200
YT-6149	4x160	50	80/800
YT-6154	5x180	70	45/450

Wood rasp

250 mm | # 45

PLASTIC HANGER



YATO	#		
YT-6219	*45*	175	12/72

Wood rasp

250 mm | # 45

PLASTIC HANGER



YATO	#		
YT-6220	*45*	210	12/72

Diamond needle file set

3 PCS · FLAT · HALF-ROUND · ROUND

POUCH





YATO	size(mm)	coating length (mm)	
YT-6143	3x140	50	120/1200
YT-6150	4x160	50	80/800
YT-6155	5x180	70	45/450

Diamond needle file set

10 PCS · FLAT · FLAT WARDING · SQUARE · THREE-SQUARE · BARRETTE · KNIFE · CROSSING · OVAL · HALF-ROUND · ROUND

POUCH



POUCH



YATO	size(mm)	coating length (mm)	
YT-6144	3x140	50	12/120

Diamond needle file set

10 PCS · FLAT · FLAT WARDING · SQUARE · THREE-SQUARE · BARRETTE · KNIFE · CROSSING · OVAL · HALF-ROUND · ROUND



YATO	size(mm)	coating length (mm)	
YT-6146	3x140	30	12/120

Diamond needle file set

5 PCS · FLAT · SQUARE · THREE-SQUARE · HALF-ROUND · ROUND



YATO	size(mm)	coating length (mm)	
YT-6156	5x180	70	10/100

Diamond needle file set

10 PCS · FLAT · FLAT WARDING · SQUARE · THREE-SQUARE · BARRETTE · KNIFE · SLITTING · HALF-ROUND · ROUND



YATO	size(mm)	coating length (mm)	
YT-6145	3x140	25	12/120

Diamond needle file set

10 PCS · FLAT · FLAT WARDING · SQUARE · THREE-SQUARE · BARRETTE · KNIFE · CROSSING · OVAL · HALF-ROUND · ROUND



YATO	size(mm)	coating length (mm)	
YT-6151	4x160	50	9/90



Hand flaring tools set

7 PCS





- use for expanding aluminum or copper pipe
- 1pcs laver type expanding tool
- 6pcs of expanding heads, sizes: 1/2", 5/8", 3/4", 7/8", 1", 1-1/8"

YATO	∅	
YT-2183	1/2"; 5/8"; 3/4"; 7/8"; 1"; 9/8"	5

Ratchet die stock

7 PCS | 9Cr2 | 3/8" 10mm | 5/4" 32mm | 1/4" 6.3mm | 1/2" 12.5mm | 1" 25mm | 3/4" 19mm





YATO	size	
YT-2900	1/4"; 3/8"; 1/2"; 3/4"; 1"; 5/4"	4

Hand flaring tools set

7 PCS | 90°








- use for soft pipe like aluminum, copper, etc
- 2pcs bars with sizes: 3/5/6/8/10/12/14/15/16/19 pipe
- 5pcs swaging adapters, screw type feed

YATO	∅	
YT-2180	3; 5; 6; 8; 10; 12; 14; 15; 16; 19	10

Hand flaring tools set

2 PCS







- use for soft pipe like aluminum, copper, etc
- 1pc screw type feed with adapter

YATO	∅ (mm)	
YT-2181	19; 22; 25	20
YT-2182	22; 25; 28	20

Spare head for ratchet die stock

9Cr2





YATO	size	
YT-2916	1/4" (6.3 mm)	10/40
YT-2917	3/8" (10.0 mm)	10/40
YT-2918	1/2" (12.5 mm)	10/40
YT-2919	3/4" (19.0 mm)	10/40
YT-2920	1" (25.0 mm)	10/40

Spare knives for ratchet die stock

4 PCS | 9Cr2





POLYBAG WITH HEADER

YATO	size	PCS packing:	
YT-2910	1/4" (6.3 mm)	4	50/200
YT-2911	3/8" (10.0 mm)	4	50/200
YT-2912	1/2" (12.5 mm)	4	50/200
YT-2913	3/4" (19.0 mm)	4	50/200
YT-2914	1" (25.0 mm)	4	50/200

PVC pipe cutter

AUTOMATIC | max. Ø 42 mm | PVC PP PU PE | STAINLESS STEEL BLADE 8Cr13 | HRC 54 | PEX AL PEX | RATCHET SYSTEM ZAPADKOWY | QUICK RELEASE SZYBKIE OTWIERANIE



- widely used for cutting PVC, PP,PU,PE, material
- with ratchet action, max. cutting dia. 42 mm




SLIDING CARD

YATO	max(mm)		
YT-2231	42	390	6/48

Replacement cutting wheel

2 PCS | BEARING STEEL STAL ŁOŻYSKOWA







DOUBLE BLISTER

YATO	a (mm)	b (mm)	c (mm)	for	
YT-22313	18	6	4.8	YT-2233	50/300
YT-22314	26	14	7.5	YT-2232	6/108
YT-22315	18	6	4.8	YT-22338	50/300
YT-22316	27	6.3	5	YT-2234	24/288
YT-22317	44	10.6	8	YT-2235	12/144

Tubing bender

125 mm | max. Ø 6 mm | Ø 21 mm | Al

SLIDING CARD





YATO	L (mm)	
YT-0813	125	24/96

PVC pipe cutter

max. Ø 35 mm | PVC PP PU PE | STAINLESS STEEL BLADE 8Cr13 | HRC 54 | PEX AL PEX



- widely used for cutting PVC, PP,PU,PE, material



SLIDING CARD

YATO	max(mm)		
YT-2230	35	190	6/48

German type & Hinged pipe vice

S55C | HARDENED JAWS HARTOWANE SZCZĘKI | HRC 47-53





COLOR BOX

YATO	L (mm)	max. opening capacity	max. pipe diameter	
YT-22000	7" (175mm)	45	20	6/60
YT-22001	9" (225mm)	60	30	6/36
YT-22002	10.5" (275mm)	70	35	6/24

Tubing bender

235 mm | max. Ø 12 mm | Ø 45 mm | Al






YATO	L (mm)	
YT-0814	235	6/48

Tubing bender

180° | SOFT STEEL MIĘKKA STAL | COPPER MOSIĄDZ | Al, Cu







- used for 1-1.5mm copper tube/AL tube

YATO	Ø(mm)	
YT-21842	15/32" (12mm)	20
YT-21843	9/16" (14mm)	10
YT-21844	9/32" (15mm)	10
YT-21845	5/8" (16mm)	10
YT-21846	23/32" (18mm)	10

PVC pipe cutter-blade



- For YT-2230

YATO	
YT-2230A	6/48




- For YT-2231

YATO	
YT-2231A	6/48

Auto-adjustable pipe wrench

16~38 mm 5/8"~1 1/2" | 300 mm | SELF-ADJUSTING SAMO-NASTAWNY | QUICK RELEASE SZYBKIE OTWIERANIE | HRC 46-52 | HARDENED JAWS HARTOWANE SZCZĘKI








HALF DOUBLE BLISTER

YATO	L (mm)	
YT-22005	300	6/24

Pipe cutter

PLASTIC Al, Cu | ⌀ 6-45 mm ⌀ 1/4"-7/4" | BEARING STEEL STAL ŁOŻYSKOWA | SPARE CUTTING WHEEL ZAPASOWE KÓŁKO TNĄCE | WITH DEBURRER Z GRATOWNIKIEM





- application: cutting copper pipe, aluminum pipe
- with deburrer function

COLOR BOX



YATO	⌀	size	
YT-2233	6-45mm (1/4"-7/4")	18X6X4.8mm	25

Adjustable pipe wrench

90° | 1" 25 mm | 1.5" 38 mm | 2" 50 mm | DIN 5234 | Crv 6140





YATO	size	L (mm)	
YT-2210	1" (25mm)	320mm	24
YT-2211	1.5"(38mm)	420mm	18
YT-2212	2"(50mm)	560mm	12

Hinged pipe vice

S55C





COLOR BOX

YATO	size (mm)	max(mm)	
YT-6510	2"	60	1/4
YT-6511	2.5"	76	1/2
YT-6512	3"	90	1/2
YT-6513	4"	110	1/1


Pipe cutter

PLASTIC Al, Cu | ⌀ 1/10"-5/4" ⌀ 3-32 mm | BEARING STEEL STAL ŁOŻYSKOWA | SPARE CUTTING WHEEL ZAPASOWE KÓŁKO TNĄCE | WITH DEBURRER Z GRATOWNIKIEM | QUICK-ADJUSTMENT SZYBKONASTAWNY



- material: Aluminum
- with quick adjustment, easy to operate
- application: cutting copper pipe, aluminum pipe
- with deburrer function

COLOR BOX



YATO	⌀	
YT-22338	1/10"-5/4" (3-32 mm)	50

Adjustable pipe wrench

45° | 1" 25 mm | 1.5" 38 mm | 2" 50 mm | DIN 5234 | Crv 6140



- material: Zinc alloy



YATO	size	L (mm)	
YT-2214	1.5"(38mm)	415mm	18
YT-2215	2"(50mm)	530mm	12


Pipe cutter

PLASTIC STEEL Al, Cu | ⌀ 3/8"-1-5/8" ⌀ 10-40 mm | BEARING STEEL STAL ŁOŻYSKOWA



- materail: steel, forged
- application: cutting copper pipe, aluminum pipe

COLOR BOX



YATO	⌀	
YT-2232	3/8"-1-5/8" (10-40 mm)	20

Pipe cutter

PLASTIC Al, Cu | ⌀ 14-63 mm ⌀ 1/2"-5/2" | BEARING STEEL STAL ŁOŻYSKOWA | SPARE CUTTING WHEEL ZAPASOWE KÓŁKO TNĄCE | QUICK-ADJUSTMENT SZYBKONASTAWNY



- material: Zinc alloy
- application: cutting copper pipe, aluminum pipe
- with deburrer function

COLOR BOX



YATO	⌀	size	
YT-2234	14-63mm (1/2"-5/2")	27X6.3X5mm	25


Pipe cutter

PLASTIC Al, Cu | ⌀ 50-127 mm ⌀ 2"-5" | BEARING STEEL STAL ŁOŻYSKOWA | QUICK-ADJUSTMENT SZYBKONASTAWNY



- material: Zinc alloy
- application: cutting copper pipe, aluminum pipe
- with deburrer function

COLOR BOX



YATO	⌀	size	
YT-2235	50-127mm (2"-5")	44X10.6X8mm	10

Chain pipe wrench





YATO	L(mm)	max. pipe diameter	
YT-22260	12”	4”	6/24
YT-22261	15”	5”	6/24

Chain pipe wrench



• carbon steel handle
• unique two-side jaw tooth design, can be positive and negative rotation

YATO	L (mm)	size	
YT-22263	24”(600mm)	6”	6/24

Chain pipe wrench



• carbon steel handle
• unique two-side jaw tooth design, can be positive and negative rotation

YATO	L(mm)	size	
YT-22264	900	4”	4
YT-22265	1000	6”	2
YT-22266	1200	8”	2
YT-22267	1300	10”	2
YT-22268	1400	12”	2

Pipe wrench



• CoMo hook jaws,hardness HRC58-60
• Casting steel handle

YATO	L	size	
YT-24869	6”(150mm)	0.75”	1/72
YT-2487	8”(200mm)	1”	6/30
YT-2488	10”(250mm)	1”	6/18
YT-2489	12”(300mm)	1.5”	6/12
YT-2490	14”(350mm)	2”	2/10
YT-2491	18”(450mm)	2.5”	3/6
YT-2492	24”(600mm)	3”	2/4
YT-2493	36”(900mm)	5”	1/1
YT-2494	48”(1200mm)	6”	1/1
YT-2495	60”(1500mm)	8”	1/1

Pipe wrench



• CoMo hook jaws,hardness HRC58-60
• Casting steel handle

YATO	L	size	
YT-2201	10” (250mm)	1”	6/36
YT-2203	14”(350mm)	1.5”	4/16
YT-2204	18”(450mm)	2”	3/12
YT-2205	24”(600mm)	2.5”	3/6
YT-2206	36”(900mm)	4”	2/4

Pipe wrench



• hardness HRC58-60
• carbon steel handle

YATO	L	size	
YT-2226	10” (250mm)	1.5”	6/24

Pipe wrench



• CoMo hook jaws,hardness HRC58-60
• Aluminum handle,light weight

YATO	L	size	
YT-2480	10”(250mm)	1.5”	6/30
YT-2481	12”(300mm)	2”	6/18
YT-2482	14”(350mm)	2”	6/12
YT-2483	18”(450mm)	2.5”	2/10
YT-2484	24”(600mm)	3”	2/6
YT-2485	36”(900mm)	5”	1/3
YT-2486	48”(1200mm)	6”	1/2

Pipe wrench



• CoMo hook jaws,hardness HRC58-60
• Aluminum handle,light weight

YATO	L	size	
YT-21990	8”(200mm)	1”	6/48
YT-2222	12”(300mm)	1”	6/24
YT-2223	14”(350mm)	1.5”	4/16
YT-2224	18”(450mm)	2”	3/12

Pipe wrench




• CrV hook jaws
• extra-long handle,can adjust the length


YATO	size (mm)	size	
YT-2493S	24”	3”	6/60
YT-2494S	36”	5”	6/36
YT-2495S	48”	6”	6/24

Crimping pliers for PEX-AL-PEX pipes


9 PCS | PE-RT AL PE-RT | PEX AL PEX | U 16mm | U 20mm | U 25mm | U 32mm | 6t =60kN | TH 16mm | TH 20mm | TH 26mm | TH 32mm



















BMC & COLOR SLEEVE

YATO	
YT-21735	2



Hand riveter

250 mm | x4 | STAINLESS STEEL, STEEL, ALUMINIUM, STAL NIERDZEWNA, STAL, ALUMINIUM | 2 JAWS, 2 SZCZĘKI | 20Cr





- *aluminium die cast housing, forged steel handle*
- *3-jaw design - CrV steel heat treated*


YATO	Ø (mm)	L (mm)	
YT-36007	2.4; 3.2; 4.0; 4.8	250	6/24

Hand riveter

3 JAWS, 3 SZCZĘKI | 200 mm | x4 | STAINLESS STEEL, STEEL, ALUMINIUM, STAL NIERDZEWNA, STAL, ALUMINIUM | CrMo



COLOR BOX



- *aluminium die cast housing, forged steel handle*
- *3-jaw design - CrV steel heat treated*

YATO	Ø (mm)	L (mm)	
YT-36012	2.4; 3.2; 4.0; 4.8;	200	30

Hand riveter

330 mm | x5 | STAINLESS STEEL, STEEL, ALUMINIUM, STAL NIERDZEWNA, STAL, ALUMINIUM | 3 JAWS, 3 SZCZĘKI | CrMo



COLOR BOX




- *3-jaw design,CrMo steel heat treated*
- *ergonomic grip*

YATO	Ø (mm)	L (mm)	
YT-3609	3.2; 4.0; 4.8; 6.0; 6.4	330	16

Hand riveter

253 mm | STAINLESS STEEL, STEEL, ALUMINIUM, STAL NIERDZEWNA, STAL, ALUMINIUM | 3 JAWS, 3 SZCZĘKI | CrV





SLIDING CARD




YATO	Ø (mm)	L (mm)	
YT-36011	2.4; 3.2; 4.0; 4.8	253	12/36

Hand nut tool

200 mm | M3, M4, M5, M6 | x4 | CrMo



- *capable of aluminium, steel and stainless steel nuts from M3 to M6*



YATO	Ø (mm)	L (mm)	
YT-36140	M3;M4;M5;M6	200	20

Lazy tongue riveter



- telescopic design
- length: 250- 810mm
- 3 jaws, CrMo steel heat treated
- 5 nose pieces: 2,4, 3,2, 4,0, 4,8, 6,4mm

YATO	Ø (mm)	
YT-36060	2.4; 3.2; 4.0; 4.8; 6.4	10

Hand nut tool



- capable of aluminium,steel and stainless steel rivet nuts from M5 to M12

YATO	Ø (mm)	L (mm)	
YT-3612	M5;M6;M8;M10;M12	330	5

Lazy tongue riveter



YATO	size	
YT-36451	M 3	125/500
YT-36452	M 4	100/400
YT-36453	M 5	75/300
YT-36454	M 6	50/200

Lazy tongue riveter



- *3-jaw design, crv steel heat treated*
- *capable of aluminium, steel and stainless steel rivets*

YATO	Ø (mm)	L (mm)	
YT-3610	3.2; 4.0; 4.8; 6.0; 6.4	525	12

Pneumatic riveting machine




L_{pA} = 83,6 ± 1,9 dB;
L_{wA} = 97,4 ± 2,8 dB;
ah = 0,66 ± 0,21 m/s²

YATO	Ø(mm)	L (mm)	F (kg)	F (N)	
YT-36171	2.4; 3.2; 4.0; 4.8; 5.0	18	1060	10400	10

Staple gun





YATO		
YT-7001	810	12/24

Lazy tongue riveter



YATO	Ø (mm)	
YT-36127	M3;M4;M5;M6;M8;M10;M12	6

Pneumatic riveting machine




L_{pA} = 87,2 ± 2,3 dB;
L_{wA} = 94,5 ± 3,0 dB;
a_h = 0,54 ± 0,15 m/s²

YATO	Ø (mm)	L (mm)	F (kg)	F (N)	
YT-36177	4.0; 4.8; 5.0; 6.4	20	1255	12300	10

Staple gun






YATO	staples size (mm)		
YT-7005	10.6x6.0-16.0x1.2	940	6/24

3 in 1 staple gun



YATO	staples size (mm)		
YT-70020	11.3x4.0-14.0x1.2	940	6/24

Staple gun



YATO		
YT-7000	680	12/24

Staples



for: YT-7000, YT-7001, YT-7002, YT-7003, YT-7004, YT-7005, YT-70020, YT-70021

YATO	L(mm)	
YT-7022	6	1/50/200
YT-7023	8	1/50/200
YT-7024	10	1/50/100
YT-7025	12	1/50/100
YT-7026	14	1/50/100

Staple gun




YATO		
YT-7003	920	6/24

Hammer tacker



YATO		
YT-7004	960	10/20

Nails for staple gun



- for YT-7000/7001

YATO	L *(mm)*	PCS packing:	
YT-7032	*10*	*1000*	*50/200*
YT-7033	*12*	*1000*	*50/200*
YT-7034	*14*	*1000*	*50/200*

2 in 1 staple gun



YATO	staples size (mm)		
YT-70021	11.3x6.0-14x1.2	940	6/24

Staple remover



YATO		
YT-7011	110	25/100

Pneumatic stapler



COLOR BOX

L_{pA} = 88 ± 2,5 dB;
L_{wA} = 99 ± 2,5 dB;
a_h = 3,5 ± 1,5 m/s²

YATO	
YT-09201	10

Pneumatic stapler

0.8 MPa | 10-50 mm | 25-40 mm | STANDARD



COLOR BOX

L_{pA} = 87,8 ± 2,5 dB;
L_{wA} = 100,8 ± 2,5 dB;
a_h = 2,91 ± 1,5 m/s²

YATO	
YT-09203	10

Butane soldering tool

1300°C | 210-400°C | 20 ml | 25-80 W | 120 min



- manual start, equivalent to 25-80W
- gas capacity: 20ml
- work life: 120mins

YATO		
YT-6705	110	12/72

Butane soldering tool

PIEZO ELECTRIC | 1300°C | 250-550°C | 38 ml | 30-125 W | 200 min



- automatic ignition, equivalent to 30-125W
- manual start, equivalent to 25-80w
- gas capacity: 38ml
- work life: 200mins

YATO		
YT-6706	260	12/48

Butane torch

PIEZO ELECTRIC | 1350°C | 60 ml | 200 min



- electronic ignition system
- gas capacity: 60ml
- work life: 200mins
- aluminium body with ribbed grip

YATO		
YT-6700	450	3/6/24

Caulking gun

300 ml | 225 mm



YATO	L(mm)		
YT-6750	225	400	20/40

Caulking gun

300 ml | 225 mm



- 9", cradle type, smooth rod, aluminium handle
- 360˚ rotatable body

YATO	L(mm)		
YT-6751	225	530	12

Caulking gun

300 ml | 225 mm



- 9", three rod type, strong force

YATO	L(mm)		
YT-6753	225	960	6/12

Caulking gun

310 ml | 225 mm




- 9", aluminium allay tube
- 360˚ rotatable body

YATO	L(mm)		
YT-6754	225	610	6/12

Foam gun

PTFE COATED





- body: aluminium alloy, nickel plated
- adapter: copper, PTFE coated
- pin: stainless steel, PTFE coated

YATO	
YT-6745	10/20

Tile cutting machine

CUTTING CIĘCIE 0-45° | 16 mm | 22x14x2,0 mm | YG6X | COATED TiN POWŁOKA | NEW





YATO	L (mm)	
YT-3707	600	2
YT-3708	800	2

Hand saw for wood

Mn 65 | 7T inch | 1,6 mm 0,9 mm | HRC 50-54 | 3 CUTTING EDGES 60% FASTER CUTTING | NO CLOGGING



YATO	L (mm)	
YT-3101	400	12/48
YT-3102	450	10/40
YT-3103	500	10/40

Compass saw

300 mm | Mn 65 | 7T inch | 1,6 mm 0,9 mm | HRC 50-54



- For wood and plastic

YATO	L (mm)	
YT-3133	300	12/60

Blade for dry wood

HCS 65 | DRY WOOD



YATO	L (mm)	
YT-3220	300	50/200
YT-3221	450	50/200
YT-3222	530	50/200
YT-3223	610	50/200
YT-3224	760	50/200
YT-3225	910	50/200

Back saw

300 mm | Mn 65 | 12T inch | 1,2 mm 0,8 mm | HRC 50-54



YATO	L (mm)	
YT-3130	300	12/60

Wallboard saw

150 mm | Mn 65 | 7T inch | 2,0 mm 1,2 mm | HRC 50-54



- For wood and plastic

YATO	L (mm)	
YT-3134	150	12/60

Blade for wet wood

HCS 65 | WET WOOD



YATO	L (mm)	
YT-3230	300	50/200
YT-3231	450	50/200
YT-3232	530	50/200
YT-3233	610	50/200
YT-3234	760	50/200
YT-3235	910	50/200

Plastic mitre box with dovetail saw

350 mm | Mn 65 | 1,2 mm 0,8 mm | 12T inch | HRC 50-54 | ABS | 300x140 x70 mm



YATO	L (mm)	
YT-3150	350	10

Bow saw

HCS 65 | 2 FUNCTION | FOR WOOD AND METAL



- wood blade & metal blade

YATO	L (mm)	
YT-3200	300	12/24

Carpenter's pencil

144 PCS | HB



YATO	L (mm)	W (mm)	
YT-6927	245	12	144/1152
YT-6925	245	15	144/1152
YT-6926	245	12	144/1152

Double edge trimmer

13-25 mm | ONE SIDE CUTTING | BOTH SIDE CUTTING | SK5



YATO		
YT-5710	100	6/48

Bow saw


HCS 65 | FOR WOOD



- *PVC handle with TPR grip,foam sleeve on frame*

YATO	L (mm)	
YT-3201	450	12/24
YT-3202	530	12/24
YT-3203	610	12/24
YT-3204	760	12/24
YT-3206	910	12/24

Router bit set





ADDITIONAL TIP




Router bit parameter																		
Shank diameter [mm]	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
Length [mm]	43,0	38,0	38,0	50,5	42,0	43,5	51,5	49,5	51,5	58,0	58,5	56,5	52,0	58	53,5	66,0	53,0	65,0
Router bit diameter [mm]	6,35	12,7	12,7	12,7	12,7	12,7	14,3	3,175	6,35	9,5	12,7	12,7	19,0	6,35	9,5	9,5	12,7	12,7
Cutting edge length [mm]	6,0	9,5	9,5	18,0	12,7	13,0	12,3	13,0	20,0	24,5	20,3	25,0	20,4	19,5	15,0	26,0	15	25,0
Curvature radius [mm]	3,175	6,35	-	6,35	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bearing diameter [mm]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9,5	9,5	12,7	12,7
Angle [°]	-	-	45	-	-	10	14	-	-	-	-	-	-	-	-	-	-	-

Router bit parameter																		
Shank diameter [mm]	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	-
Length [mm]	65,5	55,0	51,0	55,0	50,0	52,5	54,0	55,5	60,0	60,0	56,0	60,0	52,5	58,0	53,5	57,5	61,0	-
Router bit diameter [mm]	19,0	30,0	26,0	32,0	32,0	32,0	32,0	32,0	32,0	38,0	32,0	38,0	26,0	38,0	26,0	32,0	38,0	-
Cutting edge length [mm]	26,0	14,0	9,7	13,3	6,35	8,0	9,5	15,0	18,5	20,0	16,0	19,0	12,5	17,8	11,5	16,5	20,8	-
Curvature radius [mm]	-	-	6,35	9,5	-	-	-	8,0	4,76	12,7	4,76	6,35	3,175	6,35	6,35	9,5	12,7	-
Bearing diameter [mm]	19,0	12,7	12,7	12,7	12,7	12,7	12,7	9,5	12,7	9,5	9,5	9,5	9,5	9,5	12,7	12,7	12,7	-
Angle [°]	-	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

YATO	
YT-6803	10

Router bit set





ADDITIONAL TIP






Router bit parameter												
Shank diameter [mm]	8	8	8	8	8	8	8	8	8	8	8	8
Length [mm]	42,0	47,0	47,0	43,5	50,0	51,5	51,0	52,0	58,0	51,5	58,0	56,5
Router bit diameter [mm]	12,7	12,7	9,5	12,7	12,7	9,5	12,7	16,0	6,35	6,35	9,5	12,7
Cutting edge length [mm]	12,7	14,8	11,6	13,0	12,5	20,0	20,0	9,5	19,5	20,0	24,5	25,0
Curvature radius [mm]	-	-	-	-	-	4,75	6,35	-	-	-	-	-
Bearing diameter [mm]	-	-	-	-	-	-	-	12,7	-	-	-	-
Angle [°]	-	15	10	-	45	-	-	15	-	-	-	-

Router bit parameter												
Shank diameter [mm]	8	8	8	8	8	8	8	8	8	8	8	8
Length [mm]	52,0	65,0	51,0	51,5	53,5	57,5	50,5	53,5	52,0	55,0	50,0	54,0
Router bit diameter [mm]	19,0	12,7	19,0	22,0	26,0	32,0	22,0	28,5	27,0	30,0	32,0	32,0
Cutting edge length [mm]	20,4	25,0	9,5	10,0	11,5	16,5	9,72	13,5	12,3	14,0	6,35	12,7
Curvature radius [mm]	-	-	3,2	4,76	6,35	9,5	6,35	9,5	4,0	-	-	-
Bearing diameter [mm]	-	12,7	-	12,7	12,7	12,7	9,5	9,5	9,5	12,7	12,7	12,7
Angle [°]	-	-	-	-	-	-	-	-	-	45	-	-

YATO	
YT-6801	10

Wood carving knife set







PLASTIC BOX & SLIDING CARD

YATO	
YT-75140	6/48

Pliers for hollow expansion bolts



5x ∅ 7 mm (32 mm)

5x ∅ 9 mm (37 mm)

∅ 4 mm (40 mm)

∅ 5 mm (44 mm)



YATO	
YT-51450	6/24

Pliers for hollow expansion bolts





35x ∅ 7 mm (32 mm)

10x ∅ 9 mm (52 mm)

15x ∅ 9 mm (37 mm)


∅ 4 mm (40 mm)

∅ 5 mm (58 mm)

∅ 5 mm (44 mm)



YATO	
YT-51451	3/12



Measuring tape

GRADE II | 2m 16mm | 3m 16mm | 5m 19mm | 8m 25mm | 10m 25mm





- double side printing
- self-lock

YATO	size (m)	L (mm)	
YT-71185	2	16	12/120
YT-71186	3	16	12/72
YT-71187	5	19	12/72
YT-71188	8	25	12/36
YT-71189	10	25	12/36

GRADE II | 3m 16mm | 5m 19mm | 8m 25mm





DOUBLE BLISTER



- nylon coated, two side printed, yellow steel tape
- magnetic hook

YATO	size (m)	L (mm)	
YT-7116	3	16	12/120
YT-7117	5	19	12/120
YT-7118	8	25	6/60

Measuring tape

GRADE II | 2m 16mm | 3m 16mm | 5m 19mm | 5m 25mm | 8m 25mm | 10m 25mm



DOUBLE BLISTER



- steel tape with nylon cover
- metric graduation, one side printed, white colour

YATO	size (m)	L (mm)	
YT-7149	2	16	12/144
YT-7150	3	16	12/144
YT-7151	5	19	12/96
YT-7152	5	25	12/96
YT-7153	8	25	6/48
YT-7154	10	25	6/48

Measuring tape-metric & Inch

GRADE II





YATO	size (m)	L (mm)	
YT-71140	2/6ft	16/5/8"	12/144
YT-71141	3/10ft	16/5/8"	12/144
YT-71142	3.5/12ft	19/5/8"	12/144
YT-71143	5/16ft	19/3/4"	12/96
YT-71144	5.5/18ft	25/1"	12/96
YT-71145	7.5/25ft	25/1"	12/48
YT-71146	10/33ft	25/1"	8/32

Measuring tape

AUTOMATIC STOP | GRADE II | MAGNETIC HOOK | NYLON COATED





YATO	size	
YT-71055	3Mx16mm	12/120
YT-71056	5Mx19mm	12/60
YT-71057	5Mx25mm	12/60
YT-71058	8Mx25mm	6/60
YT-71060	3Mx16mm	12/120
YT-71061	5Mx19mm	12/120
YT-71063	8Mx25mm	6/60

Measuring tape

3m 16mm | NYLON COATED | II | ABS
5m 19mm | 5m 25mm | 8m 25mm

NEW



YATO	L	size	
YT-71070	3m	16mm	12/120
YT-71071	5m	19mm	12/96
YT-71072	5m	25mm	12/72
YT-71073	8m	25mm	6/48

Fibreglass surve tape

30m 15 mm | 50m 13 mm | FIBREGLASS TAPE TAŚMA Z WŁÓKNA SZKLANEGO | SPEEDY RETRACTING SZYBSZE ZWIJANIE
ABS



YATO	size	
YT-71540	30Mx15mm	10
YT-71541	50Mx15mm	10

Long steel measuring tape

STEEL TAPE TAŚMA STALOWA | 20m 13 mm | 30m 13 mm | 50m 13 mm
ABS | SPEEDY RETRACTING SZYBSZE ZWIJANIE



- high impact-resistant ABS frame
- high-reinforced blade
- 3-times speedy retractiong

YATO	size	
YT-71560	20Mx13mm	1/20
YT-71561	30Mx13mm	1/20
YT-71562	50Mx13mm	1/20

Measuring tape

3m 16mm | NYLON COATED | II | ABS
3m 16mm | 5m 19mm

NEW



YATO	L	size	
YT-71075	3m	16mm	12/120
YT-71076	3m	16mm	12/96
YT-71077	5m	19mm	6/48

Long steel measuring tape

STEEL TAPE TAŚMA STALOWA | ABS | 30m 13 mm | 50m 13 mm



- high impact-resistant ABS frame
- high-reinforced blade

YATO	size	
YT-71551	30Mx13mm	10
YT-71552	50Mx13mm	10

Fiberglass measuring tape

FIBREGLASS TAPE TAŚMA Z WŁÓKNA SZKLANEGO | 20m 15 mm | 30m 15 mm | 50m 15 mm
ABS | SPEEDY RETRACTING SZYBSZE ZWIJANIE



- high impact-resistant ABS frame
- high-reinforced blade
- 3-times speedy retractiong

YATO	size	
YT-71565	20Mx15mm	1/40
YT-71566	30Mx15mm	1/20
YT-71567	50Mx15mm	1/20

Measuring tape

2m 16mm | 3m 16mm | 5m 19mm | 10m 25mm
7.5m 25mm | NYLON COATED | II

NEW



YATO	L	size	
YT-71150	2m	16mm	12/120
YT-71151	3m	16mm	12/120
YT-71153	5m	19mm	12/96
YT-71155	7.5m	25mm	6/48
YT-71156	10m	25mm	6/36

Fiberglass measuring tape

STEEL TAPE TAŚMA STALOWA | ABS | 30m 13 mm | 50m 13 mm



- high impact-resistant ABS frame
- high-reinforced blade
- fiberglass blade

YATO	size	
YT-71555	30Mx13mm	20
YT-71556	50Mx13mm	20

Fiberglass measuring tape

FIBREGLASS TAPE TAŚMA Z WŁÓKNA SZKLANEGO | SPEEDY RETRACTING SZYBSZE ZWIJANIE | ABS
GRADE II



YATO	size	
YT-71570	20Mx15mm	40
YT-71571	30Mx15mm	40
YT-71572	50Mx15mm	20

Steel measuring tape

ABS

NYLON COATED

GRADE II



YATO	size	
YT-71580	20Mx13mm	40
YT-71581	30Mx13mm	40
YT-71582	50Mx13mm	20

Mechanical Micrometers

RANGE ZAKRES 75-100 mm

+/- 0.01 mm





PLASTIC CASE & COLOR BOX

- accuracy comform to DIN863

YATO	range	resolution(mm)	
YT-72303	75-100	0-0.1	5/10

Digital Micrometers

RANGE ZAKRES 0-25 mm

+/- 0.002 mm

CE

SCALE SKALA- mm inch

LCD DISPLAY





PLASTIC CASE & COLOR BOX

YATO	range	resolution(mm)	
YT-72305	0-25mm/0-1"	0-0.001	50

Vernier caliper

+/- 0.02 mm

SCALE mm inch

STAINLESS STEEL





PLASTIC CASE & COLOR BOX

YATO	range (mm)	L (mm)	
YT-72002	0-150	150	50
YT-72003	0-200	200	30
YT-72004	0-300	300	20

Mechanical Micrometers

RANGE ZAKRES 0-25 mm

RANGE ZAKRES 25-50 mm

+/- 0.01 mm





PLASTIC CASE & COLOR BOX

- accuracy comform to DIN863

YATO	range (mm)	resolution(mm)	
YT-72300	0-25	0-0.1	100
YT-72301	25-50	0-0.1	50

Aluminium try square

Al

45°

90°





COLOR SLEEVE

YATO	L (mm)	
YT-7080	250	6/36
YT-7081	300	6/36
YT-7082	350	6/36

Digital caliper

RANGE 0-150 mm

+/- 0.01 mm

SCALE mm inch

BATTERY SR44 1.55V

STAINLESS STEEL





PLASTIC CASE & COLOR BOX

YATO		
YT-7205	170	10/50

Mechanical Micrometers

RANGE ZAKRES 50-75 mm

+/- 0.01 mm



- accuracy comform to DIN863

YATO	range	resolution(mm)	
YT-72302	50-75	0-0.1	50

Try square

STAINLESS STEEL STAL





YATO	L (mm)	
YT-7084	500	10/50

Aluminium ruler

Al



YATO	L (mm)	
YT-7071	600	10/50

Aluminium level

SHOCK PROOF | Al 1.5mm | HIGH QUALITY PROFILE | ACCURACY 0.057° = 1mm/m | 3 PRECISION VIALS



- aluminium, thickness 1.5mm
- accuracy 0.057°=1mm/m

YATO	L (mm)	
YT-3001	400	20/60
YT-3002	600	20/60
YT-3003	800	10/40
YT-3004	1000	10/40
YT-3005	1200	10/20

Feeler

200 mm | 12.8 mm | 17 PCS | PARALLEL ROWNOLEGŁY | TYPE A



- material: hardened spring steel

YATO	L (mm)	width	size	
YT-7221	200	12.8	0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.15, 0.20, 0.25, 0.30, 0.40, 0.50, 0.75, 1.00	10/100

SS stralghtedge

GRADE II | INOX



YATO	L (mm)	
YT-70720	150	10/50
YT-70721	300	10/50
YT-70722	500	10/50
YT-70723	600	10/50
YT-70724	1000	10/50

Aluminium level

SHOCK PROOF | Al | HIGH QUALITY PROFILE | ACCURACY 0.057° = 1mm/m | 3 PRECISION VIALS



- aluminium, thickness 1.5mm
- accuracy 0.057°=1mm/m



YATO	L (mm)	
YT-3022	600	20/60
YT-3023	800	20/60
YT-3024	1000	30
YT-3025	1200	30
YT-3026	1500	30

Feeler

100 mm | 10 mm | 10 PCS | TAPER ZBIEŻNY | TYPE A



- material: hardened spring steel

YATO	L (mm)	width	size	
YT-7222	100	10	0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.20, 0.30, 0.40, 0.50	10/100

Aluminium level

SHOCK PROOF | Al 1.5mm | HIGH QUALITY PROFILE | ACCURACY 0.027° = 0.5 mm/m | 2 PRECISION VIALS | MAGNETIC



- aluminium, thickness 1.5mm
- accuracy 0.057°=1mm/m



YATO	L (mm)	
YT-30060	400	10/40
YT-30061	600	10/40
YT-30062	800	10/30
YT-30063	1000	10/20
YT-30064	1200	10/20

Feeler

100 mm | 10 mm | 17 PCS | TYPE B



- material: hardened spring steel

YATO	L (mm)	width	size	
YT-7220	100	10	0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.15, 0.20, 0.25, 0.30, 0.40, 0.50, 0.75, 1.00	10/200

Feeler

200 mm | 12.8 mm | 14 PCS | PARALLEL ROWNOLEGŁY | TYPE A



- material: hardened spring steel

YATO	L (mm)	width	size	
YT-7223	200	12.8	0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.15, 0.20, 0.25 0.30, 0.35, 0.40 0.45, 0.50	10/100

Distance measuring wheels

RANGE / ZAKRES 0.1-9999.9 m | ø 160 mm | +/- 0.5% | AI





YATO	
YT-71650	8

Stud finder







HANGING COLOR BOX

YATO	
YT-73131	20

Crossline laser level

635 Nm LASER DIODE / DŁUGOŚĆ FALI | CLASS II / KLASA | IP54 | 20 m WORKING RANGE / ZAKRES PRACY | ±1.5 mm/5 m LASER ACCURACY / DOKŁADNOŚĆ LASERA | 1/4" (6.3 mm) 5/8" (15.9 mm) TRIPOD THREAD / WYMIAR GWINTU STATYWU | ±3° SAMOREGULACJA / SELF-LEVELING RANGE | 30 h WORK TIME / CZAS PRACY | 4.5V 3x AA | -15°C~40°C WORK TEMPERATURE / TEMPERATURA PRACY








NYLON CASE & COLOR BOX

YATO	
YT-30425	12

Laser distance meter

60 m | 0.2-60 m +/- 2 mm | 10 MODES / TRYBÓW | CONSTANT ANGLE PITCH MEASUREMENT / CIĄGŁY POMIAR KĄTA NACHYLENIA | 20 MEMORY / PAMIĘĆ | IP65 | USB TYPE C











YATO	
YT-73127	20

Laser distance meter

40 m | 0.2-40 m +/- 2 mm | 10 MODES / TRYBÓW | CONSTANT ANGLE PITCH MEASUREMENT / CIĄGŁY POMIAR KĄTA NACHYLENIA | 20 MEMORY / PAMIĘĆ | IP65 | USB TYPE C









YATO	
YT-73126	20

5-point laser level

635 Nm LASER DIODE / DŁUGOŚĆ FALI | CLASS II / KLASA | IP54 | 20 m WORKING RANGE / ZAKRES PRACY | ±1.5 mm/5 m LASER ACCURACY / DOKŁADNOŚĆ LASERA | 1/4" (6.3 mm) 5/8" (15.9 mm) TRIPOD THREAD / WYMIAR GWINTU STATYWU | ±3° SAMOREGULACJA / SELF-LEVELING RANGE | 30 h WORK TIME / CZAS PRACY | 4.5V 3x AA | -15°C~40°C WORK TEMPERATURE / TEMPERATURA PRACY








NYLON CASE & COLOR BOX

YATO	
YT-30427	12



Twin hammer impact wrench

1/2" 12.5mm | 1/4" 6.3mm | 680 Nm | 10000 min-1 | 0.63 MPa | 165 l/min





130 mm
SHORT BODY



- square driver 1/2", idle speed 1650 min-1
- twin hammer
- max. torque: 680 Nm

COLOR BOX

YATO	Nm		
YT-09513	680	1550	10


Twin hammer impact wrench

1/2" 12.5mm | STANDARD | 470 Nm | 8500 min-1 | 380 l/min | 0.63 MPa

NEW



470 Nm
SINGLE HAMMER TYPE



YATO	Nm		
YT-09514	470	2050	10

Twin hammer impact wrench


1/2" 12.5mm | STANDARD | 600 Nm | 9800 min-1 | 350 l/min | 0.63 MPa

COMPOSITE BODY
KOMPOZYTOWA OBUDOWA

NEW




600 Nm
TWIN HAMMER TYPE



YATO	Nm		
YT-09506	600	1918	10

Twin hammer impact wrench

1/2" | 119 l/min | 0.63 MPa | 550 Nm | 1/4" | TWIN HAMMER TYPE | 7500 min-1 | CE







- square driver 1/2", idle speed 1190 min-1
- twin hammer
- max. torque: 550 Nm

COLOR BOX




YATO	Nm		
YT-09511	550	2680	8

Twin hammer impact wrench

1/2" 12.5mm | STANDARD | 0.6-0.8 MPa | 850 Nm | 7000 min-1 | 119 l/min







YATO	Nm		
YT-09525	850	2700	6

Twin hammer impact wrench

1/2" | 127.5 l/min | 0.62 MPa | 475 Nm | COMPOSITE BODY
1/4" | TWIN HAMMER TYPE | 10000 min-1 | CE

COLOR BOX



- composite housing, square drive 1/2",idle speed 10000 min-1
- twin hammer
- max. torque: 475Nm

YATO	Nm		
YT-0950	475	1280	10

Twin hammer impact wrench

3/4" | 660 l/min | 0.62 MPa | 1300 Nm
3/8" | TWIN HAMMER TYPE | 5000 | CE

COLOR BOX




- square driver 3/4", idle speed 6600 min-1
- dyna-pact type
- max. torque: 1300 Nm

YATO	Nm		
YT-09564	1300	4500	4

Pneumatic wrench

1" | 1/2" | 560 l/min | PINE LESS HAMMER TYPE
0.63 MPa | 4000 min-1 | 2600 Nm | CE

PINLESS HAMMER™
closed hammer cage mechanism prevents breakage from hammer pin damage



L_{pA} = 99,7 ± 1,0 dB;
L_{wA} = 110,4 ± 1,0 dB;
a_h = 24,16 ± 1,74 m/s²

BMC & COLOR SLEEVE



- application: automotive service stations, trucks
- short anvil, squeare drive 1", idle speed 4.000 min-1
- setting with 3 forward and 3 reverse speed
- max torque: 2600Nm

YATO	Nm		
YT-0959	2600	10800	2

Twin hammer impact wrench

1/2" 12.5mm | 6000 min-1
1000 Nm | 120 l/min
0.63 MPa
TWIN HAMMER TYPE



- max. torque: 1000N.m
- idle speed 6000 min-1

YATO	Nm		
YT-09528	1000	2800	6

Twin hammer impact wrench

3/4" | 195 l/min | 0.62 MPa | 1626 Nm | COMPOSITE BODY
1/4" | TWIN HAMMER TYPE | 5750 min-1 | CE

COLOR BOX




- composite housing, square drive 3/4", idle speed 5750 min-1
- twin hammer
- max torque: 1626Nm

YATO	Nm		
YT-0957	1626	3270	2

Pneumatic wrench

1" | 1/2" | 560 l/min | PINE LESS HAMMER TYPE
0.63 MPa | 4000 min-1 | 2600 Nm | CE

PINLESS HAMMER™
closed hammer cage mechanism prevents breakage from hammer pin damage



BMC & COLOR SLEEVE

- application: automotive service stations, trucks
- long anvil, squeare drive 1", idle speed 4.000 min-1
- setting with 3 forward and 3 reverse speed
- max torque: 2600Nm

YATO	Nm		
YT-0960	2600	13000	2

Twin hammer impact wrench

1/2" | 153 l/min | 0.63 MPa | 1356 Nm | COMPOSITE BODY
1/4" | TWIN HAMMER TYPE | 10000 min-1 | CE

COLOR BOX



- composite housing, square drive 1/2",idle speed 10000 min-1
- twin hammer
- max. torque: 1356Nm

YATO	Nm		
YT-0953	1356	2100	10

Twin hammer impact wrench

1/2" 12.5mm | TWIN HAMMER TYPE | 0.63 MPa
500 l/min | 850 Nm | 6800 min-1
COMPOSITE BODY | STANDARD

NEW



TWIN HAMMER™
mechanism ensuring resilience to damage and overload

COLOR BOX

YATO	Nm	
YT-09531	850	10

Pneumatic wrench

1" 25mm | STANDARD 1/2 | 355 l/min
3200 Nm | 3500 min-1 | 0.6-1 MPa





YATO	Nm	
YT-09615	3200	1

Ratchet air wrench

1/2" 12.5mm | 0.63 MPa | 85 l/min | 80 Nm | 200 min⁻¹ | STANDARD

NEW





YATO	Nm	
YT-09802	80	12

Ratchet air wrench

1/2" 12.5mm | 160 min⁻¹ | 360° | SPEED REGULATOR | 80 Nm | 142 l/min | 1.4 kg ULTRA LIGHT | STANDARD | 0.63 MPa | COMPOSITE BODY





ULTRA LIGHT

YATO	Nm		
YT-09803	80	1350	12

Ratchet air wrench

1/2" | 68 Nm | 110 l/min | 1/4" | 0.62 MPa | 160 min⁻¹ | CE

COLOR BOX





YATO	Nm		
YT-0980	68	1200	20

Ratchet air wrench

1/2" | 95 Nm | 0.62 MPa | 160 min⁻¹ | 71 l/min | 1/4" | CE






YATO	Nm		
YT-0984	95	1256	15

Air grinder

CE | 160 l/min | 0.62 MPa | 1/4" | 20000 min⁻¹ | Ø3 6mm






YATO		
YT-0965	750	25

Ratchet air wrench

3/8" | 34 Nm | 0.62 MPa | 300 min⁻¹ | 51 l/min | 1/4" | CE

COLOR BOX





YATO	Nm		
YT-0983	34	480	20

Ratchet wrench kit

1/2" | 68 Nm | 110 l/min | 1/4" | 0.62 MPa | 160 min⁻¹ | CrV | OILER POT | CE





- 1/2", L=75 mm;
- 6 mm x1/2";
- 1/2";
- H4, H5, H6, H7, H8;
- T20, T25, T27, T30, T40;
- 5.5, 6.5, 8.0 mm;
- PH2, PH3, PH4;
- 10, 11, 12, 13, 14, 17, 19 mm

YATO	Nm		
YT-0982	68	2900	4

Ratchet air wrench

1/4" 6.3mm | 113 l/min | 27 Nm | SPEED REGULATOR | 0.63 MPa | 180 min⁻¹ | 360° | 0.5 kg ULTRA LIGHT | STANDARD | COMPOSITE BODY





- max torque: 27Nm
- idle speed 180 min-1

ULTRA LIGHT

YATO	Nm		
YT-09795	27	520	20

Mini air angle die grinder

0.63 MPa | 113 l/min | 20000 min⁻¹ | STANDARD | 6 mm | 360° | SPEED REGULATOR | 0.48 kg ULTRA LIGHT | COMPOSITE BODY






ULTRA LIGHT

YATO		
YT-09676	510	30

Air grinder

113 l/min | 0.62 MPa | 6mm | 1/4" | 20000 min⁻¹ | CE





YATO		
YT-0963	550	20

Air drill

0.63 MPa | 141 l/min | 20000 min⁻¹ | SPEED REGULATOR | ∅ [max] 10mm | 360° | STANDARD | 0.66kg ULTRA LIGHT | COMPOSITE BODY



ULTRA LIGHT



YATO		
YT-09695	680	20

Reversible air drill

0.63 MPa | 0-1800 min⁻¹ | 1/4" | max. ∅ 10mm | CE







YATO	
YT-09702	12

Air grinder

0.63 MPa | 113 l/min | 25000 min⁻¹ | ∅ 6 mm | 360° | SPEED REGULATOR | 0.33kg ULTRA LIGHT | COMPOSITE BODY | STANDARD





YATO		
YT-09633	350	40

Air saw with accessories

0.63 MPa | 170 l/min | 1/4" | CE | 9000 min⁻¹ | STANDARD





YATO		
YT-09955	540	20

Reversible air drill

180 l/min | 0.62 MPa | 1/4" | 0-1800 min⁻¹ | max. ∅ 10mm | CE



- jacobs chunck
- max hole size 3/8"(10mm)



YATO		
YT-0970	1200	20

Die grinder kit

11 PCS | 0.62 MPa | 20000 min⁻¹ | CE | 113 l/min | 1/4" | ∅ 6mm





YATO		
YT-0964	700	10

Air saw with accessories

0.62 MPa | 196 l/min | 1/4" | CE



YATO		
YT-09951	740	10

Reversible air drill

0.62 MPa | 113 l/min | 1/4" | 700 l/min | CE





YATO		
YT-09701	1450	10

Air hammer

0.62 MPa | 113 l/min | 1/4" | T 3200 min⁻¹ | CE





- blows per minute 3200min-1

YATO		
YT-0990	2300	10

Air sander

230 l/min | 0.62 MPa | 1/4" | 9000 min⁻¹ | ⌀ mm 150 | ECCENTRIC | CE





- idle speed 9000 min-1
- pad size 6" (150 mm) with velcro

YATO		
YT-0967	2000	10

Angle polisher

0.63 MPa | 113 l/min | 20000 min⁻¹ | 2.5 mm ECCENTRIC | SPEED REGULATOR | COMPOSITE BODY | 50 ⌀ [mm]





YATO		
YT-09730	850	10

Air hammer

0.63 MPa | 85 l/min | T 3500 min⁻¹ | STANDARD | NEW



L_{pA} = 94,3 ± 3 dB;
L_{wA} = 105,3 ± 3 dB;
a_h = 29,67 ± 1,5 m/s²



YATO	
YT-09903	12

Angle polisher

0.63 MPa | 84 l/min | 1/4" | 12000 min⁻¹ | CE | 2.5 mm ECCENTRIC | 150 ⌀ [mm] | 360° ROTATE





YATO	size		
YT-09739	6"	960	10

Air needle scaler

0.63 MPa | 113 l/min | 1/4" | 4500 min⁻¹ | CE





YATO		
YT-09910	2370	8

Air hammer

0.63 MPa | 113 l/min | 1/4" | T 4500 min⁻¹ | CE | 0.95 kg ULTRA LIGHT | COMPOSITE BODY





YATO		
YT-09904	1060	10

Air angle grinder

0.62 MPa | 963 l/min | 1/4" | CE





YATO	size		
YT-09680	4"	1700	10
YT-09681	5"	1700	10

Air cut-off tool

0.8 MPa | 170 l/min | 18000 min⁻¹ | 360° ROTATE | SPEED REGULATOR | 2 mm | 0.7 kg ULTRA LIGHT | COMPOSITE BODY | ⌀75 mm 9.5 mm | STANDARD





YATO		
YT-09717	760	20

Air cut-off tool

0.63 MPa | 481 l/min | 20000 min⁻¹ | ⌀76 mm | STANDARD

NEW



L_{pA} = 91,7 ± 3,0 dB;
L_{wA} = 102,7 ± 3,0 dB;
a_h = 4,67 ± 1,5 m/s²



YATO	
YT-09716	12

Air cut-off tool

0.62 MPa | 480 l/min | 1/4" | ⌀75 mm | 18000 min⁻¹ | CE



- 3" arr cut-off tool
- quickly cut off mufflers and tail pipes
- idle speed 18000 min-1
- average air consumption 17 CFM



YATO		
YT-0993	900	20

Angle polisher

0.62 MPa | 226 l/min | 1/4" | 0-2500 min⁻¹ | CE





YATO	size		
YT-09755	7"	1910	10

Air belt sander

20000 min⁻¹ | STANDARD | 170 l/min | 0.63 MPa | BELT SIZE 10x330mm







YATO	belt size/rozmiar pasa(mm)	
YT-09741	10x330	10

Metal cutting disc set

5 PCS | ⌀75 mm | 9.5 mm | 2 mm

for YT-0993





YATO		
YT-0994	20	12/48

Spot drill & hook

0.62 MPa | 300 l/min | 1/4" | 18000 min⁻¹ | CE




YATO	
YT-09711	10

Air belt sander

20000 min⁻¹ | STANDARD | 200 l/min | 0.63 MPa | BELT SIZE 20x520mm







YATO	belt size/rozmiar pasa(mm)	
YT-09742	20x520	10

Sanding belt





- application: metal, wood
- abrasive: aluminium oxide
- bond: synthetic resin
- coating: close

YATO	size	
YT-09745	10x330mm	100
YT-09748	20x520mm	50

Air sand blaster

1/4" | ⌀6.3 mm | 160 l/min | Al | 6.3 mm | 1m HOSE WAZ | 0.80 MPa | CE





YATO	
YT-2375	10

Spray gun with fluid cup

ø 1.5 mm | 410 l/min | 0.30 MPa | 0.6L | HVLP

COLOR BOX



YATO	
YT-2341	20

Spray gun with fluid cup

0.1L | 80 l/min | ø 1.0 mm | 0.25 MPa



YATO		
YT-2355	360	20

Inflating gun with extension

0.85l | Al | 130 l/min | 0.80 MPa

COLOR BOX



YATO	
YT-2374	2/12

Spray gun with fluid cup

ø 1.8 mm | 380 l/min | 0.40 MPa | 1.0l

COLOR BOX



YATO	
YT-2346	10

Spray gun with fluid cup

ø 0.8 mm | 220 l/min | 0.30 MPa | 0.1L | HVLP

COLOR BOX



YATO	
YT-2357	20

Plastic tank

0.6L



YATO	volume		
YT-2363	0.6L	180	20
YT-2364	0.1L	60	100

Gun suitable for sand-blasting

1.0l | Al | 160 l/min | 0.80 MPa

COLOR BOX




YATO	
YT-2376	20

Spray gun with fluid cup

0.6L | ø 1.3 mm | 380 l/min | 0.30 MPa | HVLP | CE





YATO		
YT-2351	990	10

Nozzle set

ø 1.4 mm



- 3 pcs: needle, paint nozzle, air cap

YATO		
YT-2361	130	80

Inflating gun with extension

1/4" | 6.3 mm | 0.8 MPa (max.) | Al | CE | 25 mm | 215 mm | COLOR BOX





YATO		
YT-2373		20/40

Pneumatic riveting machine

0.70 MPa | 180° 1/4" 6.3 mm | 60 l/min | x3 | x3





L_{pA} = 87,2 ± 2,3 dB;
L_{wA} = 94,5 ± 3,0 dB;
a_h = 0,54 ± 0,15 m/s²

YATO	Ø (mm)	L (mm)	F (kg)	F (N)	
YT-36177	4.0; 4.8; 5.0; 6.4	20	1255	12300	10

Inflating gun with extension

0.8 MPa (max.) | PP | 110 mm | STANDARD





L_{pA} = 89 dB;
L_{wA} = 100 dB;
a_h = < 2,5 m/s²

YATO	L(mm)	
YT-23731	110	20/40

Penumatic grease gun continuous model

0.63 MPa | 1/4" | 400 cm³ | 220 l/min | STANDARD





YATO	size	
YT-07057	400cc	10

Pneumatic stapler

0.7 MPa | 6-16 mm | STANDARD



COLOR BOX



L_{pA} = 88 ± 2,5 dB;
L_{wA} = 99 ± 2,5 dB;
a_h = 3,5 ± 1,5 m/s²

YATO	
YT-09201	10

Inflating gun with extension

0.8 MPa (max.) | 320 mm | PP | STANDARD | BRASS MOSIĄDZ





L_{pA} = 89 ± 2,5 dB;
L_{wA} = 100 ± 2,5 dB;
a_h = < 2,5 m/s²

YATO	L(mm)	
YT-23732	320	30/60

Pneumatic riveting machine

0.70 MPa | 180° 1/4" 6.3 mm | 54 l/min | x3 | x3





L_{pA} = 83,6 ± 1,9 dB;
L_{wA} = 97,4 ± 2,8 dB;
ah = 0,66 ± 0,21 m/s²

YATO	Ø(mm)	L (mm)	F (kg)	F (N)	
YT-36171	2.4; 3.2; 4.0; 4.8; 5.0	18	1060	10400	10

Pneumatic stapler

0.8 MPa | 10-50 mm | 25-40 mm | STANDARD



COLOR BOX



L_{pA} = 87,8 ± 2,5 dB;
L_{wA} = 100,8 ± 2,5 dB;
a_h = 2,91 ± 1,5 m/s²

YATO	
YT-09203	10

Inflating gun with extension

0.8 MPa (max.) | 520 mm | PP | STANDARD | BRASS MOSIĄDZ





L_{pA} = 89 ± 2,5 dB;
L_{wA} = 100 ± 2,5 dB;
a_h = < 2,5 m/s²

YATO	L(mm)	
YT-23733	520	30/60

Tire-inflating gun



YATO	
YT-23701	20

Tire-inflating gun



YATO	
YT-2370	8/40

Digital air tire inflating gun



YATO	size(mm)	
YT-23702	440	40

Mini filter



YATO	
YT-2380	25/50

Pressure reducing valve with manometer



YATO	
YT-2384	25/50

Filter - reducer



YATO	
YT-2383	25/50

Filter - reducer



YATO	
YT-2382	25/50

Air regulator with lubricatior,gauge/filter



YATO	
YT-2385	25/50

Pneumatic hose reel



YATO	size	
YT-24240	10MMX15M	2

Pneumatic hose reel



YATO	size	
YT-24242	10M	4

Pneumatic hose reel



YATO	size	
YT-24243	14M	4

Pneumatic hose reel



YATO	
YT-24250	1

Quick coupler



YATO	size	
YT-2390	1/4"(6.3mm)	50/250
YT-2391	3/8"(10.0mm)	50/250
YT-2392	1/2"(12.5mm)	50/250

Quick coupler



YATO	size	
YT-2393	1/4"(6.3mm)	50/250
YT-2394	3/8"(10.0mm)	50/250
YT-2395	1/2"(12.5mm)	50/250

Quick coupler



YATO	size	
YT-2396	1/4"(6.3mm)	50/250
YT-2397	3/8"(10.0mm)	50/250
YT-2398	1/2"(12.5mm)	50/250

Quick coupler



YATO	size	
YT-2399	1/4"(6.3mm)	50/250
YT-2401	3/8"(10.0mm)	50/250
YT-2402	1/2"(12.5mm)	50/250

Quick coupler



YATO	size	
YT-2403	1/4"(6.3mm)	50/250
YT-2404	3/8"(10.0mm)	50/250


Quick coupler



YATO	size	
YT-2405	1/4"(6.3mm)	50/250
YT-2406	3/8"(10.0mm)	50/250
YT-2407	1/2"(12.5mm)	50/250



Roller cabinet







- 6 drawers w/o tools
- self-lock drawers, with 2 keys
- plastic worktop, non-slip,max load 450kgs
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	
YT-0902	958x766x465	60	1

Service tool cabinet with tools



WHITE CARTON BOX & COLOR LABEL







1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm; CrV 50BV30; 1/2" (12.7 mm); (255 mm); 72T; CrV 6140; 1/2" (12.7 mm); (255 mm); CrV 50BV30; 1/2" (12.7 mm); (127 mm); CrV 50BV30; 1/2" (12.7 mm); CrV 50BV30; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm; CrV; 22, 24, 27, 28, 30, 32 mm; CrV

1/2" (12.7 mm): E10, E12, E14, E16, E18, E20 (L=38 mm); CrV 50BV30; M5, M6, M7, M10, M12 (L=30 mm); AISI S2; 1/2" (12.7 mm): 10 mm; CrV 6150; 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 mm; CrV 6150; T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150; 180 mm; 160 mm; 160 mm LONG NOSE; 160 mm BENT NOSE; 3x75, 4x100, 5x75, 6x100 mm; S2; 1.4x50, 2.0x50, 2.4x50 mm; PH00x50, PH0x50, PH1x50 mm; S2; PH0x75, PH1x75, PH2x100 mm; S2

300 g (L=300 mm); 40 mm (L=350 mm); 10x8x142 mm, 12x10x152 mm, 16x13x172 mm; 250 mm; CrV; 125 mm; CrMo; 300 mm; CrV; 140 mm; 200 mm; 19 mm x 20 m; 4x190 mm; 250 V; 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0 mm

#2, 200 mm; #2, 200 mm; #2, 200 mm; #2, 200 mm; #2, 200 mm;

300 mm; 2 m; 3m x 16 mm; 0.02-1.00 mm;

2.4, 3.2, 4.0, 4.8 mm;

9.6x3.2, 9.6x4.0, 12.7x4.0, 9.6x4.8, 12.7x4.8 mm

- Lightweight tool cabinet auti-skid desktop general standard hanging holes
- industrial universal wheel with brake two-tone EVA module

YATO	size (mm)	kg	
YT-55291	932X665X453	63	1

Roller cabinet with tools

211 pcs / 5 TRAY WKŁAD | 980x770 x465 mm | 7x | BALL BEARING ŁOŻYSKA KULKOWE | 20kg 10kg | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP POLYPROPYLENE WORKTOP ANTYPOŚLIZGOWY POLIPROPYLENOWY BLAT | CENTRAL LOCK CENTRALNY ZAMEK | WHEEL Ø 125 mm KÓŁKA | CORNER BUMPERS NAROŻNE ODBOJNIKI | 3x | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | 2x BRAKE HAMULCE | DOUBLE WALLS PODWÓJNE ŚCIANY

WHITE CARTON BOX & COLOR LABEL








- self-locking function for each draewr
- auti-skid desktop,humanized pushing handle
- bench vice can be installed
- general standard hanging holes
- rubber protection anti-collision
- industrial universal wheel with brake
- two-tone EVA module









1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 (L=38 mm); 27, 30, 32 mm (L=42 mm), 1/4" (6.3 mm): 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 (L=25 mm); CRV 50BV30;

1/2" (12.7 mm): 10, 13, 14, 15, 17, 19, 21 mm (L=76 mm), 1/4" (6.3 mm): 6, 7, 8, 9, 10, 11, 12, 13 (L=50 mm); CRV 50BV30;

1/2" (12.7 mm): E10, E11, E12, E14, E16, 1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;

1/2" (12.7 mm); (127, 254 mm), 1/4" (6.3 mm); (50.8, 101.6 mm); CRV 50BV30;

1/2" (12.7 mm); CRV 50BV30;

1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (152.4 mm); CRV 50BV30;

1/2" (12.7 mm); (255 mm), 1/4" (6.3 mm); (155 mm); CRV 6140;

1/4" (6.3 mm); (150 mm); CRV 50BV30;

1/4" (6.3 mm): 4, 5.5, 6.5 mm; AISI S2 / CrV 6150;

1/4" (6.3 mm): PH1 (x2), PH2 (x2), PH3; AISI S2 / CrV 6150;

1/4" (6.3 mm): PZ1, PZ2, PZ3; AISI S2 / CrV 6150;

1/2" (12.7 mm): 16, 21 mm; CRV 50BV30;

1/4" (6.3 mm): T8, T10, T15, T20, T25, T30, T40; AISI S2 / CrV 6150;

1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150

200 mm; CrV; ø3-6 mm (L=52 mm), 6-8 (L=58 mm), 8-11 (L=66 mm), 11-14 (L=75 mm), ø14-18 (L=80 mm), 18-25 (L=88 mm);

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm; CrV;

T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;

2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 mm; CrV 6150

6.0x38, 2.0x75, 3.0x75, 4.0x100, 5.0x100, 6.0x100 mm; S2; PH0x100, PH1x100, PH2x38, PH2x150, PH3x150 mm; S2; T7x75, T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100 mm; S2;
6.0x150 mm; PH2x150 mm; CrV 6150

180 mm; 340 g; 160 mm;

200 mm; 12.5x152, 16.0x172 mm; CrV 6150;

250 mm; 3.0x150, 4.0x150, 5.0x150, 6.0x150, 8.0x150 mm; CrV 6150;CrV 6150;

400 g; 8.0x112 mm; CrV 6150;

M3x0.5 (x3), M4x0.7 (x3), M5x0.8 (x3), M6x1.0 (x3), M7x1.0 (x3), M8x1.25 (x3), M10x1.5 (x3), M12x1.75 (x3), HSS M2;

3mx16 mm; 0-150 mm; 300 mm;

M3, M4x0.7, M5x0.8, M6x1.0, M7x1.0, M8x1.25, M10x1.5, M12x1.75, HSS M2;

M3-M12; 1 LED;

M7-M9; #2, 200 mm; #2, 200 mm; #2, 200 mm;

YATO	size (mm)		
YT-55290	980x770x465	72	1

Service tool cabinet with tools

189 PCS / 14 TRAY / WKŁAD | 958x766 x465 mm | 7x | BALL BEARING / KOŁYSKA KULKOWE | DRAWERS LOCKING / BLOKADA SZUFLAD | NON SLIP POLYPROPYLENE WORKTOP / ANTIPOŚLIZGOWY POLIPROPYLENOWY BLAT | CENTRAL LOCK / CENTRALNY ZAMEK | WHEELS Ø 125 mm | CORNER BUMPERS / NAROŻNE ODBOJNIKI | 3x | UNIVERSAL PERFORATION / UNIWERSALNA PERFORACJA | 2x BRAKE / HAMULCE | DOUBLE WALLS / PODWÓJNE ŚCIANY

WHITE CARTON BOX & COLOR LABEL





YT-5531



YT-5532



YT-5538



- self-locking function for each draewr
- auti-skid desktop,humanized pushing handle
- bench vice can be installed
- general standard hanging holes
- rubber protection anti-collision
- industrial universal wheel with brake
- two-tone EVA module

YT-5537



YT-5534



YT-5540



YT-55455



YT-55469



YT-55444



YT-55465



YT-55443



YT-55453



YT-55471



YT-55478



H4, H5, H6, H7, H8, H10, H12 (L=30 mm); H4, H5, H6, H7, H8, H10, H12 (L=75 mm); AISI S2; M5, M6, M7, M10, M12 (L=30 mm); M5, M6, M7, M10, M12 (L=75 mm); AISI S2; T20, T25, T30, T40, T45, T50, T55 (L=30 mm); T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2; 1/2" (12.7 mm), 3/8" (9.5 mm); 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm; CrV; 22, 24, 27, 28, 30, 32 mm; CrV

1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm; CrV 50BV30; 1/2" (12.7 mm); (255 mm); 72T; CrV 6140; 1/2" (12.7 mm); (255 mm); CrV 50BV30; 1/2" (12.7 mm); (127 mm); CrV 50BV30; 1/2" (12.7 mm); CrV 50BV30; 180 mm; 160 mm; 160 mm LONG NOSE; 160 mm BENT NOSE; 300 g (L=300 mm); 40 mm (L=350 mm); 10x8x142 mm, 12x10x152 mm, 16x13x172 mm

3x75, 4x100, 5x75, 6x100 mm; S2; 1.4x50, 2.0x50, 2.4x50 mm; PH00x50, PH0x50, PH1x50 mm; PH0x75, PH1x75, PH2x100 mm; S2; 200, 250 mm; CrV; 250 mm; CrMo; 180 mm; CrV

3x: M3x0.5, M4x0.7, M5x0.8, M6x1.0, M7x1.0, M8x1.25, M10x1.5, M12x1.75; M3x0.5, M4x0.7, M5x0.8, M6x1.0, M7x1.0, M8x1.25, M10x1.5, M12x1.75; 0.5 – 1.75 mm; 27G; 28G; M7-M9; M3-M12;

180 mm; EXTERNAL STRAIGHT;
180 mm; INTERNAL STRAIGHT;
180 mm; EXTERNAL BENT;
180 mm; INTERNAL BENT;

#2, 200 mm; #2, 200 mm; #2, 200 mm; #2, 200 mm; #2, 200 mm

140 mm; 200 mm;
19 mm x 20 m; 4x190 mm; 250 V;
1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0 mm;
1"(25 mm), L=330 mm; 250 mm;
2.4, 3.2, 4.0, 4.8 mm;
9.6x3.2, 9.6x4.0, 12.7x4.8 mm

YATO	size (mm)	kg	
YT-55292	958X766X465	81	1


Roller cabinet with tools

267 pcs | 5 tray wkład | 958x766 x465 mm | 7x | BALL BEARING ŁOŻYSKA KULKOWE | 10kg 10kg 10kg | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP ANTYPOŚLIZGOWY POLIPROPYLENOWY BLAT | CENTRAL LOCK CENTRALNY ZAMEK | 4 wheels Ø 125 mm | CORNER BUMPERS NAROŻNE ODBOJNIKI | 3x | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | 2x BRAKE HAMULCE | DOUBLE WALLS PODWÓJNE ŚCIANY

WHITE CARTON BOX & COLOR LABEL







- self-locking function for each draewr
- auti-skid desktop,humanized pushing handle
- bench vice can be installed
- general standard hanging holes
- rubber protection anti-collision
- industrial universal wheel with brake
- two-tone EVA module









1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,21, 22, 23,24 (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13 ,14,15,16 (L=28 mm),17,18,19 (L=30 mm); CRV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 ,14 (L=25 mm); CRV 50BV30;

1/4" (6.3 mm): ,4,,5,,6, 7, 8, 9, 10, 11, 12, 13,14 (L=50 mm);CRV50BV30;

3/8" (9.5 mm): E10,E12, E14, E16,
1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;

1/4" (6.3 mm); (150 mm); CRV 50BV30;
1/4" (150 mm); CRV 50BV30;

1/2" (12.7 mm); CRV 50BV30;
3/8" (9.5 mm): CRV 50BV30;
1/4" (6.3 mm): CRV 50BV30;

1/2" (12.7 mm); (255 mm), CRV 6140;
3/8" (9.5 mm): (200 mm), CRV 6140;
1/4" (6.3 mm); (155 mm); CRV 6140;

1/2" (12.7 mm); (76,127, 254 mm), CRV 50BV30;
3/8" (9.5 mm): (42,76, 152.4 mm),CRV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm);CRV 50BV30;

1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV ;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;

250 mm; 160 mm;

1/2" (12.7 mm); (255 mm), CRV 50BV30;

180 mm; 250 mm;

1/4" (6.3 mm): PH1 , PH2 ; AISI S2 / CrV 6150;
1/4" (6.3 mm): 4, 5.5 mm;AISI S2 / CrV 6150;

160 mm;

1/4" (6.3 mm): T6,T7,T8, T9,T10, T15, T20, T25, T27,T30, T40; AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40,T45, T50 ; AISI S2 / CrV 6150;
1/2" (12.7 mm): T20, T25, T27,T30, T40,T45, T50,T55,T60;T30X100,T40X100,T45X100,T52;AISI S2 / CrV 6150;

1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150
3/8" (9.5 mm): 6, 7, 8,10 mm ; 9x92 mm;AISI S2 / CrV 6150
1/2" (12.7 mm): 4, 5, 6, 7, 8 ,9,10,12,14 mm;5x100,6x100,8x100 mm; AISI S2 / CrV 6150

1/2" (12.7 mm): M5,M6,M8,M10,M12;M6x100,M8x100,M10x100,M12x100 mm; AISI S2 / CrV 6150

6,7,8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 ,27,30,32 mm; CrV;

6x7;8x9;10x11;12x13;14x15;16x17;18x19;22x24 mm;CrV;

E6XE8,E10XE12,E14XE18,E20XE24; CrV 6150;

6.0x38, 2.0x75, 3.0x75, 6.0x100 mm; S2; PH0x75, PH1x150, PH2x38, S2; T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100,T30x100 mm; S2;

6.0x100,6.0x150,8.0x200 mm; PH2x100,PH2x150 mm; CrV 6150

Ø 500 g; 35 mm; 180 mm;

T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm; CrV 6150

18 mm; 200 mm;

140 mm; 200 mm;

Ø 3.8x150, 3.3x120, 5.5x130,12x130,L 120 mm; CrV ;

M14x80mm,M16x80; CrMo ; 200 mm;

1.0 kg x 400 mm;

20 - 200 Nm;

8 mm,10 mm,13 mm;

17 mm,19 mm; 6p/36 mm,14p/74 mm;

13LED; 16 mm;

100x17 mm; 10x10;

YATO	size (mm)	kg	
YT-55294	958x766x465	72	1

Roller cabinet with tools




The Ultimate Driving Machine


WHITE CARTON BOX & COLOR LABEL







- self-locking function for each draewr
- auti-skid desktop,humanized pushing handle
- bench vice can be installed
- general standard hanging holes
- rubber protection anti-collision
- industrial universal wheel with brake
- two-tone EVA module









1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,21, 22, 23,24 (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13 ,14,15,16 (L=28 mm),17,18,19 (L=30 mm); CRV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 ,14 (L=25 mm); CRV 50BV30;

1/4" (6.3 mm): ,4,,5,,6, 7, 8, 9, 10, 11, 12, 13,14 (L=50 mm);CRV50BV30;

3/8" (9.5 mm): E10,E12, E14, E16,
1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;

1/4" (6.3 mm); (150 mm); CRV 50BV30;
1/4" (150 mm); CRV 50BV30;

1/2" (12.7 mm); CRV 50BV30;
3/8" (9.5 mm): CRV 50BV30;
1/4" (6.3 mm): CRV 50BV30;

1/2" (12.7 mm); (255 mm), CRV 6140;
3/8" (9.5 mm): (200 mm), CRV 6140;
1/4" (6.3 mm); (155 mm); CRV 6140;

1/2" (12.7 mm); (76,127, 254 mm), CRV 50BV30;
3/8" (9.5 mm): (42,76, 152.4 mm),CRV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm);CRV 50BV30;

1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV ;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;

250 mm; 160 mm;

1/2" (12.7 mm); (255 mm), CRV 50BV30;

180 mm; 250 mm;

1/4" (6.3 mm): PH1 , PH2 ; AISI S2 / CrV 6150;
1/4" (6.3 mm): 4, 5.5 mm;AISI S2 / CrV 6150;

160 mm;

1/4" (6.3 mm): T6,T7,T8, T9,T10, T15, T20, T25, T27,T30, T40; AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40,T45, T50 ; AISI S2 / CrV 6150;
1/2" (12.7 mm): T20, T25, T27,T30, T40,T45, T50,T55,T60;T50x200,T55x200 mm;T60x200 AISI S2 / CrV 6150;

1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150
3/8" (9.5 mm): 6, 7, 8,10 mm ;9x92,7x36 mm; AISI S2 / CrV 6150
1/2" (12.7 mm): 4, 5, 6, 7, 8 ,9,10,12,14 mm; AISI S2 / CrV 6150

1/2" (12.7 mm): M5,M6,M8,M10,M12; AISI S2 / CrV 6150

6,7,8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 ,27,30,32 mm; CrV;

6x7;8x9;10x11;12x13;14x15;16x17;18x19;22x24 mm;CrV;

E6XE8,E10XE12,E14XE18,E20XE24; CrV 6150;

6.0x38, 2.0x75, 3.0x75, 6.0x100 mm; S2; PH0x75, PH1x150, PH2x38, S2; T8x75,
T9x75, T10x100, T15x100, T20x100, T25x100, T27x100,T30x100 mm; S2;

6.0x100,6.0x150,8.0x200 mm; PH2x100,PH2x150 mm; CrV 6150

Ø 500 g; 35 mm; 180 mm;

T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm; CrV 6150

18 mm; 200 mm;

140 mm; 200 mm;

Ø 3.8x150, 3.3x120, 5.5x130,12x130,L 120 mm; CrV ;

M14x80mm,M16x80; CrMo ; 200 mm;

1.0 kg x 400 mm;

20 - 200 Nm;

8 mm,10 mm,13 mm;

17 mm,19 mm; 6p/36 mm,16p/87 mm;

13LED; 3/8" (9.5 mm):14 mm;

10x10;

16 mm;

YATO	size (mm)	kg	
YT-55295	958x766x465	72	1

Roller cabinet with tools

264 pcs 5 TRAY WKŁAD | 958x766 x465 mm | 7x | BALL BEARING ŁOŻYSKA KULKOWE | 10kg 10kg 10kg | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP POLYPROPYLENE WORKTOP ANTYPOŚLIZGOWY POLIPROPYLENOWY BLAT | CENTRAL LOCK CENTRALNY ZAMEK | WHEEL Ø 125 mm WHEEL COLOR

CORNER BUMPERS NAROŻNE ODBOJNIKI | 3x | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | 2x BRAKE HAMULCE | DOUBLE WALLS PODWÓJNE ŚCIANY

Mercedes-Benz

WHITE CARTON BOX & COLOR LABEL





1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,21, 22, 23,24 (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13 ,14,15,16 (L=28 mm),17,18,19 (L=30 mm); CRV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 ,14 (L=25 mm); CRV 50BV30;

1/4" (6.3 mm): ,4,,5,.6, 7, 8, 9, 10, 11, 12, 13,14 (L=50 mm);CRV50BV30;

3/8" (9.5 mm): E10,E12, E14, E16,
1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;

1/4" (6.3 mm); (150 mm); CRV 50BV30;

1/4" (150 mm); CRV 50BV30;

1/2" (12.7 mm); CRV 50BV30;
3/8" (9.5 mm): CRV 50BV30;
1/4" (6.3 mm): CRV 50BV30;

1/2" (12.7 mm); (255 mm), CRV 6140;
3/8" (9.5 mm): (200 mm), CRV 6140;
1/4" (6.3 mm); (155 mm); CRV 6140;

1/2" (12.7 mm); (76,127, 254 mm), CRV 50BV30;
3/8" (9.5 mm): (42,76, 152.4 mm),CRV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm);CRV 50BV30;

1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV ;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;

250 mm; 160 mm;

1/2" (12.7 mm); (255 mm), CRV 50BV30;

180 mm; 250 mm;

1/4" (6.3 mm): PH1 , PH2 ; AISI S2 / CrV 6150;
1/4" (6.3 mm): 4, 5.5 mm;AISI S2 / CrV 6150;

160 mm;

1/4" (6.3 mm): T6,T7,T8, T9,T10, T15, T20, T25, T27,T30, T40; AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40,T45, T50 ; AISI S2 / CrV 6150;
1/2" (12.7 mm): T20, T25, T27,T30, T40,T45, T50,T55,T60; 22,24;AISI S2 / CrV 6150;

1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150
3/8" (9.5 mm): 6, 7, 8,10 mm ; 7x36,9x92 mm;AISI S2 / CrV 6150
1/2" (12.7 mm): 4, 5, 6, 7, 8 ,9,10,12,14 mm; 11x90 mm;AISI S2 / CrV 6150

1/2" (12.7 mm): M5,M6,M8,M10,M12; 34x42 mm;AISI S2 / CrV 6150

6,7,8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 ,27,30,32 mm; CrV;

6x7;8x9;10x11;12x13;14x15;16x17;18x19;22x24 mm;CrV;

E6XE8,E10XE12,E14XE18,E20XE24; CrV 6150;

6.0x38, 2.0x75, 3.0x75, 6.0x100 mm; S2; PH0x75, PH1x150, PH2x38, S2; T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100,T30x100 mm; S2;

6.0x100,6.0x150,8.0x200 mm; PH2x100,PH2x150 mm; CrV 6150

Ø 500 g; 35 mm; 180 mm;

T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm;7 mm; CrV 6150

18 mm; 200 mm;

140 mm; 200 mm;

Ø 3.8x150, 3.3x120, 5.5x130,12x130,L 120 mm; CrV ;

M14x80mm,M16x80; CrMo ; 200 mm;

1.0 kg x 400 mm;

20 - 200 Nm;


8 mm,10 mm,13 mm;

17 mm,19 mm; 14p/74 mm,14p/84 mm;

13LED; 17x78 mm; 100x17 mm;

100x17; 10x10;

14,16 mm;



- self-locking function for each draewr
- auti-skid desktop,humanized pushing handle
- bench vice can be installed
- general standard hanging holes
- rubber protection anti-collision
- industrial universal wheel with brake
- two-tone EVA module









YATO	size (mm)		
YT-55296	958x766x465	72	1

Roller cabinet with tools




PORSCHE

WHITE CARTON BOX & COLOR LABEL





- 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,21, 22, 23,24 (L=38 mm); 27, 30, 32 mm (L=42 mm),
  3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13 ,14,15,16 (L=28 mm),17,18,19 (L=30 mm); CRV 50BV30;
  1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 ,14 (L=25 mm); CRV 50BV30;
- 1/4" (6.3 mm): ,4,,5,,6, 7, 8, 9, 10, 11, 12, 13,14 (L=50 mm);CRV50BV30;
- 3/8" (9.5 mm): E10,E12, E14, E16,
  1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;
- 1/4" (6.3 mm); (150 mm); CRV 50BV30;
- 1/4" (150 mm); CRV 50BV30;
- 1/2" (12.7 mm); CRV 50BV30;
  3/8" (9.5 mm): CRV 50BV30;
  1/4" (6.3 mm): CRV 50BV30;
- 1/2" (12.7 mm); (255 mm), CRV 6140;
  3/8" (9.5 mm): (200 mm), CRV 6140;
  1/4" (6.3 mm); (155 mm); CRV 6140;
- 1/2" (12.7 mm); (76,127, 254 mm), CRV 50BV30;
  3/8" (9.5 mm): (42,76, 152.4 mm),CRV 50BV30;
  1/4" (6.3 mm): (50.8, 101.6 mm);CRV 50BV30;
- 1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV ;
  3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;
- 250 mm; 160 mm;
- 1/2" (12.7 mm); (255 mm), CRV 50BV30;
- 180 mm; 250 mm;
- 160 mm;
- 1/4" (6.3 mm): PH1 , PH2 ; AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 4, 5.5 mm;AISI S2 / CrV 6150;
- 1/4" (6.3 mm): T6,T7,T8, T9,T10, T15, T20, T25, T27,T30, T40; AISI S2 / CrV 6150;
  3/8" (9.5 mm): T20, T25, T30, T40,T45, T50 ; AISI S2 / CrV 6150;
  1/2" (12.7 mm): T20, T25, T27,T30, T40,T45, T50,T55,T60; T30x100,T40x100,T45x100,T50x100,
  T55x100 mm;T60x200 mm;AISI S2 / CrV 6150;
- 1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150
  3/8" (9.5 mm): 6, 7, 8,10 mm ; 7x36 mm;AISI S2 / CrV 6150
  1/2" (12.7 mm): 4, 5, 6, 7, 8 ,9,10,12,14 mm; AISI S2 / CrV 6150
- 1/2" (12.7 mm): M5,M6,M8,M10,M12; M6x100,M8x100,M10x100,M12x100 mm;AISI S2 / CrV 6150
- 6,7,8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 ,27,30,32 mm; CrV;
- 6x7;8x9;10x11;12x13;14x15;16x17;18x19;22x24 mm;CrV;
- E6XE8,E10XE12,E14XE18,E20XE24; CrV 6150;
- 6.0x38, 2.0x75, 3.0x75, 6.0x100 mm; S2; PH0x75, PH1x150, PH2x38, S2; T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100,T30x100 mm; S2;
- 6.0x100,6.0x150,8.0x200 mm; PH2x100,PH2x150 mm; CrV 6150
- Ø 500 g; 35 mm; 180 mm;
- T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;
- 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm; CrV 6150
- 18 mm; 200 mm;
- 140 mm; 200 mm;
- Ø 3.8x150, 3.3x120, 5.5x130,12x130,L 120 mm; CrV ;
- M14x80mm,M16x80; CrMo ; 200 mm;
- 1.0 kg x 400 mm;
- 20 - 200 Nm;
- 8 mm,10 mm,13 mm;
- 17 mm,19 mm; 6p/36 mm,14p/19 mm;
- 13LED; 16 mm;
- 100x17; 10x10;
- 16 mm; 17 mm;











- self-locking function for each draewr
- auti-skid desktop,humanized pushing handle
- bench vice can be installed
- general standard hanging holes
- rubber protection anti-collision
- industrial universal wheel with brake
- two-tone EVA module

YATO	size (mm)		
YT-55297	958x766x465	72	1

Roller cabinet with tools

274 pcs
5 TRAY WKŁAD
958x766 x465 mm
7x
BALL BEARING ŁOŻYSKA KULKOWE
25kg 20kg 10kg
DRAWERS LOCKING BLOKADA SZUFLAD
NON SLIP POLYPROPYLENE WORKTOP ANTYPOŚLIZGOWY POLIPROPYLENOWY BLAT
CENTRAL LOCK CENTRALNY ZAMEK
Ø 125 mm
CORNER BUMPERS NAROŻNE ODBOJNIKI
3x
UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA
2x BRAKE HAMULCE
DOUBLE WALLS PODWÓJNE ŚCIANY

LAND ROVER

WHITE CARTON BOX & COLOR LABEL





1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,21, 22, 23,24 (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13 ,14,15,16 (L=28 mm),17,18,19 (L=30 mm); CRV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 ,14 (L=25 mm); CRV 50BV30;

1/4" (6.3 mm): ,4,,5,,6, 7, 8, 9, 10, 11, 12, 13,14 (L=50 mm);CRV50BV30;

3/8" (9.5 mm): E10,E12, E14, E16,
1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;

1/2" (12.7 mm); CRV 50BV30;
3/8" (9.5 mm): CRV 50BV30;
1/4" (6.3 mm): CRV 50BV30;

1/2" (12.7 mm); (76,127, 254 mm), CRV 50BV30;
3/8" (9.5 mm): (42,76, 152.4 mm),CRV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm);CRV 50BV30;

1/2" (12.7 mm); (255 mm), CRV 50BV30;

1/4" (6.3 mm): PH1 , PH2 ; AISI S2 / CrV 6150;
1/4" (6.3 mm): 4, 5.5 mm;AISI S2 / CrV 6150;

1/4" (6.3 mm): T6,T7,T8, T9,T10, T15, T20, T25, T27,T30, T40; AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40,T45, T50 ; AISI S2 / CrV 6150;
1/2" (12.7 mm): T20, T25, T27,T30, T40,T45, T50,T55,T60; AISI S2 / CrV 6150;

1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150
3/8" (9.5 mm): 6, 7, 8,10 mm ; AISI S2 / CrV 6150
1/2" (12.7 mm): 4, 5, 6, 7, 8 ,9,10,12,14 mm; AISI S2 / CrV 6150

1/2" (12.7 mm): M5,M6,M8,M10,M12; AISI S2 / CrV 6150

6,7,8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 ,27,30,32 mm; CrV;

8,10,12, 13, 14, 17 mm; CrV;

6x7;8x9;10x11;12x13;14x15;16x17;18x19;22x24 mm;CrV;

E6XE8,E10XE12,E14XE18,E20XE24; CrV 6150;

6.0x38, 2.0x75, 3.0x75, 6.0x100 mm; S2; PH0x75, PH1x150, PH2x38, S2; T8x75,
T9x75, T10x100, T15x100, T20x100, T25x100, T27x100,T30x100 mm; S2;

6.0x100,6.0x150,8.0x200 mm; PH2x100,PH2x150 mm; CrV 6150

Ø 500 g; 35 mm; 180 mm;

T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm; CrV 6150

1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" ; CrV 6150

18 mm; 200 mm;

140 mm; 200 mm;

Ø 3.8x150, 3.3x120, 5.5x130,12x130,L 120 mm; CrV ;

M14x80mm,M16x80; CrMo ; 200 mm;

1.0 kg x 400 mm;

20 - 200 Nm;

8 mm,10 mm,13 mm;

17 mm,19 mm; 30p/76 mm,15p/92 mm;

13LED; 3/8" (9.5 mm):14 mm;

100x17; 10x10;

16 mm;



- self-locking function for each draewr
- auti-skid desktop,humanized pushing handle
- bench vice can be installed
- general standard hanging holes
- rubber protection anti-collision
- industrial universal wheel with brake
- two-tone EVA module









YATO	size (mm)	kg	
YT-55298	958x766x465	72	1

Service tool cabinet with tools

177 PCS 12 TRAY WKŁAD | 975x765 x465mm | 6x | BALL BEARING ŁOŻYSKA KULKOWE | 25kg 20kg 5kg | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP POLYPROPYLENE WORKTOP ANTYPOŚLIZGOWY POLIPROPYLENOWY BLAT | CENTRAL LOCK CENTRALNY ZAMEK | Ø 125 mm

CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | 2x BRAKE HAMULCE | DOUBLE WALLS PODWÓJNE ŚCIANY

WHITE CARTON BOX & COLOR LABEL





12 interchangeable trays with YATO tools

YT-5531



YT-5532



YT-5533



YT-5534



YT-5535



YT-5536



YT-5537



YT-5538



YT-5539



YT-5540



YT-5541



YT-5542



DRAWER / SZUFLADA 1

3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm; CrV 50BV30; 3/8" (9.5 mm); (76, 152.4 mm); CrV 50BV30; 3/8" (9.5 mm); CrV 50BV30; 3/8" (9.5 mm); (200 mm); 72T; CrV 6140; 3/8" (9.5 mm); (198 mm); CrV 50BV30; 1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm; CrV 50BV30; 1/2" (12.7 mm); (127 mm); CrV 50BV30; 1/2" (12.7 mm); CrV 50BV30; 1/2" (12.7 mm); (255 mm); 72T; CrV 6140; 1/2" (12.7 mm); (255 mm); CrV 50BV30; 1/2" (12.7 mm): 16; 21 mm; CrV 50BV30; 1/4" (6.3 mm): 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm; CrV 50BV30; 1/4" (6.3 mm): 8, 10, 11, 12, 13 mm; CrV 50BV30; 1/4" (6.3 mm); (50.8, 101.6 mm); CrV 6140; 1/4" (6.3 mm); CrV 50BV30; 1/4" (6.3 mm); (155 mm); 72T; CrV 6140; 1/4" (6.3 mm); (150 mm); CrV 50BV30; 1/4" (6.3 mm); (152.4 mm); CrV 50BV30

DRAWER / SZUFLADA 2

3x75, 5x100, 5x150, 6x38, 6x100, 6x150, 8x150 mm; CrMo; PH0x100, PH1x75, PH1x100, PH2x38, PH2x100, PH2x150, PH3x150 mm; CrMo; 180mm; 160mm; 160 mm LONG NOSE; 160 mm BENT NOSE

DRAWER / SZUFLADA 3

22, 24, 27, 28, 30, 32 mm; CrV; 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm; CrV; 1/2" (12.7 mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm (L=76 mm); CrV 50BV30

DRAWER / SZUFLADA 4

300 g (L=300 mm); 40 mm (L=350 mm); 10x8x142 mm, 12x10x152 mm, 16x13x172 mm; H4, H5, H6, H7, H8, H10, H12 (L=30 mm); H4, H5, H6, H7, H8, H10, H12 (L=75 mm); AISI S2; M5, M6, M8, M10, M12 (L=30 mm); M5, M6, M8, M10, M12 (L=75 mm); AISI S2; T20, T25, T30, T40, T45, T50, T55 (L=30 mm); T20, T25, T30, T40, T45, T50, T55 (L=75 mm); AISI S2; 1/2" (12.7 mm), 3/8" (9.5 mm); 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm; CrV

YATO	size (mm)	kg	
YT-55300	975X765X465	78	1

Service tool cabinet with tools








- self-locking function for each draewr
- auti-skid desktop,humanized pushing handle
- bench vice can be installed
- general standard hanging holes
- rubber protection anti-collision
- industrial universal wheel with brake







8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm; CrV;
8x10, 11x12, 13x14, 15x17 mm; CrV 6140;
1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV 50BV30;
1/2" (12.7 mm), 3/8" (9.5 mm); 63-120 mm; CrV;
200 mm;
140 mm;
190 - 770 mm;
100 mm;
6-24 V;
1.5 V; 9 LED
1/2" (12.7 mm): 20, 22, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 9, 10, 11, 12, 13, 14, 15, 16 mm (L=28 mm); 17, 18, 19 mm (L=30 mm),
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/4" (6.3 mm): 8, 10, 11, 12 (L=50 mm); CrV 50BV30;
1/2" (12.7 mm): 10, 12, 13, 14, 17, 19 mm; CrV 50BV30;
1/2" (12.7 mm): 17, 19, 21 mm; CrMo SCM-440;
3/8" (9.5 mm): E10, E12, E14, E16, E18, 1/4" (6.3 mm): E4, E5, E6, E7, E8; CrV 6150;
1/2" (12.7 mm); (127, 254 mm), 3/8" (9.5 mm); (76, 152.4 mm),
1/4" (6.3 mm); (50.8 mm); CrV 50BV30;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrV 50BV30;
1/2" (12.7 mm), 3/8" (9.5 mm), 1/4" (6.3 mm); CrV 50BV30;
3/8" (9.5 mm): 16, 21 mm; CrV 50BV30;
3/8" (9.5 mm): 14 mm; CrV;
1/2" (12.7 mm); (255 mm), 3/8" (9.5 mm); (200 mm),
1/4" (6.3 mm); (155 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
3/8" (9.5 mm) x 5/16" (7.9 mm); CrV 6140;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 6140;
5/16" (7.9 mm): 5.5, 6.5 mm (L=70 mm);
1/4" (6.3 mm): 3, 4, 5, 5.5, 6 mm (L=25 mm); AISI S2;
5/16" (7.9 mm): PH1 x2, PH2 x2, PH3 (L=70 mm);
1/4" (6.3 mm): PH1, PH2, PH3 (L=25 mm); AISI S2;
1/4" (6.3 mm): T8, T10, T15, T20, T25, T27 (L=70 mm); AISI S2;
5/16" (7.9 mm): T20, T30, T40, T45, T50, T55, T60 (L=70 mm); AISI S2;
5/16" (7.9 mm): 4, 5, 6, 7, 8 mm (L=70 mm);
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6 mm (L=25 mm); AISI S2;
5/16" (7.9 mm): M5, M6, M8, M10, M12 (L=70 mm); AISI S2
6x38, 3x75 mm; S2;
PH0x75, PH2x38 mm; S2;
160 mm;
LONG NOSE;
CrV 6150;
150 mm;
180 mm; CrV 50;
INTERNAL STRAIGHT
PROSTE WEWNĘTRZNE;
6x100 mm; CrV 6150;
PH2x100 mm; CrV 6150;
180 mm;
CrMo;
180 mm; CrV 50;
EXTERNAL BENT
WYGIĘTE ZEWNĘTRZNE;
180 mm;
CrV 50;
180 mm; CrV 50;
EXTERNAL STRAIGHT
PROSTE ZEWNĘTRZNE;
180 mm; CrV 50;
INTERNAL BENT
WYGIĘTE WEWNĘTRZNE;
160 mm;
CrV 50;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150

YATO	size (mm)		
YT-55280	905x680x455	50	1


Service tool cabinet with tools

249 pcs | 975x765 x465mm | 6x BALL BEARING ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP WORKTOP ANTYPOŚLIZGOWY BLAT | CENTRAL LOCK CENTRALNY ZAMEK | 125 mm | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | 2x BRAKE HAMULCE | DOUBLE WALLS PODWÓJNE ŚCIANY


NEW











1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,21, 22, 23,24 (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 6,7,8,9, 10, 11, 12, 13 ,14,15,16 (L=28 mm),17,18,19 (L=30 mm); CRV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 ,14 (L=25 mm); CRV 50BV30;

1/4" (6.3 mm): ,4,5,6, 7, 8, 9, 10, 11, 12, 13,14 (L=50 mm);CRV50BV30;

3/8" (9.5 mm): E10,E12, E14, E16,
1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;

1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150
3/8" (9.5 mm): 6, 7, 8,10 mm ; 7x36 mm;AISI S2 / CrV 6150
1/2" (12.7 mm): 4, 5, 6, 7, 8 ,9,10,12,14 mm; AISI S2 / CrV 6150

1/2" (12.7 mm); CRV 50BV30;
3/8" (9.5 mm): CRV 50BV30;
1/4" (6.3 mm): CRV 50BV30;

1/2" (12.7 mm); (255 mm), CRV 50BV30;

1/4" (6.3 mm): 4, 5.5 mm;AISI S2 / CrV 6150;

1/4" (6.3 mm): T6,T7,T8, T9,T10, T15, T20, T25, T27,T30, T40; AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40,T45, T50 ; AISI S2 / CrV 6150;
1/2" (12.7 mm): T20, T25, T27,T30, T40,T45, T50,T55,T60; T30x100,T40x100,T45x100,T50x100,
T55x100 mm;T60x200 mm;AISI S2 / CrV 6150;

1/2" (12.7 mm): M5,M6,M8,M10,M12; M6x100,M8x100,M10x100,M12x100 mm;AISI S2 / CrV 6150

6,7,8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 ,27,30,32 mm; CrV;

6.0x38, 6.0x150, 3.0x75, 5.0x100 mm; S2;

PH0x75,PH1x100 ,PH2x38,PH2x150 mm; CrV 6150

T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm; CrV 6150

1.0 kg x 400 mm;

20 - 200 Nm;

100x17;

64p/14p,67p/14p,75p/14p,79p/14p,80p/14p;

1/4" (6.3 mm); (150 mm); CRV 50BV30;

1/4" (150 mm); CRV 50BV30;

1/2" (12.7 mm); (255 mm), CRV 6140;
3/8" (9.5 mm): (200 mm), CRV 6140;
1/4" (6.3 mm); (155 mm); CRV 6140;

140 mm;

1/2" (12.7 mm); (76,127, 254 mm), CRV 50BV30;
3/8" (9.5 mm): (42,76, 152.4 mm),CRV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm);CRV 50BV30;

1/4" (6.3 mm): PH1 , PH2 ; AISI S2 / CrV 6150;

200 mm;

160 mm;

180 mm;

160 mm;

200 mm;

250 mm;

140 mm;

44.5mm;

YATO	size (mm)	
YT-55260	975X765X465	1

Service tool cabinet with tools

238 pcs | 975x765 x465mm | 6x | BALL BEARING ŁOŻYSKA KULKOWE | 25kg 10kg | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP POLYPROPYLENE WORKTOP ANTYPOŚLIZGNY POLIPROPYLENOWY BLAT | CENTRAL LOCK CENTRALNY ZAMEK | WHEEL Ø 125 mm

CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | 2x BRAKE HAMULCE | DOUBLE WALLS PODWÓJNE ŚCIANY


NEW













1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,21, 22, 23,24 (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 6,7,8,9, 10, 11, 12, 13 ,14,15,16 (L=28 mm),17,18,19 (L=30 mm); CRV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 ,14 (L=25 mm); CRV 50BV30;

1/4" (6.3 mm): ,4,5,6, 7, 8, 9, 10, 11, 12, 13,14 (L=50 mm);CRV50BV30;

3/8" (9.5 mm): E10,E12, E14, E16,
1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;

1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150
3/8" (9.5 mm): 6, 7, 8,10 mm ; 7x36 mm;AISI S2 / CrV 6150
1/2" (12.7 mm): 4, 5, 6, 7, 8 ,9,10,12,14 mm; AISI S2 / CrV 6150

1/2" (12.7 mm); CRV 50BV30;
3/8" (9.5 mm): CRV 50BV30;
1/4" (6.3 mm): CRV 50BV30;

1/2" (12.7 mm); (76,127, 254 mm), CRV 50BV30;
3/8" (9.5 mm): (42,76, 152.4 mm),CRV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm);CRV 50BV30;

1/2" (12.7 mm); (255 mm), CRV 50BV30;

1/4" (6.3 mm): 4, 5.5 mm;AISI S2 / CrV 6150;

1/4" (6.3 mm): T6,T7,T8, T9,T10, T15, T20, T25, T27,T30, T40; AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40,T45, T50 ; AISI S2 / CrV 6150;
1/2" (12.7 mm): T20, T25, T27,T30, T40,T45, T50,T55,T60; T30x100,T40x100,T45x100,T50x100,
T55x100 mm;T60x200 mm;AISI S2 / CrV 6150;

1/2" (12.7 mm): M5,M6,M8,M10,M12; M6x100,M8x100,M10x100,M12x100 mm;AISI S2 / CrV 6150

1/4" (6.3 mm); (150 mm); CRV 50BV30;

1/4" (150 mm); CRV 50BV30;

1/2" (12.7 mm); (255 mm), CRV 6140;
3/8" (9.5 mm): (200 mm), CRV 6140;
1/4" (6.3 mm); (155 mm); CRV 6140;

140 mm;

1/4" (6.3 mm): PH1 , PH2 ; AISI S2 / CrV 6150;

200 mm;

6,7,8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 ,27,30,32 mm; CrV;

6x7;8x9;10x11;12x13;14x15;16x17;18x19;20x22;21x23;24x27;25x28;30x32;34x36 mm;CrV;

180 mm; CrV 50;
INTERNAL STRAIGHT
PROSTE WEWNĘTRZNE;

180 mm; CrV 50;
EXTERNAL BENT
WYGIĘTE ZEWNĘTRZNE;

180 mm; CrV 50;
INTERNAL BENT
WYGIĘTE WEWNĘTRZNE;

180 mm; CrV 50;
EXTERNAL STRAIGHT
PROSTE ZEWNĘTRZNE;

6.0x38, 6.0x150, 3.0x75, 5.0x100 mm; S2;

160 mm;

180 mm;

PH0x75,PH1x100 ,PH2x38,PH2x150 mm; CrV 6150

160 mm;

200 mm;

180 mm;

Ø 500 g;

140 mm;

17 mm,19 mm;

1.0 kg x 400 mm;

18 mm;

T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;

☐ 3/8"(10.0mm);
☐ 1/2"(12.5mm);
63-120mm; CrV;

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm; CrV 6150

250 mm;

Ø 3.8x150, 3.3x120, 5.5x130,12x130,L 120 mm; CrV ;

8 mm,10 mm,11mm,12mm,13 mm,14mm;

YATO	size (mm)	
YT-55261	975X765X465	1

Service tool cabinet with tools

365 pcs | 975x765 x465mm | 6x BALL BEARING ŁOŻYSKA KULKOWE | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP POLYPROPYLENE WORKTOP ANTYPOŚLIZGOWY BLAT | CENTRAL LOCK CENTRALNY ZAMEK | WHEELS Ø 125 mm | CORNER BUMPERS NARÓŻNE ODBOJNIKI | 2x | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | 2x BRAKE HAMULCE | DOUBLE WALLS PODWÓJNE ŚCIANY

NEW


















1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,21, 22, 23,24 (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13 ,14,15,16 (L=28 mm),17,18,19 (L=30 mm); CRV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 ,14 (L=25 mm); CRV 50BV30;

1/4" (6.3 mm): ,4,,5,,6, 7, 8, 9, 10, 11, 12, 13,14 (L=50 mm);CRV50BV30;

3/8" (9.5 mm): E10,E12, E14, E16,
1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;

1/4" (6.3 mm); (150 mm); CRV 50BV30;
1/4" (150 mm); CRV 50BV30;

1/2" (12.7 mm); CRV 50BV30;
3/8" (9.5 mm): CRV 50BV30;
1/4" (6.3 mm): CRV 50BV30;

1/2" (12.7 mm); (255 mm), CRV 6140;
3/8" (9.5 mm): (200 mm), CRV 6140;
1/4" (6.3 mm): (155 mm); CRV 6140;

1/2" (12.7 mm); (76,127, 254 mm), CRV 50BV30;
3/8" (9.5 mm): (42,76, 152.4 mm),CRV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm);CRV 50BV30;

1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV ;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;

1/2" (12.7 mm); (255 mm), CRV 50BV30;

250 mm;

1/4" (6.3 mm): PH1 , PH2 ; AISI S2 / CrV 6150;

1/4" (6.3 mm): 4, 5.5 mm;AISI S2 / CrV 6150;

1/4" (6.3 mm): T6,T7,T8, T9,T10, T15, T20, T25, T27,T30, T40; AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40,T45, T50 ; AISI S2 / CrV 6150;
1/2" (12.7 mm): T20, T25, T27,T30, T40,T45, T50,T55,T60; AISI S2 / CrV 6150;

1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150
3/8" (9.5 mm): 6, 7, 8,10 mm ; AISI S2 / CrV 6150
1/2" (12.7 mm): 4, 5, 6, 7, 8 ,9,10,12,14 mm; AISI S2 / CrV 6150

1/2" (12.7 mm): M5,M6,M8,M10,M12; AISI S2 / CrV 6150

6,7,8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 ,27,30,32 mm; CrV;

8,10,12, 13, 14, 17 mm; CrV;

6x7;8x9;10x11;12x13;14x15;16x17;18x19;22x24 mm;CrV;

E6XE8,E10XE12,E14XE18,E20XE24; CrV 6150;

6.0x38, 2.0x75, 3.0x75, 6.0x100 mm; S2; PH0x75, PH1x150, PH2x38, S2; T8x75, T9x75, T10x100, T15x100, T20x100, T25x100, T27x100,T30x100 mm; S2;

6.0x100,6.0x150,8.0x200 mm; PH2x100,PH2x150 mm; CrV 6150

Ø 500 g; 35 mm; 180 mm;

T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150; 18 mm;

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm; CrV 6150

1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" ; CrV 6150

200 mm;

200 mm; Ø 3.8x150, 3.3x120, 5.5x130,12x130,L 120 mm; CrV ; 140 mm;

M14x80mm,M16x80; CrMo ; 200 mm; 1.0 kg x 400 mm;

3/8" (9.5 mm):14 mm; 17 mm,19 mm;

□ 3/8"(10.0mm);
□ 1/2"(12.5mm);
63-120mm; CrV;

8 mm,10 mm,11mm,12mm,13 mm,14mm;


YATO	size (mm)	
YT-55262	975X765X465	1


Service tool cabinet with tools

253 pcs | 975x765 x465mm | 6x BALL BEARING ŁOŻYSKA KULKOWE | 4 x 2.5kg 2 x 5kg 1 x 10kg | DRAWERS LOCKING BLOKADA SZUFLAD | NON SLIP POLYPROPYLENE WORKTOP ANTYPOŚLIZGOWY POLIPROPYLENOWY BLAT | CENTRAL LOCK CENTRALNY ZAMEK | WHEELS Ø 125 mm | CORNER BUMPERS NAROŻNE ODBOJNIKI | 2x | UNIVERSAL PERFORATION UNIWERSALNA PERFORACJA | 2x BRAKE HAMULCE | DOUBLE WALLS PODWÓJNE ŚCIANY


NEW













1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,21, 22, 23,24 (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 6,7,8,9, 10, 11, 12, 13 ,14,15,16 (L=28 mm),17,18,19 (L=30 mm); CRV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 ,14 (L=25 mm); CRV 50BV30;

1/4" (6.3 mm): ,4,5,6, 7, 8, 9, 10, 11, 12, 13,14 (L=50 mm);CRV50BV30;

1/4" (6.3 mm); (150 mm); CRV 50BV30;

3/8" (9.5 mm): E10,E12, E14, E16,
1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;

1/4" (150 mm); CRV 50BV30;

1/2" (12.7 mm); (255 mm), CRV 6140;
3/8" (9.5 mm): (200 mm), CRV 6140;
1/4" (6.3 mm); (155 mm); CRV 6140;

1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150
3/8" (9.5 mm): 6, 7, 8,10 mm ; 7x36 mm;AISI S2 / CrV 6150
1/2" (12.7 mm): 4, 5, 6, 7, 8 ,9,10,12,14 mm; AISI S2 / CrV 6150

140 mm;

1/2" (12.7 mm); CRV 50BV30;
3/8" (9.5 mm): CRV 50BV30;
1/4" (6.3 mm): CRV 50BV30;

1/2" (12.7 mm); (76,127, 254 mm), CRV 50BV30;
3/8" (9.5 mm): (42,76, 152.4 mm),CRV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm);CRV 50BV30;

1/2" (12.7 mm); (255 mm), CRV 50BV30;

1/4" (6.3 mm): PH1 , PH2 ; AISI S2 / CrV 6150;

1/4" (6.3 mm): 4, 5.5 mm;AISI S2 / CrV 6150;

1/4" (6.3 mm): T6,T7,T8, T9,T10, T15, T20, T25, T27,T30, T40; AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40,T45, T50 ; AISI S2 / CrV 6150;
1/2" (12.7 mm): T20, T25, T27,T30, T40,T45, T50,T55,T60; T30x100,T40x100,T45x100,T50x100,
T55x100 mm;T60x200 mm;AISI S2 / CrV 6150;

200 mm;

1/2" (12.7 mm): M5,M6,M8,M10,M12; M6x100,M8x100,M10x100,M12x100 mm;AISI S2 / CrV 6150

180 mm; CrV 50;
INTERNAL STRAIGHT
PROSTE WEWNĘTRZNE;

180 mm; CrV 50;
EXTERNAL BENT
WYGIĘTE ZEWNĘTRZNE;

180 mm; CrV 50;
INTERNAL BENT
WYGIĘTE WEWNĘTRZNE;

180 mm; CrV 50;
EXTERNAL STRAIGHT
PROSTE ZEWNĘTRZNE;

6.0x38, 6.0x150, 3.0x75, 5.0x100 mm; S2;

160 mm;

180 mm;

PH0x75,PH1x100 ,PH2x38,PH2x150 mm; CrV 6150

160 mm;

200 mm;

180 mm;

Ø 500 g;

140 mm;

17 mm,19 mm;

1.0 kg x 400 mm;

18 mm;

T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm; CrV 6150

250 mm;

☐ 3/8"(10.0mm);
☐ 1/2"(12.5mm);
63-120mm; CrV;

Ø 3.8x150, 3.3x120, 5.5x130,12x130,L 120 mm; CrV ;

YATO	size (mm)	
YT-55263	975X765X465	1

Service tool cabinet with tools







- self-locking function for each draewr
- auti-skid desktop,humanized pushing handle
- bench vice can be installed
- general standard hanging holes
- rubber protection anti-collision
- industrial universal wheel with brake
- two-tone EVA module



















1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,21, 22, 23,24 (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13 ,14,15,16 (L=28 mm),17,18,19 (L=30 mm); CRV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 ,14 (L=25 mm); CRV 50BV30;

1/4" (6.3 mm): ,4,,5,,6, 7, 8, 9, 10, 11, 12, 13,14 (L=50 mm);CRV50BV30;

3/8" (9.5 mm): E10,E12, E14, E16,
1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;

1/4" (6.3 mm); (150 mm); CRV 50BV30;

1/4" (150 mm); CRV 50BV30;

1/2" (12.7 mm); CRV 50BV30;
3/8" (9.5 mm): CRV 50BV30;
1/4" (6.3 mm): CRV 50BV30;

1/2" (12.7 mm); (255 mm), CRV 6140;
3/8" (9.5 mm): (200 mm), CRV 6140;
1/4" (6.3 mm); (155 mm); CRV 6140;

1/2" (12.7 mm); (76,127, 254 mm), CRV 50BV30;
3/8" (9.5 mm): (42.76, 152.4 mm),CRV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm);CRV 50BV30;

1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV ;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;

250 mm; 160 mm;

1/2" (12.7 mm); (255 mm), CRV 50BV30;

180 mm; 250 mm;

1/4" (6.3 mm): PH1 , PH2 ; AISI S2 / CrV 6150;

1/4" (6.3 mm): 4, 5.5 mm;AISI S2 / CrV 6150;

160 mm;

1/4" (6.3 mm): T6,T7,T8, T9,T10, T15, T20, T25, T27,T30, T40; AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40,T45, T50 ; AISI S2 / CrV 6150;
1/2" (12.7 mm): T20, T25, T27,T30, T40,T45, T50,T55,T60; AISI S2 / CrV 6150;

1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150
3/8" (9.5 mm): 6, 7, 8,10 mm ; AISI S2 / CrV 6150
1/2" (12.7 mm): 4, 5, 6, 7, 8 ,9,10,12,14 mm; AISI S2 / CrV 6150

1/2" (12.7 mm): M5,M6,M8,M10,M12; AISI S2 / CrV 6150

6,7,8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 ,27,30,32 mm; CrV;

8,10,12, 13, 14, 17 mm; CrV;

6x7;8x9;10x11;12x13;14x15;16x17;18x19;22x24 mm;CrV;

E6XE8,E10XE12,E14XE18,E20XE24; CrV 6150;

6.0x38, 2.0x75, 3.0x75, 6.0x100 mm; S2; PH0x75, PH1x150, PH2x38, S2; T8x75,
T9x75, T10x100, T15x100, T20x100, T25x100, T27x100,T30x100 mm; S2;

6.0x100,6.0x150,8.0x200 mm; PH2x100,PH2x150 mm; CrV 6150

Ø 500 g; 35 mm; 180 mm;

T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm; CrV 6150

1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" ; CrV 6150

18 mm; 200 mm; 140 mm;

200 mm; Ø 3.8x150, 3.3x120, 5.5x130,12x130,L 120 mm; CrV ;

M14x80mm,M16x80; CrMo ; 200 mm;

1.0 kg x 400 mm;


20 - 200 Nm; 3/8" (9.5 mm):14 mm;

8 mm,10 mm,13 mm; 17 mm,19 mm;

☐ 3/8"(10.0mm);
☐ 1/2"(12.5mm);
63-120mm; CrV;

YATO	size (mm)	
YT-55302	905X685X455	1


Service tool cabinet with tools









- self-locking function for each draewr
- auti-skid desktop,humanized pushing handle
- bench vice can be installed
- general standard hanging holes
- rubber protection anti-collision
- industrial universal wheel with brake
- two-tone EVA module









1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,21, 22, 23,24 (L=38 mm); 27, 30, 32 mm (L=42 mm),
3/8" (9.5 mm): 6, 7, 8, 9, 10, 11, 12, 13 ,14,15,16 (L=28 mm),17,18,19 (L=30 mm); CRV 50BV30;
1/4" (6.3 mm): 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 ,14 (L=25 mm); CRV 50BV30;

1/4" (6.3 mm): ,4,.5,.6, 7, 8, 9, 10, 11, 12, 13,14 (L=50 mm);CRV50BV30;

3/8" (9.5 mm): E10,E12, E14, E16,
1/4" (6.3 mm): E4, E5, E6, E7, E8; CRV 50BV30;

1/4" (6.3 mm); (150 mm); CRV 50BV30;
1/4" (150 mm); CRV 50BV30;

1/2" (12.7 mm); CRV 50BV30;
3/8" (9.5 mm): CRV 50BV30;
1/4" (6.3 mm): CRV 50BV30;

1/2" (12.7 mm); (255 mm), CRV 6140;
3/8" (9.5 mm): (200 mm), CRV 6140;
1/4" (6.3 mm); (155 mm); CRV 6140;

1/2" (12.7 mm); (76,127, 254 mm), CRV 50BV30;
3/8" (9.5 mm): (42,76, 152.4 mm),CRV 50BV30;
1/4" (6.3 mm); (50.8, 101.6 mm);CRV 50BV30;

1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV ;
3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;

250 mm; 160 mm;

1/2" (12.7 mm); (255 mm), CRV 50BV30;

180 mm; 250 mm;

1/4" (6.3 mm): PH1 , PH2 ; AISI S2 / CrV 6150;
1/4" (6.3 mm): 4, 5.5 mm;AISI S2 / CrV 6150;

160 mm;

1/4" (6.3 mm): T6,T7,T8, T9,T10, T15, T20, T25, T27,T30, T40; AISI S2 / CrV 6150;
3/8" (9.5 mm): T20, T25, T30, T40,T45, T50 ; AISI S2 / CrV 6150;
1/2" (12.7 mm): T20, T25, T27,T30, T40,T45, T50,T55,T60; AISI S2 / CrV 6150;

1/4" (6.3 mm): 3, 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150
3/8" (9.5 mm): 6, 7, 8,10 mm ; AISI S2 / CrV 6150
1/2" (12.7 mm): 4, 5, 6, 7, 8 ,9,10,12,14 mm; AISI S2 / CrV 6150

1/2" (12.7 mm): M5,M6,M8,M10,M12; AISI S2 / CrV 6150

6,7,8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 ,27,30,32 mm; CrV;

8,10,12, 13, 14, 17 mm; CrV;

6x7;8x9;10x11;12x13;14x15;16x17;18x19;22x24 mm;CrV;

E6XE8,E10XE12,E14XE18,E20XE24; CrV 6150;

6.0x38, 2.0x75, 3.0x75, 6.0x100 mm; S2; PH0x75, PH1x150, PH2x38, S2; T8x75,
T9x75, T10x100, T15x100, T20x100, T25x100, T27x100,T30x100 mm; S2;

6.0x100,6.0x150,8.0x200 mm; PH2x100,PH2x150 mm; CrV 6150

35 mm; 180 mm; 200 mm;

T10, T15, T20, T25, T27, T30, T40, T45, T50; CrV 6150;

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, mm; CrV 6150

140 mm; 200 mm;

Ø 3.8x150, 3.3x120, 5.5x130,12x130,L 120 mm; CrV ;

M14x80mm,M16x80; CrMo ; 200 mm;

17 mm,19 mm; 16 mm;

☐ 3/8"(10.0mm);
☐ 1/2"(12.5mm);
63-120mm; CrV ;

13LED; 3/8" (9.5 mm):14 mm;

180 mm;
CrV 50;

160 mm;
CrV 50;

160 mm;
LONG NOSE;
CrV 6150;

150 mm;

180 mm;
CrMo;

180 mm; CrV 50;
EXTERNAL STRAIGHT
PROSTE ZEWNĘTRZNE;

180 mm; CrV 50;
INTERNAL STRAIGHT
PROSTE WEWNĘTRZNE;

180 mm; CrV 50;
EXTERNAL BENT
WYGIĘTE ZEWNĘTRZNE;

180 mm; CrV 50;
INTERNAL BENT
WYGIĘTE WEWNĘTRZNE;

YATO	size (mm)	
YT-55303	958x766x465	1

Service tool cabinet with tools





- self-locking function for each draewr
- auti-skid desktop,humanized pushing handle
- bench vice can be installed
- general standard hanging holes
- rubber protection anti-collision
- industrial universal wheel with brake
- two-tone EVA module








1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,21, 22, 23,24 (L=38 mm); 27, 30, 32 mm (L=42 mm),
1/2" (12.7 mm); CRV 50BV30;
3/8" (9.5 mm): CRV 50BV30;
1/4" (6.3 mm): CRV 50BV30;
1/4" (6.3 mm); (150 mm); CRV 50BV30;
1/4" (150 mm); CRV 50BV30;
1/2" (12.7 mm); (255 mm), CRV 6140;
1/2" (12.7 mm); (76,127, 254 mm), CRV 50BV30; 1/2" (12.7 mm) (F) x 3/8" (9.5 mm) (M); CrV ;
3/8" (9.5 mm): (42,76, 152.4 mm),CRV 50BV30; 3/8" (9.5 mm) (F) x 1/2" (12.7 mm) (M); CrMo;
1/4" (6.3 mm); (50.8, 101.6 mm);CRV 50BV30;
1/2" (12.7 mm): T20, , T27,T30, T40,T45, T50; AISI S2 / CrV 6150;
1/2" (12.7 mm): 4, 5, 6, 7, 8 mm; AISI S2 / CrV 6150
1/2" (12.7 mm): M5,M6,M8,M10; AISI S2 / CrV 6150
250 mm; 160 mm; 160 mm;
6,7,8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 ,27,30,32 mm; CrV;
6.0x100 mm; S2; 18 mm;
180 mm; PH2x100; CrV 6150
M14x80mm,M16x80; CrMo ; 200 mm;
1.0 kg x 400 mm;
17 mm,19 mm; 3/8" (9.5 mm):14 mm;

YATO	size (mm)	
YT-55304	958x766x465	1

Mobile workbench






- 6 drawers w/o tools
- self-lock drawers, with 2 keys
- metal worktop
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	
YT-09001	1130x570x1000	82.5	1

Roller cabinet






- 7 drawers w/o tools
- self-lock drawers, with 2 keys
- plastic worktop, non-slip,max load 450kgs
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	
YT-09031	958x465x766	57	1

Roller cabinet






- 7 drawers w/o tools
- self-lock drawers, with 2 keys
- plastic worktop with pulling handle, non-slip,max load 450kgs
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	
YT-0903	958X766X465	63	1

Mobile workbench






- 6 drawers w/o tools
- self-lock drawers, with 2 keys
- metal worktop
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	
YT-09002	1130x570x1000	87	1

Roller cabinet






- 7 drawers w/o tools
- self-lock drawers, with 2 keys
- stainless steel worktop with pulling handle, non-slip,max load 450kgs
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	drawers	kg	
YT-0904	7	65	1

Roller cabinet






drawers size:
- 540x381x58mm
- 540x381x128mm

- 7 drawers w/o tools
- self-lock drawers, with 2 keys
- plastic worktop with pulling handle, non-slip,max load 450kgs
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	
YT-09140	980X750X450	56	1

Roller cabinet





- 3 middle drawers with ball bearings
- self-lock drawers
- plastic worktop with pulling handle, non-slip,max load 450kgs
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	
YT-55281	905X685X455	56	1

Roller cabinet







- self-lock drawers, with 2 keys
- stainless steel worktop with pulling handle, non-slip,max load 450kgs
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	drawers	
YT-55299	6	1

Roller cabinet








- self-lock drawers, with 2 keys
- stainless steel worktop with pulling handle, non-slip,max load 450kgs
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	trays	
YT-0913	6	1

Roller cabinet






- 7 drawers w/o tools
- self-lock drawers, with 2 keys
- wood worktop with pulling handle, non-slip,max load 450kgs
- caster wheels make for easy moving, locking system
- side perforated panels, for hanging tools

YATO	size (mm)	kg	
YT-09141	1110X1020X460	90	1

Workshop trolley







YATO	trays	
YT-55210	3	1

Roller cabinet





YATO	drawers	
YT-0914	7	1

Aluminium Tool box





YATO	size (mm)	
YT-0881ZL	455x320x150	1


Bottle holder



for YT-0902, YT-0903, YT-0904, YT-0905

YATO	size (mm)	
YT-0909	250x110x80	6

Separate board for drawer



for YT-0902, YT-0903, YT-0904, YT-0905

YATO	size (mm)	
YT-0910	391x58x2	24
YT-0911	391x128x2	12

Dustbin



for YT-0902, YT-0903, YT-0904, YT-0905

YATO	size (mm)	
YT-0908	300x300x190	4

Drawer insert

4 PCS | CrV



8" (200mm); 10" (250mm);
6" (150mm); CrMo;
10" (250mm); CrMo;

YATO	size (mm)	drawers
YT-55444	391x180	1/3

Drawer insert / Impact sockets set

35 PCS | CrMo SCM-440



1/2" (12.5 mm): 10,11,12,13,14,15,16,17,18,19,20,21,22, 24,27,30,32,mm
3/8" (9.5mm): 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm; CrMo SCM-440;
3/8"x75mm; 1/2"x125mm; CrMo SCM-440;
3/8"(F)x1/4"(M); 3/8"(F)x1/2"(M); 1/2"(F)x3/4"(M); CrMo SCM-440;
1/2"(12.7mm); CrMo SCM-440;

YATO	size (mm)	drawers
YT-55446	391x180	1/3

Drawer insert / Screwdrivers set

13 PCS | S2



1.4x50mm, 2.0x50mm, 2.4x50mm, 3x75mm, 5x75mm, 6x100mm;
PH00x50mm, PH0x50mm, PH1x50mm,
PH0x75mm, PH1x75mm, PH2x100mm, PH3x150mm;

YATO	size (mm)	drawers
YT-55448	391x180	1/3

Drawer insert / Double open end spanner set and Hex key

26 PCS | CrV



6x7mm, 24x27mm, 30x32mm,
8x10mm, 10x12mm, 11x13mm, 12x14mm,22x23mm; CrV;
1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm; CrV 6150;
T10, T15, T20, T25, T27, T30, T40, T45, T50mm; CrV 6150;

YATO	size (mm)	drawers
YT-55452	391x180	1/3

Drawer insert / Combination spanners

16 PCS | CrV



6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19;
20; 21 mm; CrV

YATO	size (mm)	drawers
YT-5531	391x180	1/3

Drawer insert / Combination spanners

6 PCS | CrV



22; 24; 27; 28; 30; 32 mm; CrV

YATO	size (mm)	drawers
YT-5532	391x180	1/3

Drawer insert / Slotted screwdrivers spanners

7 PCS | S2



3x75; 5x100;5x150;
6x38; 6x100; 6x150;8x150 mm; S2

YATO	size (mm)	drawers
YT-5535	391x180	1/3

Drawer insert / Screwdriver bits

40 PCS | S2



H4; H5; H6; H7; H8; H10; H12 (L=30 mm);
H4; H5; H6; H7; H8; H10; H12 (L=75 mm); AISI S2;
M5; M6; M8; M10; M12 (L=30 mm);
M5; M6; M8; M10; M12 (L=75 mm); AISI S2;
T20; T25; T30; T40; T45; T50; T55 (L=30 mm);
T20; T25; T30; T40; T45; T50; T55 (L=75 mm); AISI S2;
1/2"; 3/8"

YATO	size (mm)	drawers
YT-5538	391x180	1/3

Drawer insert / Bi-hexagonal ring spanner

7 PCS | CrV



6x7; 8x9; 10x11;12x13; 14x15; 16x17; 18x19 mm;CrV

YATO	size (mm)	drawers
YT-5533	391x180	1/3

Drawer insert / Phillips screwdrivers

7 PCS | S2



PH0x100; PH1x75; PH1x100;
PH2x38; PH2x100; PH2x150; PH3x150 mm; S2

YATO	size (mm)	drawers
YT-5536	391x180	1/3

Drawer insert / Deep sockets

14 PCS | CrV 50BV30



1/2": 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21 mm
(L=76 mm); CrV 50BV30

YATO	size (mm)	drawers
YT-5539	391x180	1/3

Drawer insert / Pliers

4 PCS | CrV



YATO	size (mm)	drawers
YT-5534	391x180	1/3

Drawer insert / Socket set

24 PCS | CrV 50BV30



1/2": 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20;
21; 22; 23; 24; 27; 30; 32 mm; CrV 50BV30;
127 mm; CrV 50BV30;
1/2"; CrV 50BV30;
255 mm, 1/2", 72T; CrV 6140;
1/2"x255 mm; CrV 50BV30;
16; 21 mm, 1/2"; CrV 50BV30

YATO	size (mm)	drawers
YT-5537	391x180	1/3

Drawer insert / Hammers and chisels

5 PCS | CrV



300 g (L=300 mm); 40 mm (L=350 mm);

10x8x142 mm,12x10x152 mm, 16x13x172 mm

YATO	size (mm)	drawers
YT-5540	391x180	1/3

Drawer insert / Socket set

25 PCS | CrV 50BV30



1/4": 3.5; 4.0; 4.5; 5.0; 5.5; 6.0; 7.0; 8.0; 9.0; 10.0; 11.0; 12.0; 13.0; 14.0 mm; CrV 50BV30;
1/4": 8; 10; 11; 12; 13 mm; CrV 50BV30;
50.8; 101.6 mm, 1/4"; CrV 6140;
1/4"; CrV 50BV30; 1/4" (150 mm); CrV 50BV30;
155 mm, 1/4", 72T; CrV 6140;
1/4"x152.4 mm; CrV 50BV30

YATO	size (mm)	drawers
YT-5541	391x180	1/3

Drawer insert / Files set

8 PCS | CrV



8" (200mm); 中齿;
5x180;

YATO	size (mm)	drawers
YT-55440	391x180	1/3

Drawer insert / Socket set

14 PCS | CrV 50BV30



3/4" (19.0 mm): 19, 21, 22, 24, 27, 28, 30, 32, 34, 36, 41, 46, 50, 55 mm

YATO	
YT-55457	4

Drawer insert / Socket set

22 PCS | CrV 50BV30



3/8": 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm; CrV 50BV30;
76; 152.4 mm, 3/8"; CrV 50BV30;
3/8"; CrV 50BV30;
200 mm, 3/8", 72T; CrV 6140;
3/8"x198 mm; CrV 50BV30

YATO	size (mm)	drawers
YT-5542	391x180	1/3

Drawer insert / Tool set

4 PCS | CrV



3/4" (19.0 mm); (200 mm); CrV 6140;
3/4" (19.0 mm); CrV 50BV30;
3/4" (19.0 mm); (500 mm); 72T; CrV 6140;
3/4" (19.0 mm); (500 mm); CrV 50BV30

YATO	
YT-55458	4

Drawer insert / Automotive workshop tools

5 PCS | CrV



200 mm; 135 mm;
300, 400, 500 mm

YATO	
YT-55477	4

Drawer insert / Bi-hexagonal ring spanner

4 PCS | CrV




21x23; 24x27; 25x28;30x32mm;CrV

YATO	size (mm)	drawers
YT-5543	391x180	1/3

Drawer insert / Circlip pliers set

4 PCS | CrV 50BV30



180mm; CrV50; 180mm; CrV50;
180mm; CrV50; 180mm; CrV50;

YATO	size (mm)	drawers
YT-55443	391x180	1/3

Drawer insert / Pliers

3 PCS | CrMo | CrV



180 mm; 250 mm;
280 mm

YATO	
YT-55472	8

Drawer insert / Automotive workshop tools

10 PCS | CrV | NEW



1/2" (12.7 mm) x 5/16" (7.9 mm);
PH3 (L=35 mm); PH1, PH2, PH3 (L=75 mm);
8 mm (L=35 mm); 8 mm (L=75 mm);
12-38 mm; 3" (75 mm); 82 mm



YATO	
YT-55476	4

Drawer insert / Taps and die set

35 PCS | HCS | NEW



3x: M3x0.5, M4x0.7, M5x0.8, M6x1.0, M7x1.0, M8x1.25, M10x1.5, M12x1.75; M3x0.5, M4x0.7, M5x0.8, M6x1.0, M7x1.0, M8x1.25, M10x1.5, M12x1.75; 0.5 – 1.75 mm; 27G; 28G;
M7-M9; M3-M12

YATO	
YT-55465	8

Drawer insert / Tool set

23 PCS | HSS | NEW



140 mm; 200 mm;
19 mm x 20 m; 4x190 mm; 250 V;
1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0 mm

YATO	
YT-55471	8

Drawer insert / Hand riveter with rivets

6 PCS | CrMo | NEW



2.4, 3.2, 4.0, 4.8 mm;
9.6x3.2, 9.6x4.0, 12.7x4.0, 9.6x4.8, 12.7x4.8 mm

YATO	
YT-55466	8

Drawer insert / Go-through screwdrivers

4 PCS | CrV | NEW



6x150, 8x200, PH2x150, PH3x200 mm

YATO	
YT-55469	8

Drawer insert / Pliers

3 PCS | CrMo | CrV | NEW



250 mm; 125 mm;
300 mm

YATO	
YT-55473	8

Drawer insert / Steel file set

5 PCS | T12 STEEL | NEW



#2 200 mm;
#2 200 mm;
#2 200 mm;
#2 200 mm;
#2 200 mm

YATO	
YT-55453	8

Drawer insert / Measuring tools

5 PCS | NEW



300 mm; 0-150 mm;
2 m;
3m x 16 mm; 0.02-1.00 mm

YATO	
YT-55474	8



Cantilever tool box



YATO	size (mm)	drawers	
YT-08872	218x255x520	2	1

Roller trolley







YATO	size (mm)		
YT-09101	520X320X720	17.2	1

Cantilever tool box



YATO	size (mm)	drawers	
YT-08873	218x300x520	3	1

Tool trolley







YATO	
YT-09102	1

Cantilever tool box



YATO	size (mm)	drawers	
YT-08874	218x360x520	4	1

High workshop cabinet





YATO	size (mm)	
YT-08931	660x457x2000	1

Workshop cabinet





YATO	size (mm)	
YT-08933	660x457x863	1

Shelf

656x426 x22mm | FOR / DLA: YT-08931 YT-08934



- additional shelf for YT-08931 YT-08934

YATO	size (mm)	
YT-08932	656x426x22	5

Workshop cabinet

660x457 x863mm | SHELF | 2x | ADJUSTABLE FEET






YATO	size (mm)	
YT-08934	660x457x863	1

Hook panel

660x700 x20mm | 5x HOOK | 10x10 mm MESH SIZE





YATO	size (mm)	
YT-08936	660x700x20	1

Wall cabinet

660x305 x410mm | 2x






YATO	size (mm)	
YT-08935	660x305x410	1

Worktop

1980x457 x22mm | RUBBERWOOD WORKTOP | FOR 3 MODULES






YATO	size (mm)	
YT-08939	1980x457x22	1

Worktop


1320x457 x22mm | RUBBERWOOD WORKTOP | FOR 2 MODULES





YATO	size (mm)	
YT-08938	1320x457x22	1


Hook panel support



- *for : YT-08936 X 3*

YATO		
YT-08941		1

Hook panel support



- *for : YT-08936 X 2*

YATO		
YT-08942		1

Strengthening element

660x457 x 54mm | FOR / DLA: YT-08939



for :YT-08939

YATO	size (mm)	
YT-08940	660x457x54	5

NEW!

YATO®

www.yato.com

different assembly
for your wide choice...





A



B



C




D



E

Tool chest







YATO	size (mm)		
YT-09151	690x465x400	29	1

Tool chest







YATO	size (mm)		
YT-09152	690x465x400	29	1

Tool chest







YATO	size (mm)		
YT-09155	690x465x535	38	1

Assembly drawing

CREATE YOUR WORKPLACE



Workbench

1500x780 x830mm | NON SLIP ABS WORKTOP



- ABS worktop
- central cross-bar
- weight:64KG



YATO	size (mm)		
YT-08920	1500x780x830	64	1

Shutter cabinet

UNIVERSAL PERFORATION / UNIWERSALNA PERFORACJA







- effective storage space: 1375x600x180mm;
- both sliding doors can be moved to opposite and locked for security;
- 10mm square mesh;
- weight: 27kg

YATO	size (mm)	
YT-09061	1500x605x185	1

Connection steel pipes set

2 PCS

POLYBAG







for :
YT-09152
YT-09155
+
YT-0902
YT-0903
YT-0904

YATO	size (mm)	
YT-09071	450x28	20

Double project center back wall

2 PCS

POLYBAG





for :
YT-0902 YT-55290
YT-0903 YT-55292
YT-09031 YT-55293
YT-0904 YT-5530

YATO	size (mm)	
YT-09072	652X610X55	1

Legs for workbench

2 PCS

140 cm





for : YT-08920

YATO	size (mm)	
YT-08921	1400	1

Chest assembly

2 PCS

500x100 x350 mm





for : YT-08920, YT-09152

YATO	size (mm)	
YT-08922	500 x100x350	2

Compartmented shelf and paper roll holder



for YT-0902, YT-0903, YT-0904, YT-0905

YATO	size (mm)	
YT-0907	305x305x145	4

Tool box with tools

80 PCS | 1/2" | 6.3 mm | CrV 50BV30 | 460x220x245 mm
CrV 6140 | S2 | AS-DRIVE | 72T













1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19 mm (L=38 mm);
1/4" (6.3 mm): 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
1/4" (6.3 mm): 3 (x2), 4 (x2), 5 (x2), 5.5 (x2), 6 (x2) mm (L=25 mm); AISI S2;
1/4" (6.3 mm): PH0, PH1 (x2), PH2 (x2), PH3 (L=25 mm); AISI S2;
1/4" (6.3 mm): PZ0, PZ1 (x2), PZ2 (L=25 mm); AISI S2;
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm; CrV;
5x75 mm, 6x100 mm, 8x150 mm, PH1x75 mm, PH2x100 mm; S2;
1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm;
T10, T15, T20, T25, T27, T30, T40; CrV
180 mm; CrV; 160 mm; CrV;
160 mm; CrV; 250 mm;
300 g; 18 mm; SK2; 18x0.5 mm; SK2

YATO	size (mm)		
YT-38951	460x220x245	10	1

Four wheel positioning toolbox set

53 件套 | 1/2" | 6.3 mm | CrV 50BV30 | 460x220x245 mm
CrV 6140 | S2 | AS-DRIVE | 72T













1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 17, 19 mm (L=38 mm);
1/4" (6.3 mm): 5, 6, 7, 8, 9, 10, 11, 12, 13 mm (L=25 mm); CrV 50BV30;
1/2" (12.7 mm): 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
1/4" (6.3 mm); (150 mm); CrV 50BV30;
1/4" (6.3 mm) x 1/4" (6.3 mm); CrV 50BV30;
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm; CrV;
5x75 mm, 6x100 mm, 8x150 mm, PH1x75 mm, PH2x100 mm; S2;
1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm;
T10, T15, T20, T25, T27, T30, T40; CrV
180 mm; CrV; 160 mm; CrV;
160 mm; CrV; 250 mm;
300 g; 18 mm; SK2; 18x0.5 mm; SK2

YATO	size (mm)	
YT-38952	460x220x245	1

Tool box with tools

62 PCS | 1/2" | AS-DRIVE | 12.5 mm | CrV 6140
CrV 6150 | CrV 50BV30 | 72T





YT-3895-1



YT-3895-2



YT-3895-3



YT-3895-4



YT-3895-5



YT-3895-6



1/2" (12,5 mm): 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32,mm
1/2" (12,5 mm): 21mm; CrV 50BV30; 1/2" (12,5 mm); CrV 50BV30;
1/2" (12,5 mm) (127, 254 mm); 1/2" (12,5 mm) (76mm); CrV 50BV30;
1/2" (12,5 mm) (430 mm); CrV 50BV30; 160mm; CrV;
1/2" (12,5 mm): 255mm; CrV 50BV30; 160mm; CrV;
1/2" (12,5 mm), 72T; CrV 6140;
1,5, 2, 2,5, 3, 4, 5, 6, 8,10mm; CrV 6150 180 mm; CrV;
6x100mm,6x150mm,8x200mm;CrV6150
PH2x100mm,PH3x150mm,PH3x200mm; CrV6150;
6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,24mm

YATO	size (mm)	
YT-3895	475x230x365	1

Tool box with tools

65 PCS | 1/2" 12.5mm | CrV 50BV30 | CrV 6150 | CrV 6140 | CrMo | AS-DRIVE | 72T | ⊖ | ⊕ | 495x200x290 mm







1/2" (12.7 mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm (L=38 mm); 27, 30, 32 mm (L=42 mm); CrV 50BV30;
1/2" (12.7 mm); (76, 127, 254 mm); CrV 50BV30;
1/2" (12.7 mm); CrV 50BV30;
1/2" (12.7 mm): 21 mm; CrV 50BV30;
1/2" (12.7 mm); (255 mm); CrV 50BV30;
1/2" (12.7 mm); (255 mm); 72T; CrV 6140;
1/2" (12.7 mm); (457 mm); CrV 50BV30;
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm; CrV
5x100, 6x150, 8x200, PH1x100, PH2x150, PH3x200 mm, S2
180 mm; CrV;
160 mm; CrV; 160 mm; CrV;
250 mm; CrV; 180 mm; CrMo;
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm; CrV 6150

YATO	size (mm)	kg	
YT-38950	475x230x365	10	1

Cantilever tool box





- black satin painting, resistent scratch, rusty and solvents
- 5 foldable inside trays

YATO	size (mm)	
YT-0887	475x230x365	1

Tool box

PP









- tool box with removable tray, suitable and portable for tools use, fishing use, painting use and students

YATO	size(mm)	g	
YT-88880	350x180x160	1060	12
YT-88881	420x210x195	1380	9
YT-88882	475x230x210	1680	6

Hermetic toolbox



- strong body,high qunlity material
- anti-shock lock catch
- waterproof air permeability valve
- 1pcs
- customized inner sponge

YATO	size (mm)	
YT-08900	232x192x111	12
YT-08901	270x246x124	8
YT-08902	339x295x152	4
YT-08903	406x330x174	2
YT-08904	470x357x176	2
YT-08906	569x425x215	2

Pull rod type safety box



- strong body,high qunlity material
- anti-shock lock catch
- waterproof air permeability valve
- 1pcs
- customized inner sponge

YATO	size (mm)	
YT-08905	559x351x229	1

Hermetic toolbox



- strong body,high qunlity material
- anti-shock lock catch
- waterproof air permeability valve
- 1pcs
- customized inner sponge

YATO	size (mm)	
YT-08907	430x244x341	1/2

Cantilever tool box



- black satin painting, resistent scratch, rusty and solvents
- strong construction
- heavy duty handle

WHITE CARTON BOX & COLOR LABEL



YATO	size (mm)	
YT-0881	495x200x290	1

Cantilever tool box



- black satin painting, resistent scratch, rusty and solvents
- strong construction
- heavy duty handle

WHITE CARTON BOX & COLOR LABEL



YATO	size (mm)	
YT-0884	460x200x180	1

Cantilever tool box



- black satin painting, resistent scratch, rusty and solvents
- strong construction
- heavy duty handle

WHITE CARTON BOX & COLOR LABEL



YATO	size (mm)	
YT-0882	360x150x115	4

Cantilever tool box



- black satin painting, resistent scratch, rusty and solvents
- strong construction
- heavy duty handle

WHITE CARTON BOX & COLOR LABEL



YATO	size (mm)	
YT-0885	460x200x225	1

Cantilever tool box



- black satin painting, resistent scratch, rusty and solvents
- strong construction
- heavy duty handle

WHITE CARTON BOX & COLOR LABEL



YATO	size (mm)	
YT-0883	428x180x180	1

Cantilever tool box



- black satin painting, resistent scratch, rusty and solvents
- strong construction
- heavy duty handle

WHITE CARTON BOX & COLOR LABEL




YATO	size (mm)	
YT-0886	510x220x240	1



Oil filter wrench










YATO	∅ (mm)	
YT-0820	60-73	12/48
YT-0821	73-85	12/48
YT-0822	85-95	12/48
YT-0823	95-111	12/48

Belt oil wrench







YATO	∅ (mm)	
YT-0824	80-160	6/60
YT-0825	100-200	5/20

Oil-filter wrench with chain

1/2" 12.5mm | DOUBLE CHAIN PODWÓJNY ŁAŃCUCH | CrV

NEW





YATO	∅ (mm)	
YT-08253	60-115	5/30
YT-08254	75-170	5/30

Industrial videoscope

900 mm | 60° | 12.2 mm | LED CAMERA LIGHTING CONVEYLENS KAMERY LED | Wi-Fi | 3.7V LITHIUM BATTERY AKUMULATOR LITOWY | CE | USB





WIRELESS MODULE





- no screen
- wireless (10m)
- connect receiver to computer
- with CD-ROM and usb cable; viewable angle 60°, focal length 50mm
- resolution 320x240 pixels
- with rechargeable lithum battery and adapter

YATO	L(mm)	
YT-7294	900	1/4

Camera with cable

LED | ⌀ 9.0 mm | 1 m







for: YT-7290, YT-7291, YT-7292, YT-7293, YT-7294

YATO	L(mm)	Φ(mm)	
YT-7296	1000	9.0	1/10

Oil filter wrench

63-120 mm / 2.5-4" | □ 3/8" 10.0 mm | □ 1/2" 12.5 mm | HRC 40-50 | CrV





YATO	∅	
YT-0826	63-120MM	12/36

Cap Oil-filter wrench

1/2"



YATO	∅ (mm)	
YT-08270	6-36mm	6/24
YT-08271	14-74mm	6/24
YT-08272	16-87mm	6/24
YT-08273	14-84mm	6/24
YT-08274	15-75mm	6/24
YT-08275	15-92mm	6/24
YT-08233	15-94.5mm	6/24

Oil drain plug set

6 PCS | 3/8" 10mm | CrV | NEW



□ □ 8, 3/8", 10, 12, 1/2", 14 mm

□ □ 3/8" (10 mm), 1/2" (12.5 mm)



YATO	O	
YT-05997	3/8"(9.5mm)	10/40

Oil filter sockets

4 PCS | 3/8" | CrV | AS-DRIVE | 27 32 36 38 mm





YATO	O		
YT-0598	3/8"	740	20

Oil drain plug set

18 PCS | 3/8" | CrV | 5/16" 3/8" | 7 8 10 11 12 13 14 mm | 10 mm | 8 9 10 12 14 17 mm



□ □ 7, 8, 10, 11, 12, 13, 14 mm;

⬡ □ 8, 9, 10, 12, 14, 17 mm;

□ □ 5/16", 3/8"; △ □ 10 mm;

10 mm; 160 mm



YATO	O		
YT-0599	3/8"	1100	10

Oil pan thread repair set

64 PCS | CrMo





YATO	
YT-1757	5

Oil drain plug set

12 PCS | □ (mm) 8 11 13 | ⬡ (mm) 8 9 10 12 14 17 | ⬡ □ 3/8"





YATO		
YT-0600	850	10

Square oil drain plug wrench

8, 10 mm | NEW





YATO	
YT-05995	6/36

Brake socket bit set

3 PCS | ⬡ | CrV | 1/2" | NEW





YATO	
YT-06807	10/20

Pneumatic grease injector

12 l | 0.6-0.8 MPa | 40 MPa (max) | 4 m HOSE WĄŻ | 50:1 RATIO SPRĘŻANIE | STANDARD

NEW






YATO	L	
YT-07067	12	1

Pneumatic oil drain extractor

90 l | 0.7-0.8 MPa | 0.18 MPa | 6 SUCTION PROBES | x4 | STANDARD

NEW





YATO	L	
YT-07190	90	1

Oil drain pan

PE

NEW




YATO	L	∅ (cm)	
YT-0716	10	37	6

Grease gun

600 cm³ | P(MPa) 27-41 | Al







YATO	size		
YT-07042	600cc	1538	6/12

Grease gun

800 cm³ | P(MPa) 27-41 | Al






YATO	size		
YT-07043	800cc	1768	4/8

Grease gun

Al | 500 cm³ | P max. 70 MPa | P 31 MPa







YATO	size		
YT-0700	500cc	1200	20

Grease gun

Al | 120 cm³ | P max. 70 MPa | P 31 MPa



YATO	size		
YT-0701	120cc	750	30

Grease gun

Al | 400 cm³ | P max. 70 MPa | P 31 MPa






- vibrated head, zinc plated handle, oven painted gun tube
- black grip & black tube holder, air vent valve & filler plug

YATO	size		
YT-0705	400cc	1200	20

Grease gun

600 cm³ | Al | P max. 70 MPa | P 31 MPa







YATO	size		
YT-07044	600cc	1124	6

Two-way operation grease gun

Al | 500 cm³ | P max. 70 MPa | P 42 MPa





- vibrated head, zinc plated handle, oven painted gun tube
- black grip & black tube holder, air vent valve & filler plug



YATO	size	
YT-0704	500cc	12

Oil drainer

500 cm³ | P max. 70 MPa | P 31 MPa





YATO	size		
YT-0708	500cc	890	20

Oiler with a flexible applicator



YATO	size	
YT-0691	270cc	10/120

Air grease gun

0.63 MPa | 400 cm³ | 220 l/min | 1/4"






YATO	size	
YT-07057	400cc	10

Oil pump

16-18 l/min | h 45-90 cm | 55 min⁻¹ (max) | 0.3 l CYCLE CYKL | FOR OIL DO OLEJU | Al



- suction height 45-90cm
- pumprate: 16-18L/min
- max speed: 55 times/min



YATO	size	
YT-0712	45-90cm	1/10

Oiler with a flexible applicator



IMPACT RESISTANT / ODPORNE NA UDERZENIA

YATO	size	
YT-06913	300cc	10/120

Oil transfer pump

500 cm³ | P max. 70 MPa | P 31 MPa



YATO	size		
YT-0707	500cc	830	20

Flexible tube for grease gun

ø3.2 mm





YATO	size	L(mm)	
YT-0709	12"	300MM	12/144
YT-0710	18"	500MM	12/144

Oiler with a flexible applicator



IMPACT RESISTANT / ODPORNE NA UDERZENIA

YATO	size	
YT-06914	500cc	10/80

Oiler with a flexible applicator




- body material: STEEL
- flexible nylon tube with brass tip

IMPACT RESISTANT
ODPORNE NA UDERZENIA

YATO	size	
YT-06912	200cc	10/120

Two arms jaws puller

10 mm | 3" 75 mm | CrV | 60 mm







YATO	size	max.force	∅ (mm)	
YT-2515	3"	1.1T	75	6/60

Three arms jaws puller

12 mm | 4" 100 mm | CrV | 80 mm






YATO	size	max.force	∅ (mm)	
YT-2520	4"	2.5T	100	6/36

Two arms jaws puller

12 mm | 4" 100 mm | CrV | 80 mm








YATO	size	max.force	∅ (mm)	
YT-2516	4"	1.4T	100	12/48

Two arms jaws puller

17 mm | 6" 150 mm | CrV | 80 mm







YATO	size	max.force	∅ (mm)	
YT-2517	6"	6T	120	10/20

Three arms jaws puller

17 mm | 6" 150 mm | CrV | 85 mm






YATO	size	max.force	∅ (mm)	
YT-2521	6"	5T	130	12

Two arms jaws puller

22 mm | 8" 200 mm | CrV | 125 mm







YATO	size	max.force	∅ (mm)	
YT-2518	8"	9T	180	6

Three arms jaws puller

10 mm | 3" 75 mm | CrV | 60 mm






YATO	size	max.force	∅ (mm)	
YT-2519	3"	1.5T	180	6/60

Three arms jaws puller

22 mm | 8" 200 mm | CrV | 125 mm








YATO	size	max.force	∅ (mm)	
YT-2522	8"	9T	180	4

Three arms jaws puller

22 mm | 12" 300 mm | CrV | 225 mm





YATO	size	max.force	∅ (mm)	
YT-2523	12”	11T	180	2

Three arms jaws puller

14 mm | 3" 75 mm | ∅50 mm ∅150 mm | CrV



YATO	size	∅ (mm)	max(N)	
YT-2511	3”	50-150	15680	20

Three arms jaws puller

CrV



15 mm | 4" 100 mm | ∅60 mm ∅200 mm


YATO	size	∅ (mm)	max(N)	
YT-2512	4”	60-200	25720	20

19 mm | 6" 150 mm | ∅80 mm ∅300 mm

YATO	size	∅ (mm)	max(N)	
YT-2513	6”	80-300	44450	10

Universal wheel hub puller

CrV | 90-140 mm | 130-180 mm









YATO	L(mm)	
YT-0602	200	6

Separator and hydraulic cylinder turnbuckle

75-105 mm | 80-180 mm | 50 kN | HRC 38-45 | CrV | DROP FORGED







YATO	F(kN)		
YT-0609	50	7400	2

Pilot bearing puller

12-38 mm | CrV 6150








YATO	∅ (mm)	
YT-2510	13-38	20


Gear puller set

35-150 mm | max. 43 mm










YATO		
YT-0641	4300	4

Box clamp

3t | 142 mm | 35x15mm JAWS SZCZĘKI | TYPE C | AUTO-TIGHTEN SAMO-ZACISKOWA






YATO	L (mm)	
YT-2543	142	10

Twist socket set

10 PCS | 3/8" | CrMo HRC 52-55





YATO		
YT-0603	800	8/32

Screw extractor set & Hss drill bits

12 PCS | HSS | M3-M24







YATO	Ø (mm)	M	Ø [mm]	
YT-0591	1.4 - 3.6	3 - 6	1.8	40
	2.1 - 4.9	6 - 8	2.6	
	3.1 - 6.5	8 -11	3.7	
	4.8 - 8.8	11 - 14	5.5	
	6.2 - 11.0	14 - 18	7.0	
	9.4 - 15.0	18 - 24	10.3	

Small mouth pull clamp

5t | 125 mm | 42x20mm JAWS SZCZĘKI | AUTO-TIGHTEN SAMO-ZACISKOWA







YATO	L (mm)	
YT-2542	125	12

Twist socket set

10 PCS | 3/8" 10mm








YATO	
YT-06031	20

Roller stud extractor set

4 PCS | CrV 50BV30







YATO	⬢ (mm)	D (mm)	L (mm)	A (mm)	
YT-0620	6	24	60	21	6/24
	8				
	10	28	70		
	12				

Bolt extractor set

6 PCS | 3/8" | STEEL 8660 | HRC 49-52








YATO	size (3/8")	L (mm)	
YT-0623	2,3,4,6,8,10	60	50

Twist socket set

6 PCS | 1/2" 12.5mm | CrMo



NEW



1/2" (12.5 mm): 17, 19, 21, 23, 27 mm; Ø12 mm



YATO	
YT-06032	10

Bolt extractor set

5 PCS | 1/2" | STEEL 8660 | HRC 49-52





YATO	size(1/2")	
YT-0624	8,10,12,14,16	20

Screw extractor set

6 PCS






YATO	Ø (mm)	L (mm)	
YT-0590	3-6	52	12/48
	6-8	58	
	8-11	66	
	11-14	75	
	14-18	80	
	18-25	88	

Inner tie rod tool

200 mm







YATO	L (mm)	
YT-0615	200	18/36

Glass scraper

SVCM



- size: 39x200mm
- material: SVCM alloy steel, use for glass surface-cleaning

YATO	size (mm)	PCS packing:	
YT-1379	39x200	6	6/72

Tie rod end lifter

135 mm





YATO	(mm)	L (mm)	Ø (mm)	
YT-0612	19	135	17.5	9/18

Tie rod end lifter

100 mm 20-60 mm

BMC & COLOR SLEEVE





YATO	(mm)	L (mm)	Ø (mm)	
YT-06122	19	100	20	20

Scratch awl

SVCM



- blade length: 120mm; material: SVCM alloy steel
- mostly used for stab into articles

YATO	L (mm)	PCS packing:	
YT-1374	120	12	12/120

Tie rod end lifter

265 mm 275 mm




YATO	(mm)	L (mm)	Ø (mm)	
YT-0613	16	265	17	20
YT-0614	16	275	20	20


Tie rod / ball joint tool kit

5 PCS



for YT-0990





YATO		A (mm)	B (mm)	C (mm)	D (mm)	
YT-0616	I	18.2	65.0	24.0	123.9	10
	II	25.2	67.8			
	III	30.2	56.3			

Hook bodkin

SVCM 90°



- blade length: 125mm; material: SVCM alloy steel; 90°
- mostly used for stab into articles, flexibly pull out oil seal

YATO	L (mm)	PCS packing:	
YT-1375	125	12	12/120

Door upholstery remover

230 mm



YATO	L (mm)		
YT-0841	230	135	16/64

200 mm



YATO	L (mm)		
YT-0842	200	60	25/100

Panel removal set

6 PCS






YATO		
YT-0837	330	6/24

Panel removal set

5 PCS





YATO		
YT-0836	440	6/24

Battery cap tool

SVCM



- size: 18,5x100mm
- material: SVCM alloy steel, special design for removing the caps on battery

YATO	size (mm)	PCS packing:	
YT-1378	18.5x100	12	12/120

Universal hook & pick set

7 PCS | 130 mm | 210 mm



YATO		
YT-0839	1000	10

Set of plastic scrapers

4 PCS | 265 mm | IMPACT RESISTANT – ODPORNE NA UDERZENIA | NO SCRATCH – BEZ ZADRAPAŃ






YATO	L(mm)	
YT-0847	265	6/36

Seal puller

max. Ø 85 mm







YATO	L (mm)	
YT-0642	200	12/48

Mini pick & hook set

4 PCS | HRC 40





YATO	
YT-0843	12/72

Panel removal set

11 PCS







YATO	
YT-0844	5/10

Car radio removal tool set


52 PCS












- 2 radio removal U-hook (Ford, VW, Audi, Grundig, Blaupunkt)
- 1 special pentagon wrench (BMW)
- 4 radio removal keys (VW, Audi, Becker, Mercedes)
- 2 radio removal keys (Mercedes, Porsche, Becker)
- 2 radio removal keys (VW)
- 1 allen hex wrench (BMW, Opel)
- 2 radio removal keys (new Becker)
- 2 radio removal keys (new Skoda)
- 2 radio removal keys U-hook (new Blaupunkt)
- 2 radio removal keys (Fiat Brava)
- 2 radio removal U-hook (Opel Doppel-Kugel-Inbus)
- 6 radio removal keys (Mercedes-Benz, BMW)
- 2 radio removal keys (Kenwood II 1998-2001)
- 2 radio removal keys (Sony II since 2002)
- 2 radio removal keys (Kenwood III since 2002)
- 2 radio removal keys (Pioneer, JVC)
- 2 radio removal keys (Sony I until 2001)
- 2 radio removal keys (Panasonic)
- 2 radio removal keys (Kenwood I until 1998)
- 2 radio removal keys (Kenwood mask)
- 2 radio removal keys (new Clarion)
- 2 radio removal keys (old Clarion)
- 2 radio removal keys (Panasonic 2006)
- 2 radio removal keys (Sony IDIC 2005)

YATO		
YT-0838	1500	10

Windscreen wiper arm removal tool

ADJUSTABLE / NASTAWNY







YATO	
YT-0846	12/120

Windshield removal set

7 PCS | HRC 38-42





YATO	
YT-0845	10

Windshield removal set

7 PCS | HRC 38-42




YATO	
YT-08451	6/12

Straight pliers

280 mm | 180° | 60 mm





YATO	L (mm)		
YT-5415	280	700	10/20

Straight pliers

280 mm | 45° | 60 mm



YATO	L (mm)		
YT-5416	280	750	10/20

Straight pliers

250 mm | 90° | 63 mm





YATO	L (mm)		
YT-5417	260	700	10/20

CV boot clamp pliers

235 mm | CrV









YATO	L (mm)	
YT-0606	235	6/36

Lock-ring pliers

225 mm | CrV











YATO	L (mm)	
YT-0607	225	12/72

Fuel feel pipe pliers

Al










YATO	L (mm)	
YT-0608	300	10/40

Hose clamp pliers

215 mm | +SLOT | ⌀ 2 mm | LOCK SYSTEM SYSTEM BLOKADY | ALLOY STEEL AISI 4130







YATO	L (mm)	
YT-0646	215	12/72

Hose clamp pliers

230 mm | 4 mm | ⌀ 12 mm | LOCK SYSTEM SYSTEM BLOKADY | HRC 40





YATO	L (mm)	
YT-0650	230	6/36


Hose clamp pliers

215 mm | 4 mm | ⌀ 12 mm | LOCK SYSTEM SYSTEM BLOKADY | HRC 40



YATO	L (mm)	
YT-0651	215	6/36

Overhead valve spring compressor



YATO	
YT-0618	5/25

Flexible line clamp

3 PCS | WILL NOT CUT HOSES NIE NISZCZY PRZEWODÓW | NON-CONDUCTIVE NIEPRZEWODZĄCE



1/4" - 3/4"
for brake and fuel lines
1/2" - 5/4"
for flexible hose
3/4" - 9/4"
for radiator hose clamp



YATO		
YT-0840	300	25/50

Piston ring compressor

AISI # 301 | SK5








YATO	⌀ (mm)	H (mm)	
YT-0635	50-125	75	30/60
YT-0636	90-175	100	30/60
YT-0637	90-175	150	20/40

Twin cam locking tool for petrol & diesel engines

FOR PETROL & DIESEL ENGINES / DO SILNIKÓW DIESLA I BENZYNOWYCH








YATO	
YT-06011	10/20

Timing locking set

4 PCS | FOR VALVETRAIN / DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES / DO SILNIKÓW BENZYNOWYCH | DROP FORGED / KUTE






YATO	
YT-06012	10

Camshaft locking tool

48 mm







- for locking the camshaft pulleys when changing the timing belts


YATO		
YT-0601	370	6/36

Diesel engine locking setting kit

3 PCS | FOR VALVETRAIN / DO UKŁADU ROZRZĄDU







VW: Lupo, Polo, Golf / Bora, Beetle, Caddy, Sharan, Touran, Transporter (1998-2006); **AUDI:** A2, A3, A4, A6; **FORD:** Galaxy (2000-2006); **SEAT:** Arosa, Ibiza, Cordoba, Leon, Toledo, Alhambra (1999-2005); **SKODA:** Fabia, Octavia (2000-2006) 3 i 4 cyl 1.2, 1.4, 1.9 TDI PD 2.0 SDI, 2.0 TDI PD

YATO	
YT-0632	10/50

Oxygen sensor and fuel injectors wrench set

7 PCS | 1/2" | 3/8" | 12.5 mm | 10 mm | CrMo SCM-440 | CrV 50BV30

FOR FUEL INJECTORS / DO WTRYSKÓW PALIWA



- 1/2" (12.7 mm) x 29 mm; L=90 mm; 6PT;
- 3/8" (9.5 mm) x 22 mm; L=90 mm; 6PT;
- 1/2" (12.7 mm) x 27 mm; L=78 mm; 12PT;
- 3/8" (9.5 mm) x 27 mm; L=74 mm; 6PT;
- 3/8" (9.5 mm) x 22 mm; L=80 mm; 6PT;
- 1/2" (12.7 mm) x 22 mm; L=50 mm; 6PT;
- 3/8" (9.5 mm) x 22 mm; L=30 mm; 6PT



YATO	size / rozmiar	
YT-1751	1/2" (12.7 mm) 3/8" (9.5 mm)	5

Socket and oxygen sensor set

3 PCS | 22 mm | FOR OXYGEN SENSOR / DO SONDY LAMBDA | CrMo SCM-440 | CrV 50BV30



- 22 mm; L= 50 mm; 6PT; CrMo SCM440;
- 22 mm; L=30 mm; 6PT; CrMo SCM440;
- 22 mm; L=80 mm; 6PT; CrV 50BV30

YATO	
YT-1752	20

Timing locking set

6 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA





YATO	
YT-06013	10

Timing locking set

3 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH





YATO	
YT-06014	10

Timing locking set

12 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR DIESEL ENGINES DO SILNIKÓW DIESLA | NEW






YATO	
YT-06006	8

Timing locking set

8 PCS | Al





YATO	No.		No.		
YT-0633		Vauxhall/Opel: ASTRA G 1.7 TD, ASTRA G 2.0 16V, VECTRA 1.8/2.0 16V > 1995		Volkswagen: BORA 1.9TDI, GOLF 1.9TDI, LUPO 1.2/1.4/3.0 TDI, POLO 1.4TDI PASSAT 1.9TDI	16
		Vauxhall/Opel: ASTRA G 1.4/1.6/1.8 16V > 1994, VECTRA 1.6/1.8 16V, ZAFIRA 1.6/1.8 16V		Citroen: BERLINGO 1.9D, DISPATCH 1.9D/TD-FSO 1.9D, RELAY 1.9D/TD, SYNERGIE 1.9/2.0T, SANTIA 1.9/2.0 D/TD/HDI, XSARA 1.9/2.0 D/HDI, ZX 1.9D/TD, most diesels Fiat: DUCATO 2.0D, ULYSSE 1.8/2.0 TURBO Ford: most diesels Peugeot: 205 1.6/1.8/1.9D, 305 1.6/1.8/1.9D, 306 1.8/1.9D/TD, 309 1.6/1.9D-4.5 1.6/1.9D, 406 1.9D, 605 2.0D/TD, 806 1.9TD, BOXER 1.9/2.0 D/TD, EXPERT 1.9D, PARTNER 1.9D Talbot: EXPRESS D, HORIZON D-J5 D, SOLARA D	
		right hand camshaft Saab: 900-9000 Vauxhall/Opel: CALIBRA 2.5/2.5I/2.6 V6, CAVALIER 2.5I V6, OMEGA B 2.5/2.6/3.0/3.2 V6, SINTRA 3.0 V6, VECTRA A 2.5I/2.6 V6			
		left hand camshaft Saab: 900-9000 Vauxhall/Opel: CALIBRA 2.5/2.5I/2.6 V6, CAVALIER 2.5I V6, OMEGA B 2.5/2.6/3.0/3.2 V6, SINTRA 3.0 V6, VECTRA A 2.5I/2.6 V6			
		Rover: 25 1.4/1.6/1.8/VVC, 45 1.4/1.6/1.8, 75 1.8, 200 VI, 214 16V, 216 16V/CABRIO/COUPE, 218 COUPE, 414 16V, 416 16V, BRM 1.8VVC		**Isuzu:** 1.5/1.7 diesel engines **Vauxhall/Opel:** 1.6/1.7 diesel engines, 1.2/1.4/1.6/1.8/2.0 OHC petrol engines	

Wire brush set

38 PCS | 150 mm | 1/4" 6.3mm | NYLON | SS STAINLESS STEEL STAL NIERDZEWNA | BRASS MOSIĄDZ | NEW





YATO	∅ (mm)	
YT-08196	8;9;10;11;12;13;14;15;16;17;18;19	10

Injector removal set

4 PCS | for/dla: HDi | for/dla: BOSCH SIEMENS | NEW





YATO	
YT-05338	4

Timing locking set for V.A.G.

34 PCS | FOR / DLA V.A.G.





YATO	
YT-06015	4

Timing locking set for V.A.G.

4 PCS | FOR VALVETRAIN DO UKŁADU ROZRZĄDU | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH





YATO	
YT-06017	10

Glow plug reamer set

3 PCS | CrV | NEW





M10 X 1.0;
M12 X 1.25;
M12 X 1.25

YATO	
YT-05341	10/20

Oxygen sensor crowfoot wrench

22 mm | 150 mm | FOR OXYGEN SENSOR DO SONDY LAMBDA | CrV | NEW






YATO	size	L (mm)	
YT-17513	1/2" (12.7mm)	150	10/60

Diesel injector puller

BOSCH TYPE | LUCAS TYPE | M8 M12 M14



YATO		
YT-0617	990	20

Lambda sensor thread chaser

FOR OXYGEN SENSOR DO SONDY LAMBDA | HRC 50 | M12 x 1.25 | M18 x 1.5





YATO	
YT-1756	12/96

Socket key-attachments for Bosch VE-pumps

3 PCS | 1/2" 12.5mm | FOR VE PUMPS DO POMP TYPU VE | CrV | NEW





YATO	size	
YT-17525	1/2" (12.7mm)	12/48

Diesel injection socket set

6 PCS | 1/2" | AS-DRIVE | CrV | FOR FUEL INJECTORS DO WTRYSKÓW PALIWA



YATO	size (mm)	
YT-0622	21x90; 22x78; 22x110; 27x78; 28x78; 28x83	10

Oxygen sensor crowfoot wrench

22 mm | CrMo SCM-440





YATO	size	
YT-1753	7/8" (22mm)	15/60

Oxygen sensor crowfoot wrench

22 mm | CrV 50BV30



YATO	size	
YT-1754	7/8" (22mm)	6/36

Fuel filter socket

27 mm | FOR FUEL FILTER DO FILTRA PALIWA | CrV | NEW






YATO	size	
YT-12000	1/2" (12.7mm)	20/40

Compression tester


21 bar max. | FOR SPARK IGNITION DO ZAPŁONU ISKROWEGO | FOR ALL TYPES DO WSZYSTKICH TYPÓW





RUBBER ADAPTOR ZŁĄCZE GUMOWE

COLOR BOX




- universal rubber adaptor fits all spark plug holes

YATO		
YT-7300	170	24/48



THREADED ADAPTOR ZŁĄCZE GWINTOWANE



- flexible hose for easy access

YATO		
YT-7301	270	12/24

Combined sockets for alternator

1/2" | 13 PCS | HEX | TORX | SPLINE (XZN) | CrV | 12.5 mm | HRC 40-44 | S45C | HRC 38-42 | STEEL 8660 | HRC 53-57



FOR ALTERNATORS




- 1/2" (12.7 mm): M10, HBS, 33T, L = 110 mm; CrV; HRC 40-44;
- 1/2" (12.7 mm): T50, HBS, 33T, L = 110 mm; CrV; HRC 40-44;
- M8, M10 L = 75 mm; 8660; HRC 53-57;
- T40, T50 L = 75 mm; 8660; HRC 53-57;
- H8, H10 L = 75 mm; 8660; HRC 53-57;
- H15, 33T, L = 30 mm; CrV; HRC 40-44;
- H22, 33T, L = 30 mm; CrV; HRC 40-44;
- H22, L = 30 mm; S45C; HRC 38-42;
- Ø 35 x 30 mm; CrV; HRC 40-44;
- 1/2" (12.7 mm) x 10 mm; CrV; HRC 40-44



YATO	
YT-0421	15

Combined sockets for alternator

22 PCS | 1/2" | 3/8" | HEX | TORX | SPLINE | 12.5 mm | CrV | HRC 40-44 | S45C | HRC 38-42 | STEEL 8660 | HRC 53-57 | 10 mm





- 1/2" (12.7 mm): M10, HBS, 33T, L=113 mm; CrV; HRC 40-44 / 8660; HRC 53-57;
- 1/2" (12.7 mm): T50, HBS, 33T, L=113 mm; CrV; HRC 40-44 / 8660; HRC 53-57;
- 3/8" (10 mm); M10; HBS, 33T; L=80 mm; CrV; HRC 40-44 / 8660; HRC 53-57;
- 1/2" (12.5 mm); M10; HBS, 33T; L=140 mm; CrV; HRC 40-44;
- M8, M10, L=75 mm; 8660; HRC 53-57;
- T40, T50, L=75 mm; 8660; HRC 53-57;
- H8, H10, L=75 mm; 8660; HRC 53-57;
- M8xH12, L=64 mm; 8660; HRC 53-57;
- H15, 33T, Ø 17 mm, L=30 mm, H15, 33T, Ø 19 mm, L=30 mm, H22, 33T, Ø 19 mm, L=30 mm; CrV; HRC 40-44;
- H17, H22, L=30 mm; S45C; HRC 38-42;
- Ø 35 x 30 mm; S45C; HRC 38-42;
- Ø 38 mm; S45C; HRC 38-42;
- H19x28, H21x28, H22x28; S45C; HRC 38-42;
- 1/2" (12.5 mm) (F) x H10 mm (F); CrV; HRC 40-44

YATO			
YT-04211	1/2" (12.7 mm)	3/8" (9.5 mm)	5

Fuel injection test kit

10 PCS | P max. 0.7 MPa



YATO		
YT-0670	2000	10

Compression tester

THREADED ADAPTOR ZŁĄCZE GWINTOWANE

RUBBER ADAPTOR ZŁĄCZE GUMOWE



BMC & COLOR SLEEVE





- flexible hose for easy access,quick connect coupler

YATO		
YT-7302	400	6/24

Front wheel bearing adapter set

23 PCS | FOR FRONT WHEEL BEARING | DO ŁOŻYSK PIASTY PRZEDNIEJ





- including: 15pcs pads, 4pcs bushes, 1pc screw, 1pc nut, 2pcs washers
- corrosion resistant black oxide finish


BMC & COLOR SLEEVE




YATO	L (mm)	
YT-2541	175	2

Disc brake pad & caliper service tool kit

12 PCS






YATO		
YT-0611	1700	10

No.	zacisk przedni (F)	zacisk tylny (R)
0	General Motors - zaciski 2 1/2" (63.5 mm)	
1	Adapter do przedniego zacisku	
2	Citroen XM, Xantia (F/R)	
3		Opel (R)
4		Ford (R), Mazda (R), Saab (R), Alfa Romeo 164 2.0 (R), Honda (R), General Motors (R)
5	Nissan Maxima	
6		Nissan Primera, VW Golf IV
7	Audi (R), Rover, Subaru (R), Ford (R), Nissan (R), Peugeot (R), Toyota (R), VW (R)	
8	General Motors - zaciski 1 7/8" (47.6 mm)	
9	General Motors - zaciski 2 1/8" (54.0 mm)	
11		Adapter do tylnego zacisku

Disk brake pad and caliper

16 PCS | 0.75 MPa | 1/4"






YATO		
YT-0671	3400	5

No.	zacisk przedni (F)	zacisk tylny (R)
0	General Motors - zaciski 2 1/2" (F) (63.5 mm)	
2	Citroen XM, Xantia (F/R)	
3	Audi (F), Alfa Romeo (F), Fiat (F), Ford Fiesta (F), Isuzu (F), Honda Concerto (F), Jaguar (F/R), BMW (F), Mercedes-Benz (F), Mitsubishi Colt (F), Nissan: Almera, Stanza, Sunny (F), Rover (F),Toyota Camry (F), Volvo (F), VW: Passat, Golf GTI (F)	
4		Ford (R), Mazda (R), Saab (R), Alfa Romeo 164 2.0 (R), Honda (R), General Motors (R)
5	Adapter z gniazdem 3/8"	
6		Nissan Primera (R), VW Golf IV (R)
7		Audi (R), Rover, Subaru (R), Ford (R), Nissan (R), Peugeot (R), Toyota (R), VW (R)
8	General Motors - zaciski 1 7/8" (47.6 mm)	
9	General Motors - zaciski 2 1/8" (54.0 mm)	
A		Renault (R)
E	Nissan Maxima (F/R)	
F		Opel (R)
K		Citroen (R)
M		Ford (R), Cooper (R)
N	Saab, Honda (F/R)	

Disc brake spreader

0-65 mm | 1/2" 21 mm







YATO		
YT-0610	760	12/24

Disc brake piston tool

3/8" | 10 mm | CrV







- For:GM,FORD,Chrysler,VW,Fiat

YATO	
YT-0683	12/96

Brake spring pliers kit

3 PCS







YATO	
YT-0684	6/24

Cross rim wrench

CrV






YATO	size	
YT-0800	17x19x21x22	10
YT-0801	17x19x21x1/2"	10
YT-0802	24x27x32x3/4"	3
YT-08002	17x19x21x23	10

T-Type sleeved ratchet wrench

4 PCS | 1/2" | AS-DRIVE | 44T | CrV 50BV30







- 1/2" sockets: 17,19,21,23mm

YATO		
YT-0803	1800	5/10

Folding cross wrench

4 PCS | 17 mm | 19 mm | 21 mm | 23 mm | 1/2" 12.5mm | CrV | WALLET ETUI






TEXTILE WALLET & COLOR BOX




YATO	size / rozmiar	
YT-08035	1/2" (12.7 mm)	10

Disc brake pad & caliper service tool kit

18 PCS






YATO	No.		front brake caliper	rear brake caliper	
YT-0682	1-1		siłowniki z lewym i prawym gwintem		5
	1		płytka oporowa		
	5	3/8" (10.0 mm)	adapter z gniazdem		
	0	2 1/2" (63.5 mm)	General Motors		
	2	2 1/64" (51.0 mm)	Citroen XM, Xantia		
	3	2 5/32" (55.0 mm)	Audi, Alfa Romeo, Fiat, Ford Fiesta, Honda, Jaguar, BMW, Mercedes, Mitsubishi Colt, Nissan, Rover, Austin, Toyota Camry, Volvo, VW: Passat, Golf GTI	Jaguar	
	4	1 1/4" (32.0 mm)		Ford, Mazda, Saab, Alfa Romeo 164, Honda, General Motors	
	6	1 21/32" (42.0 mm)		Nissan Primera, VW Golf IV	
	7	1 21/32" (42.0 mm)		Audi, Rover, Subaru, Ford, Nissan, Peugeot, Toyota, VW	
	8	1 7/8" (48.0 mm)	General Motors		
	9	2 1/8" (54.0 mm)	General Motors, Cadillac		
	E	1 21/32" (42.0 mm)		Nissan Maxima	
	F	1 1/4" (32.0 mm)		Opel	
	K	2 1/8" (54.0 mm)		Citroen	
	M	1 1/4" (32.0 mm)		Ford	
	N	1 1/4" (32.0 mm)	Saab, Honda		
	A	1 3/16" (30.0 mm)		Renault	

Disc brake pad & caliper service tool kit

35 PCS
3/8"
10 mm







YATO	No.		front brake caliper	rear brake caliper	
YT-06822	2	2 1/64" (51.0 mm)	Citroen Xantia, Honda Prelude		5
	3	2 5/32" (55.0 mm)	Fiat, Alfa Romeo, Isuzu, Mercedes Benz, BMW, Citroen, Ford, Honda, Jaguar, Nissan, Peugeot, Rover, Toyota, VAG, Volvo	Jaguar	
	4	1 1/4" (32.0 mm)		Ford, Mazda, Saab, Fiat, Alfa Romeo, General Motors	
	5	3/8" (10.0 mm)	adapter z gniazdem		
	7	1 21/32" (42.0 mm)		Nissan, VAG, Jaguar S	
	6	1 21/32" (42.0 mm)		Audi, Rover, Subaru, Ford, Nissan, Peugeot, Toyota, VAG, Saab, Jaguar, GM	
	8	1 7/8" (48.0 mm)	General Motors		
	9	2 1/8" (54.0 mm)	General Motors, Cadillac		
	0	2 1/2" (63.5 mm)	General Motors		
	A	1 1/5" (30.5 mm)		Renault, BMW, Mini	
	B	1 19/30" (41.5 mm)		Ford, Lincoln, Subaru	
	C	1 19/30" (41.5 mm)		Mini, Nissan, Opel, Toyota	
	D	2 1/64" (51.0 mm)	Renault, Citroen		
	E	1 21/32" (42.0 mm)		Nissan Maxima	
	F	1 1/4" (32.0 mm)		Opel, Fiat	
	G	3/8" (10.0 mm)		Peugeot, GM	
	J	1 22/33" (42.5 mm)	Fiat, Alfa Romeo, Audi, Citroen, Renault, Peugeot, Ford, Nissan, Saab, VAG, Subaru, Volvo		
	K	2 1/8" (54.0 mm)		Citroen, Opel	
	K1	2 1/8" (54.0 mm)	Renault, Citroen		
	K2	1 22/23" (50.0 mm)		Citroen, Renault, Audi	
	P	1 19/30" (41.5 mm)		VAG, BMW, Ford, Lancia, Proton, Renault, Rover, Citroen	
	M	1 1/4" (32.0 mm)		Ford, Mini, Nissan	
	N	1 1/4" (32.0 mm)		Saab, Honda, Alfa Romeo, Ford Mondeo, Lancia, Volkswagen	
	Z	1 3/16" (30.0 mm)		Ford, Mazda, Mitsubishi, Toyota Corolla	
	1, 11, 12		płytka oporowa		

Spark plug socket

3/8" | AS-DRIVE | CoMo





YATO		(mm)	
YT-38510	3/8"	14	25/100

Spark plug socket

3/8" | AS-DRIVE | CrV





YATO		(mm)	
YT-38511	3/8"	16	25/100

Spark plug socket

3/8" (10 mm) x 315 mm | CrV 50BV30



YATO	(mm)	
YT-38513	16	25/100

Socket bit

1/2" | CrV | S2

Mercedes-Benz
LAND ROVER RANGE ROVER
The Ultimate Driving Machine
PORSCHE



YATO	○	○ (mm)	L (mm)	
YT-77170	1/2"	T50	200	25/100
YT-77171	1/2"	T55	200	25/100
YT-77172	1/2"	T60	200	25/100

Deep thin wall impact sockets

1/2" | 3 PCS | CrMo SCM-440 | AS-DRIVE | ○ 17 19 21 mm | ⌀ 26 29 31 mm





YATO	○	
YT-1056	1/2"	12/24

Conditioning tool set

12 PCS | 1/4" 6.3mm | STAR TAMPERPROOF | CrV | NEW



1/4" (6.3 mm): SW12, SW15 (L=40 mm); CrV; ;
1/4" (6.3 mm): 2.2, 3.2 mm (L=50 mm); CrV;
1/4" (6.3 mm);
1/4" (6.3 mm): TS10, TS15, TS20, TS25, TS27, TS30, TS40 (L=25 mm); CrV



YATO	
YT-12007	10/20

Socket bit

1/2" | CrV | S2


Mercedes-Benz
LAND ROVER RANGE ROVER
The Ultimate Driving Machine
PORSCHE



YATO	○	○ (mm)	L (mm)	
YT-76594	3/8"	H7	36	100/400
YT-76595	3/8"	H9	92	20/120
YT-76596	1/2"	H9	50	20/250
YT-76597	1/2"	H11	90	25/170

Deep aluminium wheel nut socket set

1/2" | 6 PCS | CrMo SCM-440 | AS-DRIVE | ○ 17 19 21 mm | ⌀ 27 29 31 mm | 150 mm | NEW







YATO	○	
YT-10563	1/2"	10

Coil spring clamp


90x200 mm | 2 PCS | 1/2" 21 mm






YATO	⌀ (mm)	L (mm)	
YT-0605	90	200	5/10

CrV



YATO	⌀ (mm)	L (mm)	
YT-2544	82	370	8

COLD FORGED



YATO	⌀ (mm)	L (mm)	
YT-2547	82	355	8

Deep thin wall impact sockets

1/2" | CrMo SCM-440 | AS-DRIVE



YATO	○	○ (mm)	
YT-10561	1/2"	17	10/50
YT-10562	1/2"	19	12/48

Emergency wheel nut remover

4 PCS | 1/2" 12.5mm | CrMo | NEW





1/2" (12.7 mm): 17.0, 18.5, 21.5, 26.0 mm); CrMo

YATO	○	
YT-06030	1/2"(12.7mm)	10/20

Spark plug socket

3/8" | AS-DRIVE | CrV | THIN WALL CIENKO-ŚCIENNA





YATO	O	O (mm)	
YT-38512	3/8"	14	25/100

Impact bit socket

1/2" | CrMo SCM-440



YATO	O	O (mm)	L (mm)	
YT-1066-H17	1/2"	H17	78	25/50

Socket bit

1/2" | CrV | S2

Mercedes-Benz
RANGE ROVER
The Ultimate Driving Machine
PORSCHE



YATO	O	O (mm)	L (mm)	
YT-77191	1/2"	T52	125	25/100

Extra long spark plug socket

3/8" 10 mm | 250 mm | THIN WALL CIENKO-ŚCIENNA | CrV | NEW





YATO	O (mm)	
YT-38521	14	12/48
YT-38522	16	12/48

Extra long spark plug socket

6 PCS | 3/8" 10 mm | CrV | NEW

8, 9, 10, 12, 14, 16 mm





YATO	O	
YT-05339	3/8"(9.5mm)	1/10

Deep impact sockets

1/2" | CrMo SCM-440 | AS-DRIVE

Mercedes-Benz



YATO	O	O (mm)	L (mm)	
YT-10560	1/2"	17	78	12/48

Spark plug socket

3/8" 10 mm | 310 mm | THIN WALL CIENKO-ŚCIENNA | CrV | NEW







YATO	O (mm)	
YT-08163	14	15/60
YT-08164	16	15/60

Impact bit socket

1/2" | CrMo SCM-440 | AS-DRIVE



YATO	O	O	
YT-10650	1/2"	M14	25/100
YT-10651	1/2"	M16	25/100

Fan clutch tool


PORSCHE



YATO	O (mm)	L (mm)	
YT-06272	36	345	10

Drive nut set

5 PCS



No. 1 10.5 mm VW Golf rear
No. 2 12.5 mm VW Golf front
No. 3 14.5 mm VW Polo, Golf, Passat, Audi 80
No. 4 14.5 mm Austin Maestro
No. 5 14.0 mm Mercedes Benz C-Class (W203)





YATO	size (mm)	
YT-0621	10.5; 12.5; 14.5; 14.5; 14.0	12/48

Inflating gun

1/4" 6.3mm | 0.8 MPa (max.) | Al | 440mm HOSE WAZ





YATO	
YT-2370	8/40

Inflating gun

440 mm | 0.8 MPa (max.) | 1/4" 6.3 mm | 360°

COLOR BOX






YATO	
YT-23701	20

Universal radiator pressure kit

14 PCS | P max. 0.25 MPa | 200°C max.






YATO	No.			
YT-0672		General Motors	4300	4
		Mercedes, General Motors, Jeep		
		Peugeot, Subaru, Chrysler, Acura, General Motors, Mitsubishi, Nissan, Mazda, Toyota, Infiniti, GEO, Suzuki, Isuzu, Ford		
		Honda, Toyota, Suzuki, Mitsubishi, Chrysler, Acura		
		Audi, BMW, Volkswagen, Porsche		
		Volvo, Saab, Citroen, Renault, Fiat, Alfa Romeo, Jeep		

YATO	No.			
YT-0672		Volkswagen	4300	4
		Mercedes, General Motors, Jeep		
		BMW		
		Audi, Volkswagen		
		Ford, Land Rover, Opel, Jaguar, Mercedes		
		Mercedes		

Interchangeable fork spring compressor and removal tool

7 PCS | 65-125 mm | 88-160 mm | max. 1500kg | 126-212 mm








YATO	
YT-2536	1

Diesel injector and cutter set

7 PCS | CrMoV SKD11







17 x 17 mm,
17 x 19 mm,
15 x 19 mm,
(CrMoV SKD11)



120° 17 x 17 mm,
120° 17 x 21 mm,
(CrMoV SKD11)



YATO	
YT-17625	1/10


Compression tester set

2.1 MPa | M14 M18 | FOR SPARK IGNITION DO ZAPŁONU ISKROWEGO | RUBBER ADAPTOR ZŁĄCZE GUMOWE

NEW



FOR ALL TYPES DO WSZYSTKICH TYPÓW




YATO	
YT-73011	10

Compression tester set

19 PCS | 7 MPa | FOR DIESEL ENGINE DO SILNIKÓW DIESLA

NEW






YATO	
YT-73072	6

Rubber valve core torque tool

0.25 Nm | RUBBER VALVES ZAWORY GUMOWE




YATO		
YT-0795	60	50/200

Compression tester set

50 PCS | 4 MPa | FOR DIESEL ENGINE DO SILNIKÓW DIESLA | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH

NEW





YATO	
YT-73012	4


Wheel balance pliers



YATO		
YT-0643	520	12/48

Metal valve core torque tool

0.45 Nm | METAL VALVES ZAWORY METALOWE



YATO		
YT-0796	60	50/200


Cylinder leak tester set

4 PCS | STANDARD

7 MPa | FOR GASOLINE ENGINES DO SILNIKÓW BENZYNOWYCH

NEW





YATO	
YT-73055	5

Magnetic tool holder

incl. 13 kg



YATO		
YT-0835	920	4/16

Telescopic magnetic pick up tool

2 kg | MAGNETIC | TELESCOPIC HANDLE 250x750 mm

YATO		
YT-0661	120	12/144

Telescopic pick up and mirror set

4 PCS · 0.5 kg (max) · 1.5 kg (max) · MAGNETIC · 160 - 620 mm TELESCOPIC HANDLE · 250 - 930 mm, Ø 57 mm TELESCOPIC HANDLE





YATO		
YT-0662	160	10/40

Rectangular telescopic inspection mirror

50x90 mm · TELESCOPIC HANDLE 285x770 mm



YATO		
YT-0660	120	12/144

Telescopic magnetic pick-up tool

22.5 kg · 82 mm · TELESCOPIC HANDLE UCHWYT TELESKOPOWY 59~99 cm



- max magnetic force: 22.5kgs
- telescopic handle 55-99mm

YATO	L (mm)	
YT-0860	590-990	6/24

Flexible magnetic pick up tool


SVCM



YATO	L (mm)	PCS packing:	
YT-1385	400	6	72

LED lighted telescopic inspection mirror

Ø 54mm · STAINLESS STEEL STAL NIERDZEWNA · CE · LED · 265 - 920mm TELESCOPIC HANDLE TELESKOPOWY UCHWYT



- 1pc of LED light
- telescopic handle 265-920mm

YATO		
YT-0663	250	12/72

Torque angle gauge

1/2" · 360° · 12.5 mm · CrV



YATO	
YT-0593	12/48

Magnetic parts tray

Ø mm 150 · MAGNETIC





YATO		
YT-0830	410	12/48

Magnetic parts tray

350x150 mm · MAGNETIC





YATO		
YT-0831	1300	6/12

Thread repair set

131 PCS · HSS 4341 · STAINLESS STEEL STAL NIERDZEWNA





YATO	size (mm)	
YT-1763	M5 x 0.8 x 6.7	5/10
	M6 x 1.0 x 10.8	
	M8 x 1.25 x 10.8	
	M10 x 1.5 x 13.5	
	M12 x 1.75 x 16.3	

Thread repair set

88 PCS | HSS 4341 | STAINLESS STEEL STAL NIERDZEWNA




YATO	size (mm)	
YT-1769	M6 x 1.0 x 10.8	5/10
	M8 x 1.25 x 10.8	
	M10 x 1.5 x 13.5	

Hydraulic floor jack

3t | 465 mm / 130 mm

COLOR BOX





YATO	T	
YT-17211	3	1

Hydraulic floor jack

2.5t | 457 mm / 89 mm | CE



- hydraulic, max capacity: 2,5t, min height:89mm
- max height: 457mm


YATO	T	
YT-1721	2.5	1

Automotive lock-out tool set

9 PCS | STAINLESS STEEL STAL NIERDZEWNA | PVC

POUCH





YATO	
YT-08385	25

Two-piston hydraulic bottle jack

ELECTROLESS NICKEL PLATING | CE

5t | 500 / 220 mm



YATO	T	
YT-1711	5	2

10t | 225 / 125 mm | CE



YATO	T	
YT-1713	10	2

Hydraulic bottle jack

CE



YATO	T	A (mm)	B (mm)	
YT-17000	2	181	345	6
YT-17001	3	194	374	6
YT-17002	5	216	413	4
YT-17003	8	230	457	2
YT-17004	10	230	460	2
YT-17005	12	230	465	2
YT-17006	15	230	462	2
YT-17007	20	242	452	2
YT-17008	32	285	465	1
YT-17009	50	300	480	1

Hydraulic floor jack

2t | 359 mm / 89 mm | CE



- hydraulic, max capacity: 2t , 360˚
- rotating handle, min height: 89mm, max height: 359mm

YATO	T	
YT-1720	2	1

Jack stand

CE




- 2PIECES/SET

YATO	T	min(mm)	max(mm)	
YT-17310	2	265	415	1
YT-17311	3	280	420	1
YT-17312	6	382	600	1

Hydraulic bottle jack





YATO	T	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	
YT-1702	5	212	110	146	468	40	110x112	5
YT-1704	10	220	115	148	483	48	124x127.5	3
YT-1706	15	231	113	154	498	56	140x142	2
YT-1707	20	241	115	165	521	60	165x161	2
YT-1709	30	244	108	140	492	65	186x174	1

Two-piston hydraulic bottle jack

10t | 523 / 208 mm



YATO	T	
YT-1714	10	1

12t | 593 / 230 mm



YATO	T	
YT-1715	12	1

Workshop creeper

100 cm | WHEELS



YATO		
YT-0880	6	1

Rope winch



YATO	daN	L(m)	Ø (mm)	
YT-5911	1000	3	5	6

Rope winch

1300 daN



YATO	daN	L(m)	Ø (mm)	
YT-5913	1300	3	5	6

Rope winch

1500 daN



YATO	daN	L(m)	Ø (mm)	
YT-5914	1500	3	6	3

Chain block

3m 6m 9m CE



YATO	T	
YT-58950	0.5T X 3M	1
YT-58950-6M	0.5T X 6M	1
YT-58951	1.0T X 3M	1
YT-58951-6M	1.0T X 6M	1
YT-58951-9M	1.0T X 9M	1
YT-58953	2.0T X 3M	1
YT-58953-6M	2.0T X 6M	1
YT-58953-9M	2.0T X 9M	1
YT-58954	3.0T X 3M	1
YT-58954-6M	3.0T X 6M	1
YT-58955	5.0T X 3M	1
YT-58955-6M	5.0T X 6M	1
YT-58955-9M	5.0T X 9M	1



YATO	T	
YT-58957	10T X 3M	1

Lever block

1.5m CE



YATO	T		
YT-58962	1.5MX0.75T	7	1
YT-58964	1.5MX1.5T	11.5	1
YT-58966	1.5MX3T	18.5	1
YT-58967	1.5MX6T	27	1



YATO	T		
YT-58968	1.5MX9T	42	1

Electronic battery charger

6 V 12 V | 8 A | 5-200 Ah | ~230V 50Hz | WET GEL AGM | MOKRY ŻELOWY AGM | MICROPROCESSOR MIKROPROCESOR | CE





YATO	
YT-8301	8

Battery charger with boost function

25 A | 170-350 Ah | WET MOKRY | 230V~ 50Hz | 12 V 24 V | NEW



YATO	
YT-8305	2

Battery charger with engine start-up supporting function

12 V 27 A START | ROZRUCH 300 A | 24 V 25 A START | ROZRUCH 240 A | 20-600 Ah



YATO	
YT-83060	1

Jump starter power bank

200 A 400 A PEAK / SZCZYT | USB 5V / 2A | Li-Po | JUMP START ROZRUCH SILNIKA | SOS FRONT LIGHTING FUNCTION | 7500 mAh | 2h





YATO	
YT-83080	20

Battery tester

12V | BATTERY TEST TEST AKUMULATORA | ALTERNATOR TEST TEST ALTERNATORA





YATO	
YT-83101	12/72

Jump starter power bank

200 A 400 A PEAK / SZCZYT | USB 5V / 2A | Li-Po | JUMP START ROZRUCH SILNIKA | SOS FRONT LIGHTING FUNCTION | 3h | 9000 mAh | 12V / 3,5A OUTPUT WYJŚCIE





YATO	
YT-83081	10

Jumpstart wires

2.5m



YATO	max (A)	
YT-83152	400	12
YT-83153	600	12

Electronic battery charger

220-240 V~ 50/60 Hz | 1 A / 4 A | MOKRY / ŻELOWY / AGM | 6 V / 12 V | WET / GEL / AGM | 120 Ah max | LCD DISPLAY / WYŚWIETLACZ







YATO	
YT-83033	20

Car air compressor

180 W | 12 V | 40 l/min | 1.0 MPa | 1m HOSE / WĄŻ | 3m

NEW











YATO	W	
YT-73460	180	8

Hand pump with manometer

65 cm | 0-8 bar 0-120 PSI 0-800 kPa | LCD DISPLAY / WYŚWIETLACZ





YATO	
YT-73530	3

Foot pump with gauge

0-0.7 MPa | TWIN PISTON / PODWÓJNY TŁOK



YATO	
YT-7350	1/10

Car air compressor

250 W | 12 V | 60 l/min | 1.0 MPa | 5m HOSE / WĄŻ | 3m

NEW









YATO	W	
YT-73462	250	4

Inflating head

1.0 MPa (max.)

DOUBLE BLISTER





YATO	Ø (mm)	
YT-2371	6	50/300
YT-2372	8	50/300

Hand pump with manometer

0-8 bar 0-120 PSI | 65 cm





YATO	
YT-73521	3

Pressure gauge

0-15 bar | 0-220 PSI | FOR TRUCKS DO SAMOCHODÓW CIĘŻAROWYCH | 140 mm

SLIDING CARD





YATO	
	25/100

Auto body fender set

7 PCS | DROP FORGED KUTE | GENUINE HICKORY







YATO		
YT-4590	4900	4

LED workshop lamp

60+1 LED | 13000 MCD | 230V~ 50Hz BATTERY CHARGER ŁADOWARKA | WATER PROOF ODPORNA NA WODĘ | 7.2V 800mAh NI-MH | 4 h | CE | 12V BATTERY CHARGER ŁADOWARKA | HOOK HAK





YATO	LED	
YT-0852	60	5/20

Workshop LED battery lamp

FRONT LIGHTING FUNKCJA LATARKI | 5+3 W | 3.7V 2600mAh Li-Ion | CHARGING TIME CZAS ŁADOWANIA 4h | 600/260 lm | 6500 K | USB BATTERY CHARGER ŁADOWARKA | WORK TIME CZAS PRACY 2.5/5.5 h | POLYCARBONATE DIFFUSER KLOSZ Z POLIWĘGLANU | MAGNETIC | COB LED





LED workshop lamp

22 PCS | -1-3 bar





YATO	
YT-0674	5

LED workshop lamp

27 LED | 230V~ 50Hz BATTERY CHARGER ŁADOWARKA | 3.6V 1200mAh NI-MH | 13000 MCD | CHARGING TIME CZAS ŁADOWANIA 4 h | WORK TIME CZAS PRACY 4 h | WATER PROOF ODPORNA NA WODĘ | MAGNETIC | CE | 12V BATTERY CHARGER ŁADOWARKA






YATO	
YT-08523	5

Puller for ribbed drive pulley

40-165mm | 17mm 3/8"

COLOR BOX







YATO	
YT-25480	10

Workshop LED battery lamp

8 LED | 80 lm | WORK TIME CZAS PRACY 20 h 8 LED | 1.5V 3x AAA








YATO	
YT-08514	12/72









HANGING COLOR BOX



YATO	
YT-08518	12

Workshop LED battery lamp

30/7 LED | 230V~ 50Hz BATTERY CHARGER ŁADOWARKA | 3.6V 1200mAh Ni-MH | 13000 MCD | CHARGING TIME CZAS ŁADOWANIA 4-5 h | MAGNETIC | WORK TIME CZAS PRACY 15 h 7 LED | WORK TIME CZAS PRACY 4 h 30 LED | CE



YATO		
YT-08505		10

Workshop LED battery lamp

12V BATTERY CHARGER ŁADOWARKA | 1+1 LED | 180 lm | CHARGING TIME CZAS ŁADOWANIA 4 h | WORK TIME CZAS PRACY 3 h 2 LED | FRONT LIGHTING FUNKCJA LATARKI | 3.7V 3600mAh Li-Ion | 230V~ 50Hz BATTERY CHARGER ŁADOWARKA | HOOK HAK | MAGNETIC





YATO		
YT-08502		10

Workshop LED battery lamp

36 LED | 18 LED | 36 LED | 7.4V 2400mAh Li-Ion | 230V~ 50Hz BATTERY CHARGER ŁADOWARKA | NEW | 900 lm | CHARGING TIME CZAS ŁADOWANIA 5.5 h | WORK TIME CZAS PRACY 3.5 h | HOOK HAK | MAGNETIC | SMD LED



YATO		
YT-08533		4

Workshop LED battery lamp

1+7 LED | 250 lm | 3.7V 1800mAh Li-Ion | 12V BATTERY CHARGER ŁADOWARKA | FRONT LIGHTING FUNKCJA LATARKI | USB BATTERY CHARGER ŁADOWARKA | CHARGING TIME CZAS ŁADOWANIA 4h | WORK TIME CZAS PRACY 4h | HOOK HAK x2 | x2 | COB LED



YATO		
YT-08504		10

Workshop LED battery lamp

120 LED | 230V~ 50Hz BATTERY CHARGER ŁADOWARKA | 13000 MCD | 7.2V 1800mAh Ni-MH | 60 LED | 120 LED | CHARGING TIME CZAS ŁADOWANIA 4-5 h | WORK TIME CZAS PRACY 8 h 60 LED | WORK TIME CZAS PRACY 4 h 120 LED | MAGNETIC | CE



YATO	LENGTH (m)	
YT-08530	1.2-1.95	4

LED head lamp

3W | 100 lm | ZOOM | WATER PROOF ODPORNA NA WODĘ | 1.5V 3x AAA








YATO	W	lm	
YT-08590	3	100	50/100

LED lamp

10W | 6000°K | ~220-240V 50Hz | 700 lm | 20000 h | IP65 | LED



COB LED






COLOR BOX



YATO	
YT-81800	18

LED lamp

30W | 6000°K | ~220-240V 50Hz | 2100 lm | 20000 h | IP65 | LED



COB LED





COLOR BOX



YATO	
YT-81803	6

LED lamp with motion detector

30W | 6000°K | ~220-240V 50Hz | 12m | 2100 lm | 20000 h | IP44 | LED



COB LED





COLOR BOX



YATO	
YT-81804	6

LED lamp with motion detector

10W | 6000°K | ~220-240V 50Hz | 700 lm | 20000 h | IP44 | LED



COB LED





COLOR BOX




YATO	
YT-81801	18

Portable LED lamp

10W | 6000°K | ~220-240V 50Hz | 700 lm | 20000 h | IP65 | LED



1.8m



COB LED



COLOR BOX



YATO	
YT-81802	12

LED lamp

50W | 3500 lm | 6000°K | ~220-240V 50Hz | 20000 h | IP65 | LED



COB LED





COLOR BOX



YATO	
YT-81806	3

Automotive circuit tester

6-24 V | LED | 90 cm





- test range: 6-24VDC
- pocket clip, with clamp

YATO	L (mm)	
YT-2865	140	10/250

Automotive circuit tester

6-12 V | LED | 90 cm





- test range: 6-12VDC
- pocket clip, with clamp

YATO	L (mm)	
YT-2866	140	10/100

Automotive circuit tester

6-24 V | LED | 250 cm



- test range: 6-24VDC
- pocket clip, with clamp

YATO	L (mm)	
YT-28522	140	12/120

LED Flashlight

6W | XPG3 | 500 lm | 230 m | 4 LIGHTING MODES TRYBY ŚWIECENIA | IPX7 | 6V 4x AA





YATO	size(mm)	Max brightness	Range(M)	
YT-08564	172X41	500LM	230	6/24

LED Flashlight

3W | XPE2 | 200 lm | 120 m | 2 LIGHTING MODES TRYBY ŚWIECENIA | ZOOM | IPX4 | 3V 2x AA





YATO	size(mm)	Max brightness	Range(M)	
YT-08565	160X29	200LM	120	8/64

LED Flashlight

3.7 V 650 mAh Li-Ion | USB CHARGING ŁADOWANIE | IPX4 | 5W | XTE | 350 lm | 150 m | 4 LIGHTING MODES TRYBY ŚWIECENIA | ZOOM





YATO	size(mm)	Max brightness	Range(M)	
YT-08569	94X27	350LM	150	12/96

LED Flashlight

5W | XPG2 | 300 lm | 150 m | 3 LIGHTING MODES TRYBY ŚWIECENIA | ZOOM | IPX4 | 4.5V 2x AA





YATO	size(mm)	Max brightness	Range(M)	
YT-08566	126X34	300LM	150	8/64

LED Flashlight

10W | XPL | 1000 lm | 350 m | 3 LIGHTING MODES TRYBY ŚWIECENIA | ZOOM | IPX4 | 6V 4x ORICH





YATO	size(mm)	Max brightness	Range(M)	
YT-08567	254X46	1000LM	350	8/16

LED Flashlight

3.7 V 2200mAh Li-Ion | USB CHARGING ŁADOWANIE | 4 LIGHTING MODES TRYBY ŚWIECENIA | 200 m | ZOOM | IPX4 | 6W | XTE | 500 lm





YATO	size(mm)	Max brightness	Range(M)	
YT-08578	150X37	500LM	200	4/32

LED Flashlight

9 LED | 1,5V 3x AAA



YATO	
YT-08570	24/192

Inner tie rod tool

⌀ mm 35-42



COLOR BOX



YATO	
YT-06160	25

Hand-held vacuum pump

16 PCS | -1÷0 bar



BMC & COLOR SLEEVE



YATO	
YT-0673	10

Floodlight SMD LED tripod

20W | 1800 lm | ~220-240V 50Hz | NEW



YATO	Max brightness	
YT-81814	1800LM	6

Floodlight SMD LED tripod

30W | ~220-240V 50Hz | 2700 lm | NEW



YATO	Max brightness	
YT-81816	2700LM	6

Brake spring pliers kit

8 PCS | FOR DRUM BRAKES DO HAMULCÓW BĘBNOWYCH



BMC & COLOR SLEEVE



YATO	
YT-0680	5

Floodlight SMD LED tripod

20W x2 | 3600 lm | ~220-240V 50Hz | NEW



YATO	Max brightness	
YT-81815	3600LM	6

Floodlight SMD LED tripod


30W x2 | ~220-240V 50Hz | 5400 lm | NEW




YATO	Max brightness	
YT-81817	5400LM	4

Universal puller set

12 PCS | DROP FORGED KUTE







YATO	
YT-25105	2

Belt gauge



YATO	
YT-06019	20

Valve stem seal pliers

270 mm | FOR VALVE STEM SEALS






YATO	L (mm)	
YT-0648	270	12/60

Refractometer





YATO	
YT-06722	25

Heavy duty nut splitter

4 PCS | CrV | HRC 40-45

BMC & COLOR SLEEVE



YATO	
YT-0585	10

E-ring circlips assortment

300 PCS | Ø 1.5-22 mm





1.5 mm, 3 mm, 5 mm, 6 mm, 10 mm, 12 mm, 15 mm, 19 mm, 22 mm

YATO	
YT-06884	25

Feather keys assortment

80 PCS





3.0x5.0x13 mm, 4.0x5.0x13 mm, 3.0x6.5x16 mm, 4.0x7.5x19 mm, 5.0x7.5x19 mm, 4.0x6.5x16 mm, 5.0x9.0x22 mm, 6.0x9.0x22 mm

YATO	
YT-06790	25

Tie rod / ball joint tool kit

6 PCS


BMC & COLOR SLEEVE




YATO	
YT-06157	5

Aluminium rivet assoetment

400 PCS | MIX SIZE ROZMIARÓW | Al





2.4; 3.2; 4.0; 4.8 mm

YATO	
YT-36420	5/20



Metric nuts & bolts assortment

347 PCS | MIX SIZE ROZMIARÓW

PLASTIC HANGING BOX





3x12 mm, 3x20 mm, 5x24 mm; 2.5x12 mm, 3x19 mm, 4x24 mm;M5, M6; M5x20 mm, M5x25 mm, M6x20 mm; M5, M6

YATO	
YT-06771	6/24

Self locking nuts assortment

146 PCS | INSERT LOCK ZABEZPIECZENIE | MIX SIZE ROZMIARÓW

PLASTIC HANGING BOX





M4, M5, M6, M8, M10, M12

YATO	
YT-06774	5/20

Copper washer set

150 PCS | Cu

PLASTIC HANGING BOX





YATO	
YT-06871	5/20

Metric nuts assortment

300 PCS | MIX SIZE ROZMIARÓW

PLASTIC HANGING BOX





M3, M4, M5, M6, M8, M10

YATO	
YT-06772	5/20

Hex nut with top assortment

150 PCS | MIX SIZE ROZMIARÓW

PLASTIC HANGING BOX





M3, M4, M5, M6, M8, M10

YATO	
YT-06775	5/20

Splint pin assortment

555 PCS | MIX SIZE ROZMIARÓW

PLASTIC HANGING BOX






YATO	No.	inner diameter (mm)	pcs / szt.	
YT-06873	R-01	1.6 x 25	150	5/10
	R-02	2.4 x 25	150	
	R-03	2.4 x 38	100	
	R-04	3.2 x32	75	
	R-05	3.2 x 50	50	
	R-06	4.0 x 64	30	

Stainless steel nuts assortment

300 PCS | MIX SIZE ROZMIARÓW | STAINLESS STEEL STAL NIERDZEWNA

PLASTIC HANGING BOX





M3, M4, M5, M6, M8, M10

YATO	
YT-06773	5/20

Metric wing nut assortment

150 PCS | METRIC METRYCZNE





M4, M5, M6, M8, M10



YATO	
YT-06776	5/20

Rubber grommet assortment

180 PCS | MIX SIZE ROZMIARÓW






YATO	dimensions/wymiary(mm)	
YT-06878	6.3, 7.9, 9.5, 11.0, 12.7, 15.8, 22.0, 25.4 mm;	5/20

O-ring assortment

419 PCS | MIX SET/ROZMIARÓW | NBR MATERIAL/MATERIAŁ

PLASTIC BOX





3x1.5 mm, 4.4x2 mm, 5x2 mm, 7x1.5 mm, 10x1.5 mm, 10x2.5 mm, 11x2.5 mm, 13x1.5 mm, 13x2.5 mm, 14x2.5 mm, 16x2.5 mm, 18x2.5 mm, 19x2.5 mm, 21x2.5 mm, 22x2.5 mm, 18x3.5 mm, 20x3.5 mm, 22x3.5 mm, 23.5x3.5 mm, 25x3.5 mm, 26.5x3.5 mm, 28x3.5 mm, 30x3.5 mm, 31x3.5 mm, 33x3.5 mm, 34.5x3.5 mm, 36x3.5 mm, 38x3.5 mm, 41x3.5 mm, 44x3.5 mm, 47x3.5 mm, 50x3.5 mm

YATO	
YT-06876	24


O-Rings assortment for air conditioning

270 PCS | MIX SET/ROZMIARÓW | HNBR MATERIAL/MATERIAŁ

PLASTIC HANGING BOX







Ø 5.29 x 1.78 mm, 6.07 x 1.78 mm, 6.8 x 1.9 mm, 7.65 x 1.78 mm, 7.8 x 1.9 mm, 8 x 2 mm, 8.8 x 1.9 mm, 10.82 x 1.78 mm, 10.77 x 2.62 mm, 11 x 2 mm, 12 x 2 mm, 13.9 x 1.8 mm, 13.95 x 2.62 mm, 10 x 2 mm, 15 x 2 mm, 17 x 2 mm, 17.17 x 1.78 mm, 17.04 x 3.53 mm

YATO	
YT-06879	6/24

Spring assortment

200 PCS | MIX SET/ROZMIARÓW

PLASTIC HANGING BOX





YATO	
YT-06875	5/20

O-ring assortment

225 PCS | HEAT RESISTANT / TEMPERATUROODPORNE | OIL, PETROL, CHEMICAL-RESISTANT / ODPORNE NA OLEJ, BENZYNĘ, CHEMIKALIA

PLASTIC HANGING BOX





YATO	
YT-06877	5/20

Splint pin assortment

1000 件套 | MIX SET/ROZMIARÓW

PLASTIC HANGING BOX







1.5x25 mm, 2.4x25 mm, 2.4x38 mm, 3.0x32 mm, 3.0x50 mm, 4.0x60 mm

YATO	
YT-06885	12

External circlip assortment

300 PCS | EXTERNAL / ZEWNĘTRZNE

PLASTIC HANGING BOX





Ø 3, 4, 5, 6, 8, 9, 11, 12, 13, 14, 15, 19, 20, 22, 25, 26, 28, 32 mm

YATO	
YT-06880	5/20

Internal circlip assortment

300 PCS | EXTERNAL / ZEWNĘTRZNE

PLASTIC HANGING BOX





Ø 3, 4, 5, 6, 8, 9, 11, 12, 13, 14, 15, 19, 20, 22, 25, 26, 28, 32 mm

YATO	
YT-06881	5/20

Hitch pin assortment set

150 PCS | 6 SIZES/ROZMIARÓW

PLASTIC HANGING BOX







2.4x31 mm, 2x33 mm, 2x40 mm, 2.8x42 mm, 3.5x45 mm, 4x75 mm

YATO	
YT-06883	6/24

Hose clamp assortment

26 PCS | ⌀ 16-40 mm | MIX SEC. ROZMIARÓW



PLASTIC HANGING BOX





16, 22, 25, 28, 35, 40 mm

YATO		
YT-06782		5/20

Aluminium rotary oil pump

21 l/min | ⧖h 500 cm | ⧖h 300 cm | 3xPIPE 3xRURA | FOR OIL DO OLEJU | Al

COLOR BOX





YATO		
YT-07115		10

Grease pump

4kg | 13.8 MPa (max) | 1.5m HOSE WĄŻ

GREY CARTON BOX & COLOR LABEL





YATO	capacity (kg)	
YT-07061	4	1

Grease pump

8kg | 13.8 MPa (max) | 1.5m HOSE WĄŻ



GREY CARTON BOX & COLOR LABEL



YATO	capacity (kg)	
YT-07063	8	1

Grease pump

20.5 MPa (max.) | 16 kg | 1.5m HOSE



GREY CARTON BOX & COLOR LABEL



YATO	capacity (kg)	
YT-07065	16	1

Transmission jack

500 kg max. | 1945 mm / 1140 mm | PRECISION VALVE PRECYZYJNY ZAWÓR

NEW



YATO		
YT-55600		1

Shop press

20t | 0÷695 mm | 490 mm

NEW





YATO	
YT-55581	1

Shop press

30t | 0÷795 mm | 520 mm

NEW





YATO	
YT-55582	1

Shop crane









GREY CARTON BOX
& COLOR LABEL

YATO	
YT-55556	1

Shop crane









GREY CARTON BOX
& COLOR LABEL

YATO	
YT-55557	1



Heavy duty nail & tool pouch

21 POCKETS | HEAVY DUTY NYLON | 130 cm

COWHIDE BELT









COLOR BOX

YATO		
YT-7400	1200	10

Tool sleeves jacket

5 POCKETS | 510x600 mm | HEAVY DUTY NYLON





COLOR BOX



YATO		
YT-7405	440	12

Pouch belt

LENGHT 90-120 cm | HEAVY DUTY NYLON





YATO		
YT-7409	120	50/100

8-pocket tool bag

8 POCKETS | HEAVY DUTY NYLON





HEADER CARD



YATO		
YT-7410	390	20/40

Universal cordless drill holder

HEAVY DUTY NYLON

HEADER CARD





YATO		
YT-7413	230	10/40

Universal cordless drill holder

HEAVY DUTY NYLON







YATO		
YT-7414	160	48/96

Nail pocket + hammer loop

HEAVY DUTY NYLON





YATO		
YT-7419	130	40/80

Tool bag

16 POCKETS

HEAVY DUTY NYLON



YATO	size(mm)		
YT-7433	405x230x210	1100	12

Nail / tool pouch

HEAVY DUTY NYLON







YATO		
YT-7416	200	20/40

Mobile phone pouch

HEAVY DUTY NYLON





YATO		
YT-7420	70	27/54

Trolley tool bag

HEAVY DUTY NYLON

19 POCKETS





YATO	size(mm)		
YT-7434	510x290x360	3000	6

Nail / tool pouch

HEAVY DUTY NYLON





YATO		
YT-7417	130	39/156

Tool bag

50 POCKETS

STEEL EDGES FRAMES

HEAVY DUTY NYLON

EASY CLOSE

EASY OPEN



YATO	size(mm)		
YT-7430	495x265x340	1600	12

Steel tube tool carrier

31 POCKETS

HEAVY DUTY NYLON



YATO	size(mm)		
YT-7435	490x230x280	2100	4

Tool backpack

28 POCKETS | HEAVY DUTY NYLON



YATO	size(mm)		
YT-7440	330x160x430	1300	12

Tool bag

17 POCKETS | 600D POLYESTER POLIESTER



YATO	size(mm)		
YT-74360	330x190x300	390	8

Open tote tool bag

9 POCKETS | 600D POLYESTER POLIESTER



YATO	size(mm)		
YT-74371	305x190x220	390	6

Foldable chair with bag

22 POCKETS | 90 kg | HEAVY DUTY NYLON



YATO	size(mm)		
YT-7446	420x280x380	1700	10

Tool bag

15 POCKETS | 600D POLYESTER POLIESTER | RUBBER BOTTOM GUMOWY SPÓD



YATO	size(mm)		
YT-74361	400x220x330	390	6

Open tote tool bag

17 POCKETS | 600D POLYESTER POLIESTER



YATO	size(mm)		
YT-74372	340x210x340	390	6

Tool bag

41 POCKETS | 600D POLYESTER POLIESTER



YATO	size(mm)		
YT-74351	470x250x320	390	4

Open tote tool bag

16 POCKETS | 600D POLYESTER POLIESTER



YATO	size(mm)		
YT-74370	300x210x350	390	6

Open tote tool bag

11 POCKETS | 600D POLYESTER POLIESTER



YATO	size(mm)		
YT-74373	500x240x350	390	6



Disposable dust masks with valve

CE 1 pc FFP2 NR





YATO		
YT-74954	15	50/500

Disposable dust masks with valve

CE 1 pc FFP1 NR





YATO		
YT-74947	15	50/500

Disposable dust masks with valve

CE 1 pc FFP1 NR





YATO		
YT-74951	15	50/500

Disposable dust masks with valve

CE 1 pc FFP2 NR





YATO		
YT-74956	15	50/500

Disposable dust masks

CE 3 PCS FFP1 NR





POLYBAG
WITH HEADER

YATO		
YT-7485	5	25/100

Disposable dust masks

CE 3 PCS FFP1 NR





POLYBAG
WITH HEADER

YATO		
YT-7487	10	25/100

Disposable dust masks

CE 3 PCS FFP1 NR





POLYBAG
WITH HEADER

YATO		
YT-7489	10	25/100

Disposable dust masks with valve

CE 3 PCS FFP1 NR





POLYBAG
WITH HEADER

YATO		
YT-7486	10	25/100

Disposable dust masks with valve

CE 3 PCS FFP1 NR





POLYBAG
WITH HEADER

YATO		
YT-7488	15	25/100

Disposable dust masks with valve

CE 3 PCS FFP1 NR





POLYBAG
WITH HEADER

YATO		
YT-7490	15	25/100

Working gloves

CE | 4131 EN 388 | NYLON PU

PAPER HEADER



- white PU palm coating
- white nylon liner

YATO	size	
YT-7470	10”	50/100

CE | COTTON | LATEX | 2343 EN 388



- 10gauge cotton / polyester liner
- crinkle latex palm coated

YATO	size	
YT-7471	10”	12/120

CE | 4131 EN 388 | NYLON PU



- grey polyurethane palm coating
- 13 gauge grey seamless nylon liner, colour of cuff - black

YATO	size	
YT-7472	10”	50/100

Working gloves

CE | 4131 EN 388 | NYLON PU



PAPER HEADER



- black polyurethane palm coating
- 13 gauge black seamless nylon liner, colour of cuff: red

YATO	size	
YT-7473	10”	50/100
YT-7473-8	8”	50/100
YT-7473-9	9”	50/100

CE | 3121 EN 388 | NYLON NITRYLIT




- grey nitrile palm coating, 13 gauge white seamless nylon lines, colour of cuff: black

YATO	size	
YT-7474	10”	50/100

CE | KEVLAR PVC | 2443 EN 388

PAPER HEADER





- PVC dots on both sides
- 7 gauge, kevlar material

YATO	size	
YT-7476	10”	12/300

CE





YATO	size	
YT-74713	10”	120/480

Working gloves

CE | PE NITRYLIT | 4543 EN 388



- black nitrile palm coating
- 13 gauge liner, dyneema & lycra liner, colour of cuff: grey

YATO	size	
YT-7477	10”	12/120

PVC / PE NEOPRENE | 3232 EN 388

PAPER HEADER



YATO	size	
YT-7466	7”	12/72
YT-7467	9”	12/72

STRETCH SPANDEX | 3121 EN 388



YATO	size	
YT-7464	7”	12/48

SPANDEX NEOPRENE | 3232 EN 388



YATO	size	
YT-7468	7”	12/48
YT-7469	9”	12/48

Safety glasses





- TYPE 90960 EN 166:2001 F

YATO	
YT-7360	12/240



- TYPE 9844 EN 166:2001 F

YATO	
YT-7361	12/240



- TYPE 9844 EN 166:2001 F

YATO	
YT-7362	12/240

Safety glasses





- TYPE 91977 EN 166:2001 F

YATO	
YT-7363	12/240



- TYPE 91977 EN 166:2001 F

YATO	
YT-7364	12/240



- TYPE 91659 EN 166:2001 F

YATO	
YT-7365	12/240

Safety glasses





- TYPE 91659 EN 166:2001 F

YATO	
YT-7366	12/240



- TYPE 91708 EN 166:2001 F

YATO	
YT-7367	12/240



- TYPE 91708 EN 166:2001 F

YATO	
YT-7368	12/240

Safety goggles



- TYPE SG90A EN 166:2001F

YATO	
YT-7380	20/200

Safety goggles



- TYPE SG90B EN 166:2001 F

YATO	
YT-7381	20/200

Safety goggles



- TYPE B510 EN 166:2001 EN 169:2002

YATO	
YT-73744	12/300



- TYPE 2876 EN 166:2001 F

YATO	
YT-7377	12/120

Hearing protectors





- foam insert, free from noisy
- adjustable head band

YATO		
YT-7463	150	20

Gel knee pads









- 600D oxford fabric, EVA, GEL

YATO		
YT-7461	530	12

Ear plugs





YATO	size (mm)	pairs	
YT-7455	8-12	5	25/500

Ear plugs





YATO	size	pairs	
YT-7456	8-10	50	20

Safety helmet



HOW TO INSTALL:









YATO	color	
YT-73980	white	40
YT-73981	red	40
YT-73982	blue	40
YT-73983	yellow	40
YT-73984	orange	40
YT-73985	green	40


Auto-darkening welding helmet

DARK STATE	LIGHT STATE	REACTION TIME	BRIGHTENING TIME
STAN CIEMNY	STAN JASNY	CZAS REAKCJI	CZAS ROZJAŚNIANIA
9-13	4	1/25000 s	0.1-1.0 s

2x3V CR2045	WORKING TEMPERATURE	FILTER TEST	LOW BATTERY ALARM
BATTERIES NOT INCLUDED / BATERII NIE DOŁĄCZONO	TEMPERATURA PRACY	TEST FILTRA	WSKAŹNIK POZIOMU BATERII
	-5°C÷+55°C		












4 POINT HEADGEAR

2-point crown strap adjustment to rise or lower the helmet

Lock into a detent when lifted

3 position slider to adjust the distance from eyes to lens



Regulation at the occipital area

Ratchet with soft rubber grip to adjust size without removing the helmet

YATO	
YT-73921	6

Low-cut safety shoes

LEATHER SKÓRA | PU SOLE PODESZWA | STEEL TOE CAP STALOWY NOSEK | 15 kN | 200J | 1100N | S3 CATEGORY KATEGORIA | ANTI ELECTROSTATIC ANTY-ELEKTROSTATYCZNE | OIL, PETROL, HYDROCARBON RESISTANT ODPORNE NA OLEJ, BENZYNĘ, CHEMIKALIA | SHOCK ABSORBER AMORTYZATOR ZIGZAG | CE | SRA





YATO	size	
YT-80564	36	10
YT-80550	37	10
YT-80551	38	10
YT-80552	39	10
YT-80553	40	10
YT-80554	41	10
YT-80555	42	10
YT-80556	43	10
YT-80557	44	10
YT-80558	45	10
YT-80559	46	10
YT-80560	47	10

Low-cut safety shoes

LEATHER SKÓRA | PU SOLE PODESZWA | STEEL TOE CAP STALOWY NOSEK | 15 kN | 200J | 1100N | S1P CATEGORY KATEGORIA | ANTI ELECTROSTATIC ANTY-ELEKTROSTATYCZNE | OIL, PETROL, HYDROCARBON RESISTANT ODPORNE NA OLEJ, BENZYNĘ, CHEMIKALIA | SHOCK ABSORBER AMORTYZATOR ZIGZAG | CE | SRC





YATO	size	
YT-80583	39	10
YT-80584	40	10
YT-80585	41	10
YT-80586	42	10
YT-80587	43	10
YT-80588	44	10
YT-80589	45	10
YT-80590	46	10
YT-80591	47	10

Safety harness for working at height

100% POLYESTER POLIESTER







POLYBAG

YATO	
YT-74220	10

Safety harness for working at height

100% POLYESTER POLIESTER







POLYBAG

YATO	
YT-74221	20

Shock absorber

100% POLYESTER POLIESTER







POLYBAG

YATO	
YT-74227	15

Steel carabiner snap hook with locking screw

SELF CLOSING AUTOMATYCZNE ZARYGLOWANIE | MANUAL LOCKING RĘCZNE BLOKOWANIE | 16 mm OPENING / ROZWARCIE






POLYBAG

YATO	
YT-74229	20

Middle-cut safety shoes

LEATHER SKÓRA | PU SOLE PODESZWA | STEEL TOE CAP STALOWY NOSEK | 15 kN (1500 daN) | 200J (200kg) | 1100N (110kg) | S3 CATEGORY KATEGORIA | ANTI ELECTROSTATIC ANTY-ELEKTROSTATYCZNE | OIL, PETROL, CHEMICAL RESISTANT ODPORNE NA OLEJ, BENZYNĘ, CHEMIKALIA | SHOCK-ABSORBER AMORTYZACJA PIĘTY | CE | SRC









YATO	size	
YT-80792	37	10
YT-80793	38	10
YT-80794	39	10
YT-80795	40	10
YT-80796	41	10
YT-80797	42	10
YT-80798	43	10
YT-80799	44	10
YT-80800	45	10
YT-80801	46	10
YT-80802	47	10

Safety vest



YATO	size	
YT-74665A	XL	8

Safety vest




YATO	size	
YT-74661A	XL	8


Working jacket

65% POLYESTER 35% COTTON









YATO	size	shoulder width (mm)	Chest (mm)	
YT-8020	S	52.5	60	20
YT-8021	M	53.5	62.5	20
YT-8022	L	54.5	64.5	20
YT-8023	XL	57	67	20
YT-8024	XXL	61	71	20


Working trousers


65% POLYESTER 35% COTTON

POLYBAG









YATO	size	waist (mm)	Outseam (mm)	
YT-8025	S	76	107	20
YT-8026	M	88	109	20
YT-8027	L	100	111	20
YT-8028	XL	112	113	20
YT-8029	XXL	124	113	20

Work bib pants

65% POLYESTER 35% COTTON



YATO	size	
YT-8030	S	20
YT-8031	M	20
YT-8032	L	20
YT-8033	XL	20
YT-8034	XXL	20

Working shorts









YATO	size	
YT-80924	S	10
YT-80925	M	10
YT-80926	L	10
YT-80927	L/XL	10
YT-80928	XL	10
YT-80929	XXL	10

Working cropped pants












YATO	size	
YT-80942	S	10
YT-80943	M	10
YT-80944	L	10
YT-80945	L/XL	10
YT-80946	XL	10
YT-80947	XXL	10

Working trousers













YATO	size	
YT-80906	S	10
YT-80907	M	10
YT-80908	L	10
YT-80909	L/XL	10
YT-80910	XL	10
YT-80911	XXL	10

Working jacket
















YATO	size	
YT-80395	S	10
YT-80396	M	10
YT-80397	L	10
YT-80398	L/XL	10
YT-80399	XL	10
YT-80400	XXL	10


Working jacket













YATO	size	
YT-80900	S	10
YT-80901	M	10
YT-80902	L	10
YT-80903	L/XL	10
YT-80904	XL	10
YT-80905	XXL	10

Working trousers












YATO	size	
YT-80401	S	10
YT-80402	M	10
YT-80403	L	10
YT-80404	L/XL	10
YT-80405	XL	10
YT-80406	XXL	10

Working shorts












YATO	size	
YT-80930	S	10
YT-80931	M	10
YT-80932	L	10
YT-80933	L/XL	10
YT-80934	XL	10
YT-80935	XXL	10

Working shorts











YATO	size	
YT-80936	S	10
YT-80937	M	10
YT-80938	L	10
YT-80939	L/XL	10
YT-80940	XL	10
YT-80941	XXL	10

Work bit pants





















YATO	size	
YT-80912	S	10
YT-80913	M	10
YT-80914	L	10
YT-80915	L/XL	10
YT-80916	XL	10
YT-80917	XXL	10

Working trousers















YATO	size	
YT-80146	S	10
YT-80147	M	10
YT-80148	L	10
YT-80149	L/XL	10
YT-80150	XL	10
YT-80151	XXL	10

Working trousers















YATO	size	
YT-80164	S	10
YT-80165	M	10
YT-80166	L	10
YT-80167	L/XL	10
YT-80168	XL	10
YT-80169	XXL	10


Work bib pants



















YATO	size	
YT-80407	S	10
YT-80408	M	10
YT-80409	L	10
YT-80410	L/XL	10
YT-80411	XL	10
YT-80412	XXL	10

Working jacket



YATO	size	
YT-80140	S	10
YT-80141	M	10
YT-80142	L	10
YT-80143	L/XL	10
YT-80144	XL	10
YT-80145	XXL	10

Working jacket



YATO	size	
YT-80176	S	10
YT-80177	M	10
YT-80178	L	10
YT-80179	L/XL	10
YT-80180	XL	10
YT-80181	XXL	10

Working trousers



YATO	size	
YT-80182	S	10
YT-80183	M	10
YT-80184	L	10
YT-80185	L/XL	10
YT-80186	XL	10
YT-80187	XXL	10

Working jacket









YATO	size	
YT-80158	S	10
YT-80159	M	10
YT-80160	L	10
YT-80161	L/XL	10
YT-80162	XL	10
YT-80163	XXL	10

Work bib pants










YATO	size	
YT-80152	S	10
YT-80153	M	10
YT-80154	L	10
YT-80155	L/XL	10
YT-80156	XL	10
YT-80157	XXL	10

Work bib pants










YATO	size	
YT-80170	S	10
YT-80171	M	10
YT-80172	L	10
YT-80173	L/XL	10
YT-80174	XL	10
YT-80175	XXL	10

Work bib pants







YATO	size	
YT-80188	S	10
YT-80189	M	10
YT-80190	L	10
YT-80191	L/XL	10
YT-80192	XL	10
YT-80193	XXL	10

Work overall







YATO	size	
YT-80194	S	10
YT-80195	M	10
YT-80196	L	10
YT-80197	L/XL	10
YT-80198	XL	10
YT-80199	XXL	10

Work overall








YATO	size	
YT-80918	S	10
YT-80919	M	10
YT-80920	L	10
YT-80921	L/XL	10
YT-80922	XL	10
YT-80923	XXL	10

Reflective waterproof winter safety jacket

100% POLYESTER PU COATED
100% POLIESTER POWŁOKA PU

NEW





YATO	size	
YT-80950	S	10
YT-80951	M	10
YT-80952	L	10
YT-80953	XL	10
YT-80954	XXL	10

Reflective winter trousers with padding

100% POLYESTER PU COATED
100% POLIESTER POWŁOKA PU

NEW






YATO	size	
YT-80955	S	10
YT-80956	M	10
YT-80957	L	10
YT-80958	XL	10
YT-80959	XXL	10

Reflective winter bib pants with padding

100% POLYESTER PU COATED
100% POLIESTER POWŁOKA PU

NEW







YATO	size	
YT-80960	S	10
YT-80961	M	10
YT-80962	L	10
YT-80963	XL	10
YT-80964	XXL	10



Waterstop hose connector

1/2" 12.5mm | ABS | STOP



YATO	size	
YT-99803	1/2" 12.5mm	12/120

Hose connector

3/4" 19mm | ABS



YATO	size	
YT-99802	3/4" 19.0mm	12/120

Hose connector

1/2" 5/8" 3/4" | 12.5; 16; 19 mm | ABS | Al



YATO	size	
YT-8931	1/2"; 5/8"; 3/4" 12.5; 16.0; 19.0 mm	48

Hose connector

1/2" 12.5mm | ABS



YATO	size	
YT-99801	1/2" 12.5mm	12/120

Waterstop hose connector

3/4" 19mm | ABS | STOP



YATO	size	
YT-99804	3/4" 19.0mm	12/120

Snap-in tap adaptor

1/2" 12.5mm | ABS



YATO	size	
YT-8970	1/2" 12.5mm	24/240

Snap-in tap adaptor

3/4" 19mm | ABS



YATO	size	
YT-8971	3/4" 19.0mm	12/120

Snap-in tap adaptor

3/4" 19mm | 1" 25mm | ABS



YATO	size	
YT-8974	3/4";1" 19.0; 25.0mm	12/120

Hose mender

1/2" 12.5mm | ABS



YATO	size	
YT-99810	1/2" 12.5mm	12/120

Snap-in tap adaptor

1" | 25 mm | ABS



YATO	size	
YT-8972	1" 25.0 mm	12/120

Snap-in tap adaptor

3/4" 19mm | 1" 25mm | ABS



YATO	size	
YT-99815	3/4";1" 25.0 mm	12/120

Hose mender

3/4" 19mm | ABS



YATO	size	
YT-99811	3/4" 19.0mm	12/120

Snap-in tap adaptor

3/4" | 19 mm | ABS



YATO	size	
YT-8975	3/4" 19.0 mm	24/240

2 way coupling

1/2" | 12.5 mm | ABS



YATO	size	
YT-8976	1/2" 12.5 mm	24/240

Hose mender

1/2" | 12.5 mm | ABS



YATO	size	
YT-8979	1/2"; 3/4" 12.5; 19.0 mm	24/240

Snap-in tap adaptor

1/2" 12.5mm | 3/4" 19mm | ABS



YATO	size	
YT-99814	1/2";3/4" 12.5; 19.0mm	12/120

3 way coupling

1/2" | 12.5 mm | ABS



YATO	size	
YT-8977	1/2" 12.5 mm	24/240

Y-switch coupling with swivel



YATO	size	
YT-8978	1/2" 12.5mm	24/240

Y-switch coupling with swivel



YATO	size	
YT-99848	3/4"; 1" 19.0; 25.0mm	12/48

One way



YATO	size	
YT-9940	3/4" 19.0mm	12/48

Adjustable spray gun



YATO	
YT-8965	12/48

Multifunction sprinkling gun



YATO	
YT-8963	12/48

Impulse sprinkler



YATO	
YT-8985	48

Adjustable spray gun



YATO	
YT-8967	12

Multifunction sprinkling gun



YATO	
YT-8968	12

Impulse sprinkler



YATO	
YT-8986	48

Y-switch coupling with swivel

3/4" 19.0mm | ABS | BRASS MOSIĄDZ | Al





YATO	size	
YT-9941	3/4" 19.0mm	12/48

Basic hose set with straight nozzle

1/2" 12.5mm | 3/4" 19mm | FLOW REGULATION REGULACJA PRZEPŁYWU | ABS | SOFT COATED MIĘKKA POWŁOKA





YATO	
YT-99831	48

Basic hose set with straight nozzle

3/4" 19mm | 1" 25mm | FLOW REGULATION REGULACJA PRZEPŁYWU | ABS | SOFT COATED MIĘKKA POWŁOKA





YATO	
YT-99832	48

By-pass pruner

Ø13mm | 180 mm | PTFE COATED





YATO	L (mm)	
YT-8805	180	12/72

Adjustable spray nozzle

Zn | ABS





YATO	
YT-8950	12/48

Adjustable spray nozzle

1/2" 12.5mm | ABS | FLOW REGULATION REGULACJA PRZEPŁYWU





YATO	
YT-99830	12/120

By-pass pruner

Ø15mm | 205 mm





YATO	L (mm)	
YT-8800	205	12/72

Ratchet by-pass pruner

Ø19mm | 200 mm | SK5 | PTFE COATED





YATO	L (mm)	
YT-8807	200	12/72

By-pass pruner

Ø20mm | 200 mm | SK5 | Al HANDLE





YATO	L (mm)	
YT-8845	200	12/72

Professional anvil pruner

Ø19mm | 210 mm | SK5 | PTFE COATED





YATO	L (mm)	
YT-8809	210	12/72

Fruit and flower shears

190 mm | SK5





YATO	L (mm)	
YT-8816	190	12/72

Hedge shears



YATO	L (mm)	
YT-8821	520	24

Telescopic by-pass lopping shears



YATO	L (mm)	
YT-8838	630-960	6/12

Grass shears



YATO	L (mm)	
YT-8851	330	12/60

By-pass lopping shears



YATO	L (mm)	
YT-8833	705	12

Hedge shears



YATO	L (mm)	
YT-8823	650	12

Grass shears



YATO	L (mm)	
YT-8852	310	6/24

By-pass lopping shears



YATO	L (mm)	
YT-8835	780	12

Hedge shears



YATO	L (mm)	
YT-8825	600	12

Bulb planter



YATO	L (mm)	
YT-8875	235	10/60

Leverage tree pruner



YATO	L (mm)	
YT-8876	325	12

Telescopic hedge shears



YATO	L (mm)	
YT-8824	690-890	6

Transplanter



YATO	L (mm)	
YT-8865	350	10/60

Cultivator

420 mm | CARBON STEEL



YATO	L (mm)	
YT-8868	420	10/60

Cultivator

270 mm | CARBON STEEL



YATO	L (mm)	
YT-8890	270	12/72

Rolling tiller

370 mm | CARBON STEEL



YATO	L (mm)	
YT-8891	370	12/72

Transplanter

360 mm | CARBON STEEL



YATO	L (mm)	
YT-8870	360	10/60

Garden rake

400 mm | CARBON STEEL



YATO	L (mm)	
YT-8869	400	10/60

Hoe + cultivator

320 mm | CHROME PLATED



YATO	L (mm)	
YT-8892	320	12/72

Rake

325 mm | CARBON STEEL



YATO	L (mm)	
YT-8866	325	10/60

Transplanter

340 mm | CHROME PLATED



YATO	L (mm)	
YT-8885	340	1272

Hoe

CHROME PLATED | 280 mm



YATO	L (mm)	
YT-8889	280	1272

3-tine fork & rake

310 mm | CARBON STEEL



YATO	L (mm)	
YT-8867	310	10/60

Transplanter

340 mm | CHROME PLATED



YATO	L (mm)	
YT-8886	340	12/72

Pavement weeder

330 mm | CHROME PLATED



YATO	L (mm)	
YT-8893	330	12/72

Spade

120 cm | HRC 40-48 | 1050Mn STEEL



YATO	A(mm)	B(mm)	L(cm)	
YT-86800	195	285	120	6

Spade

120 cm | HRC 40-48 | 1050Mn STEEL



YATO	A(mm)	B(mm)	L(cm)	
YT-86804	195	285	120	6

Digging fork

120 cm



YATO	A(mm)	B(mm)	L(cm)	
YT-86805	180	280	120	6

Shovel

120 cm | HRC 40-48 | 1050Mn STEEL



YATO	A(mm)	B(mm)	L(cm)	
YT-86801	240	290	120	6

Shovel

120 cm | HRC 40-48 | 1050Mn STEEL



YATO	A(mm)	B(mm)	L(cm)	
YT-86808	235	320	120	6

Digging fork

120 cm



YATO	A(mm)	B(mm)	L(cm)	
YT-86809	220	325	120	6

18V
Li-Ion



ONE BATTERY, LOTS OF POSSIBILITIES

The 18 V system means power, freedom and savings!

This series of YATO cordless tools is powered by the same type of heavy-duty 18 V battery and thanks to their extensive selection you can equip a professional workshop, as well as take care of your home and garden. These devices are available in two versions: in a set with batteries and quick charger or without them, which is a perfect solution if you are expanding your collection of tools powered by the same battery. Wherever you are, the 18 V battery allows you to work with complete freedom!

Cordless drill / driver

18 V | Li-Ion | 40 Nm | 0-440 min⁻¹ 0-1650 min⁻¹
2.0 Ah | 1h QUICK CHARGING SZYBKIE ŁADOWANIE | 13 mm









L_{pA} = 71,0 ± 3,0 dB;
L_{wA} = 82,0 ± 3,0 dB;
a_h = 3,0 ± 1,5 m/s²

18V Li-Ion



YATO	V	
YT-82780	18	5

Cordless drill / driver

18 V | Li-Ion | 40 Nm | 0-440 min⁻¹ 0-1650 min⁻¹
2.0 Ah | 1h QUICK CHARGING SZYBKIE ŁADOWANIE | 13 mm



MABUCHI ENGINE SILNIK







L_{pA} = 71,0 ± 3,0 dB;
L_{wA} = 82,0 ± 3,0 dB;
a_h = 3,0 ± 1,5 m/s²

18V Li-Ion



YATO	V	
YT-82782	18	4

Cordless drill / driver

18 V | Li-Ion | 40 Nm | 0-440 min⁻¹ 0-1650 min⁻¹
3.0 Ah | 1h QUICK CHARGING SZYBKIE ŁADOWANIE | 13 mm

NEW







L_{pA} = 71,0 ± 3,0 dB;
L_{wA} = 82,0 ± 3,0 dB;
a_h = 3,0 ± 1,5 m/s²

18V Li-Ion

MABUCHI ENGINE SILNIK



YATO	V	
YT-82784	18	4

Cordless drill / driver (tool only)

18 V | Li-Ion | 40 Nm | 0-440 min⁻¹ 0-1650 min⁻¹
1h* QUICK CHARGING SZYBKIE ŁADOWANIE | 13 mm



18V Li-Ion

L_{pA} = 71,0 ± 3,0 dB;
L_{wA} = 82,0 ± 3,0 dB;
a_h = 3,0 ± 1,5 m/s²







COLOR BOX



** given charging time is for 2.0 Ah battery only*

battery not included

YATO	V	
YT-82781	18	5

Cordless drill / driver (tool only)

18 V | Li-Ion | 40 Nm | 0-440 min⁻¹ 0-1650 min⁻¹
1h* QUICK CHARGING SZYBKIE ŁADOWANIE | 13 mm



MABUCHI MOTOR SILNIK







18V Li-Ion

L_{pA} = 71,0 ± 3,0 dB;
L_{wA} = 82,0 ± 3,0 dB;
a_h = 3,0 ± 1,5 m/s²

COLOR BOX



** given charging time is for 2.0 Ah battery only*

battery not included

YATO	V	
YT-82783	18	5

Cordless impact drill / driver

18 V | Li-Ion | 40 Nm | 0-440 min⁻¹ 0-1650 min⁻¹
2.0 Ah | 1h QUICK CHARGING SZYBKIE ŁADOWANIE | 13 mm
T 0-7920 min⁻¹ 0-29700 min⁻¹







L_{pA} = 82,0 ± 3,0 dB;
L_{wA} = 93,0 ± 3,0 dB;
a_h = 3,0 ± 1,5 / 9,89 ± 1,5 m/s²

18V Li-Ion



YATO	V	
YT-82786	18	5

Cordless impact drill / driver (tool only)

18 V | Li-Ion | 40 Nm | 0-440 min⁻¹ / 0-1650 min⁻¹ | 1h* QUICK CHARGING SZYBKIE ŁADOWANIE | 13 mm | T | T 0-7920 min⁻¹ / 0-29700 min⁻¹



18V Li-Ion

L_{pA} = 82,0 ± 3,0 dB;
L_{wA} = 93,0 ± 3,0 dB;
a_h = 3,0 ± 1,5 / 9,89 ± 1,5 m/s²







COLOR BOX



** given charging time is for 2.0 Ah battery only*

battery not included

YATO	V	
YT-82787	18	5

Brushless cordless drill / driver

18 V | Li-Ion | 42 Nm | 0-600 min⁻¹ / 0-2000 min⁻¹ | 1h QUICK CHARGING SZYBKIE ŁADOWANIE | 13 mm | 2.0 Ah









L_{pA} = 74,0 ± 3,0 dB;
L_{wA} = 85,0 ± 3,0 dB;
a_h = 3,0 ± 1,5 m/s²

18V Li-Ion




YATO	V	
YT-82794	18	4

Brushless cordless drill / driver

18 V | Li-Ion | 42 Nm | 2.0 Ah | 1h QUICK CHARGING SZYBKIE ŁADOWANIE | 13 mm | T 0-10800 min⁻¹ / 0-36000 min⁻¹







L_{pA} = 73,0 ± 3,0 dB;
L_{wA} = 94,0 ± 3,0 dB;
a_h = 3,0 ± 1,5 / 9,56 ± 1,5 m/s²

18V Li-Ion



YATO	V	
YT-82796	18	4

Cordless impact drill / driver

18 V | Li-Ion | 40 Nm | 0-440 min⁻¹ / 0-1650 min⁻¹ | 2.0 Ah | 1h QUICK CHARGING SZYBKIE ŁADOWANIE | 13 mm | T | T 0-7920 min⁻¹ / 0-29700 min⁻¹

MABUCHI ENGINE SILNIK









L_{pA} = 82,0 ± 3,0 dB;
L_{wA} = 93,0 ± 3,0 dB;
a_h = 3,0 ± 1,5 / 9,89 ± 1,5 m/s²

18V Li-Ion



YATO	V	
YT-82788	18	4

Brushless cordless drill/driver (tool only)

18 V | Li-Ion | 42 Nm | 0-600 min⁻¹ / 0-2000 min⁻¹ | 13 mm | 1h* QUICK CHARGING SZYBKIE ŁADOWANIE



18V Li-Ion

L_{pA} = 74,0 ± 3,0 dB;
L_{wA} = 85,0 ± 3,0 dB;
a_h = 3,0 ± 1,5 m/s²





COLOR BOX



** given charging time is for 2.0 Ah battery only*

battery not included

YATO	V	
YT-82795	18	5

Brushless cordless drill/driver (tool only)

18 V | Li-Ion | 42 Nm | 1h* QUICK CHARGING SZYBKIE ŁADOWANIE | 0-600 min⁻¹ / 0-2000 min⁻¹ | T 0-10800 min⁻¹ / 0-36000 min⁻¹ | 13 mm



18V Li-Ion

L_{pA} = 73,0 ± 3,0 dB;
L_{wA} = 94,0 ± 3,0 dB;
a_h = 3,0 ± 1,5 / 9,56 ± 1,5 m/s²





BMC & COLOR SLEEVE



** given charging time is for 2.0 Ah battery only*

battery not included

YATO	V	
YT-82797	18	5

Cordless impact screwdriver



L_{pA} = 82,0 ± 3,0 dB;
L_{wA} = 93,0 ± 3,0 dB;
a_h = 8,15 ± 1,5 m/s²



YATO	V	
YT-82800	18	5

Cordless impact wrench





L_{pA} = 84,0 ± 3,0 dB;
L_{wA} = 95,0 ± 3,0 dB;
a_h = 9,09 ± 1,5 m/s²



YATO	V	
YT-82804	18	4

Cordless circular saw (tool only)



L_{pA} = 85,0 ± 3,0 dB;
L_{wA} = 96,0 ± 3,0 dB;
a_h = 5,33 ± 1,5 m/s²

COLOR BOX



** given charging time is for 2.0 Ah battery only*

battery not included

YATO	V	
YT-82811	18	2

Cordless impact screwdriver (tool only)



L_{pA} = 82,0 ± 3,0 dB;
L_{wA} = 93,0 ± 3,0 dB;
a_h = 8,15 ± 1,5 m/s²

COLOR BOX



** given charging time is for 2.0 Ah battery only*

battery not included

YATO	V	
YT-82801	18	5

Cordless circular saw





L_{pA} = 85,0 ± 3,0 dB;
L_{wA} = 96,0 ± 3,0 dB;
a_h = 5,33 ± 1,5 m/s²

YATO	V	
YT-82810	18	2

Cordless saber saw



L_{pA} = 81,0 ± 3,0 dB;
L_{wA} = 92,0 ± 3,0 dB;
a_h = 7,5 ± 1,5 / 8,3 ± 1,5 m/s²





YATO	V	
YT-82814	18	4

Cordless sabre saw (tool only)







18V Li-Ion

L_{pA} = 81,0 ± 3,0 dB;
L_{wA} = 92,0 ± 3,0 dB;
a_h = 7,5 ± 1,5 / 8,3 ± 1,5 m/s²

COLOR BOX



** given charging time is for 2.0 Ah battery only*

battery not included

YATO	V	
YT-82815	18	4

Cordless jig saw (tool only)









18V Li-Ion

L_{pA} = 76,0 ± 3,0 dB;
L_{wA} = 87,0 ± 3,0 dB;
a_h = 6,28 ± 1,5 / 5,78 ± 1,5 m/s²




** given charging time is for 2.0 Ah battery only*

battery not included

YATO	V	
YT-82823	18	5

Cordless angle grinder





18V Li-Ion

L_{pA} = 88,0 ± 3,0 dB;
L_{wA} = 99,0 ± 3,0 dB;
a_h = 4,9 ± 1,5 m/s²

COLOR BOX



YATO	V	
YT-82826	18	4

Cordless jig saw









18V Li-Ion

L_{pA} = 76,0 ± 3,0 dB;
L_{wA} = 87,0 ± 3,0 dB;
a_h = 6,28 ± 1,5 / 5,78 ± 1,5 m/s²



YATO	V	
YT-82822	18	4

Cordless angle grinder





18V Li-Ion

L_{pA} = 88,0 ± 3,0 dB;
L_{wA} = 99,0 ± 3,0 dB;
a_h = 4,9 ± 1,5 m/s²



YATO	V	
YT-82825	18	4

Cordless angle grinder (tool only)





18V Li-Ion

L_{pA} = 88,0 ± 3,0 dB;
L_{wA} = 99,0 ± 3,0 dB;
a_h = 4,9 ± 1,5 m/s²

COLOR BOX



** given charging time is for 2.0 Ah battery only*

battery not included

YATO	V	
YT-82827	18	6

Cordless angle grinder

18 V | Li-Ion | 10000 min⁻¹ | 125 mm | M14 | 3.0 Ah

NEW



18V Li-Ion

L_{pA} = 88,0 ± 3,0 dB;
L_{wA} = 99,0 ± 3,0 dB;
a_h = 4,9 ± 1,5 m/s²

COLOR BOX



YATO	V	
YT-82828	18	4

Cordless glue gun

18 V | Li-Ion

NEW



18V Li-Ion

YATO	V	
YT-82854	18	10

Cordless miter saw

18 V | Li-Ion | 4.0 Ah | ∅ 185x30x1,8 mm | 90°/51mm 45°/35mm | 90°/203mm 45°/152mm | 40T | 3600 min⁻¹

NEW



18V Li-Ion

L_{pA} = 83,14 ± 3,0 dB;
L_{wA} = 96,14 ± 3,0 dB



YATO	V	
YT-82816	18	1

Cordless rotary hammer

18V | 3.0 Ah | Li-Ion | 0-1850 min⁻¹ | T 0-4800 min⁻¹ | 2.0J | SDS PLUS | ∅ 18 mm



18V Li-Ion





YATO	
YT-82770	5

Cordless spary gun

18 V | Li-Ion

NEW



18V Li-Ion

YATO	V	
YT-82765	18	4

Cordless mixer

18 V | Li-Ion | 2.0 Ah | 1h QUICK CHARGING | 0-650 min⁻¹ | M14

NEW



18V Li-Ion

L_{pA} = 79 ± 3 dB;
L_{wA} = 90 ± 3 dB;
a_h = 4,76 ± 1,5 m/s²



YATO	V	
YT-82880	18	2

Cordless caulking gun

18 V | Li-Ion | 0,5-8 mm/s | 4.0 Ah | 2000 N | 225mm | NEW



18V Li-Ion

L_{pA} = 80,0 ± 3,0 dB;
L_{wA} = 91,0 ± 3,0 dB;
a_h = 1,68 ± 1,5 m/s²



YATO	V	
YT-82888	18	5

Cordless grass trimmer

18 V | Li-Ion | 7200 min⁻¹ | 250/300 mm | 1h QUICK CHARGING SZYBKIE ŁADOWANIE | 2.0 Ah



18V Li-Ion

L_{pA} = 85,0 ± 3,0 dB;
L_{wA} = 93,0 ± 3,0 dB;
a_h = 2,5 ± 1,5 m/s²



YATO	V	
YT-82830	18	2


Cordless hedge trimmer

18 V | Li-Ion | 2.0 Ah | 1050 min⁻¹ | 560 mm 22" | 1h QUICK CHARGING SZYBKIE ŁADOWANIE



18V Li-Ion

L_{pA} = 80,0 ± 3,0 dB;
L_{wA} = 87,0 ± 3,0 dB;
a_h = 3,5 ± 1,5 m/s²



YATO	V	
YT-82832	18	2

Cordless inflator

18 V | Li-Ion | 1.0 MPa | 14 l/min | 2.0 Ah | 1h QUICK CHARGING SZYBKIE ŁADOWANIE | 50cm HOSE / WĄŻ | NEW





18V Li-Ion

L_{pA} = 69 ± 3,0 dB;
L_{wA} = 80 ± 3,0 dB;
a_h = 2,346 ± 1,5 m/s²



YATO	V	
YT-82894	18	5

Cordless grass trimmer (tool only)

18 V | Li-Ion | 1h* QUICK CHARGING SZYBKIE ŁADOWANIE | 7200 min⁻¹ | 250/300 mm




18V Li-Ion

L_{pA} = 85,0 ± 3,0 dB;
L_{wA} = 93,0 ± 3,0 dB;
a_h = 2,5 ± 1,5 m/s²

battery not included
** given charging time is for 2.0 Ah battery only*

COLOR BOX



YATO	V	
YT-82831	18	2

Cordless hedge trimmer (tool only)

18 V | Li-Ion | 1h* QUICK CHARGING SZYBKIE ŁADOWANIE | 1050 min⁻¹ | 560 mm 22"



18V Li-Ion

L_{pA} = 80,0 ± 3,0 dB;
L_{wA} = 87,0 ± 3,0 dB;
a_h = 3,5 ± 1,5 m/s²

battery not included
** given charging time is for 2.0 Ah battery only*


COLOR BOX



YATO	V	
YT-82833	18	2

Cordless hedge trimmer

18 V | Li-Ion | 2.0 Ah
2100 min⁻¹ | 420 mm | 1h QUICK CHARGING SZYBKIE ŁADOWANIE



18V Li-Ion

L_{pA} = 77,3 ± 3,0 dB;
L_{wA} = 88,1 ± 3,0 dB;
a_h = 1,5 ± 1,5 m/s²

COLOR BOX



YATO	V	
YT-82834	18	2

Cordless telescopic pole saw

18 V | Li-Ion | 2.0 Ah | 1h QUICK CHARGING SZYBKIE ŁADOWANIE
2500 min⁻¹ | 8" 20 cm | 5 m/s





18V Li-Ion

L_{pA} = 78,2 ± 3,0 dB;
L_{wA} = 91,2 ± 2,36 dB;
a_h = 2,109 ± 1,5 m/s²

YATO	V	
YT-82836	18	2

36V 14" Cordless chain saw

36 V


NEW



YATO	V	
YT-82812	36	2

Cordless hedge trimmer (tool only)

18 V | Li-Ion | 1h* QUICK CHARGING SZYBKIE ŁADOWANIE
2100 min⁻¹ | 420 mm



18V Li-Ion

L_{pA} = 77,3 ± 3,0 dB;
L_{wA} = 88,1 ± 3,0 dB;
a_h = 1,5 ± 1,5 m/s²

battery not included
** given charging time is for 2.0 Ah battery only*

COLOR BOX



YATO	V	
YT-82835	18	2

Cordless telescopic pole saw (tool only)

18 V | Li-Ion | 2500 min⁻¹ | 1h* QUICK CHARGING SZYBKIE ŁADOWANIE
8" 20 cm | 5 m/s





18V Li-Ion

L_{pA} = 78,2 ± 3,0 dB;
L_{wA} = 91,2 ± 2,36 dB;
a_h = 2,109 ± 1,5 m/s²

battery not included
** given charging time is for 2.0 Ah battery only*

COLOR BOX



YATO	V	
YT-82837	18	2

36V 14"Cordless chain saw (body only)

36 V

NEW



YATO	V	
YT-82813	36	2

Cordless multi-purpose oscillating tool

18 V | Li-Ion | 8000-18000 min^{-1} | 2.0 Ah | 1h QUICK CHARGING SZYBKIE ŁADOWANIE

18V Li-Ion




YATO QUICK RELEASE SYSTEM









YATO	V	
YT-82818	18	4

Cordless multi-purpose oscillating tool (tool only)

18 V | Li-Ion | 1h QUICK CHARGING SZYBKIE ŁADOWANIE | 8000-18000 min^{-1}

18V Li-Ion





NEW

YATO QUICK RELEASE SYSTEM









* given charging time is for 2.0 Ah battery only
* podany czas ładowania dotyczy tylko akumulatora 2.0 Ah

L_{pA} = 77,0 ± 3,0 dB;
L_{wA} = 88,0 ± 3,0 dB;
a_h = 4,68 ± 1,5 m/s^2

battery not included

YATO	V	
YT-82819	18	4

Battery

for/dla: 18 V | 230V~ 50 Hz | for/dla: Li-Ion | 1h CHARGING ŁADOWANIE 2.0 Ah | 1.5h CHARGING ŁADOWANIE 3.0 Ah | 2h CHARGING ŁADOWANIE 4.0 Ah | 3h CHARGING ŁADOWANIE 6.0 Ah



18V Li-Ion



YATO	V	capacity (Ah)	charging time (h)	
YT-82842	18	2.0	1.0	20
YT-82843	18	3.0	1.5	20
YT-82844	18	4.0	2.0	20
YT-82845	18	6.0	3.0	20

Battery charger

for/dla: 18 V | for/dla: Li-Ion | 220-240 V~ 50/60 Hz | 1h CHARGING ŁADOWANIE 2.0 Ah | 1.5h CHARGING ŁADOWANIE 3.0 Ah | 2h CHARGING ŁADOWANIE 4.0 Ah



18V Li-Ion



YATO	V	plug	V	
YT-82848	18	EU	220	10
YT-82848I	18	Italy	220	10
YT-82848A	18	Australia	220	10
YT-82848BS	18	BS	220	10
YT-82848UL	18	USA	110	10

Double charger

for/dla: 18 V | 230V~ 50 Hz | for/dla: Li-Ion | 1h CHARGING ŁADOWANIE 2.0 Ah | 1.5h CHARGING ŁADOWANIE 3.0 Ah | 2h CHARGING ŁADOWANIE 4.0 Ah | 3h CHARGING ŁADOWANIE 6.0 Ah

NEW





18V Li-Ion

YATO	V	
YT-82849	18	10

Brushless cordless power drill set

126 PCS | 18 V | Li-Ion | 42 Nm | 0-600 min⁻¹ / 0-2000 min⁻¹
T 0-10800 min⁻¹ / 0-36000 min⁻¹ | 2.0 Ah | 13 Nm | 13 mm |
1h | 1/4" 6.3 mm | HSS 4241 | x5 BLADES OSTRZY
45° | TITANIUM COATED POWŁOKA TYTANOWA | YG6X | HRC 89-91 | STEEL STAL
CONCRETE BETON | WOOD DREWNO | ALUMINUM ALUMINIUM | PVC

NEW



1/4" (6.3 mm): 2, 4, 6.5 mm (L=25 mm); S2;
1/4" (6.3 mm): PH0, 2 x PH1, 2 x PH2, PH3 (L=25 mm); S2;
1/4" (6.3 mm): 2 x PZ1, 2 x PZ2, PZ3 (L=25 mm); S2;
1/4" (6.3 mm): T10, T15, T20, T25, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6, 8 mm (L=25 mm); S2;
1/4" (6.3 mm): 0, 1, 2, 3 (L=25 mm); S2;
1/4" (6.3 mm): 1, 2, 3, 4 mm (L=25 mm); S2;
1/4" (6.3 mm): 6, 8, 10 mm (L=25 mm); S2;
1/4" (6.3 mm): 4, 6, 8, 10 mm (L=25 mm); S2;
1/4" (6.3 mm): M5, M6, M8 (L=25 mm); S2;
1/4" (6.3 mm): C1, C2, C3 (L=25 mm); S2;
1/4" (6.3 mm); (L=70 mm); CrV;
1/4" (6.3 mm); CrV; HSS 4241; Ø 0-6, 1-8, 2-10, 3-12, 4-14 mm;
200 mm
HSS 4241; Ø 6, 8, 11, 14, 17, 20, 23, 26, 29, 32, 35, 38 mm; Ø 4, 6, 8, 10, 12, 14, 16, 18, 20, 22 mm;
HSS; 40mm; Ø 6.3, 8.3, 10.4, 12.4 mm; 45mm; Ø 16.5, 20.5 mm;
HSS 4241; HRC 59-52; Ø 3, 4, 5, 6, 6.5, 7, 8, 9, 10, 11, 12, 13 mm;
YG6X; HRC 89-91; Ø 4, 5, 6, 8, 10 mm;
HSS6542; DIN338; Ø 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 12, 13 mm;
HSSM2; M3, M4, M5, M6, M8, M10







YATO	
YT-44250	1

Cordless power drill set

96 PCS | 18 V | Li-Ion | 40 Nm | 0-440 min⁻¹ / 0-1650 min⁻¹
T 0-7920 min⁻¹ / 0-29700 min⁻¹ | 2.0 Ah | 1/4" 6.3 mm | 13 mm |
1h | CONCRETE BETON | WOOD DREWNO | STEEL STAL
PVC

NEW



3 m x16 mm;
9 mm;
230mm
180 mm; CrV 55
1/4" (220 mm); CrV 6140;
12-220V
8 oz

1/4" (6.3 mm): 2, 4, 6.5 mm (L=25 mm); S2;
1/4" (6.3 mm): PH0, 2 x PH1, 2 x PH2, PH3 (L=25 mm); S2;
1/4" (6.3 mm): 2 x PZ1, 2 x PZ2, PZ3 (L=25 mm); S2;
1/4" (6.3 mm): T10, T15, T20, T25, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6, 8 mm (L=25 mm); S2;
1/4" (6.3 mm): 0, 1, 2, 3 (L=25 mm); S2;
1/4" (6.3 mm): 1, 2, 3, 4 mm (L=25 mm); S2;
1/4" (6.3 mm): 6, 8, 10 mm (L=25 mm); S2;
1/4" (6.3 mm): 4, 6, 8, 10 mm (L=25 mm); S2;
1/4" (6.3 mm): M5, M6, M8 (L=25 mm); S2;
1/4" (6.3 mm): C1, C2, C3 (L=25 mm); S2;
1/4" (6.3 mm); (L=70 mm); CrV;
1/4" (6.3 mm); CrV; HSS 4241; Ø 0-6, 1-8, 2-10, 3-12, 4-14 mm;
200 mm







YATO	
YT-44251	1

Brushless cordless power drill set

96 PCS | 18 V | Li-Ion | 42 Nm | 0-600 min⁻¹ / 0-2000 min⁻¹
T 0-7920 min⁻¹ / 0-29700 min⁻¹ | 2.0 Ah | 1/4" 6.3 mm | 13 mm |
1h | CONCRETE BETON | WOOD DREWNO | STEEL STAL
PVC

NEW



3 m x16 mm;
9 mm;
230mm
180 mm; CrV 55
1/4" (220 mm); CrV 6140;
12-220V
8 oz

1/4" (6.3 mm): 2, 4, 6.5 mm (L=25 mm); S2;
1/4" (6.3 mm): PH0, 2 x PH1, 2 x PH2, PH3 (L=25 mm); S2;
1/4" (6.3 mm): 2 x PZ1, 2 x PZ2, PZ3 (L=25 mm); S2;
1/4" (6.3 mm): T10, T15, T20, T25, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): T8, T9, T10, T15, T20, T25, T27, T30, T40 (L=25 mm); S2;
1/4" (6.3 mm): 2, 2.5, 3, 4, 5, 6, 8 mm (L=25 mm); S2;
1/4" (6.3 mm): 0, 1, 2, 3 (L=25 mm); S2;
1/4" (6.3 mm): 1, 2, 3, 4 mm (L=25 mm); S2;
1/4" (6.3 mm): 6, 8, 10 mm (L=25 mm); S2;
1/4" (6.3 mm): 4, 6, 8, 10 mm (L=25 mm); S2;
1/4" (6.3 mm): M5, M6, M8 (L=25 mm); S2;
1/4" (6.3 mm): C1, C2, C3 (L=25 mm); S2;
1/4" (6.3 mm); (L=70 mm); CrV;
1/4" (6.3 mm); CrV; HSS 4241; Ø 0-6, 1-8, 2-10, 3-12, 4-14 mm;
200 mm







YATO	
YT-44252	1

Cordless drill








NEW

L_{pA} = 83,14 ± 3,0 dB;
L_{wA} = 94,14 ± 3,0 dB;
a_h = 2,390 ± 1,5 /
1,146 ± 1,5 m/s²



YATO	V	
YT-82901	12	5

Cordless drill








YATO	V	Battery	
YT-82852	12	1	5
YT-82852BS	12	1	5
YT-82852PACK	12	2	5

Cordless Multi-purpose oscillating tool








BMC
& COLOR
SLEEVE

YATO	V	
YT-82900	10.8	5

Operating voltage	[V]	10,8 DC
Number of oscillations	[min⁻¹]	5 000 - 15 000
Mass	[kg]	0,8
Battery		Li-ion
Battery capacity	[mAh]	1500
Power pack		
Input voltage	[V]	~230
Mains frequency	[Hz]	50
Nominal power	[W]	25 W
Output voltage	[V]	12 DC
Output current	[mA]	2 x 1500
Charging duration	[h]	1


Lithium battery





YATO	V	for:	
YT-82857	10.8	YT-82900	1

Battery charger







YATO	V	for:	
YT-82861	10.8	YT-82900	1

Cordless screwdriver

3,6 V 1300 mAh Li-Ion | Li-Ion | 230 min⁻¹ | 3.0 Nm

LED BATTERY INDICATOR / WSKAŹNIK NAŁADOWANIA AKUMULATORA | WORKING AREA LIGHT / OŚWIETLENIE OBSZARU PRACY









L_{pA} = 61,7 ± 3,0 dB;
L_{wA} = 72,7 ± 3,0 dB;
a_h = 0,39 ± 1,5 m/s²

YATO	V	
YT-82760	3.6	20

Electric impact wrench

230V~ 50Hz | 450 W | 450 Nm | 0-3300 min⁻¹ | T 0-3300 min⁻¹

1/2" 12.5mm | 17, 19 21, 22 mm | 4m



L_{pA} = 96 ± 3 dB;
L_{wA} = 107 ± 3 dB;
a_h = 17,648 ± 1,5 m/s²







BMC & COLOR SLEEVE

YATO	W	
YT-82020	450	5

Electric impact wrench

230V~ 50Hz | 1020 W | 600 Nm | 2600 min⁻¹ | T 2700 min⁻¹

1/2" 12.5mm | 17, 19 21, 22 mm | 4m



L_{pA} = 100 ± 3 dB;
L_{wA} = 111 ± 3 dB;
a_h = 18,9 ± 1,5 m/s²







BMC & COLOR SLEEVE

YATO	W	
YT-82021	1020	3

Angle grinder

7.5 AMP | 110-120V ~50-60Hz | 11000 min⁻¹ | 850 W

115mm | 5/8"

NEW



SLIM BODY 53 mm

YATO	V	W	
YT-82087UL	110-120	850	10

Angle grinder

710 W | 11000 min⁻¹ | 220V~ 50Hz

100 mm | M10





COLOR BOX

YATO	W	
YT-82083	720	10

Angle grinder

220V~ 50Hz | 720 W

11000 min⁻¹ | 100 mm

M10



COLOR BOX



YATO	W	
YT-82093	720	10
YT-82093BS	720	10

Angle grinder

230V~ 50Hz | 710 W | 11000 min⁻¹ | 115 mm | M14


COLOR BOX



YATO	W	V	
YT-82091	710	220	6
YT-82091BS	710	220	6
YT-82091UL	710	110	6

Angle grinder

230V~ 50Hz | 850 W | 125 mm | 12000 min⁻¹ | M14


COLOR BOX



YATO	W	
YT-82097	850	6

Angle grinder

NEW

230V~ 50Hz | 2400 W | 180 mm | 6000 min⁻¹ | M14



YATO	W	
YT-82105	2400	6

Angle grinder

230V~ 50Hz | 850 W | 11000 min⁻¹ | 125 mm | M14


COLOR BOX



YATO	W	
YT-82094	850	6
YT-82094BS	850	6

Angle grinder

230V~ 50Hz | 1100 W | 125 mm | 12000 min⁻¹ | M14


COLOR BOX




variable speed

YATO	W	
YT-82101Y	1100	6

Angle grinder

230V~ 50Hz | 2800 W | 230 mm | 6600 min⁻¹ | M14



COLOR BOX



YATO	W	
YT-82110	2800	2
YT-82110BS	2800	2

Angle grinder

230V~ 50Hz | 1100 W | 11000 min⁻¹ | 125 mm | M14


COLOR BOX



YATO	W	
YT-82100	1100	6
YT-82100BS	1100	6

Angle grinder

NEW

230V~ 50Hz | 2000 W | 180 mm | 8400 min⁻¹ | M14



YATO	W	
YT-82104	2000	6

Electric drill

230V~ 50Hz | 500 W | 0-4000 min⁻¹ | 10 mm | 25 mm | 10 mm





YATO	W	
YT-82049	500	10
YT-82049BS	500	10

Electric drill








YATO	W	V	
YT-82052	710	220	10
YT-82052BS	710	220	10
YT-82052UL	710	110	10

Impact drill










YATO	W	
YT-82030BS	550	6

Impact drill







YATO	W	
YT-82034Y	710	6
YT-82034BS	710	6


Drywall screwdriver





YATO	W	
YT-82070	500	5

Impact drill








YATO	W	
YT-82036Y	810	5
YT-82036BS	810	5

Impact drill








YATO	W	
YT-82044Y	1050	2
YT-82044BS	1050	2

Impact drill








YATO	W	
YT-82037Y	850	5
YT-82037BS	850	5

Rotary hammer







BMC & COLOR SLEEVE

YATO	W	
YT-82120	850	2

Rotary hammer






BMC & COLOR SLEEVE



YATO	W	V	
YT-82127	1500	220	2
YT-82127BS	1500	220	2
YT-82127-UL	1500	110	2

Hammer drill







YATO	W	
YT-82123	1100	2

Rotary hammer





BMC & COLOR SLEEVE



YATO	W	
YT-82125	1250	2
YT-82125BS	1250	2

Rotary hammer







BMC & COLOR SLEEVE



YATO	W	
YT-82130	1050	2
YT-82130BS	1050	2

Rotary hammer



L_{pA} = 93,8 ± 3 / 95,8 ± 3 dB;
L_{WA} = 104,8 ± 3 / 106,8 ± 3 dB;
a_h = 14,89 ± 1,5 / 13,02 ± 1,5 m/s²

YATO	W	
YT-82131	1300	2

Rotary hammer



YATO	W	
YT-82122	850	3

Rotary hammer



YATO	W	
YT-82115	620	3

Rotary hammer



YATO	W	
YT-82121	800	3
YT-82121BS	800	3

Demolition hammer



YATO	W	
YT-82133	1500	2

Demolition hammer



YATO		
YT-82001		1

Diamond drill



fitting core drill bits: YT-60371, YT-60372, YT-60373, YT-60374,YT-60375, YT-60376,YT-60377, YT-60378, YT-60379

YATO		
YT-81980		1

Demolition hammer



YATO	W	
YT-82136T	1600	3

Demolition hammer



YATO	W	
YT-82138T	2200	3

Jig saw



YATO	W	
YT-82272	750	5

Circular saw



fitting blades: YT-6063, YT-60621, YT-60622, YT-60623,

YATO	W	
YT-82151	1500	2

Circular saw



fitting blades: YT-60685, YT-60686, YT-60687,

YATO	W	
YT-82153	2000	2
YT-82153BS	2000	2

Jig saw



L_{pA} = 86,0 ± 3,0 dB;
L_{wA} = 97,0 ± 3,0 dB;
a_h = 8,27 ± 1,5 / 10,65 ± 1,5 m/s²

YATO	W	
YT-82274	450	8

Circular saw



fitting blades: YT-6063, YT-60621, YT-60622, YT-60623,

YATO	W	
YT-82152	1500	2

Circular saw



fitting blades: YT-60685, YT-60686, YT-60687,

YATO	W	
YT-82154	2800	2

Circular saw



YATO	W	V	
YT-82160BS	1300	220	2
YT-82160UL	1300	110	2

Polisher



BMC & COLOR SLEEVE

YATO	w	
YT-82195	1200	3
YT-82195BS	1200	3

Orbital polisher



BMC & COLOR SLEEVE

ADDITIONAL PADS / DODATKOWE KRĄŻKI

YATO	W	
YT-82200	720	4

Electric table saw

1800 W | 220-240V~ 50Hz | 5000 min⁻¹ | Ø[mm] 250x30x2.8 | 24T | 90°-85 mm 45°-65 mm | 940x642 mm





YATO	W	
YT-82165	1800	1

Circular saw

230V~ 50Hz | 1010 W | 120-380 m/min | 75x533mm

NEW



L_{pA} = 90 ± 3 dB;
L_{wA} = 101 ± 3 dB;
a_h = 5,1 ± 1,5 m/s²



YATO	W	
YT-82240	1010	4

Petrol cut-off saw

4 kW | 4700 min⁻¹ | 1/2" 12.5 mm WATER COUPLING PRZYŁĄCZE WODY | 93.6 cm³ | ø 400 x 25.4 mm | 145 mm (max) | 40 : 1 | 1.0 l





Disc not included

YATO	W	
YT-84820	4000	1

Planer

810 W | 0-3 mm | 11 mm (max) | 230V~ 50Hz | 82 mm | 16500 min⁻¹





YATO	W	
YT-82141	810	6

Concrete vibrator

1200 W | 230V~ 50Hz | 5000 min⁻¹ | ø 35 mm 3.5m







YATO	W	
YT-82600	1300	5

Concrete vibrator

2300 W | 230V~ 50Hz | 4000 min⁻¹ | ø 35 mm 4m







YATO	W	
YT-82601	2300	4

Spary gun


NEW

600 W | 220-240V~ 50Hz | ø 2.6 mm | 1.0 l/min | 1000 ml



YATO	W	
YT-82553	600	6

Electric planer






YATO	W	
YT-82140	1050	4


Multi-purpose oscillating tool














YATO	W	
YT-82223	500	4

Finishing sander




COLOR BOX



YATO	W	
YT-82230	260	4

Cut-off machine



suggest disc-YT-61132



COLOR BOX



YATO	W	
YT-82181	2450	1

Drywall sander







YATO	W	
YT-82340	1220	2

Miter saw



fitting blades: YT-60733



YATO	W	
YT-82173	1800	1

Miter saw



NEW

L_{pA} = 93,6 ± 3,0 dB;
L_{wA} = 106,6 ± 3,0 dB

fitting blades: YT-6061



YATO	W	
YT-82172	1500	1

Hot air gun



COLOR BOX



YATO	W	
YT-82288	2000	10
YT-82288BS	2000	10

Band saw







YATO	W	
YT-82185	1100	1

Hot air gun with accessories



BMC & COLOR SLEEVE



YATO	W	
YT-82291	2000	5
YT-82291BS	2000	5

Reciprocating saw







YATO	W	
YT-82280	1200	4

Hot air gun with accessories



YATO	W	V	
YT-82300	1800	220	5
YT-82300BS	1800	220	5
YT-82300UL	1800	110	5

Hot air gun with accessories



BMC & COLOR SLEEVE

TEMPERATURE ADJUSTMENT



REGULACJA TEMPERATURY



YATO	W	
YT-82293	2000	5

Electric hoist

~230V 50Hz



COLOR BOX



500 W | 125 kg | 250 kg

YATO	W	
YT-5901	500	2

900 W | 250 kg | 500 kg

YATO	W	
YT-5902	550	2

550 W | 150 kg | 300 kg

YATO	W	
YT-5904	900	2

1050 W | 300 kg | 600 kg

YATO	W	
YT-5905	1050	2

YATO		YT-5901		YT-5902		YT-5904		YT-5905	
Parameter	Unit	Without an additional hook	With an additional hook	Without an additional hook	With an additional hook	Without an additional hook	With an additional hook	Without an additional hook	With an additional hook
Maximum weight	[kg]	125	250	150	300	250	500	300	600
Maximum lifting height	[m]	11	5,5	11	5,5	11	5,5	11	5,5
Lifting speed	[m/min]	8	4	8	4	8	4	8	4
Length of the rope	[m]	12		12		12		12	
Diameter of the rope	[mm]	3,0		3,0		4,2		4,5	
Strength of the rope	[N/mm^2]	≥ 1870		≥ 1870		≥ 1770		≥ 1770	
Mode of operation		S3 20% - 10 min		S3 20% - 10 min		S3 25% - 10 min		S3 20% - 10 min	
Nominal voltage	[V]	230		230		230		230	
Nominal frequency	[Hz]	50		50		50		50	
Nominal current	[A]	2,2		2,4		4,0		4,6	
Motor power	[W]	500		550		900		1050	
Housing protection grade		IP54		IP54		IP54		IP54	
Grade of insulation		B		B		B		B	
Electric protection class		I		I		I		I	
Noise – acoustic pressure	[dB(A)]	≤ 70		≤ 70		≤ 70		≤ 70	
Noise - power L_{wA}	[dB(A)]	≤ 85		≤ 85		≤ 85		≤ 85	
Group of mechanisms		M1		M1		M1		M1	
Weight	[kg]	10,5		11		16,5		17,5	

Soldering iron

230V~ 50Hz | 400-520 °C | 2-3 min





HANGING DISPLAY COLOR BOX

YATO	W	working temp. of soldering tip (°C)	dimensions of soldering tip (mm)	
YT-8271	30	400	ø3.8 x 70	16
YT-8272	60	500	ø6.0 x 78	16
YT-8273	80	520	ø6.8 x 64	16

Soldering station

230V~ 50Hz | 48 W | 150-450 °C | ø 7.1 mm 65 mm | LCD DISPLAY

1°C





COLOR BOX

YATO	W	
YT-82455	48	4

PVC plastic pipe welder

230V~ 50Hz | 850 W | 0-300°C | ø 20, 25, 32 [mm] 40, 50, 63



METAL CASE & COLOR BOX



YATO	W	
YT-82250	850	2

Submersible pump for dirty water and wastewater

230V~ 50Hz | 750 W | Q max 16000 l/h

CUTTING SYSTEM

SYSTEM TNĄCY





[m]	Q [l/h]
0	16000
1	15000
2	14000
3	13500
4	12500
5	11500
6	11000
7	10500
8	9500
9	8000
10	5500
11	3500
12	2000
13	500



COLOR BOX

YATO	W	l / h	H (max)	
YT-85350	750	16000	13	1

Blower

220-240V~ 50/60Hz | 600 W | 6000-16000 min⁻¹ | 4 m³/min | SUCTION FUNCTION FUNKCJA ZASYSANIA | BLOW FUNCTION FUNKCJA DMUCHAWY | 2m







COLOR BOX



L_{pA} = 82,1 ± 2,5 dB;
L_{wA} = 95,0 ± 2,5 dB;
a_h = 2,994 ± 1,5 m/s²

YATO	W	
YT-85170	600	4
YT-85170BS	600	4

Deep well pump

370 W | 20m | Q max 5400 l/h | 230V~ 50Hz

NEW





YATO	W	l/h	
YT-85300	370	5400	1

Deep well pump

550 W | 20m | Q max 6000 l/h | 230V~ 50Hz

NEW





YATO	W	l/h	
YT-85301	550	6000	1

Water pump

370 W | 2850 min⁻¹ max. | 1"x1" | 220V~ 50Hz | Q max 35 L/min | 30 m

NEW



YATO	W	l/min	
YT-85310	370	35	6

Water pump

550 W | 2850 min⁻¹ max. | 1"x1" | 220V~ 50Hz | Q max 45 L/min | 55 m

NEW



YATO	W	l/min	
YT-85311	550	45	4

Water pump

750 W | 2850 min⁻¹ max. | 1"x1" | 220V~ 50Hz | Q max 50 L/min | 65 m

NEW



YATO	W	l/min	
YT-85312	750	50	4

Traditional lubricated compressor

230V~ 50Hz | 2x



YATO	size(L)	Rated Speed(min⁻¹)	
YT-23237	50	2850	1
YT-23240	100	2850	1

Traditional lubricated compressor

230V~ 50Hz



YATO	size(L)	Rated Speed(min⁻¹)	
YT-23230	24	2850	1
YT-23235	50	2850	1

Gasoline chainsaw

0.9kW | 1.2HP | 25.4 cm³ | max 11000 min⁻¹ | AUTOMATIC CHAIN LUBRICATION / AUTOMATYCZNE SMAROWANIE UKŁADU TNĄCEGO | ANTI-VIBRATION SYSTEM / SYSTEM ANTYWIBRACYJNY | 40 : 1 | 10" 25 cm | 3/8" 9.525mm | 0.050" 1.27mm | OIL TANK 0.16 l



YATO	
YT-84890	1

Gasoline chainsaw

1.8kW | 2.4HP | 45.1 cm³ | max 11000 min⁻¹ | AUTOMATIC CHAIN LUBRICATION / AUTOMATYCZNE SMAROWANIE UKŁADU TNĄCEGO | ANTI-VIBRATION SYSTEM / SYSTEM ANTYWIBRACYJNY | 40 : 1 | 18" 44 cm | 0.325" 8.255mm | 0.058" 1.47mm | OIL TANK 0.24 l



YATO	
YT-84891	1

Gasoline chainsaw

2.1kW | 2.9HP | 51.1 cm³ | max 11000 min⁻¹ | AUTOMATIC CHAIN LUBRICATION / AUTOMATYCZNE SMAROWANIE UKŁADU TNĄCEGO | ANTI-VIBRATION SYSTEM / SYSTEM ANTYWIBRACYJNY | 40 : 1 | 20" 50 cm | 0.325" 8.255mm | 0.058" 1.47 | OIL TANK 0.24 l



YATO	
YT-84892	1


Chain guides

Intended for household and professional use – perfect for works around the house and in the garden, as well as for woodcutting. They are compatible with petrol chainsaws and electric chainsaws coming from various manufacturers.

- *star-shaped ending fixed by means of 4 rivets ensures high precision of assembly and increases durability of the guide*
- *roller bearing ensures precise leading of the chain, minimising the resistance while working*
- *manganese steel increases resistance of the guide to abrasion and overheating, extending its lifetime*
- *lubrication system with oil container distributes the oil uniformly along the whole chain length*

Mn 65 | 4 RIVETS | ROLLER BEARING







YATO	SIZE		÷2		FOR
YT-84925	10"	40	3/8"	0.05"	YT-84948, YT-84960
YT-84927	12"	44	3/8"	0.05"	YT-84949, YT-84960
YT-84928	12"	50	0.325"	0.058"	YT-849395, YT-84963
YT-84930	14"	50	3/8"	0.05"	YT-84950, YT-84960
YT-84931	14"	52	3/8"	0.05"	YT-84951, YT-84960
YT-849311	14"	60	0.325"	0.058"	YT-84940, YT-84963
YT-84932	15"	56	3/8"	0.058"	YT-84961
YT-849321	15"	56	3/8"	0.05"	YT-84952, YT-84960
YT-84933	15"	64	0.325"	0.05"	YT-84945, YT-84962
YT-84934	15"	64	0.325"	0.058"	YT-84941, YT-84963
YT-84935	16"	56	3/8"	0.05"	YT-84953, YT-84960
YT-849351	16"	66	0.325"	0.058"	YT-84942, YT-84963
YT-849355	18"	62	3/8"	0.05"	YT-84956, YT-84960
YT-84936	18"	72	0.325"	0.058"	YT-84943, YT-84963
YT-84937	20"	76	0.325"	0.058"	YT-84944, YT-84963

Cutting chains

Intended for household and professional use – perfect for gardening works and professional processing of clean or moderately soiled wood. They are compatible with petrol chainsaws and electric chainsaws of various manufacturers.

- *the vibration dampening system reduces vibrations by 25% and ensures comfortable operation thanks to not transferring the vibrations from the chain to the guide*
- *reduction of kickback thanks to specially designed links increases work safety*









YATO	SIZE		÷2		FOR
YT-849395	12"	50	0.325"	0.058"	YT-84928
YT-84940	14"	56	0.325"	0.058"	YT-849311
YT-84941	15"	64	0.325"	0.058"	YT-84934
YT-84942	16"	66	0.325"	0.058"	YT-849351
YT-84943	18"	72	0.325"	0.058"	YT-84936
YT-84944	20"	76	0.325"	0.058"	YT-84937
YT-84945	15"	64	0.325"	0.05"	YT-84933
YT-84948	10"	40	3/8"	0.05"	YT-84925
YT-84949	12"	44	3/8"	0.05"	YT-84927
YT-84950	14"	50	3/8"	0.05"	YT-84930
YT-84951	14"	52	3/8"	0.05"	YT-84931
YT-84952	15"	56	3/8"	0.05"	YT-849321
YT-84953	16"	56	3/8"	0.05"	YT-84935
YT-84954	16"	57	3/8"	0.05"	YT-84935
YT-84955	16"	60	3/8"	0.063"	x
YT-84956	18"	62	3/8"	0.05"	YT-849355

High pressure washer

1400 W | 230-240V~ 50Hz | 10.5 MPa (max.) | 7 MPa | 5 l/min | IPX5



WOODEN BOX & COLOR BOX



105 bar

YATO	W	V	
YT-85910VDE	1400	220	1
YT-85910BS	1400	220	1
YT-85910UL	1400	110	1

High pressure washer

2000 W | 220-240V~ 50Hz | 15 MPa (max.) | 10 MPa | 6 l/min | IPX5



150 bar



WOODEN BOX & COLOR BOX



YATO	W	V	
YT-85915VDE	2000	220	1
YT-85915BS	2000	220	1
YT-85915UL	2000	110	1

Electric lawn mower

230V~ 50Hz | 1300 W | Ø 140 mm | 3400 min⁻¹ | 30 l | 330 mm | 60mm 40mm 20mm





YATO	W	
YT-85200	1300	1
YT-85200BS	1300	1

Gasoline lawn mower

2800 min⁻¹ | 2200 W | 141 cc | 460mm | 75mm 25mm | PP | 96 dB





YATO	
YT-85245	1

Gasoline lawn mower

2800 min⁻¹ | 3500 W | 196 cc | 510mm | 70mm 25mm | PP | 98 dB





YATO	
YT-85255	1

Electric lawn mower

230V~ 50Hz | 1800 W | 380mm | 3300 min⁻¹ | 50 L | 70, 60, 50, 40, 30, 20 mm | Ø 160 200 mm





YATO	W	
YT-85205	1800	1
YT-85205BS	1800	1

Electric lawn mower






YATO	W	
YT-85208	2000	1
YT-85208BS	2000	1


Wet and dry vacuum cleaner




HEPA TYPE FILTER FILTR TYPU HEPA


POWER SOCKET FOR POWER TOOLS





COLOR BOX



YATO	W	capacity(L)	
YT-85700	1400	20	1
YT-85700BS	1400	20	1


Wet and dry vacuum cleaner




COLOR BOX


HEPA TYPE FILTER FILTR TYPU HEPA


ADJUSTABLE POWER REGULACJA MOCY





YATO	W	capacity(L)	
YT-85710	2400	70	1
YT-85710BS	2400	70	1

Brushcutter





COLOR BOX

YATO	kW	
YT-84995	1.4	1


Wet and dry vacuum cleaner




HEPA TYPE FILTER FILTR TYPU HEPA


POWER SOCKET FOR POWER TOOLS





COLOR BOX



YATO	W	capacity(L)	
YT-85701	1400	30	1
YT-85701BS	1400	30	1

Multi function wet and dry vacuum cleaner













COLOR BOX



YATO	W	capacity(L)	
YT-85715	1600	30	1

Gasoline water pump

4.1 kW | 3600 min⁻¹ | 163 cm³ | ⌀ 50mm 2" | Q_{MAX} 36m³/h | △ 30 m | 3.6 l | ▽ 8 m





COLOR BOX

YATO	
YT-85401	1

Gasoline water pump

4.1 kW | 3600 min⁻¹ | 163 cm³ | ⌀ 80mm 3" | Q_{MAX} 60m³/h | △ 30 m | 3.6 l | ▽ 8 m





COLOR BOX

YATO	
YT-85402	1

Gasoline water pump

4.1 kW | 3600 min⁻¹ | 242 cm³ | ⌀ 100mm 4" | Q_{MAX} 96m³/h | △ 20 m | 3.6 l | ▽ 8 m





COLOR BOX

YATO	
YT-85403	1

Gasoline generator

2200 W max | 230V~50Hz | 2x | 196 cm³ | Pb | 3.6 l | 0.6 l

AVR – AUTOMATIC VOLTAGE REGULATION – AUTOMATYCZNA REGULACJA NAPIĘCIA



PLYWOOD BOX & COLOR LABEL



L_{pA} = 72,7 ± 2,03 dB;
L_{wA} = 92,2 ± 2,03 dB

YATO	
YT-85451	1

Gasoline generator

2700 W max | 230V~50Hz | 2x | 196 cm³ | Pb | 3.6 l | 0.6 l

AVR – AUTOMATIC VOLTAGE REGULATION – AUTOMATYCZNA REGULACJA NAPIĘCIA



PLYWOOD BOX & COLOR LABEL



L_{pA} = 73,6 ± 2,00 dB;
L_{wA} = 93,2 ± 2,00 dB

YATO	
YT-85453	1

Gasoline generator

5500 W max | 230V~50Hz | 3x | 380V 1x | 389 cm³ | V | Pb | 25 l | 1.1 l

AVR – AUTOMATIC VOLTAGE REGULATION – AUTOMATYCZNA REGULACJA NAPIĘCIA



PLYWOOD BOX & COLOR LABEL



L_{pA} = 75,0 ± 2,62 dB;
L_{wA} = 93,7 ± 2,62 dB

YATO	
YT-85460	1

Inverter generator

2000 W max | 230V~50Hz | 2x | 119 cm³ | Pb | ULTRA SILENT – BARDZO CICHY | 0.48L | 10 l



ULTRA LIGHT 21.5 kg

L_{pA} = 73,3 ± 1,96 dB;
L_{wA} = 93,0 ± 1,96 dB

YATO	
YT-85482	1

Inverter generator

880 W max | 230V~50Hz | 42,7 cm³ | ULTRA SILENT – BARDZO CICHY | 50 : 1 | 3.5 l | Pb



ULTRA LIGHT 8.5 kg

L_{pA} = 70,46 ± 0 dB;
L_{wA} = 90,46 ± 0 dB

YATO	
YT-85481	1

Welding mechine

110-240V~ 50-60Hz | IGBT | MMA LIFT TIG | PROTECTION GRADE STOPIEŃ OCHRONY IP21S | WINDINGS INSULATION CLASS KLASA IZOLACJI UZWOJENIA F | 160A | DUTY CYCLE CYKL PRACY 25% | ELECTRODE SIZE ROZMIAR ELEKTRODY 1.0~4.0 mm | POWER GENERATOR SUPPLY MOŻLIWOŚĆ ZASILANIA Z GENERATORA | VRD | HOT START GORĄCY START | ANTI STICK FUNKCJA PRZECIW ZWARCIOWA | ARC FORCE STABILIZACJA ŁUKU | NEW



YATO	V	
YT-81351	110~240	1
YT-81351UL	110~240	1

Welding mechine

220-240V~ 50-60Hz | IGBT | MMA | PROTECTION GRADE STOPIEŃ OCHRONY IP21S | 160A | DUTY CYCLE CYKL PRACY 30% | ELECTRODE SIZE ROZMIAR ELEKTRODY 1.0~4.0 mm | WINDINGS INSULATION CLASS KLASA IZOLACJI UZWOJENIA F | HOT START GORĄCY START | ANTI STICK FUNKCJA PRZECIW ZWARCIOWA | ARC FORCE STABILIZACJA ŁUKU | POWER GENERATOR SUPPLY MOŻLIWOŚĆ ZASILANIA Z GENERATORA | NEW



YATO	
YT-81330	1

Welding mechine

220-240V~ 50-60Hz | IGBT | MMA | PROTECTION GRADE STOPIEŃ OCHRONY IP21S | 200A | DUTY CYCLE CYKL PRACY 30% | ELECTRODE SIZE ROZMIAR ELEKTRODY 1.0~5.0 mm | WINDINGS INSULATION CLASS KLASA IZOLACJI UZWOJENIA F | HOT START GORĄCY START | ANTI STICK FUNKCJA PRZECIW ZWARCIOWA | ARC FORCE STABILIZACJA ŁUKU | POWER GENERATOR SUPPLY MOŻLIWOŚĆ ZASILANIA Z GENERATORA | NEW



YATO	
YT-81332	1

Plasma cutter

15 mm CARBON STEEL STAL WĘGLOWA CUTTING THICKNESS GRUBOŚĆ CIĘCIA | 10 mm ALUMINIUM ALUMINIUM CUTTING THICKNESS GRUBOŚĆ CIĘCIA | 12 mm STAINLESS STEEL STAL NIERDZEWNA CUTTING THICKNESS GRUBOŚĆ CIĘCIA | 7 mm COPPER MIEDŹ CUTTING THICKNESS GRUBOŚĆ CIĘCIA | 40 A | NEW





YATO	
YT-82952	1

Gasoline backpack sprayer

2.13 kW 2.9 KM | 41.5 cm³ | 12 m max | ≤3 l/min | 16 l





GREY CARTON BOX & COLOR LABEL


YATO	KW	
YT-85140	2,13	1


YATO
NON-
SPARKING

Non-sparking combination spanner



YATO		⌀	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65139	YT-68139	6	105	22	20
YT-65140	YT-68140	7	120	37	34
YT-65141	YT-68141	8	120	37	34
YT-65142	YT-68142	9	135	55	50
YT-65143	YT-68143	10	135	55	50
YT-65144	YT-68144	11	150	75	70
YT-65145	YT-68145	12	150	75	70
YT-65146	YT-68146	13	175	122	110
YT-65147	YT-68147	14	175	122	110
YT-65148	YT-68148	15	195	122	110
YT-65149	YT-68149	16	195	155	140
YT-65151	YT-68151	17	195	155	140
YT-65152	YT-68152	18	215	210	190
YT-65153	YT-68153	19	215	210	190
YT-65154	YT-68154	20	215	225	200
YT-65155	YT-68155	21	245	225	200
YT-65156	YT-68156	22	245	250	220
YT-65157	YT-68157	23	265	260	220
YT-65158	YT-68158	24	265	260	230
YT-65159	YT-68159	25	265	260	230
YT-65161	YT-68161	26	290	420	380
YT-65162	YT-68162	27	290	420	380
YT-65163	YT-68163	30	320	560	500
YT-65164	YT-68164	32	340	670	600
YT-65165	YT-68165	34	360	850	750
YT-65166	YT-68166	35	360	890	800
YT-65167	YT-68167	36	430	890	800
YT-65168	YT-68168	38	430	1200	1300
YT-65169	YT-68169	41	430	1440	1300
YT-65171	YT-68171	46	480	1890	1700
YT-65172	YT-68172	50	520	2220	2000
YT-65173	YT-68173	55	560	2460	2500
YT-65174	YT-68174	60	595	3300	2900
YT-65175	YT-68175	65	595	3250	3300
YT-68176	YT-68176	70	630	4550	4300



Non-sparking double open end spanner



YATO		⌀	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-64700	YT-67700	5.5*7	90	23	20
YT-64701	YT-67701	6*7	92	25	22
YT-64702	YT-67702	6*8	94	28	25
YT-64703	YT-67703	7*9	96	28	25
YT-64704	YT-67704	8*9	98	34	31
YT-64705	YT-67705	8*10	100	34	31
YT-64706	YT-67706	9*10	105	50	45
YT-64707	YT-67707	9*11	110	50	45
YT-64708	YT-67708	10*11	115	60	55
YT-64709	YT-67709	10*12	120	60	55
YT-64710	YT-67710	10*13	122	60	55
YT-64711	YT-67711	10*14	124	75	69
YT-64712	YT-67712	11*13	126	75	69
YT-64713	YT-67713	12*13	128	75	69
YT-64714	YT-67714	12*14	130	75	69
YT-64715	YT-67715	13*17	140	120	110
YT-64716	YT-67716	14*15	143	115	105
YT-64717	YT-67717	14*17	150	120	110
YT-64718	YT-67718	16*17	157	130	120
YT-64719	YT-67719	16*18	163	145	130
YT-64720	YT-67720	17*19	170	150	135
YT-64721	YT-67721	17*21	173	185	165
YT-64722	YT-67722	17*22	176	220	200
YT-64723	YT-67723	18*19	179	200	180
YT-64724	YT-67724	19*21	182	210	190
YT-64725	YT-67725	19*22	185	220	200
YT-64726	YT-67726	19*24	190	235	210
YT-64727	YT-67727	20*22	195	250	225
YT-64728	YT-67728	21*23	200	270	235
YT-64729	YT-67729	21*26	205	275	245
YT-64730	YT-67730	22*24	210	312	285
YT-64731	YT-67731	22*27	215	320	292
YT-64732	YT-67732	23*26	220	330	302
YT-64733	YT-67733	24*26	225	345	310
YT-64734	YT-67734	24*27	230	345	310
YT-64735	YT-67735	24*30	233	365	330
YT-64736	YT-67736	25*28	236	365	330
YT-64737	YT-67737	26*29	240	485	430
YT-64738	YT-67738	26*32	243	465	420
YT-64739	YT-67739	27*29	246	485	430
YT-64740	YT-67740	27*30	250	485	430
YT-64741	YT-67741	27*32	255	600	549
YT-64742	YT-67742	29*32	260	610	540
YT-64743	YT-67743	30*32	265	610	540
YT-64744	YT-67744	30*36	270	815	730
YT-64745	YT-67745	32*34	270	815	730
YT-64746	YT-67746	32*36	300	885	800
YT-64747	YT-67747	34*36	300	885	800
YT-64748	YT-67748	36*38	330	1350	1210
YT-64749	YT-67749	36*41	330	1350	1210
YT-64750	YT-67750	38*40	330	1350	1210
YT-64751	YT-67751	41*46	355	1690	1530
YT-64752	YT-67752	46*50	370	2050	1850
YT-64753	YT-67753	50*55	385	2160	1950
YT-64754	YT-67754	50*60	400	2488	2275
YT-64755	YT-67755	55*60	415	2700	2450
YT-64756	YT-67756	60*65	435	3950	3600
YT-64757	YT-67757	65*70	460	4850	3600
YT-64758	YT-67758	65*75	485	5510	3650
YT-64759	YT-67759	70*80	535	6800	3800
YT-64760	YT-67760	75*80	545	7000	3750
YT-64761	YT-67761	75*85	565	8260	3850

Non-sparking bi-hexagonAl ring spanner



YATO		⌀	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-64780	YT-67780	5.5*7	115	22	20
YT-64781	YT-67781	6*7	115	25	23
YT-64782	YT-67782	6*8	120	50	46
YT-64783	YT-67783	7*9	130	50	46
YT-64784	YT-67784	8*9	130	55	50
YT-64785	YT-67785	8*10	130	55	50
YT-64786	YT-67786	9*10	135	70	65
YT-64787	YT-67787	9*11	140	70	65
YT-64788	YT-67788	10*11	140	80	75
YT-64789	YT-67789	10*12	140	85	78
YT-64790	YT-67790	10*13	140	85	78
YT-64791	YT-67791	10*14	140	120	110
YT-64792	YT-67792	11*13	160	120	110
YT-64793	YT-67793	12*13	160	120	110
YT-64794	YT-67794	12*14	160	151	140
YT-64795	YT-67795	14*15	220	205	180
YT-64796	YT-67796	14*17	220	205	180
YT-64797	YT-67797	16*17	220	220	202
YT-64798	YT-67798	16*18	220	220	202
YT-64799	YT-67799	17*19	250	225	205
YT-64800	YT-67800	17*21	250	290	265
YT-64801	YT-67801	17*22	250	290	265
YT-64802	YT-67802	18*19	250	295	270
YT-64803	YT-67803	19*21	280	310	280
YT-64804	YT-67804	19*22	280	310	280
YT-64805	YT-67805	19*24	310	355	320
YT-64806	YT-67806	20*22	285	310	280
YT-64807	YT-67807	21*23	285	405	360
YT-64808	YT-67808	21*26	320	450	410
YT-64809	YT-67809	22*24	310	455	415
YT-64810	YT-67810	22*27	340	520	475
YT-64811	YT-67811	23*26	340	520	475
YT-64812	YT-67812	24*26	340	520	475
YT-64813	YT-67813	24*27	340	520	475
YT-64814	YT-67814	24*30	350	550	501
YT-64815	YT-67815	25*28	350	580	530
YT-64816	YT-67816	26*29	350	705	645
YT-64817	YT-67817	26*32	370	640	570
YT-64818	YT-67818	27*29	350	705	645
YT-64819	YT-67819	27*30	360	705	645
YT-64820	YT-67820	27*32	380	805	736
YT-64821	YT-67821	29*32	380	805	736
YT-64822	YT-67822	30*32	380	805	736
YT-64823	YT-67823	30*36	395	1050	960
YT-64824	YT-67824	32*34	400	1080	980
YT-64825	YT-67825	32*35	405	1145	1030
YT-64826	YT-67826	32*36	405	1145	1030
YT-64827	YT-67827	34*36	420	1165	1065
YT-64828	YT-67828	35*41	426	1600	1465
YT-64829	YT-67829	36*38	434	1600	1465
YT-64830	YT-67830	36*41	445	1600	1465
YT-64831	YT-67831	38*40	460	1600	1465
YT-64832	YT-67832	41*46	470	2077	1905
YT-64833	YT-67833	46*50	490	2530	2315
YT-64834	YT-67834	50*55	510	2580	2360
YT-64835	YT-67835	50*60	520	3002	2745
YT-64836	YT-67836	55*60	530	3203	2905
YT-64837	YT-67837	60*70	560	4105	3605

Non-sparking combination spa nner set

9 PCS



- 8,10,12,14,17,19,22,24,27mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65177	YT-68177	1815	1655

11 PCS



- 8,10,12,14,17,19,22,24,27,30,32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65178	YT-68178	3235	2955

13 PCS



- 8,10,12,13,14,16,17,19,22,24,27,30,32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65179	YT-68179	3485	3175

Non-sparking double open end spanner set

9 PCS



- 8*10,10*12,12*14,14*17,17*19,19*22,22*24, 24*27,30*32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-64770	YT-67770	2810	2570

11 PCS



- 8*10,9*11,10*12,12*14,14*17,17*19,19*22, 22*24,24*27,27*30,30*32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-64771	YT-67771	3530	3230

13 PCS



- 5.5*7,6*7,8*10,9*11,10*12,12*14,14*17,17*19, 19*22,22*24,24*27,27*30,30*32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-64772	YT-67772	3610	3295

Non-sparking bi-hexagonAl ring spanner set

9 PCS



- 8*10,10*12,12*14,14*17,17*19,19*22,22*24, 24*27,30*32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-64840	YT-67840	2815	2575

11 PCS



- 8*10,9*11,10*12,12*14,14*17,17*19,19*22, 22*24,24*27,27*30,30*32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-64841	YT-67841	3585	3275

13 PCS



- 5.5*7,6*7,8*10,9*11,10*12,12*14,14*17,17*19, 19*22,22*24,24*27,27*30,30*32mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-64842	YT-67842	3630	3320

Non-sparking open end impact wrench



YATO		⌀	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65190	YT-68190	17	125	150	135
YT-65191	YT-68191	18	125	150	135
YT-65192	YT-68192	19	125	150	135
YT-65193	YT-68193	22	135	190	175
YT-65194	YT-68194	24	150	245	220
YT-65195	YT-68195	26	150	335	300
YT-65196	YT-68196	27	175	335	300
YT-65197	YT-68197	28	190	435	390
YT-65198	YT-68198	29	190	435	390
YT-65199	YT-68199	30	190	435	390
YT-65200	YT-68200	32	190	515	460
YT-65201	YT-68201	36	200	725	730
YT-65202	YT-68202	38	230	955	860
YT-65203	YT-68203	41	230	955	860
YT-65204	YT-68204	42	250	1100	1100
YT-65205	YT-68205	45	250	1100	1100
YT-65206	YT-68206	46	250	1225	1100
YT-65207	YT-68207	50	275	1560	1200
YT-65208	YT-68208	52	305	1850	1500
YT-65209	YT-68209	55	305	1850	1500
YT-65210	YT-68210	56	315	2190	1970
YT-65211	YT-68211	60	315	2190	1970
YT-65212	YT-68212	63	335	2670	2400
YT-65213	YT-68213	65	335	2670	2400
YT-65214	YT-68214	70	370	3250	2925
YT-65215	YT-68215	75	375	3660	3300
YT-65216	YT-68216	76	400	4500	4070
YT-65217	YT-68217	80	400	4500	4070
YT-65218	YT-68218	85	400	5290	4770
YT-65219	YT-68219	90	435	6640	6000
YT-65220	YT-68220	95	445	7730	7000
YT-65221	YT-68221	100	485	11600	8000
YT-65222	YT-68222	110	512.5	13500	10000
YT-65223	YT-68223	120	537.5	16820	10500
YT-65224	YT-68224	130	567.5	19450	11000
YT-65225	YT-68225	140	602.5	24590	12500
YT-65226	YT-68226	150	637.5	28450	14000

Non-sparking ring impact wrench



YATO		⌀	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-64850	YT-67850	17	138	200	180
YT-64851	YT-67851	19	138	200	180
YT-64852	YT-67852	22	140	245	220
YT-64853	YT-67853	24	155	245	220
YT-64854	YT-67854	27	165	350	315
YT-64855	YT-67855	30	175	475	430
YT-64856	YT-67856	32	175	465	430
YT-64857	YT-67857	34	185	580	520
YT-64858	YT-67858	36	195	580	520
YT-64859	YT-67859	38	205	755	680
YT-64860	YT-67860	41	215	755	680
YT-64861	YT-67861	46	225	990	890
YT-64862	YT-67862	50	240	1145	1030
YT-64863	YT-67863	55	255	1440	1300
YT-64864	YT-67864	60	265	1620	1450
YT-64865	YT-67865	65	285	1995	1800
YT-64866	YT-67866	70	315	2435	2200
YT-64867	YT-67867	75	326	3010	2720
YT-64868	YT-67868	80	340	3600	3250
YT-64869	YT-67869	85	355	4330	3915
YT-64870	YT-67870	90	375	5500	4970
YT-64871	YT-67871	95	390	5450	4920
YT-64872	YT-67872	100	410	7080	6100
YT-64873	YT-67873	105	420	7000	6320
YT-64874	YT-67874	110	445	9130	8250
YT-64875	YT-67875	120	480	11000	9930
YT-64876	YT-67876	130	510	12610	11400
YT-64877	YT-67877	140	520	13000	11750
YT-64878	YT-67878	150	565	14500	13100

Non-sparking adjustable wrench



YATO		⌀	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65320	YT-68320	13	100	33	30
YT-65321	YT-68321	18	150	135	120
YT-65322	YT-68322	24	200	281	255
YT-65323	YT-68323	30	250	440	401
YT-65324	YT-68324	36	300	720	655
YT-65325	YT-68325	46	375	1410	1290
YT-65326	YT-68326	55	450	2261	2065
YT-65327	YT-68327	65	600	4705	4301

Non-sparking hinged pipe vice



YATO		⌀	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65340	YT-68340	25	200	510	465
YT-65341	YT-68341	30	250	845	770
YT-65342	YT-68342	40	300	1280	1170
YT-65343	YT-68343	50	350	1675	1530
YT-65344	YT-68344	60	450	2650	2420
YT-65345	YT-68345	75	600	3950	3610
YT-65346	YT-68346	125	900	6600	6005
YT-65347	YT-68347	150	1200	12500	11405

Non-sparking hex key



YATO		⌀	L	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(mm)	(g)	(g)
YT-65227	YT-68227	1.5	59	25	6	5
YT-65228	YT-68228	2	59	25	6	5
YT-65229	YT-68229	2.5	59	25	6	5
YT-65230	YT-68230	3	59	25	8	7
YT-65231	YT-68231	4	65	30	10	8
YT-65232	YT-68232	5	79	32	16	12
YT-65234	YT-68234	6	85	37	25	20
YT-65236	YT-68236	7	88	43	34	30
YT-65237	YT-68237	8	92	44	50	45
YT-65238	YT-68238	9	97	44	61	55
YT-65239	YT-68239	10	110	45	82	70
YT-65240	YT-68240	11	119	48	100	90
YT-65241	YT-68241	12	130	52	145	130
YT-65242	YT-68242	13	140	54	180	160
YT-65243	YT-68243	14	150	58	211	191
YT-65244	YT-68244	15	156	60	260	230
YT-65245	YT-68245	16	162	63	300	270
YT-65246	YT-68246	17	168	65	370	335
YT-65247	YT-68247	18	173	69	450	402
YT-65248	YT-68248	19	177	72	490	445
YT-65249	YT-68249	21	184	74	652	595
YT-65251	YT-68251	22	186	77	675	615
YT-65252	YT-68252	23	192	82	825	755
YT-65253	YT-68253	24	192	82	825	755
YT-65254	YT-68254	25	200	84	925	840
YT-65255	YT-68255	26	206	90	1025	940
YT-65256	YT-68256	27	21 3	93	1220	1115
YT-65257	YT-68257	28	222	95	1350	1235
YT-65258	YT-68258	29	240	105	1615	1475
YT-65259	YT-68259	30	240	105	1615	1475
YT-65261	YT-68261	32	266	116	2065	1885
YT-65262	YT-68262	36	294	128	2905	2650
YT-65260	YT-68260	41	320	140	4120	3760

Non-sparking hex key



YATO		⌀	L	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(mm)	(g)	(g)
YT-65280	YT-68280	2	50	16	3	3
YT-65281	YT-68281	3	63	20	5	5
YT-65282	YT-68282	4	70	25	12	11
YT-65283	YT-68283	5	80	28	22	20
YT-65284	YT-68284	6	90	32	30	27
YT-65285	YT-68285	7	95	34	50	45
YT-65286	YT-68286	8	100	36	56	91
YT-65287	YT-68287	9	106	38	85	76
YT-65288	YT-68288	10	112	40	100	90
YT-65289	YT-68289	11	118	42	140	125
YT-65290	YT-68290	12	125	45	162	113

Non-sparking t-handle hex key



YATO		⌀	L	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(mm)	(g)	(g)
YT-65300	YT-68300	2	90	100	55	50
YT-65301	YT-68301	3	90	100	55	50
YT-65302	YT-68302	4	90	100	75	70
YT-65303	YT-68303	5	90	100	85	75
YT-65304	YT-68304	6	90	100	100	90
YT-65305	YT-68305	8	90	100	100	90
YT-65306	YT-68306	10	90	100	150	135

Non-sparking vAlve handle



YATO		L	L	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(mm)	(g)	(g)
YT-64650	YT-67650	30*200	200	44	280	250
YT-64651	YT-67651	32*300	300	50	540	490
YT-64652	YT-67652	35*250	250	47	364	325
YT-64653	YT-67653	40*300	300	50	470	422
YT-64654	YT-67654	45*350	350	58	610	540
YT-64655	YT-67655	48*375	375	62	660	595
YT-64656	YT-67656	50*400	400	67	705	615
YT-64657	YT-67657	55*450	450	73	960	870
YT-64658	YT-67658	60*500	500	79	1205	1105
YT-64659	YT-67659	65*550	550	82	1370	1250
YT-64660	YT-67660	70*600	600	85	1540	1360
YT-64661	YT-67661	75*650	650	88	1705	1540
YT-64662	YT-67662	80*700	700	91	1910	1650
YT-64663	YT-67663	85*750	750	97	2250	2015
YT-64664	YT-67664	90*800	800	103	2380	2130

Non-sparking oil tank spanner



YATO		L	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-64630	YT-67630	300	70	630	580

Non-sparking tin shear



YATO		size	B	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65395	YT-68395	300	75	488	410

Non-sparking diagonAl side cutting pliers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65357	YT-68357	6"	150	245	225
YT-65358	YT-68358	8"	200	410	365

Non-sparking oil tank spanner



YATO		L	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-64631	YT-67631	300	70*95	630	580

Non-sparking adjustable combination pliers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65370	YT-68370	6"	150	213	195
YT-65371	YT-68371	8"	200	380	350

Non-sparking carpenter's pliers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65377	YT-68377	8"	200	325	300

Non-sparking cutting shear



YATO		size	B	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65393	YT-68393	150	61	110	100

Non-sparking lineman pliers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65350	YT-68350	6"	150	180	165
YT-65351	YT-68351	7"	175	355	330
YT-65352	YT-68352	8"	200	465	435

Non-sparking tower pliers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65375	YT-68375	7"	175	250	225

Non-sparking flat nose pliers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65360	YT-68360	6"	150	165	151
YT-65361	YT-68361	8"	200	281	257

Non-sparking bent nose pliers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65367	YT-68367	6"	150	190	170

Non-sparking slotted screwdriver



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65460	YT-68460	50*3	134	35	33
YT-65461	YT-68461	50*4.5	134	43	40
YT-65462	YT-68462	75*3	159	35	32
YT-65463	YT-68463	75*4	159	45	42
YT-65464	YT-68464	75*5	180	70	65
YT-65465	YT-68465	100*4	184	45	42
YT-65466	YT-68466	100*5	205	75	70
YT-65467	YT-68467	100*6	215	85	80
YT-65468	YT-68468	125*6	240	100	95
YT-65469	YT-68469	150*6	265	110	105
YT-65470	YT-68470	150*7	265	125	120
YT-65471	YT-68471	150*8	277	140	135
YT-65472	YT-68472	200*8	327	165	155
YT-65473	YT-68473	250*9	377	185	175
YT-65474	YT-68474	250*11	377	260	245
YT-65475	YT-68475	300*10	427	245	230
YT-65476	YT-68476	300*11	427	290	275
YT-65477	YT-68477	350*11	477	320	300
YT-65478	YT-68478	400*12	550	450	430
YT-65479	YT-68479	450*13	600	450	430

Non-sparking water pump ploers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65382	YT-68382	6"	150	180	160
YT-65383	YT-68383	10"	250	425	370
YT-65384	YT-68384	12"	300	670	600
YT-65385	YT-68385	14"	350	850	770

Non-sparking cable cutter



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65411	YT-68411	6	600	3350	3070
YT-65413	YT-68413	8	900	9250	8400

Non-sparking phillips screwdriver



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-65490	YT-68490	50*PH0	134	35	32
YT-65491	YT-68491	75*PH1	159	70	63
YT-65492	YT-68492	100*PH1	205	75	70
YT-65493	YT-68493	125*PH2	240	100	95
YT-65494	YT-68494	150*PH2	265	110	105
YT-65495	YT-68495	200*PH3	327	165	155
YT-65496	YT-68496	250*PH3	377	185	170
YT-65497	YT-68497	300*PH4	427	245	230
YT-65498	YT-68498	350*PH4	477	270	255
YT-65499	YT-68499	400*PH4	550	295	280
YT-65500	YT-68500	450*PH4	600	320	300

Non-sparking long nose pliers



YATO		size	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(inch)	(mm)	(g)	(g)
YT-65362	YT-68362	6"	150	190	170
YT-65363	YT-68363	8"	200	335	300

Non-sparking wire stripping pliers



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65380	YT-68380	170	225	205

Non-sparking common knife



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65641	YT-68741	80*185	75	105
YT-65642	YT-68742	145*250	95	125

Non-sparking putty knife



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65655	YT-68755	75*200	100	165
YT-65656	YT-68756	100*200	105	195
YT-65657	YT-68757	150*250	215	310

Non-sparking Machinists punch



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65685	YT-68785	5*150	235	215
YT-65686	YT-68786	8*150	285	255
YT-65687	YT-68787	10*150	345	315

Non-sparking knife



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65645	YT-68745	90*203	80	110

Non-sparking double socket ratchet handle



YATO		⬡	L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(g)	(g)
YT-64620	YT-67620	14*17	280	410	370
YT-64621	YT-67621	17*19	310	450	410
YT-64622	YT-67622	19*22	345	530	480
YT-64623	YT-67623	22*24	365	680	620
YT-64624	YT-67624	24*27	380	860	780
YT-64625	YT-67625	27*30	400	990	900
YT-64626	YT-67626	30*32	400	1025	930
YT-64627	YT-67627	32*36	450	1450	1300
YT-64628	YT-67628	36*41	495	1860	1690

Non-sparking punch



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65690	YT-68790	3*9*110	20	15
YT-65691	YT-68791	4*10*110	57	50
YT-65692	YT-68792	6*12*115	105	95
YT-65693	YT-68793	8*14*120	130	115
YT-65694	YT-68794	10*16*145	200	180
YT-65695	YT-68795	12*18*160	280	260
YT-65696	YT-68796	14*20*180	410	380
YT-65697	YT-68797	16*24*200	640	600
YT-65698	YT-68798	18*30*225	1070	960
YT-65699	YT-68799	20*32*225	1230	1110

Non-sparking putty knife



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65651	YT-68751	25*200	75	90
YT-65652	YT-68752	40*200	95	115
YT-65653	YT-68753	50*200	105	120
YT-65654	YT-68754	65*200	115	125

Non-sparking machinists punch



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65680	YT-68780	14*150	165	155
YT-65681	YT-68781	18*200	385	355
YT-65682	YT-68782	20*250	610	555
YT-65683	YT-68783	20*300	725	660

Non-sparking punch



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65701	YT-68801	5*11*150	105	95
YT-65702	YT-68802	6*12*150	130	115
YT-65703	YT-68803	7*13*150	150	135
YT-65704	YT-68804	8*14*150	170	150
YT-65705	YT-68805	10*16*175	255	230
YT-65706	YT-68806	12*18*175	335	300
YT-65707	YT-68807	13*29*255	1180	1060

Non-sparking flat punch



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65710	YT-68810	14*160	175	160
YT-65711	YT-68811	16*160	231	210
YT-65712	YT-68812	18*160	295	271
YT-65713	YT-68813	18*200	382	342
YT-65714	YT-68814	20*200	473	430
YT-65715	YT-68815	24*250	822	751
YT-65716	YT-68816	24*300	1025	942
YT-65717	YT-68817	25*300	1302	1002
YT-65718	YT-68818	25*400	1502	1360
YT-65719	YT-68819	25*500	1903	1730
YT-65720	YT-68820	30*500	2730	2481
YT-65721	YT-68821	16*180	290	270

Non-sparking wrecking bar



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65722	YT-68822	25*500	1975	1805
YT-65723	YT-68823	25*600	2380	2175
YT-65724	YT-68824	25*800	3175	2905
YT-65725	YT-68825	25*1000	3985	3645
YT-65726	YT-68826	25*1200	4795	4385
YT-65727	YT-68827	25*300	1302	1002

Non-sparking hearing needle



YATO		size	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65730	YT-68830	6*250	85	75
YT-65731	YT-68831	8*300	150	135
YT-65732	YT-68832	7*400	160	145
YT-65733	YT-68833	10*500	335	306

Non-sparking bAll pein hammer



YATO		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65570	YT-68670	280	230	230
YT-65571	YT-68671	280	340	340
YT-65572	YT-68672	310	450	450
YT-65573	YT-68673	340	680	680
YT-65574	YT-68674	350	910	910
YT-65575	YT-68675	400	1130	1130

Non-sparking mechanicAl hammer



YATO		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65580	YT-68680	310	500	500
YT-65582	YT-68682	340	1000	1000
YT-65583	YT-68683	400	1500	1500
YT-65584	YT-68684	450	2000	2000
YT-65585	YT-68685	900	3000	3000
YT-65586	YT-68686	900	5000	5000

Non-sparking scAling hammer



YATO		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65588	YT-68688	280	150	150
YT-65589	YT-68689	280	300	300

Non-sparking claw hammer



YATO		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65590	YT-68690	280	230	230
YT-65591	YT-68691	300	450	450
YT-65592	YT-68692	330	680	680
YT-65593	YT-68693	390	910	910

Non-sparking sledge hammer



YATO		L	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(g)	(g)
YT-65615	YT-68715	310	450	450
YT-65616	YT-68716	400	1000	1000
YT-65617	YT-68717	400	1400	1400
YT-65618	YT-68718	400	1500	1500
YT-65619	YT-68719	400	1800	1800
YT-65620	YT-68720	400	2000	2000
YT-65621	YT-68721	400	2200	2200
YT-65622	YT-68722	900	2500	2500
YT-65623	YT-68723	900	2700	2700
YT-65624	YT-68724	900	3000	3000
YT-65625	YT-68725	900	3600	3600
YT-65626	YT-68726	900	4000	4000
YT-65627	YT-68727	900	4500	4500
YT-65628	YT-68728	900	5000	5000
YT-65629	YT-68729	900	5400	5400
YT-65630	YT-68730	900	6400	6400
YT-65631	YT-68731	900	7200	7200
YT-65632	YT-68732	900	8000	8000
YT-65633	YT-68733	900	8200	8200
YT-65634	YT-68734	900	9100	9100
YT-65635	YT-68735	900	9900	9900

Non-sparking tool set

32 PCS



Non-sparking 1/2"socket：8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,26,27,28,30,32mm
Non-sparking 13/16"spark plug
Non-sparking flexible ratchet handle：1/2"*245mm
Non-sparking sliding T-bar handle：1/2"*250mm
Non-sparking rapid rocker：1/2"*400mm
Non-sparking socket extension bar：1/2"*125mm,1/2*250mm
Non-sparking universAl joint：1/2"
Non-sparking bit adapter：1/2"
Non-sparking socket bend handle：1/2"*230mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65540	YT-68640	8980	8390

Non-sparking tool set

17 PCS



Non-sparking hinged pipe vice：350mm
Non-sparking adjustable wrench：200mm*24mm,300mm*36mm
Non-sparking combination spanner set：14,17,19,22,24,27mm
Non-sparking lineman pliers：200mm
Non-sparking long nose pliers：200mm
Non-sparking adjustable combination pliers：200mm
Non-sparking cape chisel：18mm*160mm
Non-sparking flat punch：18mm*160mm
Non-sparking slotted screwdriver：6*150mm
Non-sparking phillips screwdriver：PH2*150mm
Non-sparking bAll pein hammer：0.91Kg

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65555	YT-68655	9000	8500

Non-sparking tool set

26 PCS



Non-sparking 3/4"socket：21,22,23,24,26,27,28,29,30,31,32,34,36,38,41,46,50mm
Non-sparking 1"socket：55,60,65mm
Non-sparking reversing ratchet：3/4"*160mm
Non-sparking sliding T-bar handle：3/4"*250mm
Non-sparking socket extension bar：3/4"*200mm,3/4*430mm
Non-sparking universAl joint：3/4"*120mm
Non-sparking sliding T-bar handle：3/4"*1"

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65550	YT-68650	24900	23060

Non-sparking tool set

26 PCS



Non-sparking flat punch：18*200mm
Non-sparking adjustable wrench：200mm
Non-sparking lineman pliers：200mm
Non-sparking long nose pliers：150mm
Non-sparking adjustable combination pliers：200mm
Non-sparking slotted screwdriver：150,200mm
Non-sparking phillips screwdriver：150,200mm
Non-sparking 1/2"socket：8,10,12,14,17mm
Non-sparking sliding T-bar handle：1/2"250mm
Non-sparking test hammer：0.15Kg
Non-sparking double open end spanner：8,10,12,14,17mm
Non-sparking hex key：4,5,6,8,10

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65556	YT-68656	22200	20400

Non-sparking tool set

28 PCS



Non-sparking vAlve handle：400mm
Non-sparking hinged pipe vice：300mm,450mm
Non-sparking adjustable wrench：200mm*24mm,300mm*36mm
Non-sparking combination spanner set：8,10,12,14,17,19,22,24,27,30,32mm
Non-sparking lineman pliers：200mm
Non-sparking long nose pliers：200mm
Non-sparking adjustable combination pliers：200mm
Non-sparking wrecking bar：25mm*160mm
Non-sparking flat punch：25mm*160mm
Non-sparking slotted screwdriver：100,200mm
Non-sparking phillips screwdriver：100,200mm
Non-sparking sledge hammer：1.80Kg
Non-sparking bAll pein hammer：0.91Kg
Non-sparking claw hammer：0.45Kg

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65557	YT-68657	23200	22000

Non-sparking tool set

50 PCS



Non-sparking slotted screwdriver：100,200mm
Non-sparking phillips screwdriver：100,200mm
Non-sparking sledge hammer：1.8kg
Non-sparking bAll pein hammer：0.91kg
Non-sparking claw hammer：0.45kg
Non-sparking hinged pipe vice：300,450mm
Non-sparking ratchet handle：250mm
Non-sparking extension bar：125,250mm
Non-sparking rapid rocker：400mm
Non-sparking sliding T-bar handle：250mm
Non-sparking universAl joint：1/2"
Non-sparking putty knife：25mm*200mm
Non-sparking adjustable wrench：24mm*200mm,36mm*300mm
Non-sparking combination spanner set：8,10,12,14,17,19,22,24,27,30,32mm
Non-sparking 1/2"socket：10,11,12,14,17,19,22,24,27,30,32mm
Non-sparking lineman pliers：200mm
Non-sparking long nose pliers：200mm
Non-sparking adjustable combination pliers：200mm
Non-sparking wrecking bar：25*300mm
Non-sparking flat punch：25*300mm
Non-sparking cape chisel：20*300mm
Non-sparking vAlve handle：400mm
Non-sparking common knife：250mm
Non-sparking saw：500mm
Non-sparking saw blade：300mm

YATO		Be-Cu	Al-Cu
Be-Cu	Al-Cu	(g)	(g)
YT-65565	YT-68665	3000	28000

Non-sparking chAIn block



YATO		size	lifting	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(T)	(mm)	(g)	(g)
YT-65760	YT-68860	0.5	2.5	10200	9000
YT-65761	YT-68861	1	2.5	13600	12300
YT-65762	YT-68862	1.5	2.5	20000	18100
YT-65763	YT-68863	2	3.0	22000	20000
YT-65764	YT-68864	3	3.0	23600	21500
YT-65765	YT-68865	5	3.0	36000	32700
YT-65766	YT-68866	10	3.0	68500	62200
YT-65767	YT-68867	16	3.0	187000	170000
YT-65768	YT-68868	20	3.0	201000	182700

Non-sparking point shovel



YATO		L	B	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(mm)	(g)	(g)
YT-65745	YT-68845	990	240	420	1553	1420

Non-sparking square shovel



YATO		L	B	H	Be-Cu	Al-Cu
Be-Cu	Al-Cu	(mm)	(mm)	(mm)	(g)	(g)
YT-65740	YT-68840	940	175	340	1410	1290
YT-65741	YT-68841	990	240	418	1804	1650

TOYA®

2019



Roller cabinet





VOREL	drawers	
58540	6	1

Roller cabinet



VOREL	drawers	
58539	6	1

Roller cabinet





STHOR	drawers	
58550	6	1

Tool set



STHOR	pcs	
58640	38	10

Tool set



STHOR	pcs	
58661	22	10

Tool set



STHOR	pcs	
58688	173	1

Service tool cabinet with tools

NEW






STHOR	drawers	
58560	6	1

Tool set



STHOR	pcs	
58641	42	10

Tool set



STHOR	pcs	
58685	108	3

Tool set



STHOR	pcs	
58690	122	2

Tool set



STHOR	pcs	
58692	111	1

Tool set



STHOR	pcs	
58689	82	3

Tool set



STHOR	pcs	
58643	56	10

Tool set



STHOR	pcs	
58687	94	3

Tool set



STHOR	pcs	
58691	216	1

Tool set



STHOR	pcs	
58693	225	1

Tool set




STHOR	pcs	
58705	72	4

Socket set



	pcs	
58633	12	5/10

Ratchet handle with socket set



	pcs	
58634	19	4/8

Multipipe wrenches



	mmv	pcs	
54000	9-32	2	20/40

Adjustable wrenches



	L(MM)	
54061	200	6/60
54062	250	6/36
54063	300	6/24

Torque wrench



	size/rozmiar	L(mm)	Nm	
57350	1/2"(12.7mm)	465	28.0-210	10

Slotted screwdriver



	mm	
61010	2.5x63	12/240
61020	3.2x75	12/240
61030	3.2x100	12/240
61040	3.2x150	12/240
61050	5.0x75	12/240
61060	5.0x100	12/240
61070	5.0x150	12/240
61080	5.0x200	12x240

Adjustable wrenches



	L(MM)	
54065	150	6/120
54066	200	6/60
54067	250	6/36
54068	300	6/24
54080	375	6/12
54081	450	6

Adjustable wrenches



	L(MM)	
54070	150	6/120
54071	200	6/60
54072	250	6/36
54073	300	6/24

Phillips screwdriver



	mm	
61210	PH0x63	12/240
61220	PH0x75	12/240
61230	PH0x100	12/240
61240	PH0x150	12/240

Phillips screwdriver



	mm	
61250	PH1x75	12/240
61260	PH1x100	12/240
61270	PH1x150	12/240
61280	PH1x200	12/240

Slotted screwdriver



	mm	
61100	6.0x100	12/144
61120	6.0x150	12/144
61140	6.0x200	12/144
61150	6.0x250	12/144
61160	8.0x150	6/72

Slotted screwdriver




	mm	
61090	6.0x38	12/192

Phillips screwdriver



	mm	
61290	PH2x38	12/288

Screwdriver set



	pcs	
61590	8	5/20

Phillips screwdriver



	mm		
61300	PH2x100		12/144
61310	PH2x100	HEX	12/144
61320	PH2x150		12/144
61330	PH2x150	HEX	12/144
61340	PH2x200		12/144
61350	PH2x250		12/144

Phillips screwdriver



	mm	
61360	PH3x150	6/72

Hex key set



	mm	pcs	
56473	1.5;2;2.5;3;4;5;6;8	8	10/60

Hex key set




	mm	pcs	
56475	2.5;3;4;5;5.5;6;7;8;10	9	10/60

Hex key set



	mm	pcs	
56391	1.5-10	10	20/100
56392	2-10	8	20/100

Hex key set



	mm	pcs	
56393	1.5;2;2.5;3;4;5;5.5;6;8;10	10	10/60

Hex key set



VOREL	mm	pcs	
56477	2;2.5;3;4;5;5.5;6;8;10	9	10/60

Hex key set



VOREL	mm	pcs	
56478	T10;T15;T20;T25;T30;T40;T45;T50	9	20/40

Diagonal side cutting pliers



VOREL	L(mm)	
40017	160	6/60
40018	180	6/60

Bent nose pliers



VOREL	L(mm)	
40015	160	6/120
40016	200	6/60

Combination pliers



VOREL	L(mm)	
40010	160	6/60
40011	180	6/60
40012	200	6/60

Long nose pliers



VOREL	L(mm)	
40013	160	6/120
40014	200	6/60

Long nose pliers



VOREL	L(mm)	
40044	160	6/120
40045	180	6/60

Bent nose pliers



VOREL	L(mm)	
40050	160	6/120
40051	180	6/60

Combination pliers



VOREL	L(mm)	
40041	160	6/60
40042	180	6/60
40043	200	6/60

Diagonal side cutting pliers



VOREL	L(mm)	
40047	160	6/120
40048	180	6/60

Wire stripping pliers

160 mm



VOREL	L(mm)	
40056	160	6/60

Water pump pliers

250 mm



VOREL	L(mm)	
40057	250	6/60

Round nose pliers

160 mm



VOREL	L(mm)	
40054	160	6/120

End cutting pliers

160 mm



VOREL	L(mm)	
40055	160	6/60

Voltage tester

125-250 V~ | 190 mm



VOREL	L(mm)	
65235	190	12/600

Cold chisel with protection



VOREL	mm	
35351	25x300	12/36
35352	25x350	10/30
35353	25x400	12/24

Carpenter's pincers



VOREL	L(mm)	
41152	200	6/60

Voltage tester

125-250 V~ | 140 mm



VOREL	L(mm)	
65233	140	12/1200

HSS twist drill bit



STHOR	Ø (mm)	pcs packing	
21900	1.0	10	20/1000
21905	1.5	10	20/1000
21910	2.0	10	20/800
21915	2.5	10	20/800
21918	2.8	10	20/500
21919	3.0	10	20/500
21921	3.2	10	20/400
21924	3.5	10	10/400
21927	4.0	10	10/400
21929	4.2	10	10/250
21932	4.5	10	10/250
21934	4.8	10	10/250
21936	5.0	10	10/250
21938	5.2	10	10/200
21941	5.5	10	10/200
21944	6.0	10	10/120
21948	6.5	10	5/120
21950	7.0	5	10/120
21951	7.5	5	10/120
21952	8.0	5	10/120
21955	8.5	5	10/120
21956	9.0	5	10/120
21957	9.5	5	10/120
21958	10.0	5	10/50
21961	11.0	5	10/50
21963	12.0	5	10/50
21966	13.0	3	16/48

Axe with fibreglass + PVC handle



VOREL	g	
33065	600	20
33085	800	20
33105	1000	12
33125	1250	6

Square type wrecking bar



VOREL	mm	
34254	400x22x12	12/24
34256	600x30x16	6/12

Flat wrecking bar



VOREL	mm	
34251	450x6x35	6/24

Twist drill set



STHOR	Ø (mm)	pcs	
21998	2.0;2.5;3.0;3.5;4.0;4.5;5.0 5.5;6.0;6.5;7.0;7.5;8.0	13	10/50

Twist drill set



STHOR	Ø (mm)	
21999	1.0;1.5;2.0;2.5;3.0;3.5;4.0;4.5;5.0;5.5 6.0;6.5;7.0;7.5;8.0;8.5;9.0;9.5;10.0	5/30

Hollow drill set



VOREL	Ø (mm)	
03240	65	24
03241	80	20

Machinist hammer



VOREL	g	
30410	100	12/120
30420	200	6/60
30430	300	6/60
30440	400	6/48
30450	500	6/36
30460	600	6/36
30480	800	6/24
30500	1000	6/24
30510	1500	6/12
30520	2000	6/12

Hollow drill set



VOREL	Ø (mm)	
03245	65	24
03246	80	20

Hole saw set



VOREL	Ø (mm)	pcs	
22571	64-127	8	6/24

Hole saw set



VOREL	Ø (mm)	pcs	
22572	38-127	9	6/24

Quick release clamp



VOREL	mm	
38401	150	12/36
38402	200	6/36
38403	250	6/30
38404	300	6/30
38406	350	6/24
38407	450	6/24
38408	600	6/18
38409	750	6/12

Tile and glass drill



VOREL	L(mm)	
05540	4	50/100
05560	6	50/100
05580	8	50/100
05600	10	50/100

Segmented



STHOR	Ø (mm)	min-1	
08780	115x7.0x1.9x22.2	13200	20/120
08781	125x7.0x2.0x22.2	12000	20/120
08783	230x7.0x2.4x22.2	6600	10/30

Continous rim



STHOR	Ø (mm)	min-1	
08785	115x5.0x1.9x22.2	13200	20/120
08786	125x5.0x2.0x22.2	12000	20/120
08788	230x5.0x2.4x22.2	6600	10/30

Abrasive disc



VOREL	type	Ø (mm)	min-1	
07974	P40	115	13300	50/200
07975	P60	115	13300	50/200
07976	P80	115	13300	50/200
07977	P100	115	13300	50/200
07978	P120	115	13300	50/200
07984	P40	125	12300	50/200
07985	P60	125	12300	50/200
07986	P80	125	12300	50/200
07987	P100	125	12300	50/200
07988	P120	125	12300	50/200

Abrasive disc with velcro



VOREL	type	Ø (mm)	pcs packing	
08553	P36	125	5	50/200
08554	P40	125	5	50/200
08556	P60	125	5	50/200
08558	P80	125	5	50/200
08560	P100	125	5	50/200
08562	P120	125	5	50/200
08565	P150	125	5	50/200

Segmented



STMOR	Ø (mm)	min-1	
08790	115x7.0x2.0x22.2	13200	20/120
08791	125x7.0x2.1x22.2	12000	20/120
08793	230x7.5x2.6x22.2	6600	10/30

Chisel




VOREL	mm	
25510	6	5/100
25511	8	5/100
25512	10	5/100
25513	12	5/100
25514	14	5/100
25515	15	5/100
25516	18	5/100
25517	20	5/100
25518	22	5/100
25519	25	5/100
25520	32	5/100
25521	38	5/100

Abrasive disc with holes with velcro



VOREL	type	Ø (mm)	pcs packing	
08573	P36	125	5	50/200
08574	P40	125	5	50/200
08576	P60	125	5	50/200
08578	P80	125	5	50/200
08580	P100	125	5	50/200
08582	P120	125	5	50/200
08585	P150	125	5	50/200

Needle file set



VOREL	L (mm)	pcs	
25351	140	6	20/160
25352	160	6	20/160
25353	180	6	20/120

Metal cutting disc



VOREL	Ø (mm)	min-1	
08630	115x1.0x22	12000	25/200
08631	125x1.0x22	11000	25/200
08639	230x1.6x22	6600	25/50

Steel file



VOREL	L (mm)	
25161	200	20/100

Steel file



VOREL	L (mm)	
25160	200	20/100

Steel file



VOREL	L (mm)	
25162	200	20/100

Steel file



VOREL	L (mm)	
25163	200	20/100

Steel file set



VOREL	L (mm)	pcs	
25166	200	5	10/20

Steel file set



VOREL	L (mm)	pcs	
25165	200	3	10/20

Wood rasp



VOREL	L (mm)	
25170	200	20/100

Wood rasp set



VOREL	L (mm)	pcs	
25173	200	3	10/20

Stainless steel scraper



VOREL	mm	
05921	30	6/72
05923	50	6/72
05924	60	6/72
05926	100	6/72

Aluminium blind rivets



VOREL	mm	pcs packing	
70320	6.4x3.2	50	25/250
70330	9.6x3.2	50	25/250
70340	12.7x3.2	50	25/250
70400	6.4x4.0	50	25/200
70410	9.6x4.0	50	25/200
70420	12.7x4.0	50	25/200
70430	19.0x4.0	50	25/200
70480	6.4x4.8	50	25/150
70490	9.6x4.8	50	25/150
70500	12.7x4.8	50	25/150
70510	19.0x4.8	50	25/150

Pompy syfonowa

NEW



VOREL	
78021	24

Staple gun




VOREL	mm	
71040	4-8	10/40

Staple gun



VOREL	mm	
71050	4-14	10/40

Staples



VOREL	mm	mm	pcs packing	
72040	4	0.7x11.3	1000	60/480
72060	6	0.7x11.3	1000	60/360
72080	8	0.7x11.3	1000	60/300
72100	10	0.7x11.3	1000	60/240
72120	12	0.7x11.3	1000	50/200
72140	14	0.7x11.3	1000	40/160

Working gloves



FLO	pairs / pary	
74100	1	12/300

Feeler



VOREL	mm	pcs	
15130	0.05-1.00	13	15/300
15200	0.05-1.00	20	10/200

Try square



VOREL	mm	
18201	200x300	12/48
18200	400x600	12/24

Aluminium level



VOREL	L(mm)	vials/libelle	
16551	400	3	25/50
16552	600	3	25/50
16553	800	3	25/50
16554	1000	3	25/50
16555	1200	3	15/30
16556	1500	3	15/30
16557	2000	3	10/20

Safety glasses



VOREL	type	
74508	HF-103	10/120

Digital caliper



VOREL	L(mm)	mm	
15240	150	0.03	10/50

Glue sticks




STHOR	mm	pcs	
73260	7x100	12	50/200
73270	11x100	6	20/120
73271	11x150	12	20/60

Safety glasses



VOREL	type	
74509	HF-105	10/100


Inverter welder





STHOR	A	
73205	140	1


Inverter welder





STHOR	A	
73206	160	1

Inverter welder





STHOR	A	
73207	180	1

Cordless drill / driver






L_{pA} = 89,0 ± 3,0 dB; L_{wA} = 100,0 ± 3,0 dB; a_h = 1,001 ± 1,5 / 2,629 ± 1,5 m/s²

STHOR	V	min-1	
78972	18	0-350;0-1300	5


Cordless drill Li-ion





STHOR	V	min-1	
78981	10.8	0-700	5


Cordless drill Li-ion





STHOR	V	min-1	
78982	14.4	0-700	5

Cordless drill Li-ion





STHOR	V	min-1	
78983	18	0-700	5

Battery





STHOR	V	for / dla	
78985	10.8	78118; 78981	50
78986	14.4	78982	50
78987	18	78972; 78974; 78961; 78983	50

Cordless impact drill / driver





L_{pA} = 89,0 ± 3,0 dB; L_{wA} = 100,0 ± 3,0 dB; a_h = 15,25 ± 1,5 m/s²

STHOR	V	min-1	
78974	18	0-350;0-1300	5

Impact wrench





L_{pA} = 91,54 ± 3,0 dB; L_{wA} = 102,54 ± 3,0 dB; a_h = 51,45 ± 1,5 m/s²

STHOR	V	min-1	
78961	18	0-2300	5


Hot air gun





STHOR	W	°C	
79320	1000-2000	350-550	10

Electric jig saw





L_{pA} = 90,0 ± 3,0 dB; L_{wA} = 101,0 ± 3,0 dB; a_h = 4,73 ± 1,5 / 7,66 ± 1,5 m/s²

STHOR	W	min-1	
79332	350	0-3000	10

Drill chuck



VOREL	Ø (mm)	size / rozmiar	
79580	2-13	1/2" (12.5 mm)	5/40

Drill chuck



VOREL	Ø (mm)	size / rozmiar	
79630	1.5-13	1/2" (12.5 mm)	5/40

Dirty water submersible pump

NEW



FLO	W	l / h	H (max)	
79771	400	10000	6.5	4
79773	750	14000	7.5	4
79775	1100	16000	8.5	4

Dirty water submersible pump

NEW



FLO	W	l / h	H (max)	
79790	750	14000	7.5	2
79792	1100	20000	9.0	2

Gas blow torch



VOREL		
73413		10/60

PVC plastic pipe welder



LUND	W	
78911	800	5

Adapter SDS-plus - UNF 1/2"



STHOR	size / rozmiar	
79800	1/2" (12.5 mm)	12/144

Reflective vest



VOREL	size / rozmiar	model	
74664	L	VEST-G	100
74665	XL	VEST-G	100
74666	XXL	VEST-G	100
74667	XXXL	VEST-G	100

Working gloves



FLO	pairs / pary	size / rozmiar	
74110	1	9	12/300

Safety glasses



VOREL	type	
74501	TVS	12/240

PVC plastic pipe welder



STHOR	W	
78912	750-1500	4

Rain jacket



VOREL	size / rozmiar	model	
74626	L	CRESTON	20
74627	XXL	CRESTON	20
74628	XXXL	CRESTON	20

Pneumatic tool set

NEW



VOREL	size / rozmiar	Ø (mm)	
81142	1/2" (12.5 mm)	6	2

Safety glasses



VOREL	type	
74502	HF-110	12/240

Reflective vest



VOREL	size / rozmiar	model	
74660	L	VEST-O	100
74661	XL	VEST-O	100
74662	XXL	VEST-O	100
74663	XXXL	VEST-O	100

Raincoat



VOREL	size / rozmiar	model	
74631	XL	CRESTON	10
74632	XXL	CRESTON	10
74633	XXXL	CRESTON	10

Rain suit military style



VOREL	size / rozmiar	model	
74646	L	CRESTON	20
74647	XXL	CRESTON	20

Cable ties

PA 6.6 UL P4V2



VOREL	mm	max tensile strength / max odporność na zrywanie (kg)	wire bundle max Ø / max Ø wiązki kabli (mm)	
73881	80x2.5	8	15	250/500
73882	100x2.5	8	20	250/500
73883	150x2.5	8	40	250/500
73884	200x2.5	8	50	125/250
73885	300x3.6	18	80	75/150
73906	200x4.8	22	50	75/150
73909	280x4.8	22	80	50/100
73886	370x4.8	22	100	50/100
73887	430x4.8	22	120	35/70
73888	500x8.0	54	130	30/60

Cable ties

PA 6.6 UL P4V2



VOREL	mm	max tensile strength / max odporność na zrywanie (kg)	wire bundle max Ø / max Ø wiązki kabli (mm)	
73891	80x2.5	8	15	250/500
73892	100x2.5	8	20	250/500
73893	150x2.5	8	40	250/500
73894	200x2.5	8	50	125/250
73895	300x3.6	18	80	75/150
73929	280x4.8	22	80	50/100
73996	370x4.8	22	100	50/100
73897	430x4.8	22	120	35/70
73898	500x4.8	54	130	30/60

Packing tape,transparent

OPP



VOREL	W (mm)	L (m)	
75303	48	40	72

Ratchet tie down

5m



VOREL	L (m)	W(mm)	
82351	5	25	12/48

Multifunction sprinkling gun

ZINC ALLOY STOP CYNKU · TPR



FLO		
89181		12/48

Adjustable spray gun

ABS · TPR



FLO		
89214		12/48

Pressure sprayer



FLO	l	
89507	1.0	20

Pressure sprayer

0,2 MPa



FLO	l	
89515	5.0	6

Hand pump with manometer



VOREL	Mpa	
82021	1	10

Elastic straps

2 PCS · 120 cm



VOREL	L (cm)	Ø (mm)	pcs packing	
82305	120	12	2	12/24

Oil filter wrench



VOREL	Ø (mm)	
57610	55-110	10/50

Oil filter wrench



VOREL	
57640	25/100

Lever grease gun





VOREL	cm³	
78042	400	5/10

Chain block



VOREL	kg	chain	
80751	1000	3	1
80752	2000	3	1
80753	3000	3	1

Soil survey instrument





FLO	
89000	10

Tire pressure gauge



VOREL	Mpa	bar	
82610	0.05-0.75	0.5-7.5	25/150

Hacksaw frame



VOREL	L(mm)	
27322	300	6/36

Cross rim wrench



VOREL	mm / inch (cale)	
57000	17x19x22x13/16" (20.6 mm)	20

Mini grinder accessories set




VOREL	pcs packing	
25412	22	10/50

Spare blade for bow saw

FLO	L(mm)	W(mm)	
28775	914	20	60/240

Bow saw



FLO	L(mm)	
28745	530	12/24

Cross rim wrench



VOREL	mm / inch (cale)	
57020	17x19x21x1/2" (12.7mm)	10

Mini grinder accessories set



VOREL	pcs	
25410	13	10/50

Scissors



VOREL	L(mm)	
76311	170	12/144
76312	220	12/144

Bow saw



FLO	L(mm)	
28746	610	12/24
28755	760	12/24
28757	900	12/24

Cross rim wrench



VOREL	mm / inch (cale)	
57050	24x27x32x3/4" (19.0mm)	5

Mini grinder accessories set



VOREL	pcs	
25411	17	10/50

PRODUCT INDEX

YATO	page
YT-00760	1
YT-00761	1
YT-00762	1
YT-00763	1
YT-00764	1
YT-00765	1
YT-00766	1
YT-00767	1
YT-00768	1
YT-00769	1
YT-0109	12
YT-0110	12
YT-0111	12
YT-0112	12
YT-0113	12
YT-0115	12
YT-0117	12
YT-0118	12
YT-0119	12
YT-0120	12
YT-0122	12
YT-0123	12
YT-0125	12
YT-01320	12
YT-01321	12
YT-01322	12
YT-01323	12
YT-0135	16
YT-0136	16
YT-0137	16
YT-0138	16
YT-01385	16
YT-0139	16
YT-0140	16
YT-0143	18
YT-0157	7
YT-0158	7
YT-0159	7
YT-0161	7
YT-0162	7
YT-0163	7
YT-0165	7
YT-0170	10
YT-0171	10
YT-0172	10
YT-0173	10
YT-0175	10
YT-0180	16
YT-0181	16
YT-0182	16
YT-0183	16
YT-0184	16
YT-0185	16
YT-01851	5
YT-01852	5
YT-01853	5
YT-01854	5
YT-01855	5
YT-01856	5
YT-01857	5
YT-01858	5
YT-01859	5
YT-0186	16
YT-01860	5
YT-01861	5
YT-01862	5
YT-01863	5
YT-01864	5
YT-01865	5
YT-0187	16
YT-01870	8
YT-01871	8
YT-01872	8
YT-01873	8
YT-01874	8
YT-01875	8
YT-01876	8
YT-01877	8
YT-01878	8
YT-01879	8
YT-0188	16
YT-01880	8
YT-01881	8
YT-0189	5
YT-0190	18
YT-01906	5
YT-01907	5
YT-01908	5
YT-01909	5
YT-0191	5
YT-0192	5
YT-0193	5
YT-0194	5
YT-0195	5
YT-0196	5
YT-0197	5
YT-0198	5
YT-0199	5
YT-0200	5
YT-0201	5
YT-0202	5
YT-0203	5
YT-0204	5
YT-0205	5
YT-0206	5
YT-02063	5
YT-02064	5
YT-02065	6
YT-02066	6
YT-02067	6
YT-02068	6
YT-02069	6
YT-0207	15
YT-0208	6
YT-0209	15
YT-0213	15
YT-0215	15
YT-0217	15
YT-0219	15
YT-0222	15
YT-0223	15
YT-0227	15
YT-0228	15
YT-0232	15
YT-02329	14
YT-02330	14
YT-02331	14
YT-02332	14
YT-02333	14
YT-02334	14
YT-0248	14
YT-0256	7
YT-0257	7
YT-0258	7
YT-0259	7
YT-0260	7
YT-0261	7
YT-0263	7
YT-0264	7
YT-0275	9
YT-0276	9
YT-0277	9
YT-0278	9
YT-0279	9
YT-0280	9
YT-0290	22
YT-0291	25
YT-0292	28
YT-0297	23
YT-0298	26
YT-0299	29
YT-0307	22
YT-0308	25
YT-0309	28
YT-0313	22
YT-0314	25
YT-0315	29
YT-0319	22
YT-0320	25
YT-0321	28
YT-0330	23
YT-0331	23
YT-0332	11
YT-0333	11
YT-0334	11
YT-03349	1
YT-0335	1
YT-0336	1
YT-0337	1
YT-0338	1
YT-0339	1
YT-0340	1
YT-0341	1
YT-0342	1
YT-0343	1
YT-0344	1
YT-0345	1
YT-0346	1
YT-0347	1
YT-0348	1
YT-0349	1
YT-0350	1
YT-0351	1
YT-0352	1
YT-0353	1
YT-0354	1
YT-0355	1
YT-0356	1
YT-0357	1
YT-0358	1
YT-0359	1
YT-0360	1
YT-03605	2
YT-03606	2
YT-03608	2
YT-03609	2
YT-03610	2
YT-03611	2
YT-03612	2
YT-03613	2
YT-03614	3
YT-03615	2
YT-03616	3
YT-03617	3
YT-03618	3
YT-0362	3
YT-03621	3
YT-0363	3
YT-0365	3
YT-03651	3
YT-03652	4
YT-0367	11
YT-03671	11
YT-0368	11
YT-0369	11
YT-0370	11
YT-0371	11
YT-0372	11
YT-0373	11
YT-0374	11
YT-0375	11
YT-0376	11
YT-0377	11
YT-0378	11
YT-0380	11
YT-0381	11
YT-0383	13
YT-0384	13
YT-0385	13
YT-0386	13
YT-0387	13
YT-0388	13
YT-0389	13
YT-0390	13
YT-0391	13
YT-0392	13
YT-0393	13
YT-0394	13
YT-0396	14
YT-0398	14
YT-0400	81
YT-0410	81
YT-0411	81
YT-0412	81
YT-0413	81
YT-0414	81
YT-0415	81
YT-0416	81
YT-0417	81
YT-0418	81
YT-0419	81
YT-0420	81
YT-0421	233
YT-04211	233
YT-04301	31
YT-04302	31
YT-04303	31
YT-04304	31
YT-04305	31
YT-04306	31
YT-04307	31
YT-0431	32
YT-04310	31
YT-04311	31
YT-04312	31
YT-04313	31
YT-04314	31
YT-04315	31
YT-04316	31
YT-04317	31
YT-04318	31
YT-04319	31
YT-0432	32
YT-04320	32
YT-04321	32
YT-04322	32
YT-04323	32
YT-04324	32
YT-04325	32
YT-04326	32
YT-04327	32
YT-04328	32
YT-04329	32
YT-0433	32
YT-04331	32
YT-04332	33
YT-04341	32
YT-04342	32
YT-04343	32
YT-04344	32
YT-04345	32
YT-04346	32
YT-04350	32
YT-04351	32
YT-04352	32
YT-04353	32
YT-04354	32
YT-04355	32
YT-04356	32
YT-04357	32
YT-04360	33
YT-04370	33
YT-04371	33
YT-04372	33
YT-04373	33
YT-04374	33
YT-04375	33
YT-04381	33
YT-04382	33
YT-04383	33
YT-04384	33
YT-04385	33
YT-04386	33
YT-04387	33
YT-04388	33
YT-04390	33
YT-04391	33
YT-04392	33
YT-04393	33
YT-04394	33
YT-04395	33
YT-04396	33
YT-04397	33
YT-04398	33
YT-04401	33
YT-04411	34
YT-04412	34
YT-04413	34
YT-04417	34
YT-04418	34
YT-0461	31
YT-04620	33
YT-04621	35
YT-04622	35
YT-04623	35
YT-04624	35
YT-04625	80
YT-04626	80
YT-04627	80
YT-04628	80
YT-04629	80
YT-04631	79
YT-04635	79
YT-04636	79
YT-04644	79
YT-0465	79
YT-0466	79
YT-0467	79
YT-0468	79
YT-04681	80
YT-04682	80
YT-04685	80
YT-04686	80
YT-0469	79
YT-04690	80
YT-04702	74
YT-04712	74
YT-04722	74
YT-04742	74
YT-04752	74
YT-04762	74
YT-04772	74
YT-04782	74
YT-04792	74
YT-0480	74
YT-04812	74
YT-04822	74
YT-04832	74
YT-0485	78
YT-0486	78
YT-0487	78
YT-0500	89
YT-0501	89
YT-0502	89
YT-0505	90
YT-0506	90
YT-0507	90
YT-0508	89
YT-0509	90
YT-0511	90
YT-0512	90
YT-0519	90
YT-0520	38
YT-0521	38
YT-05211	21
YT-05212	21
YT-05213	21
YT-05214	21
YT-05215	21
YT-05220	27
YT-05221	27
YT-05222	27
YT-05223	27
YT-05224	27
YT-05225	27
YT-05226	27
YT-05227	27
YT-05228	27
YT-05229	23
YT-05230	23
YT-05231	23
YT-05232	23
YT-05233	23
YT-05234	23
YT-05235	23
YT-05236	23
YT-0530	10
YT-05311	15
YT-05312	15
YT-05313	15
YT-05314	15
YT-05315	15
YT-05320	15
YT-05338	231
YT-05339	237
YT-05341	232
YT-05571	91
YT-05572	91
YT-05574	91
YT-05576	91
YT-05577	91
YT-05578	91
YT-05579	91
YT-05581	91
YT-05583	91
YT-05585	91
YT-05586	91
YT-05588	91
YT-05590	91
YT-05591	91
YT-05592	91
YT-05593	91
YT-05594	91
YT-05597	91
YT-05601	91
YT-05602	91
YT-05603	91
YT-05604	91
YT-05605	91
YT-05606	91
YT-05607	91
YT-05608	91
YT-05609	91
YT-05610	91
YT-05611	91
YT-05615	91
YT-05640	85
YT-05644	85
YT-0585	250
YT-0590	226
YT-0591	225
YT-0593	240
YT-0598	220
YT-0599	220
YT-05995	220
YT-05997	220
YT-0600	220
YT-06006	231
YT-0601	230
YT-06011	230
YT-06012	230
YT-06013	231
YT-06014	231
YT-06015	231
YT-06017	231
YT-06019	250
YT-0602	224
YT-0603	225
YT-06030	236
YT-06031	225
YT-06032	225
YT-06035	142
YT-0605	236

YATO	page
YT-0606	229
YT-0607	229
YT-0608	229
YT-0609	224
YT-0610	234
YT-0611	234
YT-0612	226
YT-06122	226
YT-0613	226
YT-0614	226
YT-0615	226
YT-06157	250
YT-0616	226
YT-06160	249
YT-0617	232
YT-0618	229
YT-0620	225
YT-0621	238
YT-0622	232
YT-0623	225
YT-0624	225
YT-06272	237
YT-0632	230
YT-0633	231
YT-0635	229
YT-0636	229
YT-0637	229
YT-0641	224
YT-0642	227
YT-0643	239
YT-0646	229
YT-0648	250
YT-0650	229
YT-0651	229
YT-0660	240
YT-0661	239
YT-0662	240
YT-0663	240
YT-0670	233
YT-0671	234
YT-0672	238
YT-06722	250
YT-0673	249
YT-0674	245
YT-06771	251
YT-06772	251
YT-06773	251
YT-06774	251
YT-06775	251
YT-06776	251
YT-06782	253
YT-06790	250
YT-0680	249
YT-06807	220
YT-0682	235
YT-06822	235
YT-0683	234
YT-0684	234
YT-06871	251
YT-06873	251
YT-06875	252
YT-06876	252
YT-06877	252
YT-06878	251
YT-06879	252
YT-06880	252
YT-06881	252
YT-06883	252
YT-06884	250

YATO	page
YT-06885	252
YT-0691	222
YT-06912	223
YT-06913	222
YT-06914	222
YT-0700	221
YT-0701	221
YT-0704	222
YT-07042	221
YT-07043	221
YT-07044	221
YT-0705	221
YT-07057	185/222
YT-07061	253
YT-07063	253
YT-07065	253
YT-07067	221
YT-0707	222
YT-0708	222
YT-0709	222
YT-0710	222
YT-07115	253
YT-0712	222
YT-0716	221
YT-07190	221
YT-07291	22
YT-07292	25
YT-07293	28
YT-07295	25
YT-07296	28
YT-07402	61
YT-07403	61
YT-07404	61
YT-07405	62
YT-07410	62
YT-07411	62
YT-07412	62
YT-07413	62
YT-07414	62
YT-07415	62
YT-07416	62
YT-07417	62
YT-07418	62
YT-07419	62
YT-07420	62
YT-07424	63
YT-07426	63
YT-07427	63
YT-07430	63
YT-07432	64
YT-07433	64
YT-07434	64
YT-07435	64
YT-07436	64
YT-07437	64
YT-07438	64
YT-07439	64
YT-07440	64
YT-07441	64
YT-07442	64
YT-07443	64
YT-07444	64
YT-07445	64
YT-07446	64
YT-07447	64
YT-07448	64
YT-07449	64
YT-07450	64
YT-07451	64

YATO	page
YT-07452	64
YT-07453	64
YT-07454	64
YT-07455	64
YT-07456	64
YT-07457	64
YT-07458	64
YT-07459	64
YT-07460	64
YT-07461	64
YT-07465	64
YT-07466	64
YT-07467	64
YT-07468	64
YT-07469	64
YT-07470	64
YT-07471	64
YT-07472	64
YT-07473	64
YT-07474	64
YT-07475	64
YT-07476	64
YT-07477	64
YT-07478	64
YT-07479	64
YT-07480	64
YT-07481	64
YT-07482	64
YT-07483	64
YT-07484	64
YT-07485	64
YT-07486	64
YT-07487	64
YT-07488	64
YT-07489	64
YT-07490	64
YT-07491	64
YT-07492	64
YT-07493	64
YT-07494	64
YT-07495	64
YT-07496	64
YT-07497	64
YT-07498	64
YT-07499	64
YT-0750	61
YT-07500	62
YT-07511	62
YT-07517	63
YT-07518	63
YT-07520	63
YT-07521	63
YT-07525	63
YT-07526	63
YT-07531	10
YT-07532	10
YT-07533	10
YT-0757	63
YT-0760	61
YT-07601	63
YT-0761	61
YT-07611	63
YT-0762	62
YT-07641	63
YT-07642	63
YT-0770	61
YT-07712	62
YT-07720	59
YT-07721	59

YATO	page
YT-07722	59
YT-07723	59
YT-07730	59
YT-07731	59
YT-07732	59
YT-07733	59
YT-07740	59
YT-07741	59
YT-07742	59
YT-07743	59
YT-07744	59
YT-07750	59
YT-07751	59
YT-07752	59
YT-07753	59
YT-07760	60
YT-07761	60
YT-07762	60
YT-07763	60
YT-07764	60
YT-0780	61
YT-0781	61
YT-0782	64
YT-07822	64
YT-07830	60
YT-07831	60
YT-07832	60
YT-07833	60
YT-07834	60
YT-07835	60
YT-07836	60
YT-07850	60
YT-07851	60
YT-07852	60
YT-07853	60
YT-07854	60
YT-07855	60
YT-07856	60
YT-07857	60
YT-07858	60
YT-07859	60
YT-07860	60
YT-07861	60
YT-07862	60
YT-07863	60
YT-07864	60
YT-07870	64
YT-07871	64
YT-07872	64
YT-07873	64
YT-07874	64
YT-07880	61
YT-07881	61
YT-07882	61
YT-07883	61
YT-07884	61
YT-07885	61
YT-07886	61
YT-07887	61
YT-07888	61
YT-0795	239
YT-0796	239
YT-0800	234
YT-08002	234
YT-0801	234
YT-0802	234
YT-0803	234
YT-08035	234
YT-0807	18

YATO	page
YT-0808	18
YT-0809	18
YT-0810	18
YT-0811	18
YT-0813	164
YT-0814	164
YT-08163	237
YT-08164	237
YT-08196	231
YT-0820	219
YT-0821	219
YT-0822	219
YT-0823	219
YT-08233	220
YT-0824	219
YT-0825	219
YT-08253	219
YT-08254	219
YT-0826	220
YT-08270	220
YT-08271	220
YT-08272	220
YT-08273	220
YT-08274	220
YT-08275	220
YT-0830	240
YT-0831	240
YT-0835	239
YT-0836	227
YT-0837	227
YT-0838	228
YT-08385	241
YT-0839	227
YT-0840	229
YT-0841	227
YT-0842	227
YT-0843	227
YT-0844	227
YT-0845	228
YT-08451	228
YT-0846	228
YT-0847	227
YT-08502	246
YT-08504	246
YT-08505	246
YT-08514	245
YT-08518	245
YT-0852	245
YT-08523	245
YT-08530	246
YT-08533	246
YT-08564	248
YT-08565	248
YT-08566	248
YT-08567	248
YT-08569	248
YT-08570	249
YT-08578	248
YT-08590	246
YT-0860	240
YT-0880	242
YT-0881	218
YT-0881ZL	207
YT-0882	218
YT-0883	218
YT-0884	218
YT-0885	218
YT-0886	218
YT-0887	217

YATO	page
YT-08872	211
YT-08873	211
YT-08874	211
YT-08900	217
YT-08901	217
YT-08902	217
YT-08903	217
YT-08904	217
YT-08905	217
YT-08906	217
YT-08907	217
YT-08920	215
YT-08921	215
YT-08922	215
YT-08931	211
YT-08932	212
YT-08933	211
YT-08934	212
YT-08935	212
YT-08936	212
YT-08938	212
YT-08939	212
YT-08940	212
YT-08941	212
YT-08942	212
YT-09001	205
YT-09002	205
YT-0902	188
YT-0903	205
YT-09031	205
YT-0904	205
YT-09061	215
YT-0907	215
YT-09071	215
YT-09072	215
YT-0908	207
YT-0909	207
YT-0910	207
YT-09101	211
YT-09102	211
YT-0911	207
YT-0913	206
YT-0914	206
YT-09140	205
YT-09141	206
YT-09151	214
YT-09152	214
YT-09155	214
YT-09201	169/185
YT-09203	170/185
YT-0950	179
YT-09506	178
YT-09511	178
YT-09513	178
YT-09514	178
YT-09525	178
YT-09528	179
YT-0953	179
YT-09564	179
YT-0957	179
YT-0959	179
YT-0960	179
YT-09615	179
YT-0963	181
YT-09633	181
YT-0964	181
YT-0965	180
YT-0967	182
YT-09676	180

YATO	page
YT-09680	182
YT-09681	182
YT-09695	181
YT-0970	181
YT-09701	181
YT-09702	181
YT-09711	183
YT-09716	183
YT-09717	182
YT-09730	182
YT-09739	182
YT-09741	183
YT-09742	183
YT-09745	183
YT-09748	183
YT-09755	183
YT-09795	180
YT-0980	180
YT-09802	180
YT-09803	180
YT-0982	180
YT-0983	180
YT-0984	180
YT-0990	182
YT-09903	182
YT-09904	182
YT-09910	182
YT-0993	183
YT-0994	183
YT-09951	181
YT-09955	181
YT-1000	55
YT-1001	55
YT-1002	55
YT-1003	55
YT-1004	55
YT-1005	55
YT-1006	55
YT-1007	55
YT-1008	55
YT-1009	55
YT-1010	55
YT-1011	55
YT-1012	55
YT-1013	55
YT-1014	55
YT-1015	55
YT-1016	55
YT-1017	55
YT-1018	55
YT-1019	55
YT-1020	55
YT-1022	55
YT-1025	55
YT-1030	55
YT-1031	55
YT-1032	55
YT-1033	55
YT-1034	55
YT-1035	55
YT-1036	55
YT-1037	55
YT-1037S	56
YT-1037S1	56
YT-1038	55
YT-1039	55
YT-1040	55
YT-1041	55
YT-1042	55

YATO	page
YT-1043	55
YT-1044	55
YT-1045	55
YT-1046	55
YT-1047	55
YT-1048	55
YT-1049	55
YT-1050	55
YT-1052	55
YT-1054	55
YT-1055	55
YT-1056	236
YT-10560	237
YT-10561	236
YT-10562	236
YT-10563	236
YT-1060	56
YT-1061	56
YT-1062	56
YT-1064	56
YT-1065	58
YT-10650	237
YT-10651	237
YT-10652	58
YT-10653	58
YT-10654	58
YT-1066	58
YT-1066-H17	237
YT-1067	56
YT-10670	56
YT-10671	58
YT-1068	58
YT-10681	58
YT-1069	58
YT-10691	58
YT-1070	56
YT-1071	56
YT-1072	56
YT-1073	56
YT-1074	56
YT-1075	56
YT-1076	56
YT-1077	56
YT-1078	56
YT-1079	56
YT-1080	56
YT-1081	56
YT-1082	56
YT-1083	56
YT-1084	56
YT-1085	56
YT-1086	56
YT-1088	56
YT-1091	56
YT-1092	56
YT-1093	56
YT-1096	56
YT-1098	56
YT-1100	56
YT-1102	56
YT-1105	56
YT-1110	56
YT-1115	56
YT-1118	57
YT-1119	57
YT-1121	57
YT-1122	57
YT-1123	57
YT-1124	57

YATO	page
YT-1125	57
YT-1126	57
YT-1127	57
YT-1128	57
YT-1129	57
YT-1130	57
YT-1132	57
YT-1133	57
YT-1134	57
YT-1135	57
YT-1136	57
YT-1138	57
YT-1141	57
YT-1142	57
YT-1143	57
YT-1146	57
YT-1148	57
YT-1150	57
YT-1155	57
YT-1160	57
YT-1161	57
YT-1162	57
YT-1163	57
YT-1164	57
YT-1167	57
YT-11671	57
YT-1168	57
YT-1169	58
YT-1175	58
YT-1176	58
YT-1177	58
YT-1178	58
YT-1179	58
YT-1180	57
YT-1181	57
YT-1182	57
YT-1183	57
YT-1184	57
YT-1185	57
YT-1186	57
YT-1187	57
YT-1188	57
YT-1189	57
YT-1190	57
YT-1191	57
YT-1192	57
YT-1193	57
YT-1194	57
YT-1195	57
YT-1196	57
YT-1197	57
YT-1198	57
YT-1199	25
YT-1200	25
YT-12000	232
YT-12007	236
YT-1201	25
YT-1202	25
YT-1203	25
YT-1204	25
YT-1205	25
YT-1206	25
YT-1207	25
YT-1208	25
YT-1209	25
YT-1210	25
YT-1211	25
YT-1212	25
YT-1213	25

YATO	page
YT-1214	25
YT-1215	25
YT-1216	25
YT-1217	25
YT-1218	25
YT-1219	25
YT-1220	25
YT-1221	26
YT-1222	26
YT-1223	26
YT-1224	26
YT-1225	26
YT-1226	26
YT-1227	26
YT-1228	26
YT-1229	26
YT-1230	26
YT-1231	26
YT-1232	26
YT-1233	26
YT-1234	26
YT-1235	26
YT-1236	26
YT-1237	26
YT-1238	26
YT-1239	26
YT-1240	26
YT-1241	28
YT-1242	28
YT-1243	28
YT-12438	28
YT-1244	28
YT-1246	26
YT-1247	26
YT-1248	26
YT-1249	27
YT-1250	27
YT-1251	27
YT-1252	27
YT-1253	28
YT-1254	28
YT-1255	27
YT-1258	27
YT-1259	29
YT-12621	41
YT-12641	41
YT-12651	41
YT-12661	41
YT-12671	42
YT-12681	47
YT-12685	48
YT-12691	46
YT-1270	27
YT-1271	27
YT-1272	27
YT-1273	27
YT-1274	27
YT-1275	27
YT-1276	27
YT-1277	27
YT-1278	27
YT-1279	27
YT-1280	27
YT-1281	27
YT-1282	27
YT-1283	27
YT-1284	27
YT-1285	27
YT-1286	27

YATO	page
YT-1289	27
YT-1291	27
YT-1292	27
YT-12921	27
YT-12930	27
YT-12931	27
YT-12932	27
YT-12933	27
YT-12934	27
YT-12935	27
YT-12936	27
YT-12937	27
YT-12938	27
YT-12939	27
YT-12940	27
YT-12941	27
YT-12942	27
YT-12943	27
YT-12944	27
YT-12945	27
YT-12946	27
YT-12947	27
YT-12948	27
YT-12949	27
YT-1295	27
YT-1296	24
YT-1297	21
YT-1301	29
YT-1302	29
YT-1303	29
YT-1304	29
YT-1305	29
YT-1306	29
YT-1307	29
YT-1308	29
YT-1309	29
YT-1310	29
YT-1311	29
YT-1312	29
YT-1313	29
YT-1314	29
YT-1315	29
YT-1316	29
YT-1317	29
YT-1318	29
YT-1319	29
YT-1320	29
YT-1322	29
YT-1323	29
YT-1324	29
YT-1326	29
YT-1328	29
YT-1330	29
YT-1334	38
YT-1335	38
YT-1340	29
YT-1341	29
YT-1342	29
YT-1343	57
YT-1345	30
YT-1347	30
YT-1348	30
YT-1350	29
YT-1352	29
YT-1360	29
YT-13630	37
YT-1374	226
YT-1375	226
YT-1378	227

YATO	page
YT-1379	226
YT-1381	72
YT-1385	240
YT-1390	72
YT-1392	72
YT-1400	22
YT-1401	20
YT-14010	20
YT-1402	20
YT-1403	20
YT-1404	20
YT-1405	20
YT-1406	20
YT-1407	20
YT-1408	20
YT-1409	20
YT-1410	20
YT-1411	20
YT-1412	20
YT-14122	20
YT-1413	20
YT-1414	20
YT-1415	20
YT-1416	20
YT-1417	20
YT-1418	20
YT-1419	20
YT-1420	20
YT-1421	20
YT-1422	20
YT-1423	20
YT-1424	20
YT-14241	20
YT-1425	22
YT-1426	21
YT-1427	22
YT-1429	21
YT-1430	21
YT-1431	21
YT-1432	21
YT-1433	21
YT-1434	21
YT-1435	21
YT-1436	21
YT-1437	21
YT-1438	21
YT-14411	39
YT-14421	39
YT-14431	38
YT-14451	39
YT-14461	39
YT-14471	39
YT-14481	40
YT-14491	39
YT-14501	47
YT-1460	26
YT-1461	26
YT-1462	26
YT-1463	26
YT-1464	26
YT-1465	26
YT-1466	26
YT-1467	26
YT-1468	26
YT-1469	26
YT-1470	26
YT-1471	26
YT-1472	26
YT-1473	26

YATO	page
YT-1474	26
YT-1475	26
YT-1476	26
YT-1478	26
YT-1480	26
YT-1481	26
YT-1501	78
YT-1502	78
YT-1503	78
YT-1505	78
YT-1507	78
YT-1508	78
YT-1511	78
YT-1512	78
YT-1513	78
YT-1515	78
YT-1517	78
YT-1518	78
YT-1534	91
YT-1537	91
YT-1539	91
YT-1541	72
YT-1542	72
YT-1545	72
YT-1547	72
YT-1552	19
YT-1553	19
YT-1554	19
YT-1555	19
YT-1556	19
YT-1557	19
YT-1558	19
YT-1559	19
YT-1565	19
YT-1566	19
YT-1567	19
YT-1571	19
YT-1572	19
YT-1573	19
YT-1574	19
YT-1575	19
YT-1576	19
YT-1577	19
YT-1578	19
YT-1580	19
YT-1582	19
YT-1583	19
YT-1584	19
YT-1585	19
YT-1586	19
YT-15982	18
YT-15983	18
YT-15984	18
YT-15985	18
YT-1601	17
YT-1602	17
YT-1603	17
YT-1604	17
YT-1605	17
YT-1606	17
YT-1607	17
YT-1608	17
YT-1609	17
YT-1610	17
YT-1611	17
YT-1612	17
YT-1613	17
YT-1614	17
YT-16148	17

YATO	page
YT-16149	17
YT-1615	17
YT-1616	17
YT-1617	17
YT-1617S	17
YT-1618	17
YT-16181	17
YT-1619	17
YT-1620	17
YT-1621	17
YT-1622	17
YT-1624	17
YT-1626	18
YT-1627	18
YT-1628	18
YT-1629	18
YT-1630	18
YT-1631	18
YT-1632	18
YT-1633	18
YT-1634	18
YT-1635	18
YT-1636	18
YT-1637	18
YT-1638	18
YT-1639	18
YT-1640	18
YT-1641	18
YT-1642	18
YT-1643	18
YT-1644	18
YT-1645	18
YT-1646	18
YT-1647	18
YT-1648	18
YT-1649	18
YT-1650	18
YT-1651	7
YT-1652	7
YT-1653	7
YT-1654	7
YT-1655	7
YT-1656	7
YT-1657	7
YT-1658	7
YT-1659	7
YT-1660	7
YT-1661	7
YT-1662	7
YT-1663	7
YT-1664	7
YT-1665	7
YT-1666	7
YT-1667	7
YT-1668	7
YT-1669	7
YT-1670	7
YT-1671	7
YT-1672	7
YT-1673	7
YT-16733	8
YT-16734	8
YT-16735	8
YT-16736	8
YT-16737	8
YT-1674	9
YT-1675	9
YT-1676	9
YT-1677	9

YATO	page	YATO	page	YATO	page	YATO	page	YATO	page	YATO	page	YATO	page
YT-1678	9	YT-1849	147	YT-1986	111	YT-20980	98	YT-21126	98	YT-21658	19	YT-2247	114
YT-1679	9	YT-18505	147	YT-1987	111	YT-20981	98	YT-21127	98	YT-2166	19	YT-2248	114
YT-1680	9	YT-1851	147	YT-1988	110	YT-20982	98	YT-21130	92	YT-2167	19	YT-2249	115
YT-1681	9	YT-1852	147	YT-1989	110	YT-20983	98	YT-21131	92	YT-2168	19	YT-2250	115
YT-1682	9	YT-1853	147	YT-1990	111	YT-20984	98	YT-21132	92	YT-2170	19	YT-2251	115
YT-1683	9	YT-1854	147	YT-1991	111	YT-20985	98	YT-21133	92	YT-2171	19	YT-2254	117
YT-1684	9	YT-1855	147	YT-1992	110	YT-20986	98	YT-21134	92	YT-2172	19	YT-2255	116
YT-1685	9	YT-1856	147	YT-1993	110	YT-20987	98	YT-21135	92	YT-2173	19	YT-2256	116
YT-1686	9	YT-18565	147	YT-1994	111	YT-20988	98	YT-21136	92	YT-21735	166	YT-2260	118
YT-1687	9	YT-18600	119	YT-1995	111	YT-20989	98	YT-21137	92	YT-2176	19	YT-2261	118
YT-1688	9	YT-18602	119	YT-2006	107	YT-20990	98	YT-21138	92	YT-2177	19	YT-2262	118
YT-1689	9	YT-18611	146	YT-2007	107	YT-20991	98	YT-21140	93	YT-2178	19	YT-2263	118
YT-1690	9	YT-18612	146	YT-2008	107	YT-20992	98	YT-21141	99	YT-2179	19	YT-2264	118
YT-1691	9	YT-1902	145	YT-2016	107	YT-20993	98	YT-21145	99	YT-2180	163	YT-22650	122
YT-1692	9	YT-1910	144	YT-2018	107	YT-20994	98	YT-21146	99	YT-2181	163	YT-22655	121
YT-1693	9	YT-1911	144	YT-2026	107	YT-20995	98	YT-21147	99	YT-2182	163	YT-2268	118
YT-1694	9	YT-1912	144	YT-2028	107	YT-20996	98	YT-21151	94	YT-2183	163	YT-2270	116
YT-1695	9	YT-1916	144	YT-2029	108	YT-20997	98	YT-21152	94	YT-21842	164	YT-2271	116
YT-1696	9	YT-1922	145	YT-2030	107	YT-20998	98	YT-21153	94	YT-21843	164	YT-2272	116
YT-16965	9	YT-1923	145	YT-2031	107	YT-20999	98	YT-21154	94	YT-21844	164	YT-2273	116
YT-16966	9	YT-1925	145	YT-2036	107	YT-21008	98	YT-21155	94	YT-21845	164	YT-22733	121
YT-16967	10	YT-1930	145	YT-2037	107	YT-21010	98	YT-21158	94	YT-21846	164	YT-2274	116
YT-16968	9	YT-1933	146	YT-2039	108	YT-21011	98	YT-21159	94	YT-21990	166	YT-2276	117
YT-17000	241	YT-1940	103	YT-20400	108	YT-21012	98	YT-21160	94	YT-22000	164	YT-2277	117
YT-17001	241	YT-1941	103	YT-20401	108	YT-21013	98	YT-21161	94	YT-22001	164	YT-2279	117
YT-17002	241	YT-1942	103	YT-20402	108	YT-21014	98	YT-21180	99	YT-22002	164	YT-2280	117
YT-17003	241	YT-1943	103	YT-2050	110	YT-21016	98	YT-21181	99	YT-22005	165	YT-22805	122
YT-17004	241	YT-1944	103	YT-2051	110	YT-21017	98	YT-21190	99	YT-2201	166	YT-22810	121
YT-17005	241	YT-1945	103	YT-2052	110	YT-21018	98	YT-21191	99	YT-2203	166	YT-2283	115
YT-17006	241	YT-1946	103	YT-2054	109	YT-21019	98	YT-21200	99	YT-2204	166	YT-2284	115
YT-17007	241	YT-1947	103	YT-2055	109	YT-21021	98	YT-21210	99	YT-2205	166	YT-2285	115
YT-17008	241	YT-1948	103	YT-2056	109	YT-21022	98	YT-21211	99	YT-2206	166	YT-22860	119
YT-17009	241	YT-1950	109	YT-2057	109	YT-21030	98	YT-2128	94	YT-2210	165	YT-22861	119
YT-1702	242	YT-1951	109	YT-2062	110	YT-21031	98	YT-21280	100	YT-2211	165	YT-22862	119
YT-1704	242	YT-1952	109	YT-2063	110	YT-21032	98	YT-21284	100	YT-2212	165	YT-22870	147
YT-1706	242	YT-1953	109	YT-2064	110	YT-21033	98	YT-2129	94	YT-2214	165	YT-22871	147
YT-1707	242	YT-1954	109	YT-2069	113	YT-21034	98	YT-21295	101	YT-2215	165	YT-22872	147
YT-1709	242	YT-1955	109	YT-2070	113	YT-21036	98	YT-21296	100	YT-2222	166	YT-22873	147
YT-1711	241	YT-1956	109	YT-2071	19	YT-21037	98	YT-21297	100	YT-2223	166	YT-22874	147
YT-1713	241	YT-1957	109	YT-2072	19	YT-21038	98	YT-21298	100	YT-2224	166	YT-22875	147
YT-1714	242	YT-1958	109	YT-2073	19	YT-21039	98	YT-21299	100	YT-2226	166	YT-2290	117
YT-1715	242	YT-1960	145	YT-2074	19	YT-21041	98	YT-2130	110	YT-22260	166	YT-2292	117
YT-1720	241	YT-1961	145	YT-2075	19	YT-21042	98	YT-2136	111	YT-22261	166	YT-2293	117
YT-1721	241	YT-1962	145	YT-2086	108	YT-21044	98	YT-2137	111	YT-22263	166	YT-2294	117
YT-17211	241	YT-1963	146	YT-2090	113	YT-21047	98	YT-2138	111	YT-22264	166	YT-2295	117
YT-17310	241	YT-1964	146	YT-2091	113	YT-21050	98	YT-2139	111	YT-22265	166	YT-2296	115
YT-17311	241	YT-1965	146	YT-20940	97	YT-21052	98	YT-2140	110	YT-22266	166	YT-2297	115
YT-17312	241	YT-1966	146	YT-20941	97	YT-21055	98	YT-2141	110	YT-22267	166	YT-2298	115
YT-1751	230	YT-1967	146	YT-20942	97	YT-21056	98	YT-2142	110	YT-22268	166	YT-2299	115
YT-17513	232	YT-1968	146	YT-20950	97	YT-21057	98	YT-2143	110	YT-2230	164	YT-2300	116
YT-1752	230	YT-1969	146	YT-20951	97	YT-21058	98	YT-2144	110	YT-2230A	164	YT-2305	116
YT-17525	232	YT-19691	116	YT-20952	97	YT-21071	98	YT-2145	110	YT-2231	164	YT-2307	116
YT-1753	232	YT-1970	145	YT-20953	97	YT-21072	98	YT-2146	110	YT-22313	164	YT-2313	116
YT-1754	232	YT-1971	146	YT-20954	97	YT-21080	99	YT-2147	110	YT-22314	164	YT-2316	117
YT-1756	232	YT-1972	146	YT-20955	97	YT-21081	99	YT-2151	112	YT-22315	164	YT-23230	303
YT-1757	220	YT-1973	146	YT-20956	97	YT-21082	99	YT-2152	112	YT-22316	164	YT-23235	303
YT-17625	238	YT-1974	117	YT-20957	97	YT-21083	99	YT-2153	112	YT-22317	164	YT-23237	303
YT-1763	240	YT-1976	146	YT-20958	97	YT-21085	99	YT-2155	111	YT-2231A	164	YT-23240	303
YT-1769	241	YT-19763	146	YT-20959	97	YT-21086	99	YT-2156	111	YT-2232	165	YT-2341	184
YT-1781	56	YT-19764	146	YT-20960	97	YT-21087	99	YT-21649	19	YT-2233	165	YT-2346	184
YT-1783	56	YT-19765	146	YT-20961	97	YT-21088	99	YT-2165	19	YT-22338	165	YT-2351	184
YT-1788	56	YT-19766	146	YT-20962	97	YT-21089	99	YT-21650	19	YT-2234	165	YT-2355	184
YT-1792	56	YT-19767	146	YT-20963	97	YT-21095	97	YT-21651	19	YT-2235	165	YT-2357	184
YT-1843	147	YT-1980	110	YT-20964	97	YT-21096	97	YT-21652	19	YT-2240	115	YT-2361	184
YT-1844	147	YT-1981	110	YT-20965	97	YT-21120	98	YT-21653	19	YT-22422	114	YT-2363	184
YT-1845	147	YT-1982	111	YT-20966	97	YT-21121	98	YT-21654	19	YT-2243	114	YT-2364	184
YT-1846	147	YT-1983	111	YT-20967	97	YT-21122	98	YT-21655	19	YT-2244	114	YT-2370	186/238
YT-1847	147	YT-1984	110	YT-20968	97	YT-21123	98	YT-21656	19	YT-2245	114	YT-23701	186/238
YT-1848	147	YT-1985	110	YT-20969	97	YT-21125	98	YT-21657	19	YT-2246	115	YT-23702	186

YATO	page
YT-2371	244
YT-2372	244
YT-2373	185
YT-23731	185
YT-23732	185
YT-23733	185
YT-2374	184
YT-2375	183
YT-2376	184
YT-2380	186
YT-2382	186
YT-2383	186
YT-2384	186
YT-2385	186
YT-2390	187
YT-2391	187
YT-2392	187
YT-2393	187
YT-2394	187
YT-2395	187
YT-2396	187
YT-2397	187
YT-2398	187
YT-2399	187
YT-2401	187
YT-2402	187
YT-2403	187
YT-2404	187
YT-2405	187
YT-2406	187
YT-2407	187
YT-24240	186
YT-24242	187
YT-24243	187
YT-24250	187
YT-24301	244
YT-2449	112
YT-2450	112
YT-2451	112
YT-2452	112
YT-2453	112
YT-2459	112
YT-2460	112
YT-2461	113
YT-2463	113
YT-2466	112
YT-2468	112
YT-2469	113
YT-2472	113
YT-2473	113
YT-2476	113
YT-2480	166
YT-2481	166
YT-2482	166
YT-2483	166
YT-2484	166
YT-2485	166
YT-2486	166
YT-24869	166
YT-2487	166
YT-2488	166
YT-2489	166
YT-2490	166
YT-2491	166
YT-2492	166
YT-2493	166
YT-2493S	166
YT-2494	166
YT-2494S	166

YATO	page
YT-2495	166
YT-2495S	166
YT-2510	224
YT-25105	249
YT-2511	224
YT-2512	224
YT-2513	224
YT-2515	223
YT-2516	223
YT-2517	223
YT-2518	223
YT-2519	223
YT-2520	223
YT-2521	223
YT-2522	223
YT-2523	224
YT-2536	238
YT-2541	233
YT-2542	225
YT-2543	225
YT-2544	236
YT-2547	236
YT-25480	245
YT-2571	73
YT-2575	71
YT-25802	71
YT-25804	71
YT-25805	71
YT-25807	71
YT-25808	71
YT-25809	71
YT-25810	71
YT-25831	72
YT-25832	72
YT-25833	72
YT-25834	72
YT-25835	72
YT-25836	72
YT-25837	72
YT-25838	72
YT-25839	72
YT-25852	72
YT-25853	72
YT-25854	72
YT-25855	72
YT-25856	72
YT-25857	72
YT-25861	72
YT-25862	72
YT-25863	72
YT-25891	65
YT-25892	65
YT-25893	65
YT-25894	65
YT-25895	65
YT-25896	65
YT-25899	65
YT-25900	65
YT-25901	65
YT-25902	65
YT-25903	65
YT-25904	65
YT-25905	65
YT-25906	65
YT-25907	65
YT-25908	65
YT-25909	65
YT-25910	65
YT-25911	65

YATO	page
YT-25912	65
YT-25913	65
YT-25914	65
YT-25915	65
YT-25916	65
YT-25917	65
YT-25918	65
YT-25919	65
YT-25920	65
YT-25921	65
YT-25922	65
YT-25923	65
YT-25924	65
YT-25925	65
YT-25926	65
YT-25927	65
YT-25928	65
YT-25929	65
YT-25930	65
YT-25931	65
YT-25932	65
YT-25933	65
YT-25934	65
YT-25935	65
YT-25936	65
YT-25937	65
YT-25938	65
YT-25939	65
YT-25950	65
YT-25951	65
YT-25952	65
YT-25953	65
YT-25954	65
YT-25955	65
YT-25956	65
YT-25957	65
YT-25958	65
YT-25959	65
YT-25960	65
YT-25961	65
YT-25965	66
YT-25966	66
YT-25968	67
YT-25971	66
YT-25975	67
YT-25976	68
YT-25977	68
YT-25980	66
YT-25981	67
YT-25982	67
YT-25985	65
YT-25986	65
YT-25987	65
YT-25988	65
YT-25989	65
YT-25990	65
YT-25991	65
YT-25992	65
YT-25993	66
YT-25994	66
YT-25995	66
YT-25996	66
YT-25997	66
YT-25998	66
YT-2601	71
YT-2602	71
YT-2603	71
YT-2604	71
YT-2606	71

YATO	page
YT-2607	71
YT-2608	71
YT-2609	71
YT-2610	71
YT-2612	71
YT-2613	71
YT-2614	71
YT-2615	71
YT-2618	71
YT-2620	69
YT-2621	69
YT-2622	69
YT-2623	69
YT-2624	69
YT-2625	69
YT-2626	69
YT-2627	69
YT-2628	69
YT-2629	69
YT-2630	69
YT-2631	69
YT-2633	71
YT-2634	71
YT-2635	71
YT-2636	71
YT-2637	71
YT-2638	71
YT-2640	71
YT-2641	71
YT-2642	71
YT-2643	71
YT-2647	71
YT-2648	71
YT-2649	71
YT-2650	71
YT-2651	71
YT-2653	71
YT-2654	71
YT-2655	71
YT-2656	71
YT-2667	71
YT-2675	68
YT-2676	68
YT-2677	68
YT-2678	68
YT-2679	68
YT-2682	68
YT-2683	68
YT-2686	68
YT-2687	68
YT-2688	68
YT-2689	68
YT-2690	68
YT-2691	68
YT-2692	68
YT-2693	68
YT-2694	68
YT-2699	69
YT-2700	69
YT-2701	69
YT-2702	69
YT-2703	69
YT-2704	69
YT-2705	69
YT-2706	69
YT-2708	69
YT-2709	69
YT-2710	69
YT-2711	69

YATO	page
YT-2712	69
YT-2715	68
YT-2716	68
YT-27168	68
YT-2717	68
YT-2718	68
YT-2719	68
YT-27198	68
YT-2720	68
YT-2721	68
YT-2722	68
YT-2723	68
YT-2724	68
YT-2725	68
YT-2726	68
YT-27268	68
YT-2727	68
YT-2728	68
YT-2729	68
YT-27298	68
YT-2730	68
YT-2731	68
YT-2732	68
YT-2733	68
YT-2734	68
YT-2741	71
YT-2742	71
YT-2743	71
YT-2744	71
YT-2745	71
YT-2746	71
YT-2748	71
YT-2750	71
YT-2752	71
YT-2753	71
YT-2754	71
YT-2756	71
YT-2757	71
YT-2760	68
YT-2761	68
YT-2762	68
YT-2763	68
YT-2764	68
YT-2765	68
YT-2766	68
YT-2767	68
YT-2768	68
YT-2769	68
YT-2770	68
YT-2771	68
YT-2772	68
YT-2773	68
YT-2774	68
YT-2775	68
YT-2776	68
YT-2777	68
YT-2778	68
YT-2779	68
YT-2780	73
YT-2781	69
YT-2782	69
YT-2783	69
YT-2784	70
YT-2785	70
YT-2786	70
YT-2787	70
YT-2788	70
YT-2789	70
YT-2791	71

YATO	page
YT-27960	40
YT-2797	72
YT-27975	69
YT-2800	74
YT-2801	73
YT-2804	73
YT-2805	73
YT-2806	73
YT-2808	73
YT-2810	74
YT-2812	74
YT-28125	95
YT-28126	95
YT-28130	95
YT-28131	95
YT-28132	95
YT-28133	95
YT-28134	95
YT-28135	95
YT-28136	95
YT-28140	96
YT-28141	96
YT-28142	96
YT-28143	96
YT-28144	96
YT-28145	96
YT-28146	96
YT-28147	96
YT-28148	96
YT-2815	96
YT-28150	96
YT-28153	96
YT-2817	96
YT-28174	96
YT-2818	96
YT-2819	96
YT-2820	96
YT-2821	96
YT-2822	96
YT-2823	96
YT-2824	96
YT-28245	96
YT-2825	96
YT-2826	96
YT-28263	96
YT-2827	96
YT-2828	96
YT-28290	97
YT-28293	97
YT-2830	96/121
YT-28301	96/121
YT-2840	68
YT-2841	68
YT-2842	68
YT-2843	68
YT-2844	68
YT-2845	68
YT-2846	68
YT-2847	68
YT-28522	248
YT-2861	120
YT-2862	120
YT-2863	120
YT-2864	121
YT-2865	248
YT-2866	248
YT-2900	163
YT-2910	164
YT-2911	164

YATO	page
YT-2912	164
YT-2913	164
YT-2914	164
YT-2916	163
YT-2917	163
YT-2918	163
YT-2919	163
YT-2920	163
YT-2926	142
YT-2927	142
YT-2928	142
YT-2929	142
YT-2930	142
YT-2931	142
YT-2932	142
YT-2933	142
YT-2934	142
YT-2935	142
YT-2937	142
YT-2939	142
YT-2940	142
YT-2941	142
YT-2942	142
YT-2943	142
YT-2944	143
YT-2945	143
YT-2946	143
YT-2947	143
YT-2948	143
YT-2949	143
YT-2950	143
YT-2951	143
YT-2952	143
YT-2953	143
YT-2954	143
YT-2955	143
YT-2956	143
YT-2957	143
YT-2958	143
YT-2959	143
YT-2960	143
YT-2961	143
YT-2962	143
YT-2963	143
YT-2964	143
YT-2965	143
YT-2966	143
YT-2967	143
YT-2968	143
YT-2969	143
YT-2970	143
YT-2971	143
YT-2972	143
YT-2973	143
YT-2974	143
YT-2975	142
YT-2976	142
YT-2977	142
YT-2978	142
YT-2979	142
YT-2980	143
YT-2981	143
YT-2982	143
YT-2983	143
YT-2984	143
YT-2985	143
YT-2986	143
YT-2987	143
YT-2988	143

YATO	page
YT-2989	143
YT-2990	143
YT-2991	143
YT-2992	143
YT-2993	143
YT-2994	143
YT-2995	143
YT-2996	143
YT-2997	143
YT-3001	176
YT-3002	176
YT-3003	176
YT-3004	176
YT-3005	176
YT-30060	176
YT-30061	176
YT-30062	176
YT-30063	176
YT-30064	176
YT-3022	176
YT-3023	176
YT-3024	176
YT-3025	176
YT-3026	176
YT-30425	177
YT-30427	177
YT-3101	171
YT-3102	171
YT-3103	171
YT-3130	171
YT-3133	171
YT-3134	171
YT-3150	171
YT-3161	150
YT-3163	150
YT-31631	150
YT-3200	150/171
YT-3201	171
YT-3202	171
YT-3203	171
YT-3204	171
YT-3206	171
YT-3220	171
YT-3221	171
YT-3222	171
YT-3223	171
YT-3224	171
YT-3225	171
YT-3230	171
YT-3231	171
YT-3232	171
YT-3233	171
YT-3234	171
YT-3235	171
YT-3236	139
YT-3237	139
YT-3238	139
YT-3239	139
YT-3240	139
YT-3241	139
YT-3242	139
YT-3243	139
YT-3244	139
YT-3245	139
YT-3246	139
YT-3247	139
YT-3248	139
YT-3249	139
YT-3250	139

YATO	page
YT-3251	139
YT-3252	139
YT-3253	139
YT-3254	139
YT-3255	139
YT-3258	139
YT-3259	139
YT-3261	139
YT-3262	139
YT-3263	139
YT-3264	139
YT-3265	139
YT-3266	139
YT-3267	139
YT-3268	139
YT-3269	139
YT-3270	139
YT-3271	139
YT-3272	139
YT-3273	139
YT-3274	139
YT-3275	139
YT-3276	139
YT-3277	139
YT-3278	139
YT-3279	139
YT-3280	139
YT-3281	139
YT-3282	139
YT-3283	139
YT-3284	139
YT-3285	139
YT-3286	139
YT-3287	139
YT-3288	139
YT-3289	139
YT-3290	139
YT-3291	139
YT-3292	139
YT-3293	139
YT-3294	139
YT-3295	139
YT-3296	139
YT-3297	139
YT-3298	139
YT-3299	139
YT-3300	139
YT-33015	138
YT-33021	138
YT-33022	138
YT-33023	138
YT-3303	140
YT-3304	140
YT-3306	140
YT-3308	140
YT-3311	140
YT-3313	140
YT-3315	140
YT-3317	140
YT-3318	140
YT-3321	140
YT-3322	140
YT-3323	140
YT-3324	140
YT-3327	140
YT-3329	140
YT-3330	140
YT-3332	140
YT-3333	140

YATO	page
YT-3334	140
YT-3336	140
YT-3338	140
YT-3343	140
YT-3345	140
YT-3346	140
YT-3349	140
YT-3350	140
YT-3351	140
YT-3353	140
YT-3370	140
YT-3371	140
YT-3372	140
YT-3373	140
YT-3374	140
YT-3376	140
YT-3377	140
YT-3380	140
YT-3381	141
YT-3382	141
YT-34599	150
YT-3460	150
YT-34601	150
YT-34609	150
YT-3461	150
YT-34611	150
YT-34619	150
YT-3462	150
YT-34621	150
YT-3500	17
YT-3501	17
YT-3502	17
YT-3503	17
YT-3504	17
YT-3505	17
YT-3506	17
YT-3507	17
YT-3508	17
YT-3509	17
YT-3510	17
YT-3511	17
YT-3512	17
YT-3513	17
YT-3514	17
YT-3515	17
YT-3516	17
YT-3517	17
YT-3518	17
YT-3519	17
YT-3520	17
YT-3521	17
YT-3522	17
YT-3523	17
YT-3524	17
YT-3525	17
YT-3526	17
YT-3527	17
YT-3528	17
YT-3529	17
YT-3530	17
YT-3531	17
YT-3532	17
YT-3533	17
YT-3534	17
YT-3535	17
YT-3536	17
YT-3590	143
YT-3591	143
YT-36007	167

YATO	page
YT-36011	167
YT-36012	167
YT-36060	168
YT-3609	167
YT-3610	168
YT-3612	168
YT-36127	168
YT-36140	167
YT-36171	168/185
YT-36177	168/185
YT-36420	250
YT-36451	168
YT-36452	168
YT-36453	168
YT-36454	168
YT-3707	170
YT-3708	170
YT-37161	121
YT-3725	137
YT-3726	137
YT-3727	137
YT-3728	137
YT-3740	133
YT-3750	54
YT-3751	54
YT-3752	54
YT-3753	54
YT-3754	54
YT-3755	54
YT-3756	54
YT-3757	54
YT-3758	54
YT-3759	54
YT-3760	54
YT-3761	54
YT-3762	54
YT-3763	54
YT-3764	54
YT-3765	54
YT-3766	54
YT-3767	54
YT-3768	54
YT-3770	54
YT-3771	54
YT-3772	54
YT-3773	54
YT-3774	54
YT-3775	54
YT-3776	54
YT-3777	54
YT-3778	54
YT-3779	54
YT-3780	54
YT-3781	54
YT-3782	54
YT-3783	54
YT-3784	54
YT-3785	54
YT-3786	54
YT-3787	54
YT-3788	54
YT-3790	54
YT-3791	54
YT-3792	54
YT-3793	55
YT-3794	55
YT-3795	55
YT-3801	23
YT-3802	23

YATO	page
YT-3803	23
YT-3804	23
YT-3805	23
YT-3806	23
YT-3807	23
YT-3808	23
YT-3809	23
YT-3810	23
YT-3811	23
YT-3812	23
YT-3813	23
YT-3814	23
YT-3815	23
YT-3816	23
YT-3817	23
YT-3818	23
YT-3819	23
YT-3820	23
YT-3821	23
YT-3822	23
YT-3823	23
YT-3824	23
YT-3825	23
YT-3826	23
YT-3827	23
YT-3828	23
YT-3829	23
YT-3830	23
YT-3831	23
YT-3832	23
YT-3833	23
YT-3834	23
YT-3835	23
YT-3836	23
YT-3839	24
YT-3840	24
YT-3841	25
YT-3842	24
YT-3843	24
YT-3844	24
YT-3845	24
YT-3846	24
YT-3847	24
YT-3848	24
YT-3849	24
YT-3850	24
YT-3851	25
YT-38510	235
YT-38511	235
YT-38512	237
YT-38513	235
YT-3852	25
YT-38521	237
YT-38522	237
YT-3853	24
YT-3854	24
YT-38541	25
YT-3855	40
YT-38561	40
YT-3857	47
YT-38631	41
YT-38641	41
YT-3865	38
YT-38671	42
YT-38681	42
YT-38691	40
YT-3870	42
YT-38741	40
YT-3875	40

YATO	page
YT-3875V	97
YT-3876	44
YT-3877	46
YT-38781	46
YT-38791	48
YT-38801	48
YT-38811	49
YT-38821	42
YT-38831	45
YT-38841	49
YT-38861	42
YT-38872	49
YT-38875	53
YT-38881	50
YT-38891	50
YT-38901	50
YT-38911	51
YT-38920	45
YT-38928	45
YT-38931	51
YT-38941	51
YT-3895	216
YT-38950	217
YT-38951	216
YT-38952	216
YT-38971	41
YT-38972	41
YT-38973	41
YT-3900	134
YT-39000	43
YT-39001	43
YT-39002	36
YT-39003	36
YT-39004	44
YT-39005	36
YT-39006	36
YT-39007	36
YT-39008	37
YT-39009	44
YT-3903	134
YT-3904	37
YT-3905	134
YT-3906	37
YT-3908	8
YT-3909	8
YT-3910	134
YT-3913	134
YT-3914	134
YT-3916	134
YT-39171	111
YT-39172	112
YT-3919	134
YT-3922	134
YT-3924	134
YT-3926	134
YT-3928	134
YT-39280	38
YT-39291	43
YT-3930	134
YT-3932	134
YT-3935	134
YT-3938	134
YT-3942	134
YT-3944	134
YT-3945	134
YT-3946	134
YT-3949	134
YT-3950	134
YT-3951	134

YATO	page
YT-3952	134
YT-3954	134
YT-3955	134
YT-3957	134
YT-3958	134
YT-3959	134
YT-39600	95
YT-39601	95
YT-39602	95
YT-39603	95
YT-39604	93
YT-39605	93
YT-39606	106
YT-39607	106
YT-39608	105
YT-39609	109
YT-39610	104
YT-39611	104
YT-39612	103
YT-39613	112
YT-39614	112
YT-39615	111
YT-39616	106
YT-39617	106
YT-39618	104
YT-39619	104
YT-39620	95
YT-39621	95
YT-39622	93
YT-39623	93
YT-39624	93
YT-39625	94
YT-39626	93
YT-39627	94
YT-39628	93
YT-39629	94
YT-39630	93
YT-39631	95
YT-40010	135
YT-40011	135
YT-40012	135
YT-40013	135
YT-40014	135
YT-40015	135
YT-40016	135
YT-40017	135
YT-40018	135
YT-40019	135
YT-4007	135
YT-4008	135
YT-4009	135
YT-4010	135
YT-4015	135
YT-4020	135
YT-4025	135
YT-4025S	136
YT-4030	135
YT-4032	135
YT-4032S	136
YT-4035	135
YT-4040	135
YT-4040S	136
YT-4042	135
YT-4045	135
YT-4048	135
YT-4050	135
YT-4050S	136
YT-4052	135
YT-4055	135

YATO	page
YT-4060	135
YT-4065	135
YT-4065S	136
YT-4070	135
YT-4075	135
YT-4080	135
YT-4080S	136
YT-4085	135
YT-4090	135
YT-4090S	136
YT-4100	135
YT-4110	135
YT-4113S	136
YT-4120	135
YT-4140	135
YT-4160	135
YT-41602	136
YT-41603	136
YT-41604	136
YT-41605	136
YT-4161	137
YT-4162	137
YT-4163	137
YT-4164	137
YT-41641	137
YT-41642	137
YT-4165	137
YT-4166	137
YT-4167	137
YT-4168	137
YT-4169	137
YT-4170	137
YT-4171	137
YT-4172	137
YT-4173	137
YT-4174	137
YT-4175	137
YT-4176	137
YT-4177	137
YT-4178	137
YT-4179	137
YT-4180	137
YT-4181	137
YT-4182	137
YT-4183	137
YT-4184	137
YT-4185	137
YT-4186	137
YT-4187	137
YT-4188	137
YT-4189	137
YT-4190	137
YT-4191	137
YT-4192	137
YT-4200	137
YT-4201	137
YT-4202	137
YT-4203	137
YT-4204	137
YT-4205	137
YT-4206	137
YT-4207	137
YT-4208	137
YT-4209	137
YT-4210	137
YT-4211	137
YT-4212	137
YT-4213	137
YT-4214	137

YATO	page
YT-4215	137
YT-4216	137
YT-4217	137
YT-4218	137
YT-4219	137
YT-4220	137
YT-4221	137
YT-4222	137
YT-4223	137
YT-4224	137
YT-4225	137
YT-4226	137
YT-4227	137
YT-4228	137
YT-4229	137
YT-4230	137
YT-4350	139
YT-4351	139
YT-4352	139
YT-4353	139
YT-4354	139
YT-4355	139
YT-4356	139
YT-4357	139
YT-4358	139
YT-4359	139
YT-4361	138
YT-4362	138
YT-4363	138
YT-4364	138
YT-4367	138
YT-4369	138
YT-4370	138
YT-4373	138
YT-4375	138
YT-4376	138
YT-4379	138
YT-4380	138
YT-4383	138
YT-4385	138
YT-4390	138
YT-43940	137
YT-43941	137
YT-43942	137
YT-43943	137
YT-43944	137
YT-43945	137
YT-43946	137
YT-43947	137
YT-43948	137
YT-43949	137
YT-43960	137
YT-43962	137
YT-43963	137
YT-43964	137
YT-43965	137
YT-43966	137
YT-43967	137
YT-43968	137
YT-4400	140
YT-4401	140
YT-4402	140
YT-4403	140
YT-44250	52/290
YT-44251	52/290
YT-44252	52/290
YT-4430	134
YT-4431	134
YT-4432	134

YATO	page
YT-4433	134
YT-4433S	136
YT-4434	134
YT-4435	134
YT-4435S	136
YT-4436	134
YT-4437	134
YT-4437S	136
YT-4438	134
YT-4439	134
YT-4440	134
YT-4441	134
YT-4442	134
YT-4442S	136
YT-4443	134
YT-4444	134
YT-4445	134
YT-4446	134
YT-4446S	136
YT-4447	134
YT-4448	134
YT-4449	134
YT-4449S	136
YT-4450	134
YT-4451	134
YT-4452	134
YT-4452S	136
YT-4453	134
YT-4454	134
YT-4455	134
YT-4456	134
YT-4457	134
YT-4458	134
YT-4458S	136
YT-4460	135
YT-4461	135
YT-4462	135
YT-44680	138
YT-44681	138
YT-44682	138
YT-44683	138
YT-44684	138
YT-44685	138
YT-44686	138
YT-44687	138
YT-44688	138
YT-44689	138
YT-44690	138
YT-44693	138
YT-44721	138
YT-44722	138
YT-44723	138
YT-44724	138
YT-44725	138
YT-44726	138
YT-44729	138
YT-44731	141
YT-44739	142
YT-44740	141
YT-44742	142
YT-44743	142
YT-44744	142
YT-44745	142
YT-44746	142
YT-44747	142
YT-44780	137
YT-44781	137
YT-44782	137
YT-44783	137

YATO	page
YT-44784	137
YT-44785	137
YT-44786	137
YT-44787	137
YT-44789	137
YT-44800	138
YT-44801	138
YT-44802	138
YT-44803	138
YT-44804	138
YT-44805	138
YT-44806	138
YT-44809	137
YT-44825	136
YT-44828	136
YT-44849	142
YT-44860	136
YT-44861	136
YT-44862	136
YT-44863	136
YT-44864	136
YT-44865	136
YT-44866	136
YT-44867	136
YT-44868	136
YT-44869	136
YT-44870	136
YT-44871	136
YT-44872	136
YT-44873	136
YT-44874	136
YT-44875	136
YT-44876	136
YT-44877	136
YT-44878	136
YT-44879	136
YT-44880	136
YT-44881	136
YT-44882	136
YT-44883	136
YT-44884	136
YT-4501	126
YT-4502	126
YT-4503	126
YT-4504	126
YT-4505	126
YT-4506	126
YT-4507	126
YT-4508	126
YT-4509	126
YT-4510	126
YT-4515	126
YT-4516	126
YT-4517	126
YT-4518	126
YT-4519	126
YT-4520	126
YT-4521	126
YT-4522	126
YT-4523	126
YT-4524	126
YT-4525	126
YT-4526	126
YT-4527	126
YT-4550	126
YT-4551	126
YT-4552	126
YT-4553	126
YT-45535	127

YATO	page
YT-45536	127
YT-45537	127
YT-45538	127
YT-45539	127
YT-45540	127
YT-45541	127
YT-45542	127
YT-45543	127
YT-45544	127
YT-45545	127
YT-45546	127
YT-4560	127
YT-4561	127
YT-4563	127
YT-4564	127
YT-4570	127
YT-4571	127
YT-4571S	127
YT-4590	245
YT-4594	128
YT-4600	128
YT-4601	128
YT-4602	128
YT-4603	128
YT-4604	128
YT-4605	128
YT-4620	127
YT-4622	127
YT-4623	127
YT-4624	128
YT-4625	128
YT-4626	128
YT-4630	128
YT-4631	128
YT-4632	128
YT-4633	128
YT-4634	128
YT-4635	128
YT-4636	128
YT-4637	128
YT-4638	128
YT-4639	128
YT-4640	128
YT-4641	128
YT-4642	128
YT-4643	128
YT-4644	128
YT-46800	129
YT-46801	129
YT-46802	129
YT-46803	129
YT-46804	129
YT-46810	129
YT-46831	130
YT-46832	130
YT-46833	130
YT-46834	130
YT-46835	130
YT-46836	130
YT-4690	131
YT-4691	131
YT-4692	131
YT-4693	131
YT-4694	131
YT-4695	131
YT-4700	129
YT-4701	129
YT-4705	129
YT-4710	129

YATO	page
YT-4711	130
YT-4712	131
YT-47121	130
YT-4713	131
YT-4714	131
YT-47141	130
YT-47142	130
YT-47143	130
YT-47144	130
YT-47145	130
YT-47146	130
YT-47147	130
YT-47148	130
YT-47149	130
YT-47150	130
YT-47151	130
YT-47152	130
YT-47161	130
YT-4720	140
YT-4721	140
YT-4722	140
YT-4723	140
YT-4730	129
YT-47302	129
YT-47496	156
YT-47497	156
YT-4750	155
YT-4751	155
YT-47511	156
YT-47518	156
YT-4752	155
YT-4755	156
YT-47554	158
YT-47555	158
YT-47565	157
YT-47568	157
YT-4757	156
YT-4758	156
YT-4759	157
YT-47593	157
YT-4761	157
YT-47612	157
YT-4763	157
YT-4764	157
YT-47658	158
YT-4766	158
YT-4767	158
YT-4768	158
YT-4769	158
YT-47691	158
YT-47780	156
YT-47782	156
YT-47785	158
YT-47787	158
YT-47791	157
YT-47792	157
YT-47800	157
YT-47801	157
YT-47802	157
YT-47820	158
YT-4800	11
YT-4801	11
YT-4802	11
YT-4803	11
YT-4804	11
YT-4805	11
YT-4806	11
YT-4807	11
YT-4808	11

YATO	page
YT-4809	11
YT-4810	11
YT-4811	11
YT-4812	11
YT-4813	11
YT-4814	11
YT-4815	11
YT-4816	11
YT-4817	11
YT-48180	11
YT-48181	11
YT-48182	11
YT-48183	12
YT-48184	12
YT-48185	13
YT-48186	13
YT-48187	13
YT-48188	14
YT-4830	12
YT-4831	12
YT-4832	12
YT-4833	12
YT-4834	12
YT-4835	12
YT-4836	12
YT-4837	12
YT-48371	12
YT-4840	13
YT-4841	13
YT-4842	13
YT-4843	13
YT-4844	13
YT-4845	13
YT-4846	13
YT-4847	13
YT-4848	13
YT-4849	13
YT-4850	13
YT-4851	13
YT-4852	13
YT-4853	13
YT-4854	13
YT-4860	13
YT-4861	13
YT-4862	13
YT-4863	13
YT-4864	13
YT-4865	13
YT-48651	14
YT-4870	4
YT-4871	4
YT-4872	4
YT-4873	4
YT-4874	4
YT-4875	4
YT-4876	4
YT-4877	4
YT-4878	4
YT-4879	4
YT-4880	4
YT-4881	4
YT-4882	4
YT-4883	4
YT-4884	4
YT-4885	4
YT-48851	4
YT-48852	4
YT-48860	4
YT-48861	4

YATO	page	YATO	page	YATO	page	YATO	page	YATO	page	YATO	page	YATO	page
YT-48862	4	YT-5030	10	YT-5099	26	YT-55477	209	YT-5762	86	YT-5820	86	YT-58739	82
YT-4901	6	YT-50305	10	YT-5100	26	YT-55556	254	YT-5763	86	YT-58200	87	YT-58740	82
YT-4902	6	YT-5031	10	YT-5101	26	YT-55557	254	YT-5764	86	YT-58201	87	YT-5875	84
YT-4903	6	YT-5032	10	YT-5102	26	YT-55581	253	YT-5765	86	YT-58202	87	YT-5877	84
YT-4904	6	YT-5033	10	YT-5103	26	YT-55582	253	YT-5766	86	YT-58203	87	YT-5878	84
YT-4905	6	YT-5034	10	YT-5104	26	YT-55600	253	YT-5767	86	YT-58204	87	YT-58800	82
YT-4906	6	YT-5035	10	YT-5105	26	YT-5702	150	YT-5768	86	YT-58205	87	YT-58801	82
YT-4907	6	YT-50355	10	YT-5106	26	YT-5702-1	150	YT-5769	86	YT-58206	88	YT-58802	82
YT-4908	6	YT-50356	10	YT-5107	26	YT-5703	150	YT-5770	86	YT-58207	88	YT-58803	82
YT-4909	6	YT-5038	10	YT-51450	172	YT-5703-1	150	YT-5771	86	YT-58208	88	YT-58804	82
YT-4910	6	YT-5040	20	YT-51451	172	YT-5704	150	YT-5772	86	YT-58209	88	YT-58805	82
YT-4911	6	YT-5041	20	YT-5415	228	YT-5704-1	150	YT-5773	86	YT-58210	88	YT-58806	82
YT-4912	6	YT-5042	20	YT-5416	228	YT-5710	171	YT-5774	86	YT-58211	88	YT-58807	82
YT-49125	6	YT-5043	20	YT-5417	228	YT-57250	82	YT-5775	86	YT-5822	86	YT-58808	82
YT-49131	14	YT-5044	20	YT-55210	206	YT-57251	82	YT-5776	86	YT-5824	86	YT-58809	82
YT-49132	14	YT-5045	20	YT-55260	198	YT-57252	82	YT-5777	86	YT-5825	86	YT-58810	82
YT-49133	14	YT-5046	20	YT-55261	199	YT-57253	82	YT-5778	86	YT-5826	86	YT-58811	83
YT-49134	14	YT-5047	20	YT-55262	200	YT-57254	82	YT-5779	86	YT-5827	86	YT-58812	83
YT-49135	14	YT-5048	20	YT-55263	201	YT-57255	82	YT-5780	86	YT-5828	86	YT-58813	83
YT-49136	14	YT-5049	20	YT-55278	102	YT-57256	82	YT-5781	86	YT-5829	86	YT-58814	83
YT-49137	14	YT-5050	21	YT-55280	197	YT-57257	82	YT-5785	85	YT-5830	86	YT-58815	83
YT-49138	14	YT-5051	21	YT-55281	206	YT-57258	82	YT-5786	85	YT-5831	86	YT-58816	83
YT-49139	14	YT-5052	21	YT-55290	189	YT-57259	82	YT-5787	85	YT-5832	86	YT-58817	83
YT-49140	14	YT-5053	21	YT-55291	188	YT-57261	82	YT-5788	85	YT-5833	86	YT-58818	83
YT-49141	14	YT-5054	21	YT-55292	190	YT-57262	82	YT-5789	85	YT-5835	89	YT-58819	83
YT-49142	14	YT-5055	21	YT-55294	191	YT-57263	82	YT-5790	85	YT-5836	89	YT-58820	83
YT-49143	14	YT-5056	21	YT-55295	192	YT-57264	82	YT-5791	85	YT-5837	89	YT-58821	83
YT-49144	14	YT-5057	21	YT-55296	193	YT-57265	82	YT-5792	85	YT-5838	89	YT-58822	84
YT-49145	14	YT-5058	21	YT-55297	194	YT-57266	82	YT-5793	85	YT-5840	82	YT-58823	84
YT-49146	14	YT-5059	23	YT-55298	195	YT-57267	82	YT-5794	85	YT-5841	82	YT-58824	85
YT-49147	14	YT-5060	23	YT-55299	206	YT-57268	82	YT-5795	86	YT-5842	82	YT-58825	83
YT-49148	14	YT-5061	23	YT-55300	196	YT-57269	82	YT-5796	86	YT-5843	82	YT-58826	85
YT-49149	14	YT-5062	23	YT-55302	202	YT-5730	85	YT-5797	86	YT-5844	82	YT-58827	84
YT-4930	18	YT-5063	23	YT-55303	203	YT-5731	85	YT-5798	86	YT-5845	82	YT-58830	85
YT-4931	18	YT-5064	23	YT-55304	204	YT-5732	85	YT-5799	86	YT-5846	82	YT-58831	85
YT-4932	18	YT-5065	23	YT-55305	102	YT-5733	85	YT-5800	86	YT-5847	82	YT-58832	85
YT-4933	18	YT-5066	23	YT-55305T1	102	YT-5734	85	YT-58001	86	YT-5848	82	YT-58950	243
YT-4934	18	YT-5067	23	YT-55305T2	102	YT-5734-T	91	YT-5801	86	YT-5849	82	YT-58950-6M	243
YT-4935	18	YT-5068	23	YT-55305T3	102	YT-5735	85	YT-5802	86	YT-5851	83	YT-58951	243
YT-4936	18	YT-5069	23	YT-5531	207	YT-5735-T	91	YT-5803	86	YT-5852	83	YT-58951-6M	243
YT-4937	18	YT-5070	24	YT-5532	208	YT-5736	85	YT-5804	86	YT-5853	83	YT-58951-9M	243
YT-4938	18	YT-5071	24	YT-5533	208	YT-5737	85	YT-5805	86	YT-5854	83	YT-58953	243
YT-4939	18	YT-5072	24	YT-5534	208	YT-5738	85	YT-5806	86	YT-5855	83	YT-58953-6M	243
YT-4940	18	YT-5073	24	YT-5535	208	YT-5739	85	YT-5807	86	YT-5856	83	YT-58953-9M	243
YT-4941	18	YT-5074	24	YT-5536	208	YT-5740	86	YT-5808	86	YT-5857	83	YT-58954	243
YT-4942	18	YT-5075	24	YT-5537	208	YT-5741	86	YT-5809	86	YT-5858	83	YT-58954-6M	243
YT-4943	18	YT-5076	24	YT-5538	208	YT-5742	86	YT-5810	86	YT-5859	83	YT-58955	243
YT-4944	18	YT-5077	24	YT-5539	208	YT-5743	86	YT-5811	86	YT-5860	83	YT-58955-6M	243
YT-4945S	18	YT-5078	24	YT-5540	208	YT-5744	86	YT-5812	86	YT-5861	83	YT-58955-9M	243
YT-4946	18	YT-5079	26	YT-5541	209	YT-5745	86	YT-5813	86	YT-5862	83	YT-58957	243
YT-49470	14	YT-5080	26	YT-5542	209	YT-57451	86	YT-5814	86	YT-5863	83	YT-58962	243
YT-49471	14	YT-5081	26	YT-5543	209	YT-5746	86	YT-58141	86	YT-5864	83	YT-58964	243
YT-49472	14	YT-5082	26	YT-55440	209	YT-5747	86	YT-58142	86	YT-5865	83	YT-58966	243
YT-4950	15	YT-5083	26	YT-55443	209	YT-5748	86	YT-58144	86	YT-5866	83	YT-58967	243
YT-4951	15	YT-5084	26	YT-55444	207	YT-5749	86	YT-58180	83	YT-5867	83	YT-58968	243
YT-4952	15	YT-5085	26	YT-55446	207	YT-5750	86	YT-58181	83	YT-5868	83	YT-5901	301
YT-4953	15	YT-5086	26	YT-55448	207	YT-5751	86	YT-58182	83	YT-5869	83	YT-5902	301
YT-4954	15	YT-5087	26	YT-55452	207	YT-5752	86	YT-58183	83	YT-5870	83	YT-5904	301
YT-4955	15	YT-5088	26	YT-55453	210	YT-5753	86	YT-58184	83	YT-5871	83	YT-5905	301
YT-4956	15	YT-5089	26	YT-55457	209	YT-5754	86	YT-58185	83	YT-5872	83	YT-5911	242
YT-4957	15	YT-5090	26	YT-55458	209	YT-5755	86	YT-58186	83	YT-5873	83	YT-5913	242
YT-4960	15	YT-5091	26	YT-55465	210	YT-5756	86	YT-58187	83	YT-58731	82	YT-5914	242
YT-4961	16	YT-5092	26	YT-55466	210	YT-57561	86	YT-58188	83	YT-58732	82	YT-5920	152
YT-4962	16	YT-5093	26	YT-55469	210	YT-57563	86	YT-58189	83	YT-58733	82	YT-5921	152
YT-4963	16	YT-5094	26	YT-55471	210	YT-57565	86	YT-58190	83	YT-58734	82	YT-5922	152
YT-4964	16	YT-5095	26	YT-55472	209	YT-57566	86	YT-58191	83	YT-58735	82	YT-5923	152
YT-4965	16	YT-5096	26	YT-55473	210	YT-57568	86	YT-58192	83	YT-58736	82	YT-5925	152
YT-4966	16	YT-5097	26	YT-55474	210	YT-5760	86	YT-58193	83	YT-58737	82	YT-5926	152
YT-4967	16	YT-5098	26	YT-55476	210	YT-5761	86	YT-58194	83	YT-58738	82	YT-5927	152

YATO	page
YT-5940	152
YT-5941	152
YT-5945	152
YT-5946	152
YT-5947	152
YT-5948	152
YT-5949	152
YT-5982	151
YT-5983	151
YT-5984	151
YT-60009	151
YT-6001	151
YT-6002	151
YT-6003	151
YT-6004	151
YT-6005	151
YT-6011	151
YT-6012	151
YT-6013	151
YT-6014	151
YT-6015	151
YT-6016	151
YT-6021	151
YT-6022	151
YT-6023	151
YT-6024	151
YT-6025	151
YT-6030	151
YT-6030T	151
YT-6031	151
YT-6032	151
YT-60322	152
YT-60323	152
YT-6033	151
YT-60371	141
YT-60372	141
YT-60373	141
YT-60374	141
YT-60375	141
YT-60376	141
YT-60377	141
YT-60378	141
YT-60379	141
YT-60421	141
YT-60422	141
YT-60423	141
YT-60424	141
YT-60425	141
YT-60426	141
YT-60427	141
YT-60428	141
YT-60429	141
YT-60430	141
YT-60431	141
YT-60432	141
YT-60433	141
YT-60434	141
YT-60435	141
YT-60436	141
YT-60441	141
YT-60442	141
YT-60443	141
YT-60444	141
YT-60445	141
YT-60446	141
YT-60447	141
YT-6045	141
YT-6046	141
YT-6050T	153

YATO	page
YT-6051T	153
YT-6052T	153
YT-6053T	153
YT-6054T	153
YT-6055T	153
YT-6056T	153
YT-6057	153
YT-6057T	153
YT-6061	153
YT-60621	153
YT-60622	153
YT-60623	153
YT-6063	153
YT-60634	153
YT-60668	153
YT-60685	153
YT-60686	153
YT-60687	153
YT-6069	153
YT-6071	153
YT-60733	153
YT-6076	153
YT-6077	153
YT-6080	153
YT-6081	153
YT-6082	153
YT-6083	153
YT-6085	153
YT-6086	153
YT-6091	153
YT-6093	153
YT-6095	153
YT-6097	153
YT-6099	153
YT-61009	152
YT-6101	152
YT-6102	152
YT-6103	152
YT-6105	152
YT-6106	152
YT-6107	152
YT-6108	152
YT-61091	152
YT-6110	152
YT-6111	152
YT-6112	152
YT-6113	152
YT-61132	152
YT-6114	152
YT-6115	152
YT-6117	152
YT-6119	152
YT-6120	152
YT-6121	152
YT-6122	152
YT-6123	152
YT-6124	152
YT-6125	152
YT-6128	152
YT-6129	152
YT-6130	152
YT-6131	152
YT-6136	152
YT-6137	152
YT-6138	152
YT-6140	161
YT-6141	161
YT-6142	161
YT-6143	162

YATO	page
YT-6144	162
YT-6145	162
YT-6146	162
YT-6147	161
YT-6148	161
YT-6149	161
YT-6150	162
YT-6151	162
YT-6152	161
YT-6153	161
YT-6154	161
YT-6155	162
YT-6156	162
YT-6160	161
YT-6161	161
YT-6162	161
YT-6163	161
YT-6164	161
YT-6165	161
YT-6180	159
YT-6181	159
YT-6182	159
YT-6183	159
YT-6184	159
YT-6185	159
YT-6186	159
YT-6187	159
YT-6188	159
YT-6189	159
YT-6190	159
YT-6191	159
YT-6192	159
YT-6193	159
YT-6194	159
YT-6219	161
YT-6220	161
YT-6221	161
YT-6222	161
YT-62228	159
YT-62229	159
YT-6223	159
YT-62231	159
YT-62238	159
YT-62239	159
YT-6224	159
YT-62241	159
YT-62243	159
YT-62244	159
YT-62245	159
YT-62246	159
YT-62248	159
YT-62249	159
YT-6225	159
YT-62251	159
YT-62258	159
YT-62259	159
YT-6226	159
YT-62261	159
YT-62268	159
YT-62269	159
YT-6227	159
YT-62271	159
YT-6228	159
YT-6229	159
YT-6230	159
YT-6231	159
YT-6232	159
YT-62328	159
YT-62329	159

YATO	page
YT-6233	159
YT-62331	159
YT-62338	159
YT-62339	159
YT-6234	159
YT-62341	159
YT-62348	159
YT-62349	159
YT-6235	159
YT-62351	159
YT-62358	159
YT-62359	159
YT-6236	159
YT-62361	159
YT-6237	160
YT-6238	160
YT-6239	160
YT-62391	160
YT-62392	160
YT-62393	160
YT-62394	160
YT-62395	160
YT-62396	160
YT-6241	128
YT-6242	128
YT-6243	128
YT-6244	128
YT-6245	128
YT-6246	128
YT-6247	128
YT-6248	128
YT-6249	128
YT-6251	128
YT-6253	128
YT-6256	128
YT-6258	128
YT-6260	128
YT-62820	128
YT-62821	128
YT-62822	128
YT-62823	128
YT-62824	128
YT-62825	128
YT-62826	128
YT-62827	128
YT-62828	128
YT-62830	129
YT-6351	155
YT-6353	155
YT-6354	155
YT-6355	155
YT-6356	155
YT-6401	132
YT-6402	132
YT-6403	132
YT-6404	132
YT-6405	132
YT-6406	132
YT-6407	132
YT-6408	132
YT-6409	132
YT-6410	132
YT-6412	132
YT-6413	132
YT-6414	132
YT-6415	132
YT-6416	132
YT-6417	132
YT-6420	132

YATO	page
YT-6421	132
YT-6422	132
YT-6423	132
YT-6424	132
YT-64270	132
YT-64271	132
YT-64272	132
YT-64280	133
YT-64281	133
YT-64282	133
YT-64283	133
YT-64284	133
YT-64290	133
YT-64291	133
YT-64292	133
YT-64293	133
YT-64294	133
YT-64295	133
YT-64620	314
YT-64621	314
YT-64622	314
YT-64623	314
YT-64624	314
YT-64625	314
YT-64626	314
YT-64627	314
YT-64628	314
YT-64630	316
YT-64631	316
YT-64650	315
YT-64651	315
YT-64652	315
YT-64653	315
YT-64654	315
YT-64655	315
YT-64656	315
YT-64657	315
YT-64658	315
YT-64659	315
YT-64660	315
YT-64661	315
YT-64662	315
YT-64663	315
YT-64664	315
YT-64700	312
YT-64701	312
YT-64702	312
YT-64703	312
YT-64704	312
YT-64705	312
YT-64706	312
YT-64707	312
YT-64708	312
YT-64709	312
YT-64710	312
YT-64711	312
YT-64712	312
YT-64713	312
YT-64714	312
YT-64715	312
YT-64716	312
YT-64717	312
YT-64718	312
YT-64719	312
YT-64720	312
YT-64721	312
YT-64722	312
YT-64723	312
YT-64724	312

YATO	page
YT-64725	312
YT-64726	312
YT-64727	312
YT-64728	312
YT-64729	312
YT-64730	312
YT-64731	312
YT-64732	312
YT-64733	312
YT-64734	312
YT-64735	312
YT-64736	312
YT-64737	312
YT-64738	312
YT-64739	312
YT-64740	312
YT-64741	312
YT-64742	312
YT-64743	312
YT-64744	312
YT-64745	312
YT-64746	312
YT-64747	312
YT-64748	312
YT-64749	312
YT-64750	312
YT-64751	312
YT-64752	312
YT-64753	312
YT-64754	312
YT-64755	312
YT-64756	312
YT-64757	312
YT-64758	312
YT-64759	312
YT-64760	312
YT-64761	312
YT-64770	313
YT-64771	313
YT-64772	313
YT-64780	312
YT-64781	312
YT-64782	312
YT-64783	312
YT-64784	312
YT-64785	312
YT-64786	312
YT-64787	312
YT-64788	312
YT-64789	312
YT-64790	312
YT-64791	312
YT-64792	312
YT-64793	312
YT-64794	312
YT-64795	312
YT-64796	312
YT-64797	312
YT-64798	312
YT-64799	312
YT-64800	312
YT-64801	312
YT-64802	312
YT-64803	312
YT-64804	312
YT-64805	312
YT-64806	312
YT-64807	312
YT-64808	312

YATO	page
YT-64809	312
YT-64810	312
YT-64811	312
YT-64812	312
YT-64813	312
YT-64814	312
YT-64815	312
YT-64816	312
YT-64817	312
YT-64818	312
YT-64819	312
YT-64820	312
YT-64821	312
YT-64822	312
YT-64823	312
YT-64824	312
YT-64825	312
YT-64826	312
YT-64827	312
YT-64828	312
YT-64829	312
YT-64830	312
YT-64831	312
YT-64832	312
YT-64833	312
YT-64834	312
YT-64835	312
YT-64836	312
YT-64837	312
YT-64840	313
YT-64841	313
YT-64842	313
YT-64850	314
YT-64851	314
YT-64852	314
YT-64853	314
YT-64854	314
YT-64855	314
YT-64856	314
YT-64857	314
YT-64858	314
YT-64859	314
YT-64860	314
YT-64861	314
YT-64862	314
YT-64863	314
YT-64864	314
YT-64865	314
YT-64866	314
YT-64867	314
YT-64868	314
YT-64869	314
YT-64870	314
YT-64871	314
YT-64872	314
YT-64873	314
YT-64874	314
YT-64875	314
YT-64876	314
YT-64877	314
YT-64878	314
YT-6501	133
YT-6502	133
YT-6503	133
YT-6504	133
YT-65048	133
YT-65049	133
YT-6505	133
YT-6506	133

YATO	page
YT-6510	165
YT-6511	165
YT-6512	165
YT-6513	165
YT-65139	312
YT-65140	312
YT-65141	312
YT-65142	312
YT-65143	312
YT-65144	312
YT-65145	312
YT-65146	312
YT-65147	312
YT-65148	312
YT-65149	312
YT-65151	312
YT-65152	312
YT-65153	312
YT-65154	312
YT-65155	312
YT-65156	312
YT-65157	312
YT-65158	312
YT-65159	312
YT-65161	312
YT-65162	312
YT-65163	312
YT-65164	312
YT-65165	312
YT-65166	312
YT-65167	312
YT-65168	312
YT-65169	312
YT-65171	312
YT-65172	312
YT-65173	312
YT-65174	312
YT-65175	312
YT-65176	312
YT-65177	313
YT-65178	313
YT-65179	313
YT-65190	314
YT-65191	314
YT-65192	314
YT-65193	314
YT-65194	314
YT-65195	314
YT-65196	314
YT-65197	314
YT-65198	314
YT-65199	314
YT-65200	314
YT-65201	314
YT-65202	314
YT-65203	314
YT-65204	314
YT-65205	314
YT-65206	314
YT-65207	314
YT-65208	314
YT-65209	314
YT-65210	314
YT-65211	314
YT-65212	314
YT-65213	314
YT-65214	314
YT-65215	314
YT-65216	314

YATO	page
YT-65217	314
YT-65218	314
YT-65219	314
YT-65220	314
YT-65221	314
YT-65222	314
YT-65223	314
YT-65224	314
YT-65225	314
YT-65226	314
YT-65227	315
YT-65228	315
YT-65229	315
YT-65230	315
YT-65231	315
YT-65232	315
YT-65234	315
YT-65236	315
YT-65237	315
YT-65238	315
YT-65239	315
YT-65240	315
YT-65241	315
YT-65242	315
YT-65243	315
YT-65244	315
YT-65245	315
YT-65246	315
YT-65247	315
YT-65248	315
YT-65249	315
YT-65251	315
YT-65252	315
YT-65253	315
YT-65254	315
YT-65255	315
YT-65256	315
YT-65257	315
YT-65258	315
YT-65259	315
YT-65260	315
YT-65261	315
YT-65262	315
YT-65280	315
YT-65281	315
YT-65282	315
YT-65283	315
YT-65284	315
YT-65285	315
YT-65286	315
YT-65287	315
YT-65288	315
YT-65289	315
YT-65290	315
YT-65300	315
YT-65301	315
YT-65302	315
YT-65303	315
YT-65304	315
YT-65305	315
YT-65306	315
YT-65320	314
YT-65321	314
YT-65322	314
YT-65323	314
YT-65324	314
YT-65325	314
YT-65326	314
YT-65327	314

YATO	page
YT-65340	314
YT-65341	314
YT-65342	314
YT-65343	314
YT-65344	314
YT-65345	314
YT-65346	314
YT-65347	314
YT-65350	316
YT-65351	316
YT-65352	316
YT-65357	316
YT-65358	316
YT-65360	317
YT-65361	317
YT-65362	317
YT-65363	317
YT-65367	317
YT-65370	316
YT-65371	316
YT-65375	316
YT-65377	316
YT-65380	317
YT-65382	317
YT-65383	317
YT-65384	317
YT-65385	317
YT-65393	316
YT-65395	316
YT-65411	317
YT-65413	317
YT-65460	317
YT-65461	317
YT-65462	317
YT-65463	317
YT-65464	317
YT-65465	317
YT-65466	317
YT-65467	317
YT-65468	317
YT-65469	317
YT-65470	317
YT-65471	317
YT-65472	317
YT-65473	317
YT-65474	317
YT-65475	317
YT-65476	317
YT-65477	317
YT-65478	317
YT-65479	317
YT-65490	317
YT-65491	317
YT-65492	317
YT-65493	317
YT-65494	317
YT-65495	317
YT-65496	317
YT-65497	317
YT-65498	317
YT-65499	317
YT-65500	317
YT-65540	320
YT-65550	320
YT-65555	320
YT-65556	320
YT-65557	321
YT-65565	321
YT-65570	319

YATO	page
YT-65571	319
YT-65572	319
YT-65573	319
YT-65574	319
YT-65575	319
YT-65580	319
YT-65582	319
YT-65583	319
YT-65584	319
YT-65585	319
YT-65586	319
YT-65588	319
YT-65589	319
YT-65590	319
YT-65591	319
YT-65592	319
YT-65593	319
YT-65615	319
YT-65616	319
YT-65617	319
YT-65618	319
YT-65619	319
YT-65620	319
YT-65621	319
YT-65622	319
YT-65623	319
YT-65624	319
YT-65625	319
YT-65626	319
YT-65627	319
YT-65628	319
YT-65629	319
YT-65630	319
YT-65631	319
YT-65632	319
YT-65633	319
YT-65634	319
YT-65635	319
YT-65641	318
YT-65642	318
YT-65645	318
YT-65651	318
YT-65652	318
YT-65653	318
YT-65654	318
YT-65655	318
YT-65656	318
YT-65657	318
YT-65680	318
YT-65681	318
YT-65682	318
YT-65683	318
YT-65685	318
YT-65686	318
YT-65687	318
YT-65690	318
YT-65691	318
YT-65692	318
YT-65693	318
YT-65694	318
YT-65695	318
YT-65696	318
YT-65697	318
YT-65698	318
YT-65699	318
YT-65701	318
YT-65702	318
YT-65703	318
YT-65704	318

YATO	page
YT-65705	318
YT-65706	318
YT-65707	318
YT-65710	319
YT-65711	319
YT-65712	319
YT-65713	319
YT-65714	319
YT-65715	319
YT-65716	319
YT-65717	319
YT-65718	319
YT-65719	319
YT-65720	319
YT-65721	319
YT-65722	319
YT-65723	319
YT-65724	319
YT-65725	319
YT-65726	319
YT-65727	319
YT-65730	319
YT-65731	319
YT-65732	319
YT-65733	319
YT-65740	321
YT-65741	321
YT-65745	321
YT-65760	321
YT-65761	321
YT-65762	321
YT-65763	321
YT-65764	321
YT-65765	321
YT-65766	321
YT-65767	321
YT-65768	321
YT-65819	104
YT-6582	104
YT-6583	104
YT-65831	104
YT-6586	105
YT-6587	105
YT-6600	105
YT-6601	105
YT-6602	105
YT-6603	105
YT-6604	105
YT-6605	105
YT-6606	105
YT-6607	105
YT-6608	105
YT-6609	105
YT-6610	105
YT-6611	105
YT-6612	106
YT-6613	106
YT-6614	106
YT-6615	107
YT-6616	106
YT-6617	106
YT-6618	107
YT-6619	107
YT-6620	108
YT-6621	108
YT-6622	108
YT-6623	109
YT-6624	109
YT-6625	108

YATO	page
YT-6626	109
YT-6628	108
YT-6629	108
YT-6630	108
YT-6631	109
YT-66341	104
YT-66342	104
YT-66343	104
YT-66344	104
YT-66345	104
YT-66346	104
YT-66347	104
YT-66348	104
YT-6700	170
YT-6705	170
YT-6706	170
YT-6745	170
YT-6750	170
YT-6751	170
YT-6753	170
YT-6754	170
YT-67620	314
YT-67621	314
YT-67622	314
YT-67623	314
YT-67624	314
YT-67625	314
YT-67626	314
YT-67627	314
YT-67628	314
YT-67630	316
YT-67631	316
YT-67650	315
YT-67651	315
YT-67652	315
YT-67653	315
YT-67654	315
YT-67655	315
YT-67656	315
YT-67657	315
YT-67658	315
YT-67659	315
YT-67660	315
YT-67661	315
YT-67662	315
YT-67663	315
YT-67664	315
YT-67700	312
YT-67701	312
YT-67702	312
YT-67703	312
YT-67704	312
YT-67705	312
YT-67706	312
YT-67707	312
YT-67708	312
YT-67709	312
YT-67710	312
YT-67711	312
YT-67712	312
YT-67713	312
YT-67714	312
YT-67715	312
YT-67716	312
YT-67717	312
YT-67718	312
YT-67719	312
YT-67720	312
YT-67721	312

YATO	page
YT-67722	312
YT-67723	312
YT-67724	312
YT-67725	312
YT-67726	312
YT-67727	312
YT-67728	312
YT-67729	312
YT-67730	312
YT-67731	312
YT-67732	312
YT-67733	312
YT-67734	312
YT-67735	312
YT-67736	312
YT-67737	312
YT-67738	312
YT-67739	312
YT-67740	312
YT-67741	312
YT-67742	312
YT-67743	312
YT-67744	312
YT-67745	312
YT-67746	312
YT-67747	312
YT-67748	312
YT-67749	312
YT-67750	312
YT-67751	312
YT-67752	312
YT-67753	312
YT-67754	312
YT-67755	312
YT-67756	312
YT-67757	312
YT-67758	312
YT-67759	312
YT-67760	312
YT-67761	312
YT-67770	313
YT-67771	313
YT-67772	313
YT-67780	312
YT-67781	312
YT-67782	312
YT-67783	312
YT-67784	312
YT-67785	312
YT-67786	312
YT-67787	312
YT-67788	312
YT-67789	312
YT-67790	312
YT-67791	312
YT-67792	312
YT-67793	312
YT-67794	312
YT-67795	312
YT-67796	312
YT-67797	312
YT-67798	312
YT-67799	312
YT-67800	312
YT-67801	312
YT-67802	312
YT-67803	312
YT-67804	312
YT-67805	312

YATO	page	YATO	page	YATO	page	YATO	page	YATO	page	YATO	page	YATO	page
YT-67806	312	YT-68142	312	YT-68224	314	YT-68347	314	YT-68674	319	YT-68810	319	YT-71055	173
YT-67807	312	YT-68143	312	YT-68225	314	YT-68350	316	YT-68675	319	YT-68811	319	YT-71056	173
YT-67808	312	YT-68144	312	YT-68226	314	YT-68351	316	YT-68680	319	YT-68812	319	YT-71057	173
YT-67809	312	YT-68145	312	YT-68227	315	YT-68352	316	YT-68682	319	YT-68813	319	YT-71058	173
YT-67810	312	YT-68146	312	YT-68228	315	YT-68357	316	YT-68683	319	YT-68814	319	YT-71060	173
YT-67811	312	YT-68147	312	YT-68229	315	YT-68358	316	YT-68684	319	YT-68815	319	YT-71061	173
YT-67812	312	YT-68148	312	YT-68230	315	YT-68360	317	YT-68685	319	YT-68816	319	YT-71063	173
YT-67813	312	YT-68149	312	YT-68231	315	YT-68361	317	YT-68686	319	YT-68817	319	YT-71070	174
YT-67814	312	YT-68151	312	YT-68232	315	YT-68362	317	YT-68688	319	YT-68818	319	YT-71071	174
YT-67815	312	YT-68152	312	YT-68234	315	YT-68363	317	YT-68689	319	YT-68819	319	YT-71072	174
YT-67816	312	YT-68153	312	YT-68236	315	YT-68367	317	YT-68690	319	YT-68820	319	YT-71073	174
YT-67817	312	YT-68154	312	YT-68237	315	YT-68370	316	YT-68691	319	YT-68821	319	YT-71075	174
YT-67818	312	YT-68155	312	YT-68238	315	YT-68371	316	YT-68692	319	YT-68822	319	YT-71076	174
YT-67819	312	YT-68156	312	YT-68239	315	YT-68375	316	YT-68693	319	YT-68823	319	YT-71077	174
YT-67820	312	YT-68157	312	YT-68240	315	YT-68377	316	YT-68715	319	YT-68824	319	YT-71140	173
YT-67821	312	YT-68158	312	YT-68241	315	YT-68380	317	YT-68716	319	YT-68825	319	YT-71141	173
YT-67822	312	YT-68159	312	YT-68242	315	YT-68382	317	YT-68717	319	YT-68826	319	YT-71142	173
YT-67823	312	YT-68161	312	YT-68243	315	YT-68383	317	YT-68718	319	YT-68827	319	YT-71143	173
YT-67824	312	YT-68162	312	YT-68244	315	YT-68384	317	YT-68719	319	YT-68830	319	YT-71144	173
YT-67825	312	YT-68163	312	YT-68245	315	YT-68385	317	YT-68720	319	YT-68831	319	YT-71145	173
YT-67826	312	YT-68164	312	YT-68246	315	YT-68393	316	YT-68721	319	YT-68832	319	YT-71146	173
YT-67827	312	YT-68165	312	YT-68247	315	YT-68395	316	YT-68722	319	YT-68833	319	YT-71150	174
YT-67828	312	YT-68166	312	YT-68248	315	YT-68411	317	YT-68723	319	YT-68840	321	YT-71151	174
YT-67829	312	YT-68167	312	YT-68249	315	YT-68413	317	YT-68724	319	YT-68841	321	YT-71153	174
YT-67830	312	YT-68168	312	YT-68251	315	YT-68460	317	YT-68725	319	YT-68845	321	YT-71155	174
YT-67831	312	YT-68169	312	YT-68252	315	YT-68461	317	YT-68726	319	YT-68860	321	YT-71156	174
YT-67832	312	YT-68171	312	YT-68253	315	YT-68462	317	YT-68727	319	YT-68861	321	YT-7116	173
YT-67833	312	YT-68172	312	YT-68254	315	YT-68463	317	YT-68728	319	YT-68862	321	YT-7117	173
YT-67834	312	YT-68173	312	YT-68255	315	YT-68464	317	YT-68729	319	YT-68863	321	YT-7118	173
YT-67835	312	YT-68174	312	YT-68256	315	YT-68465	317	YT-68730	319	YT-68864	321	YT-71185	173
YT-67836	312	YT-68175	312	YT-68257	315	YT-68466	317	YT-68731	319	YT-68865	321	YT-71186	173
YT-67837	312	YT-68176	312	YT-68258	315	YT-68467	317	YT-68732	319	YT-68866	321	YT-71187	173
YT-67840	313	YT-68177	313	YT-68259	315	YT-68468	317	YT-68733	319	YT-68867	321	YT-71188	173
YT-67841	313	YT-68178	313	YT-68260	315	YT-68469	317	YT-68734	319	YT-68868	321	YT-71189	173
YT-67842	313	YT-68179	313	YT-68261	315	YT-68470	317	YT-68735	319	YT-6903	125	YT-7149	173
YT-67850	314	YT-68190	314	YT-68262	315	YT-68471	317	YT-68741	318	YT-6907	125	YT-7150	173
YT-67851	314	YT-68191	314	YT-68280	315	YT-68472	317	YT-68742	318	YT-6912	125	YT-7151	173
YT-67852	314	YT-68192	314	YT-68281	315	YT-68473	317	YT-68745	318	YT-6913	125	YT-7152	173
YT-67853	314	YT-68193	314	YT-68282	315	YT-68474	317	YT-68751	318	YT-6916	125	YT-7153	173
YT-67854	314	YT-68194	314	YT-68283	315	YT-68475	317	YT-68752	318	YT-6917	125	YT-7154	173
YT-67855	314	YT-68195	314	YT-68284	315	YT-68476	317	YT-68753	318	YT-6925	171	YT-71540	174
YT-67856	314	YT-68196	314	YT-68285	315	YT-68477	317	YT-68754	318	YT-6926	171	YT-71541	174
YT-67857	314	YT-68197	314	YT-68286	315	YT-68478	317	YT-68755	318	YT-6927	171	YT-71551	174
YT-67858	314	YT-68198	314	YT-68287	315	YT-68479	317	YT-68756	318	YT-7000	169	YT-71552	174
YT-67859	314	YT-68199	314	YT-68288	315	YT-68490	317	YT-68757	318	YT-7001	168	YT-71555	174
YT-67860	314	YT-68200	314	YT-68289	315	YT-68491	317	YT-68780	318	YT-70020	169	YT-71556	174
YT-67861	314	YT-68201	314	YT-68290	315	YT-68492	317	YT-68781	318	YT-70021	169	YT-71560	174
YT-67862	314	YT-68202	314	YT-68300	315	YT-68493	317	YT-68782	318	YT-7003	169	YT-71561	174
YT-67863	314	YT-68203	314	YT-68301	315	YT-68494	317	YT-68783	318	YT-7004	169	YT-71562	174
YT-67864	314	YT-68204	314	YT-68302	315	YT-68495	317	YT-68785	318	YT-7005	168	YT-71565	174
YT-67865	314	YT-68205	314	YT-68303	315	YT-68496	317	YT-68786	318	YT-7011	169	YT-71566	174
YT-67866	314	YT-68206	314	YT-68304	315	YT-68497	317	YT-68787	318	YT-7022	169	YT-71567	174
YT-67867	314	YT-68207	314	YT-68305	315	YT-68498	317	YT-68790	318	YT-7023	169	YT-71570	174
YT-67868	314	YT-68208	314	YT-68306	315	YT-68499	317	YT-68791	318	YT-7024	169	YT-71571	174
YT-67869	314	YT-68209	314	YT-68320	314	YT-68500	317	YT-68792	318	YT-7025	169	YT-71572	174
YT-67870	314	YT-68210	314	YT-68321	314	YT-6854	131	YT-68793	318	YT-7026	169	YT-71580	175
YT-67871	314	YT-68211	314	YT-68322	314	YT-6855	131	YT-68794	318	YT-7032	169	YT-71581	175
YT-67872	314	YT-68212	314	YT-68323	314	YT-6862	131	YT-68795	318	YT-7033	169	YT-71582	175
YT-67873	314	YT-68213	314	YT-68324	314	YT-6863	131	YT-68796	318	YT-7034	169	YT-71650	177
YT-67874	314	YT-68214	314	YT-68325	314	YT-68640	320	YT-68797	318	YT-7071	176	YT-72002	175
YT-67875	314	YT-68215	314	YT-68326	314	YT-68650	320	YT-68798	318	YT-70720	176	YT-72003	175
YT-67876	314	YT-68216	314	YT-68327	314	YT-68655	320	YT-68799	318	YT-70721	176	YT-72004	175
YT-67877	314	YT-68217	314	YT-68340	314	YT-68656	320	YT-68801	318	YT-70722	176	YT-7205	175
YT-67878	314	YT-68218	314	YT-68341	314	YT-68657	321	YT-68802	318	YT-70723	176	YT-7220	176
YT-6801	172	YT-68219	314	YT-68342	314	YT-68665	321	YT-68803	318	YT-70724	176	YT-7221	176
YT-6803	172	YT-68220	314	YT-68343	314	YT-68670	319	YT-68804	318	YT-7080	175	YT-7222	176
YT-68139	312	YT-68221	314	YT-68344	314	YT-68671	319	YT-68805	318	YT-7081	175	YT-7223	176
YT-68140	312	YT-68222	314	YT-68345	314	YT-68672	319	YT-68806	318	YT-7082	175	YT-72300	175
YT-68141	312	YT-68223	314	YT-68346	314	YT-68673	319	YT-68807	318	YT-7084	175	YT-72301	175

YATO	page
YT-72302	175
YT-72303	175
YT-72305	175
YT-7294	219
YT-7296	219
YT-7300	233
YT-7301	233
YT-73011	239
YT-73012	239
YT-7302	233
YT-73055	239
YT-73072	239
YT-73080	123
YT-73082	123
YT-73084	123
YT-73086	123
YT-73087	124
YT-73091	124
YT-73095	122
YT-73097	121
YT-73098	121
YT-73126	177
YT-73127	177
YT-73131	177
YT-73460	244
YT-73462	244
YT-7350	244
YT-73521	244
YT-73530	244
YT-7360	261
YT-7361	261
YT-7362	261
YT-7363	261
YT-7364	261
YT-7365	261
YT-7366	261
YT-7367	261
YT-7368	261
YT-73744	262
YT-7377	262
YT-7380	261
YT-7381	262
YT-73921	263
YT-73980	262
YT-73981	262
YT-73982	262
YT-73983	262
YT-73984	262
YT-73985	262
YT-7400	255
YT-7405	255
YT-7409	255
YT-7410	255
YT-7413	255
YT-7414	256
YT-7416	256
YT-7417	256
YT-7419	256
YT-7420	256
YT-74220	264
YT-74221	264
YT-74227	264
YT-74229	264
YT-7430	256
YT-7433	256
YT-7434	256
YT-7435	256
YT-74351	257
YT-74360	257

YATO	page
YT-74361	257
YT-74370	257
YT-74371	257
YT-74372	257
YT-74373	257
YT-7440	257
YT-7446	257
YT-7455	262
YT-7456	262
YT-7461	262
YT-7463	262
YT-7464	260
YT-7466	260
YT-74661A	265
YT-74665A	265
YT-7467	260
YT-7468	260
YT-7469	260
YT-7470	260
YT-7471	260
YT-74713	260
YT-7472	260
YT-7473	260
YT-7473-8	260
YT-7473-9	260
YT-7474	260
YT-7476	260
YT-7477	260
YT-7485	259
YT-7486	259
YT-7487	259
YT-7488	259
YT-7489	259
YT-7490	259
YT-74947	258
YT-74951	258
YT-74954	258
YT-74956	258
YT-75002	149
YT-75003	149
YT-7502	148
YT-7503	148
YT-7504	148
YT-7505	148
YT-7507	148
YT-75071	149
YT-7509	148
YT-7510	148
YT-75101	149
YT-7511	149
YT-7512	149
YT-75122	149
YT-75123	149
YT-75124	149
YT-75140	172
YT-7520	148
YT-75201	148
YT-7523	148
YT-7524	149
YT-7525	149
YT-75260	149
YT-75261	149
YT-75262	149
YT-7527	149
YT-7530	149
YT-7532	148
YT-7534	148
YT-7550	150
YT-7560	146

YATO	page
YT-7561	146
YT-7600	118
YT-7601	118
YT-76040	148
YT-76042	148
YT-76050	148
YT-76051	148
YT-76052	148
YT-76590	31
YT-76591	31
YT-76592	31
YT-76593	31
YT-76594	30/236
YT-76595	30/236
YT-76596	33/236
YT-76597	33/236
YT-7660	30
YT-7661	30
YT-7662	30
YT-7671	30
YT-7673	30
YT-7675	30
YT-7676	30
YT-7678	30
YT-7679	30
YT-7680	30
YT-7681	30
YT-7682	30
YT-7683	30
YT-7684	30
YT-7685	30
YT-7686	30
YT-7687	30
YT-7688	30
YT-7689	30
YT-7690	30
YT-7691	30
YT-7692	30
YT-7693	30
YT-7694	30
YT-7695	30
YT-7696	30
YT-7697	30
YT-7698	30
YT-7699	30
YT-7700	31
YT-7701	31
YT-7702	31
YT-7705	31
YT-7706	31
YT-7707	31
YT-7708	31
YT-7709	31
YT-7710	31
YT-7711	31
YT-7712	31
YT-77170	32/236
YT-77171	32/236
YT-77172	32/236
YT-77191	237
YT-7723	31
YT-7732	31
YT-7733	31
YT-7750	34
YT-7751	34
YT-7752	34
YT-7753	34
YT-7800	75
YT-7801	75

YATO	page
YT-7802	75
YT-7803	75
YT-7804	75
YT-7805	75
YT-7806	75
YT-7807	75
YT-7808	75
YT-7809	75
YT-78130	75
YT-78131	75
YT-78132	75
YT-78133	75
YT-78134	75
YT-78135	75
YT-78136	75
YT-78141	75
YT-78142	75
YT-78143	75
YT-78144	75
YT-78145	75
YT-78146	75
YT-78147	75
YT-78150	76
YT-78151	76
YT-78152	76
YT-78153	76
YT-78154	76
YT-78155	76
YT-78156	76
YT-78160	76
YT-78161	76
YT-78162	76
YT-78163	76
YT-78164	76
YT-78165	76
YT-78166	76
YT-78167	76
YT-78190	77
YT-78191	77
YT-78192	77
YT-78193	77
YT-78194	77
YT-7821	75
YT-7822	75
YT-7823	75
YT-7824	75
YT-7825	75
YT-7826	75
YT-7827	75
YT-7828	75
YT-7829	75
YT-7830	75
YT-7831	75
YT-7832	75
YT-7833	75
YT-7834	75
YT-7840	75
YT-7841	75
YT-7842	75
YT-7843	75
YT-7844	75
YT-7845	75
YT-7848	75
YT-7853	76
YT-7854	76
YT-7855	76
YT-7856	76
YT-7857	76
YT-7858	76

YATO	page
YT-7859	76
YT-7860	76
YT-7861	76
YT-7862	76
YT-7863	76
YT-7864	76
YT-7865	76
YT-7866	76
YT-7867	76
YT-7868	76
YT-7869	76
YT-7870	76
YT-7871	76
YT-7872	76
YT-7873	76
YT-7874	76
YT-7881	76
YT-7882	76
YT-7885	76
YT-7888	77
YT-7889	77
YT-7890	77
YT-7891	77
YT-7892	77
YT-7893	77
YT-7894	77
YT-7895	77
YT-7896	77
YT-7897	77
YT-7898	77
YT-7899	77
YT-7900	77
YT-7901	77
YT-7902	77
YT-7903	77
YT-7904	77
YT-7905	77
YT-7906	77
YT-7907	77
YT-7908	77
YT-7909	77
YT-7910	77
YT-7911	77
YT-7912	77
YT-7913	77
YT-7914	77
YT-7915	77
YT-7916	77
YT-7917	77
YT-7918	77
YT-7919	77
YT-7920	77
YT-7921	77
YT-7922	77
YT-7923	77
YT-7931	77
YT-7932	77
YT-7934	77
YT-7935	77
YT-7936	77
YT-7937	78
YT-7938	78
YT-7939	78
YT-7940	78
YT-7941	78
YT-7942	78
YT-7943	78
YT-7944	78
YT-7945	78

YATO	page
YT-7946	78
YT-7947	78
YT-7948	78
YT-7949	78
YT-7950	78
YT-7951	78
YT-7952	78
YT-7953	78
YT-7954	78
YT-7955	78
YT-7956	78
YT-7957	78
YT-7958	78
YT-7959	78
YT-7960	78
YT-7961	78
YT-7962	78
YT-7963	78
YT-7964	78
YT-7965	78
YT-7966	78
YT-7971	78
YT-7972	78
YT-7973	78
YT-7974	78
YT-7975	78
YT-7980	78
YT-8001	130
YT-8002	130
YT-8003	130
YT-8004	130
YT-8005	130
YT-8006	130
YT-80140	270
YT-80141	270
YT-80142	270
YT-80143	270
YT-80144	270
YT-80145	270
YT-80146	269
YT-80147	269
YT-80148	269
YT-80149	269
YT-80150	269
YT-80151	269
YT-80152	271
YT-80153	271
YT-80154	271
YT-80155	271
YT-80156	271
YT-80157	271
YT-80158	271
YT-80159	271
YT-80160	271
YT-80161	271
YT-80162	271
YT-80163	271
YT-80164	269
YT-80165	269
YT-80166	269
YT-80167	269
YT-80168	269
YT-80169	269
YT-80170	271
YT-80171	271
YT-80172	271
YT-80173	271
YT-80174	271
YT-80175	271

YATO	page
YT-80176	270
YT-80177	270
YT-80178	270
YT-80179	270
YT-80180	270
YT-80181	270
YT-80182	270
YT-80183	270
YT-80184	270
YT-80185	270
YT-80186	270
YT-80187	270
YT-80188	272
YT-80189	272
YT-80190	272
YT-80191	272
YT-80192	272
YT-80193	272
YT-80194	272
YT-80195	272
YT-80196	272
YT-80197	272
YT-80198	272
YT-80199	272
YT-8020	265
YT-8021	265
YT-8022	265
YT-8023	265
YT-8024	265
YT-8025	265
YT-8026	265
YT-8027	265
YT-8028	265
YT-8029	265
YT-8030	265
YT-8031	265
YT-8032	265
YT-8033	265
YT-8034	265
YT-80395	267
YT-80396	267
YT-80397	267
YT-80398	267
YT-80399	267
YT-80400	267
YT-80401	267
YT-80402	267
YT-80403	267
YT-80404	267
YT-80405	267
YT-80406	267
YT-80407	269
YT-80408	269
YT-80409	269
YT-80410	269
YT-80411	269
YT-80412	269
YT-80550	263
YT-80551	263
YT-80552	263
YT-80553	263
YT-80554	263
YT-80555	263
YT-80556	263
YT-80557	263
YT-80558	263
YT-80559	263
YT-80560	263
YT-80564	263

YATO	page
YT-80583	263
YT-80584	263
YT-80585	263
YT-80586	263
YT-80587	263
YT-80588	263
YT-80589	263
YT-80590	263
YT-80591	263
YT-80792	264
YT-80793	264
YT-80794	264
YT-80795	264
YT-80796	264
YT-80797	264
YT-80798	264
YT-80799	264
YT-80800	264
YT-80801	264
YT-80802	264
YT-80900	267
YT-80901	267
YT-80902	267
YT-80903	267
YT-80904	267
YT-80905	267
YT-80906	266
YT-80907	266
YT-80908	266
YT-80909	266
YT-80910	266
YT-80911	266
YT-80912	268
YT-80913	268
YT-80914	268
YT-80915	268
YT-80916	268
YT-80917	268
YT-80918	272
YT-80919	272
YT-80920	272
YT-80921	272
YT-80922	272
YT-80923	272
YT-80924	266
YT-80925	266
YT-80926	266
YT-80927	266
YT-80928	266
YT-80929	266
YT-80930	268
YT-80931	268
YT-80932	268
YT-80933	268
YT-80934	268
YT-80935	268
YT-80936	268
YT-80937	268
YT-80938	268
YT-80939	268
YT-80940	268
YT-80941	268
YT-80942	266
YT-80943	266
YT-80944	266
YT-80945	266
YT-80946	266
YT-80947	266
YT-80950	273

YATO	page
YT-80951	273
YT-80952	273
YT-80953	273
YT-80954	273
YT-80955	273
YT-80956	273
YT-80957	273
YT-80958	273
YT-80959	273
YT-80960	273
YT-80961	273
YT-80962	273
YT-80963	273
YT-80964	273
YT-8100	125
YT-8101	125
YT-8102	125
YT-8106	125
YT-8107	125
YT-8108	125
YT-81220	125
YT-81221	125
YT-81330	310
YT-81332	310
YT-81351	310
YT-81351UL	310
YT-8156	118
YT-8165	118
YT-81651	118
YT-81652	118
YT-81654	118
YT-81655	118
YT-8166	118
YT-8173	119
YT-81800	247
YT-81801	247
YT-81802	247
YT-81803	247
YT-81804	247
YT-81806	247
YT-81814	249
YT-81815	249
YT-81816	249
YT-81817	249
YT-81980	296
YT-82001	296
YT-82020	292
YT-82021	292
YT-82030BS	294
YT-82034BS	294
YT-82034Y	294
YT-82036BS	294
YT-82036Y	294
YT-82037BS	295
YT-82037Y	295
YT-82044BS	294
YT-82044Y	294
YT-82049	293
YT-82049BS	293
YT-82052	294
YT-82052BS	294
YT-82052UL	294
YT-82070	294
YT-82083	292
YT-82087UL	292
YT-82091	293
YT-82091BS	293
YT-82091UL	293
YT-82093	292

YATO	page
YT-82093BS	292
YT-82094	293
YT-82094BS	293
YT-82097	293
YT-82100	293
YT-82100BS	293
YT-82104	293
YT-82105	293
YT-82101Y	293
YT-82110	293
YT-82110BS	293
YT-82115	296
YT-82120	295
YT-82121	296
YT-82121BS	296
YT-82122	296
YT-82123	295
YT-82125	295
YT-82125BS	295
YT-82127	295
YT-82127BS	295
YT-82127UL	295
YT-82130	295
YT-82130BS	295
YT-82131	296
YT-82133	296
YT-82136T	296
YT-82138T	296
YT-82140	299
YT-82141	298
YT-82151	297
YT-82152	297
YT-82153	297
YT-82153BS	297
YT-82154	297
YT-82160BS	297
YT-82160UL	297
YT-82165	298
YT-82172	300
YT-82173	299
YT-82181	299
YT-82185	300
YT-82195	297
YT-82195BS	297
YT-82200	297
YT-82223	299
YT-82230	299
YT-82240	298
YT-82250	120/302
YT-82272	297
YT-82274	297
YT-82280	300
YT-82288	300
YT-82288BS	300
YT-82291	124/300
YT-82291BS	124/300
YT-82293	124/300
YT-82300	300
YT-82300BS	300
YT-82300UL	300
YT-82340	299
YT-8240	120
YT-82401	120
YT-8241	120
YT-82430	120
YT-82431	120
YT-82433	120
YT-82434	120
YT-82435	120

YATO	page
YT-82436	120
YT-82437	120
YT-82438	120
YT-82439	120
YT-82455	122/302
YT-82470	122
YT-82471	122
YT-82472	122
YT-82473	122
YT-82475	122
YT-82476	122
YT-82477	122
YT-82553	298
YT-82600	298
YT-82601	298
YT-8271	302
YT-8272	302
YT-8273	302
YT-82742	120
YT-82743	120
YT-82760	292
YT-82765	286
YT-82770	286
YT-82780	282
YT-82781	282
YT-82782	282
YT-82783	282
YT-82784	282
YT-82786	282
YT-82787	283
YT-82788	283
YT-82794	283
YT-82795	283
YT-82796	283
YT-82797	283
YT-82800	284
YT-82801	284
YT-82804	284
YT-82810	284
YT-82811	284
YT-82812	288
YT-82813	288
YT-82814	284
YT-82815	285
YT-82816	286
YT-82818	289
YT-82819	289
YT-82822	285
YT-82823	285
YT-82825	285
YT-82826	285
YT-82827	285
YT-82828	286
YT-82830	287
YT-82831	287
YT-82832	287
YT-82833	287
YT-82834	288
YT-82835	288
YT-82836	288
YT-82837	288
YT-82842	289
YT-82843	289
YT-82844	289
YT-82845	289
YT-82848	289
YT-82848A	289
YT-82848BS	289
YT-82848I	289

YATO	page
YT-82848UL	289
YT-82849	289
YT-82852	291
YT-82852BS	291
YT-82852PACK	291
YT-82854	286
YT-82857	291
YT-82861	291
YT-82880	286
YT-82888	287
YT-82894	287
YT-82900	291
YT-82901	291
YT-82952	310
YT-8301	243
YT-83033	244
YT-8305	243
YT-83060	243
YT-83080	243
YT-83081	243
YT-83101	243
YT-83152	244
YT-83153	244
YT-83160	154
YT-83161	154
YT-83162	154
YT-83163	154
YT-83164	154
YT-83165	154
YT-83166	154
YT-83167	154
YT-83168	154
YT-83169	154
YT-83251	153
YT-83252	153
YT-83253	153
YT-83254	153
YT-83255	153
YT-83256	153
YT-83271	153
YT-83272	153
YT-83273	153
YT-83274	153
YT-83275	153
YT-83276	153
YT-83281	153
YT-83282	153
YT-83283	153
YT-83284	153
YT-83285	153
YT-83286	153
YT-83291	153
YT-83292	153
YT-83293	153
YT-83294	153
YT-83295	153
YT-83296	153
YT-83351	155
YT-83352	155
YT-83353	155
YT-83354	155
YT-83355	155
YT-83356	155
YT-83361	154
YT-83362	154
YT-83363	154
YT-83364	154
YT-83365	154
YT-83366	154

YATO	page
YT-83371	155
YT-83372	155
YT-83373	155
YT-83374	155
YT-83375	155
YT-83381	155
YT-83382	155
YT-83383	155
YT-83384	155
YT-83385	155
YT-83386	155
YT-83430	154
YT-83431	154
YT-83432	154
YT-83433	154
YT-83434	154
YT-83435	154
YT-83436	154
YT-83437	154
YT-83438	154
YT-83440	154
YT-83441	154
YT-83442	154
YT-83443	154
YT-83444	154
YT-83445	154
YT-83446	154
YT-83447	154
YT-83448	154
YT-83450	154
YT-83451	154
YT-83452	154
YT-83453	154
YT-83454	154
YT-83455	154
YT-83456	154
YT-83457	154
YT-83458	154
YT-8350	154
YT-8351	154
YT-8352	154
YT-8353	154
YT-8354	154
YT-8355	154
YT-8356	154
YT-8357	154
YT-8358	154
YT-8400	153
YT-8401	153
YT-8402	153
YT-8403	153
YT-8404	153
YT-8405	153
YT-8406	153
YT-8407	153
YT-8408	153
YT-8409	153
YT-8410	153
YT-8411	153
YT-8412	153
YT-8413	153
YT-8414	153
YT-8415	153
YT-8416	153
YT-8417	153
YT-8418	153
YT-84820	298
YT-84890	303
YT-84891	303

YATO	page
YT-84892	303
YT-84925	304
YT-84927	304
YT-84928	304
YT-84930	304
YT-84931	304
YT-849311	304
YT-84932	304
YT-849321	304
YT-84933	304
YT-84934	304
YT-84935	304
YT-849351	304
YT-849355	304
YT-84936	304
YT-84937	304
YT-849395	305
YT-84940	305
YT-84941	305
YT-84942	305
YT-84943	305
YT-84944	305
YT-84945	305
YT-84948	305
YT-84949	305
YT-84950	305
YT-84951	305
YT-84952	305
YT-84953	305
YT-84954	305
YT-84955	305
YT-84956	305
YT-84995	307
YT-85140	310
YT-85170	302
YT-85170BS	302
YT-85200	306
YT-85200BS	306
YT-85205	306
YT-85205BS	306
YT-85208	307
YT-85208BS	307
YT-85245	306
YT-85255	306
YT-85300	302
YT-85301	302
YT-85310	303
YT-85311	303
YT-85312	303
YT-85350	302
YT-85401	308
YT-85402	308
YT-85403	308
YT-85451	309
YT-85453	309
YT-85460	309
YT-85481	309
YT-85482	309
YT-85700	307
YT-85700BS	307
YT-85701	307
YT-85701BS	307
YT-85710	307
YT-85710BS	307
YT-85715	307
YT-85730	308
YT-85731	308
YT-85732	308
YT-85733	308

YATO	page
YT-85735	308
YT-85736	308
YT-85738	308
YT-85739	308
YT-85910BS	306
YT-85910UL	306
YT-85910VDE	306
YT-85915BS	306
YT-85915UL	306
YT-85915VDE	306
YT-86800	280
YT-86801	280
YT-86804	280
YT-86805	280
YT-86808	280
YT-86809	280
YT-8800	277
YT-8805	277
YT-8807	277
YT-8809	277
YT-8816	277
YT-8821	278
YT-8823	278
YT-8824	278
YT-8825	278
YT-8833	278
YT-8835	278
YT-8838	278
YT-8845	277
YT-8851	278
YT-8852	278
YT-8865	278
YT-8866	279
YT-8867	279
YT-8868	279
YT-8869	279
YT-8870	279
YT-8875	278
YT-8876	278
YT-8885	279
YT-8886	279
YT-88880	217
YT-88881	217
YT-88882	217
YT-8889	279
YT-8890	279
YT-8891	279
YT-8892	279
YT-8893	280
YT-8931	274
YT-8950	277
YT-8963	276
YT-8965	276
YT-8967	276
YT-8968	276
YT-8970	275
YT-8971	275
YT-8972	275
YT-8974	275
YT-8975	275
YT-8976	275
YT-8977	275
YT-8978	276
YT-8979	275
YT-8985	276
YT-8986	276
YT-9940	276
YT-9941	277
YT-99801	274
YT-99802	274
YT-99803	274
YT-99804	274
YT-99810	275
YT-99811	275
YT-99814	275
YT-99815	275
YT-99830	277
YT-99831	277
YT-99832	277
YT-99848	276
03240	326
03241	326
03245	326
03246	326
05540	326
05560	326
05580	326
05600	326
05921	328
05923	328
05924	328
05926	328
07975	327
07976	327
07977	327
07978	327
07984	327
07985	327
07986	327
07987	327
07988	327
08553	327
08554	327
08556	327
08558	327
08560	327
08562	327
08565	327
08573	327
08574	327
08576	327
08578	327
08580	327
08582	327
08585	327
08630	327
08631	327
08639	327
08780	326
08781	326
08783	326
08785	326
08786	326
08788	326
08790	327
08791	327
08793	327
15130	328
15200	328
15240	328
16551	328
16552	328
16553	328
16554	328
16555	328
16556	328
16557	328
18200	328
18201	328
21900	326
21905	326
21910	326
21915	326
21918	326
21919	326
21921	326
21924	326
21927	326
21929	326
21932	326
21934	326
21936	326
21938	326
21941	326
21944	326
21948	326
21950	326
21951	326
21952	326
21955	326
21956	326
21957	326
21958	326
21961	326
21963	326
21966	326
21998	326
21999	326
22571	326
22572	326
25160	327
25161	327
25162	327
25163	327
25165	327
25166	327
25170	327
25173	328
25351	327
25352	327
25353	327
25410	332
25411	332
25412	332
25510	327
25511	327
25512	327
25513	327
25514	327
25515	327
25516	327
25517	327
25518	327
25519	327
25520	327
25521	327
27322	332
28745	332
28746	332
28755	332
28757	332
28775	332
30410	326
30420	326
30430	326
30440	326
30450	326
30460	326
30480	326
30500	326
30510	326
30520	326
33065	326
33085	326
33105	326
33125	326
34251	326
34254	326
34256	326
38401	326
38402	326
38403	326
38404	326
38406	326
38407	326
38408	326
38409	326
40010	325
40011	325
40012	325
40013	325
40014	325
40015	325
40016	325
40017	325
40018	325
40041	325
40042	325
40043	325
40044	325
40045	325
40047	325
40048	325
40050	325
40051	325
40054	325
40055	325
40056	325
40057	325
41152	325
54000	324
54061	324
54062	324
54063	324
56391	324
56392	324
56393	324
56477	325
56478	325
57000	332
57020	332
57050	332
57350	324
57610	331
57640	331
58539	323
58540	323
58550	323
58560	323
58633	324
58634	324
58640	323
58641	323
58643	323
58661	323
58685	323
58687	323
58688	323
58689	323
58690	323
58691	323
58692	323
58693	323
58705	323
61020	324
61030	324
61040	324
61050	324
61060	324
61070	324
61080	324
61250	324
61260	324
61270	324
61280	324
61290	324
61300	324
61310	324
61330	324
61340	324
61350	324
61360	324
70320	328
70330	328
70340	328
70400	328
70410	328
70420	328
70430	328
70480	328
70490	328
70500	328
70510	328
71040	328
71050	328
72040	328
72060	328
72080	328
72100	328
72120	328
72140	328
73205	329
73206	329
73207	329
73260	328
73270	328
73271	328
73413	330
73881	331
73882	331
73883	331
73884	331
73885	331
73886	331
73887	331
73888	331
73891	331
73892	331
73893	331
73894	331
73895	331
73896	331
73897	331
73898	331
74100	328
74110	330
74501	330
74502	330
74508	328
74509	328
74626	330
74627	330
74628	330
74631	331
74632	331
74633	331
74646	331
74647	331
74660	330
74661	330
74662	330
74663	330
74664	330
74665	330
74666	330
74667	330
75303	331
76311	332
76312	332
78021	328
78042	332
78911	330
78912	330
78961	329
78972	329
78974	329
78981	329
78982	329
78983	329
78985	329
78986	329
78987	329
79320	329
79332	329
79580	330
79630	330
79771	330
79773	330
79775	330
79790	330
79792	330
79800	330
80751	332
80752	332
80753	332
81142	330
82021	331
82305	331
82351	331
82610	332
89000	332
89181	331
89214	331
89507	331
89515	331
07974	327
35351	325
35352	325
35353	325
54065	324
54066	324
54067	324
54068	324
54070	324
54071	324
54072	324
54073	324
54080	324
54081	324
56473	324
56475	324
61010	324
61090	324
61100	324
61120	324
61140	324
61150	324
61160	324
61210	324
61220	324
61230	324
61240	324
61320	324
61590	324
65233	325
65235	325

YATO®

MANUFACTURER / PRODUCENT

TOYA S.A.
ul. Sołtysowicka 13-15
51-168 Wrocław
Poland
(+48 71) 32 46 200
fax: (+48 71) 32 46 370
sales@yato.pl (domestic)
export@yato.pl (export)
import@yato.pl (import)

ODDZIAŁ WARSZAWSKI
Teren ProLogis Park Nadarzyn
al. Kasztanowa 160
05-831 Młochów k. Warszawy
Poland
(+48 22) 73 82 800
(+48 22) 73 82 828
sales@yato.pl (domestic)
export@yato.pl (export)

TOYA ROMANIA S.A.
Şos. Ştefăneşti, 8-8A
Ştefăneştii De Jos, Ilfov
România
(+40 031) 710 8892
office@yato.ro

YATO TOOLS (SHANGHAI) CO., LTD.
No. 1, Lane 1300,
East Kangqiao Road
Shanghai, China 201315
(+86 21) 681 829 50
fax: (+86 21) 681 829 51
yato@yato-sh.com

YATO TOOLS (JIAXING) CO., LTD.
Room.239, No.8 Baibu Avenue
Baibu Town, Haiyan County,
Jiaxing City, Zhejiang Province, China
(+86 21) 681 829 50
yato@yato-sh.com

YOUR TRUSTED SUPPLIER: / TWÓJ ZAUFANY DOSTAWCA:

www.yato.com

GET ACQUAINTED WITH OUR WIDE OFFER:
ZOBACZ NASZĄ BOGATĄ OFERTĘ: